



BEESSWIFT[®]

FOCUSED ON SAFETY





ARC FLASH PROTECTION



11

HI-VISIBILITY WORKWEAR



39

ORIGINAL & PREMIUM WORKWEAR



91

FIRE RETARDANT WORKWEAR



133

WEATHERPROOF WORKWEAR



143

DISPOSABLE WORKWEAR



159

SAFETY FOOTWEAR



171

PERSONAL PROTECTIVE EQUIPMENT



213

READY-FOR-RETAIL WORKWEAR & P.P.E



265

GLOVEZILLA HAND PROTECTION



285

VARIOUS HAND PROTECTION



327

FIRST AID KITS & MEDICAL EQUIPMENT



361



Who are Beeswift?

Beeswift is a manufacturer and wholesaler of Personal Protective Clothing and Equipment encompassing a wide range of safety products and high quality workwear. At Beeswift we pride ourselves on providing good quality PPE from footwear to gloves, protecting our customers with superior durability and improved comfort. Our 140,000 sqft National Distribution Centre has significant stockholding along with the in-house embroidery and badging facility.



As one of the country's leading manufacturers and wholesalers of PPE, workwear and medical supplies we recognise the requirements for products that fall outside our circle of expertise. That is why at Beeswift you can also acquire the brands that follow in our sister catalogue, Partner Brands. This confirms Beeswift's commitment to becoming the one stop shop for all your PPE and safety requirements.

Buy with *confidence*

As a responsible purchaser/manufacturer we audit our production facilities at home and abroad using our internal department who have completed IRCA approved courses in ISO9001: Lead Auditor and SMETA Audits. To help with our global compliance challenges we also use external Auditors who are IRCA accredited and have staffed offices all over the world. All Auditors are dedicated to ensure that consistent compliance processes are carried out to firstly meet legislation and secondly to meet the requirements of the senior management.

After a partner production facility is audited in accordance with Sedex Members Ethical Trade Audit or SMETA guidelines for short, we address any potential problems proactively and work with our partner production facilities to resolve these. This is done using CAP, Corrective Action Plan. We set dates to complete any CAP objectives, then CAP objectives are verified with either a follow up audit or a desktop verification, that can include images, video or training plans implemented where necessary.

Remember, Beeswift re-certificate all their manufactured products every 5 years to ensure the most stringent standards are upheld.





Ethical Trading Initiative

Member

Respect
for workers
worldwide

Beeswift is also a full member of the Ethical Trading Initiative (ETI). We proactively work with suppliers, competitors and our peers to develop products made with ethical principles in mind. We strive to work with suppliers who share our ethical philosophy and adhere to the 9 clauses of the ETI Base Code.

We believe in transparency in the supply chain and are actively engaged with our competitors in similar markets to improve our combined supplier base and in doing so we are striving to improve the existing conditions with our suppliers. In doing this we can together collectively bring greater change and improvement on our preferred facilities.



Member

In addition to the ETI, we are also members of SEDEX. This means Beeswift has completed a comprehensive Self Assessment Questionnaire which is uploaded on the SEDEX Advance platform and available (permission given by Beeswift) for interested parties to view our ethical credentials. SEDEX is not a standard setting body but it is a platform for sharing ethical information and improving our supply chain.

Beeswift is also accredited to ISO 14001, 9001 and OHSAS 18001 BSI registered. You can find CE declarations of conformity and User Information Sheets (UIS)/Care Instructions for garments that require them at www.beeswift.com. This gives the user security and peace of mind that the Beeswift product they are using has the relevant DNA reference.



PRIMARY AUTHORITY

Beeswift Limited are proud to announce that they have entered into a primary authority agreement with Sandwell Trading Standards and Environmental Health.

This is a legally recognised partnership between Beeswift and Sandwell Trading Standards and ensures the ongoing 3 C's Compliance, Conformity, Certification.

Sandwell Trading Standard will work together with Beeswift Limited with ongoing product testing which will provide us with additional due diligence and checks, this will provide third party evidence and assurance of continuous improvement that we make and distribute market leading safety and protective products and equipment.

We believe that this co-operation will further help to develop our knowledge and expertise and will help us to utilise the wealth of resources of the Trading Standards.

We are looking forward to having a close working relationship with the Sandwell Team.

Sandwell Councils Regulatory Services and Beeswift have entered into an agreement that guarantees legal advice and assistance.

The scheme called Primary Authority enables businesses to form a legal partnership with one local authority, which then provides assured and tailored advice on complying with health and safety, trading standards that other local regulators must respect.

Businesses receive 'assured advice' tailored to their business needs, which will make it easier for businesses to comply with the law and reduce compliance costs. It also helps grow the business knowing the resources they have invested in compliance are recognised across the country.

Primary Authority is a government backed scheme which was introduced in 2009. It aims to simplify and reduce the regulatory burden on business. Originally aimed at businesses which operated across the UK the scheme is now open to any business.

ETHICS & COMPLIANCE

Beeswift follow a strict policy which allows us to track, monitor and analyse our efforts to ensure we maximise our positive environmental impact. We have the ISO 14001 Environmental Management certification which means we have implemented and maintained an approved environmental system; it also means that we have demonstrated compliance with our own environmental policy and with current laws and regulations.

In addition, we demonstrate that our environmental impact is being monitored and continuously improved. We pro-actively monitor our waste monitoring, packaging responsibilities and ensure they align with our annual objectives.

Beeswift stands by the eight Ethical Trading Initiative Base Code Pillars:

1. Employment is freely chosen
2. Freedom of association and the right to collective bargaining are respected
3. Working conditions are safe and hygienic
4. Child labour shall not be used
5. Living wages are paid
6. Working hours are not excessive
7. No discrimination is practised
8. Regular employment is provided



CORPORATE SOCIAL RESPONSIBILITY

The impact on people, society, and the environment is the responsibility of every well run business. Here at Beeswift we take that responsibility very seriously. Over the years we have invested heavily in time, manpower, and resources to ensure that we live up to this responsibility.

Beeswift believe that a products ethical DNA can only be produced by working with companies within the supply chain who have ethical and environmental credentials. One of the ways that we try to ensure this is through the auditing and inspecting of our supply base; this is carried out either by our own internal or external IRCA accredited auditors.



Beeswift certifies many of our garments with recognised test houses to make sure the products you buy meet European standards. This means that you can be safe in the knowledge you are providing your customers with high quality hazard-protection workwear.

Beeswift carry out 2-Pillar audits to the latest SMETA Version and we do this regularly on our Beeswift Brands at agreed time-scales. We then with the Corrective Action Plan generated from the audit work with the suppliers to develop systems, better working practices to close off the non-compliances.

We believe that social auditing helps us work with suppliers better, it empowers workers and at the same time produces products which are ethically sourced with less environmental impact.



BEESWIFT

BEESWIFT FRANCE beeswift.fr

BEESWIFT NETHERLANDS beeswift.nl



BEESWIFT

INTRODUCING GLOVEZILLA



At Beeswift, we spend time developing and structuring amazing products, including our new Glovezilla range.

Each glove comes with a retail ready header card. This strong robust card also adopts the same colour size chart as the outer box and is 100% recyclable.

Each card also comes with its own barcode making it easy for the retailer to add to their existing system. By adding a colour size chart it is easy to determine which size of Glovezilla glove you are purchasing.

Easy to read titles on the front of the card, along with technical details for each glove, make choosing the right product for the job simple.

Translation of the titles and technical information on the rear of the card make this product perfect for the European markets.

As a company, we are continuing our efforts to ethically source products and reduce waste, whilst producing products that are fit for purpose and ready to retail. Our outer boxes are all recyclable and we have reduced our ink coverage.

SCREEN PRINTING

We can print company logos directly onto certain garments. Set-up charges depend on the number of colours in the logo, but double for every extra colour in your logo.

There are no minimum orders, we can work from most file formats.
Prices available on application.

EMBROIDERY SERVICE

We offer an in-house embroidery service, currently with three eight-head machines, one four-head machine, run by eight skilled members of staff. Our in-house digitising service can convert your company logo into a quality stitch pattern ready for embroidery.

The image you send needs to be of a high resolution, a Jpeg format is preferred.
Prices are available on application.

HEAT SEAL BADGES

On certain styles of garments, the option of having a heat seal badge is available.

Prices available on application.

ARC FLASH PROTECTION



ARC FLASH PROTECTION

ARC SATURN YELLOW COVERALL



CARC7SY

21

ARC TWO TONE COVERALL



CARC7SYN

22

ARC RIS COVERALL



CARC153OR

22

ARC 7KA HI-VISIBILITY COVERALL



CARC762 / 764 / 766

23

ARC 7KA NAVY COVERALL



CARC760N

23

ARC NAVY COVERALL



CARC6N

24



ARC COMPLIANT FLEECE JACKET



CARC910N

24

ARC NAVY WOVEN JACKET



CARC920N

25

ARC 7KA NAVY WOVEN JACKET



CARC720N

25

ARC 7KA WOVEN JACKET



CARC722 / 724 / 726

26

ARC TWO TONE JACKET



CARC925SYN

26



ARC RIS 3279-TOM LONG SLEEVES POLO SHIRT



CARC510R

27

ARC TWO TONE JACKET



CARC2HVSY

27

ARC POLO SHIRT



CARC1N

28



ARC RIS 3279-TOM LONG SLEEVES SWEATSHIRT



CARC560R

29

ARC SWEATHIRT



CARC3N

30



ARC LONG SLEEVES SINGLE JERSEY



CARC12SY

30



ARC LONG SLEEVES T-SHIRT



CARC22

31

ARC LONG JOHNS



CARC24

31



ARC TROUSERS



CARC4N

32

ARC 7KA TROUSERS



CARC750N

32

ARC 7KA HI-VISIBILITY TROUSERS



CARC752 / 754 / 756

33

ARC RIS TROUSERS



CARC152OR

33

ARC TWO-TONE TROUSERS



CARC5SYN

34

ARC FLASH PROTECTION

ARC CARGO STYLE TROUSERS



CARC5SY

34



V-GARD 950 SAFETY HELMET



MSAGVF1A

35

ZENITH SAFETY HELMET



KAWHE00024

35

KASK ARC FLASH VISORS



KAWV100014 / 15

35

NEXUS CORE SAFETY HELMET



CNS16EWA

35

CONTOUR FACE PROTECTION VISOR



CNS840

35

CONTOUR CARRIER



CNS55

35

ARC COMPLIANT BALACLAVA



CARC28

36



KNITTED ARC FLASH GLOVES



GZ59

36

DRIVERS ARC FLASH GLOVES



GZ80BR

37

DRIVERS ARC FLASH GLOVES



GZ81BR

37

DRIVERS ARC FLASH THERMAL GLOVES



GZ83BR

38

DRIVERS ARC FLASH THERMAL GLOVES



GZ84BR

38



Personal Protective Equipment Regulation (EU) 2016/425

Quality Assurance Certificate

Module D

Manufacturer

REDACTED INFORMATION
CONFIDENTIAL BEESWIFT SUPPLIER INFORMATION

Scope:

Heat and Flame Resistant, Welding, Anti-static, High Visibility, Waterproof and Arc Flash Protective Clothing

Certificate Number: 54133

Issued by: BTTG™ (Notified Body No. 0338 for Regulation (EU) 2016/425)

First issue: 01 June 2016 Date of issue: 02 September 2019 Expiry*: 01 June 2022

Authorised by

C A Butcher
Certification Manager

**Subject to continued compliance and audit.*

The attached schedule of approval forms part of this certificate.
Note: The validity of this certificate can be confirmed by contacting the Issuing Office:
BTTG™, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom
Tel: +44 (0)161 876 4211 email: ppe@bttg.co.uk website: www.bttg.co.uk

WHAT IS AN ARC FLASH?

An arc flash refers to the light and heat that occur during an arc fault, which is typically a type of electrical explosion that results from a connection through air to ground or another voltage point (phase) in an electrical system.

Where the fault occurs, current flows across instantaneously raising the temperature high enough to vaporize anything that gets in between the fault.

When hit by an arc flash you are hit by “waves”. However these happen so quickly it feels like just one singular incident.

First you are hit by the first wave which is concentrated with convection heat, UV light, IR light and visible light. The incident energy can be anything from 4-100cal/cm².

Secondly you will be confronted with the radiant heat which can move up to 1200km/h.

Finally, you will be struck by debris and vaporised copper. Copper expands 67000 times as it is vaporised creating a pressure wave.

During all of this the temperature can reach up to 20,000°C which means there is a significantly high risk of severe body burns.

PPE should always be a last line of defence when there is no other choice but to send someone into the risk environment.



BEESWIFT[®]
FOCUSED ON SAFETY



IEC/EN 61482 SERIES-1-1: 2009

This incorporates the “open arc” test method which is used in the US, and it measures the Arc Thermal Performance Value (ATPV) of the fabric in cal/cm².

The end user can select the correct clothing systems by ensuring the ATP value of the fabric is greater than the incident heat energy of the arc.

IEC/EN 61482 SERIES-1-2: 2007

The “box arc” test method is based on the European method described in ENV 50354, with a heat transfer measurement. Materials are classified as Class 1 (4kA) or Class 2 (7kA).

IEC/EN 61482 SERIES-2: 2009

Performance requirements for materials, and design requirements for garments.

BUYERS CHECKLIST

WHAT SHOULD YOU BE LOOKING FOR?

1. Where is my garment made? Has the production facility been fully audited to the highest standards?
Is the production facility certified to Article 11B?

ARTICLE 11B of the PPE Directive 89/686/EEC:-

Requires the manufacturer to evidence using their quality system that consistent production of the certified Cat 3 product is maintained.

11B assessments are carried out by independent registered certified auditors on a regular basis while the item of PPE remains in production.

Unannounced audits of the manufacturer's site can take place where all documented evidence must be made available for assessment.

Ask your supplier for proof of compliance.

With the recent update to the new PPE Regulation (EU) 2016/425, In future Article 11B will be referred to as Module D.

Between 21st April 2018 and 21st April 2019 you may see both Article 11B and Module D advertised, however after 21st April 2019 all manufacturers must have Module D certificates in place.

2. What tests have been carried out on the garments, and not just the fabric?
All CLICK ARC garment styles have been tested individually to the following standards where appropriate:-

Ask for a copy of all current certificates to support the level of protection being offered.

3. Is the garment / item fit for purpose?

Over the past 15 months the CLICK ARC developers have worked not only on the 3c's - COMPLIANCE, CONFORMITY, CERTIFICATION, but have also added a fourth which is COMFORT. User satisfaction in all areas of the 4c's is paramount to the correct and proper usage of the items provided. Every feature has been thought through from the pocket arrangements to the triple stitching in key stress areas. The fabric has been developed to allow soft flexible comfort without compromising the PROTECTION.

4. Is the item in STOCK?

Absolutely, in many cases up to size 58" chest and short, regular and long leg lengths in some styles.

5. What about waterproof garments?

Testing is virtually complete and the CLICK ARC Team expect salopettes and jackets in solid yellow and orange to all the above standards when applicable plus EN 343 to be available soon.



EN ISO 11612: 2015

EN ISO 13688: 2013

General
Performance
Requirements



EN ISO 11611: 2015



EN ISO 1149-3: 2004



EN ISO 1149-5: 2008



IEC 61482-2: 2009



EN 61482-1-2: 2007



EN 61482-1-1: 2009



EN ISO 20471



RIS-3279-TOM

ARC WORKWEAR RATINGS LAYERING OPTIONS

When you begin to start using combinations of ARC protective garments on top of each other you can gain a new protection factor that can sometimes achieve a greater protective factor than the individual garments.

These combination scores are not as simple as adding each garment's scores together, There are many factors to take into account including factors like layers of insulating air between the garments.

Working with reputable notified bodies, we have tested combinations of Arc garments to give you more knowledge of what combinations of Click ARC are more appropriate for your needs.

All combination testing results are representative of the protection achieved by the upper torso, unless the test is carried out solely on below the waist combinations.





ARC RATING
EQUALS

44.1

CAL/cm²

CARC22

5.9 CAL/cm²

CARC1

5.0 CAL/cm²

CARC3

12.6 CAL/cm²



ARC RATING
EQUALS

43.6

CAL/cm²

CARC24

5.9 CAL/cm²

CARC52

16 CAL/cm²



ARC RATING
EQUALS

36.2

CAL/cm²

CARC22

5.9 CAL/cm²

CARC3

12.6 CAL/cm²



ARC RATING
EQUALS

37.4

CAL/cm²

CARC22

5.9 CAL/cm²

CARC24

5.9 CAL/cm²

CARC1

5.0 CAL/cm²

CARC6

10.8 CAL/cm²



ARC RATING
EQUALS

25.1

CAL/cm²

CARC24

5.9 CAL/cm²

CARC4

10.8 CAL/cm²



ARC RATING
EQUALS

22.1

CAL/cm²

CARC22

5.9 CAL/cm²

CARC56

12.8 CAL/cm²



ARC RATING
EQUALS

18.2

CAL/cm²

CARC22

5.9 CAL/cm²

CARC51

6.2 CAL/cm²



ARC RATING
EQUALS

16.6

CAL/cm²

CARC22

5.9 CAL/cm²

CARC1

5.0 CAL/cm²

Head/Face/Eyes/Ears

| | |
|----------------|------------------------------------|
| EN 397 | Safety Helmets |
| EN 1731 | Face Protectors |
| EN 166 | Eye Protection includes BS 2092 |
| EN 352 | Ear Protection |

Footwear

| | |
|---------------------|--------------------------|
| EN ISO 20345 | Shoes, Boots and Riggers |
|---------------------|--------------------------|

Hand Protection

| | |
|-----------------|--------------------------------|
| EN 511 | Cold |
| EN 388 | Mechanical Risk |
| EN 407 | Thermal Risk |
| EN 420 | General |
| EN 421 | Ionising and Radioactive Risks |
| EN 374 | Chemicals and Micro-Organisms |
| EN 659 | For Firefighting |
| EN 60903 | High Voltage Risk (BS 697) |

Clothing

| | |
|---|---------------------------------|
| EN 342 | Cold |
| EN 343 | Waterproof Clothing |
| EN 13034 | Chemical Use |
| ISO11611 | Welding and similar operations |
| EN ISO 20471 | High Visibility |
| EN 510-1 | Against Mechanical Entanglement |
| ISO11612 | Industrial Heat |
| ISO14116 | Heat and Flame Spread |
| GO/RT 3279 Issue 8/ RIS-3279-TOM Issue 1 | Railway Use |

EUROPEAN STANDARDS SYMBOLS



Protection against low visibility



Mechanical hazards



Mechanical entanglement hazards



Heat and fire hazards



Static electricity protection



Radioactive particle hazards



Foul weather conditions



Protection for welding and allied processes



Protection against cold



Impact cut protection



Machinery hazards



Limited chemical spray



Chemical hazards



Limited chemical splash



Noxious dust hazards



Protection against micro-organisms



BEE SWIFT

ARC SATURN YELLOW COVERALL



- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 hip pockets
- Large bellows pocket to each leg with hook & loop closure flap
- Right leg mobile phone pocket with hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket

SY **CARC7SY** 38" - 54" / 96cm - 137cm



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 10.8 Cal/cm²)
- Open Arc Testing



EN ISO 20471
Class 3 High Visibility



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

ARC TWO TONE COVERALL

SY N **CARC7SYN** 38" - 54" / 96cm - 137cm



EN ISO 13688: 2013 -
General requirements for protective clothing

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 hip pockets
- Large bellows pocket to each leg, hook & loop closure flap
- Right leg mobile phone pocket, hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 10.8 Cal/cm²)
- Open Arc Testing



EN ISO 20471
Class 3 High Visibility



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

- RIS-3279-TOM issue 1 for use on or around railway lines
- 300gsm 60% Modacrylic, 40% Cotton
- 2 hip pockets
- Large bellows pocket to each leg, hook and loop closure flap
- Right leg mobile phone pocket, hook and loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket
- Mandarin collar



EN ISO 13688: 2013 -
General requirements
for protective clothing

ARC RIS COVERALL



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 9.3 Cal/cm²)
- Open Arc Testing



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

OR **CARC1530R** 36" - 54" / 92cm - 137cm

ARC 7kA HI-VISIBILITY COVERALL

EN ISO 13688: 2013 -
General requirements
for protective clothing



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 2 = 7kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 22 Cal/cm²)
- Open Arc Testing



EN ISO 20471: 2013
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified (Orange only)



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN ISO 11611: 2015
(Class 2 A1 A2)
Protective Clothing for
Use in Welding



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

| | | |
|------|------------|--------------------------|
| SY | CARC762SY | 36" - 54" / 92cm - 137cm |
| SY N | CARC764SYN | 36" - 54" / 92cm - 137cm |
| OR | CARC766OR | 36" - 54" / 92cm - 137cm |

ARC 7kA NAVY COVERALL



EN ISO 13688: 2013 -
General requirements for protective clothing

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 hip pockets, rear patch pocket, hook & loop closure flap
- Large bellows pocket to each leg, hook & loop closure flap
- Right leg mobile phone pocket, hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches

| | | |
|---|----------|--------------------------|
| N | CARC760N | 36" - 54" / 92cm - 137cm |
|---|----------|--------------------------|



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN ISO 11611: 2015
(Class 2 A1 A2)
Protective Clothing for
Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 2 = 7kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 22 Cal/cm²)
- Open Arc Testing

ARC NAVY COVERALL

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 hip pockets
- Rear patch pocket, hook & loop closure flap
- Large bellows pocket to each leg, hook & loop closure flap
- Right leg mobile phone pocket, hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket

N CARC6N 38" - 54" / 96cm - 137cm



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 10.8 Cal/cm²)
- Open Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

EN ISO 13688: 2013 -
General requirements for protective clothing



- 300gsm 60/40 Modacrylic/cotton with anti-static grid
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- Front full length zip closure with storm flap
- Ribbed cuffs
- Robust yet soft and comfortable to wear

ARC COMPLIANT FLEECE JACKET



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 61482-1-1: 2009
(ATPV = 38.3 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

N CARC910N S - 4XL

EN ISO 13688: 2013 -
General requirements for protective clothing





- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 breast pockets
- 2 lower pockets
- Large qualifying icons on left arm



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
(ATPV = 10.8 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

N CARC920N S - 4XL

ARC NAVY WOVEN JACKET

EN ISO 13688: 2013 -
General requirements
for protective clothing



ARC 7kA NAVY WOVEN JACKET

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 breast pockets
- 2 lower pockets
- Large qualifying icons on left arm



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 2 = 7kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 2 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
(ATPV = 22 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay

N CARC720N S - 3XL



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

ARC 7kA WOVEN JACKET

EN ISO 13688: 2013 -
General requirements
for protective clothing



| | | |
|------|------------|---------|
| SY | CARC722SY | S - 3XL |
| SY N | CARC724SYN | S - 3XL |
| OR | CARC726OR | S - 3XL |

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 breast pockets
- 2 lower pockets
- Large qualifying icons on left arm



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11611: 2015
(Class 2 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-2: 2007
(Class 2 = 7kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 61482-1-1: 2009
(ATPV = 22 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified (Orange only)



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame

ARC TWO TONE JACKET

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 Lower pockets
- Large qualifying icons on left arm

SY N **CARC925SYN** S - 3XL



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 61482-1-1: 2009
(ATPV = 10.8 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility



EN ISO 13688: 2013
(A1 A2 B1 C1)
Protection Against
Heat and Flame

EN ISO 13688: 2013 -
General requirements
for protective clothing



ARC RIS 3279-TOM LONG SLEEVES POLO SHIRT



OR **CARC510R** S - 6XL

- 220gsm 66% modacrylic, 32% polyester, 2% carbon
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- 3 Button placket
- Ribbed cuffs
- Very robust yet soft and comfortable to wear



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 61482-1-1: 2009
(ATPV = 6.2 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN ISO 20471: 2013
Class 3 High Visibility
GO/RT 3279: 2013 Issue 8
Railway Use Certified

ARC HI-VISIBILITY POLO SHIRT

- 280gsm 60/40 Modacrylic/cotton blend PDR fabric
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- 3 Button placket
- Ribbed cuffs
- Very robust yet soft and comfortable to wear



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 61482-1-1: 2009
(ATPV = 9.1 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN ISO 20471: 2013
Class 3 High Visibility

SY **CARC2HVSY** S - 6XL

EN ISO 13688: 2013 - General requirements
for protective clothing



ARC POLO SHIRT



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 5.0 Cal/cm²)
- Open Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

N **CARC1N** S - 6XL

CLICARC1
by **PROTECT**



- 210gsm 60/40 modacrylic/cotton blend pique fabric
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- 3 Button placket
- Ribbed cuffs
- Robust yet soft and comfortable to wear

EN ISO 13688: 2013 -
General requirements for protective clothing

ARC RIS 3279-TOM LONG SLEEVES SWEATSHIRT

EN ISO 13688: 2013 -
General requirements for protective clothing



- 260 - 280gsm 41% modacrylic, 30% polyester, 27% cotton, 2% carbon
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- Ribbed cuffs
- Ribbed waistband
- For industrial workers exposed to heat
- Not suitable for fire fighters



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
(ATPV = 12.8 Cal/cm²)
- Open Arc Testing



EN ISO 20471: 2013
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified (Orange only)



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

OR **CARC560R S - 6XL**



ARC SWEATSHIRT

- 300gsm 60/40 modacrylic/cotton blend fabric
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- Ribbed cuffs
- Ribbed waistband
- For industrial workers exposed to heat
- Not suitable for fire fighters



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 61482-1-1: 2009
(ATPV = 12.6 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

N CARC3N S - 6XL

EN ISO 13688: 2013 -
General requirements for protective clothing

ARC LONG SLEEVES SINGLE JERSEY

- 210gsm single jersey 60/40 modacrylic/cotton
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- 3 Button placket
- Ribbed cuffs
- Independantly tested to both box and open ARC standards
- Click ARC production is covered by module D certification



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-1: 2009
(ATPV = 6.8 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

SY CARC12SY S - 6XL

EN ISO 13688: 2013 - General requirements for protective clothing



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 14116: 2015
(3/5H/40)
Low Protection Against
Heat and Flame



EN 61482-1-1: 2009
(ATPV = 5.9 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

ARC LONG SLEEVES T-SHIRT

N CARC22 S - 4XL



BEESWIFT™

ARC LONG JOHNS

N CARC24 S - 4XL

- 210gsm 60/40 Modacrylic/ cotton with anti static
- Inherently flame retardant fabric
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread
- Each garment style is independantly tested to both box and open ARC standards
- Click ARC production is covered by module D certification
- To be worn as under garments

EN ISO 13688: 2013 - General requirements for protective clothing



ARC TROUSERS

- 300gsm 60/40 modacrylic/cotton blend
- Inherently flame retardant
- Triple stitch construction
- 7 belt loop part elastic waistband, double button closure
- 2 hip pockets and rear patch pocket
- Large bellows pocket to each leg, right leg phone pocket
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
(ATPV = 10.8 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay

N CARC4N 28" - 50" / 71cm - 127cm

EN ISO 13688: 2013 -
General requirements for protective clothing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

ARC 7kA TROUSERS

- 300gsm 60/40 modacrylic/cotton blend
- Inherently flame retardant
- Triple stitch construction
- 7 belt loop part elastic waistband, double button closure
- 2 hip pockets and rear patch pocket
- Large bellows pocket to each leg, right leg phone pocket
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches



EN 61482-2: 2009
Performance Requirements
and Design Requirements

N CARC750N 32" - 46" / 82cm - 117cm



EN 61482-1-2: 2007
(Class 2 = 7kA)
- Box Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-1: 2009
(ATPV = 22 Cal/cm²)
- Open Arc Testing



EN ISO 11611: 2015
(Class 2 A1 A2)
Protective Clothing for
Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

EN ISO 13688: 2013 -
General requirements
for protective clothing



ARC 7kA HI-VISIBILITY TROUSERS

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 7 belt loop part elastic waistband, double button closure
- 2 hip pockets and rear patch pocket
- Large bellows pocket to each leg, right leg phone pocket
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 2 = 7kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 2 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
(ATPV = 22 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN ISO 20471: 2013 + A1: 2016
Class 2 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified (Orange only)



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

| | | |
|-------------|-------------------|---------------------------------|
| SY | CARC752SY | 32" - 46" / 82cm - 117cm |
| SY N | CARC754SYN | 32" - 46" / 82cm - 117cm |
| OR | CARC756OR | 32" - 46" / 82cm - 117cm |



ARC RIS HI-VIS TROUSERS



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
(ATPV = 9.3 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN ISO 20471: 2013 + A1: 2016
Class 2 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

- RIS-3279-TOM issue 1 for use on or around railway lines
- 300gsm 60% Modacrylic, 40% Cotton
- 7 belt loop part elastic waistband, double button closure
- 2 hip pockets
- Rear patch pocket with hook and loop closure flap
- Large bellows pocket to each leg, hook and loop closure flap
- Right leg mobile phone pocket, hook and loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket

| | | |
|-----------|------------------|---------------------------------|
| OR | CARC152OR | 30" - 50" / 76cm - 127cm |
|-----------|------------------|---------------------------------|



ARC TWO-TONE TROUSERS

SY N CARC5SYN 28" - 50" / 71cm - 127cm

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 7 belt loop part elastic waistband, double button closure
- 2 hip pockets
- Rear patch pocket with hook & loop closure flap
- Large bellows pocket to each leg, hook & loop closure flap
- Right leg mobile phone pocket, hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket

SY CARC5SY 30" - 50" / 76cm - 127cm

ARC CARGO STYLE TROUSERS



EN ISO 13688: 2013 - General requirements for protective clothing



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 20471: 2013 + A1: 2016
Class 2 High Visibility



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
(ATPV = 10.8 Cal/cm²)
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



MSA
The Safety Company

V-GARD® 950 SAFETY HELEMT

- Balanced, lightweight and low-profile electrician helmet
- Integrated visor protects against impact, chemical splash, UV radiation, molten metal splash and electrical arc to GS-ET-29 class 1 (4kA)
- Premium anti-fog and anti-scratch coating visor fits over all corrective or safety glasses
- Lift the visor with a simple one handed movement - easy even when wearing gloves
- Delivered with a 4-point chinstrap
- Optional micro-prism stickers available (silver or red)
- Optional ear flaps to protect the ears from arc flash
- Certified according to EN 397: MM, LD, -30°C, 440V AC, EN 50365: 1000V AC, EN 166: 2C-1,2 1 B 3 8-1-0 9 KN, Anti-static

| | |
|------|-----------------|
| W | MSAGVF1A-80AW |
| W GY | MSAGVF1A-80AWGY |
| W RE | MSAGVF1A-80AWRE |

ZENITH SAFETY HELMET

- Washable removable soft padding
- Antibacterial treatment
- Ratchet system with triple adjustment
- Dielectric design
- Universal-adjustable
- Multilateral hit protection ensured
- EPS inner shell
- EN50365, EN12492, EN397

| | | | |
|----|----------------|----|----------------|
| W | KAWHE00024-201 | B | KAWHE00024-208 |
| OR | KAWHE00024-203 | BL | KAWHE00024-210 |



KASK

KASK ARC FLASH VISORS



KAWVI00014

- Arc Protection GS-ET-29: Class 1
- Luminous transmittance NA: 88%

- Arc Protection GS-ET-29: Class 2
- Luminous transmittance NA: 42%



KAWVI00015

NEXUS CORE SAFETY HELMET



Stickers shown are an optional extra

- Modern recreational styling with multi-standard protection
- Optimised 'micro' peak providing maximum upward visibility without compromising safety
- Approved to EN 397, LD, MM, 1000V a.c. (Non-Vented shell only), CSP V10 -40°C, EN 50365 Class 0, ANSI/ISEA Z89.1, Class C (Vented), Class E (Non-vented), LT, -40°C, AS/NZS 1801

CNS16EWA

CONTOUR FACE PROTECTION VISOR

Helmet sold separately



CNS840



CNS55

CONTOUR CARRIER

- Provides specialised Arc protection and additionally also provides reduced COVID-19 transmission due to maximum facial coverage
- Approved to EN 166, EN170 and Arc Class 2 GS-ET-29
- Using Active Smart Technology - using the Arc energy to provide maximum protection to the wearer during an arc incident
- With anti-fog and anti-scratch protection
- Easy fit moulded polycarbonate face screen with transparent, compact chinguard
- Contour Carrier compatible with Centurion Nexus and Concept helmets

ARC COMPLIANT BALACLAVA

- 210gsm 60/40 modacrylic/cotton with anti-static
- Inherently flame retardant fabric
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread
- Each garment style is independantly tested to both box and open ARC standards
- Click ARC production is covered by module D certification



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 14116: 2015
(3/5H/40)
Low Protection Against
Heat and Flame



EN 61482-1-1: 2009
(ATPV = 5.9 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

N CARC28 One Size



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN ISO 13688: 2013 - General requirements for protective clothing

KNITTED ARC FLASH GLOVES



GZ59 S (7) - XL (10)

- Para-aramid cotton reinforced liner
- Flame resistant neoprene rubber palm coating
- Elasticated wrist to give a more comfortable fit
- Neoprene rubber palm gives increased grip
- EN 388, EN 407, ASTM F2675-F2675M 2019 – Scores Pending, Awaiting certification.



DRIVERS ARC FLASH HAND PROTECTION



ARC FLASH RESISTANT ELIM 44.4CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 94.5%



EN 388: 2016+A1: 2018 // 3.X.3.3.D



EN 407: 2004 // 4.1.2.2.X.X

BR GZ80BR M (8) - XXL (11)

- Premium goatskin leather
- Reinforced stitching
- Reinforced para-aramid lining



EN 388: 2016+A1: 2018 // 3.X.4.3.E



EN 407: 2004 // X.1.X.X.X.X

- TPR back of hand protection

BR GZ81BR M (8) - XXL (11)



ARC FLASH RESISTANT ELIM 55CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 97.1%





- Premium goatskin leather
- Reinforced stitching
- Reinforced para-aramid lining
- Thinsulate® lined layer

BR GZ83BR M (8) - XXL (11)



EN 388: 2016+A1: 2018 // 3.X.2.3.D



EN 407: 2004 // 4.1.3.2.X.X



EN 511 // X.3.X



ARC FLASH RESISTANT ELIM 56.0CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 95.7%

DRIVERS ARC FLASH THERMAL ADVANCED HAND PROTECTION

- Premium goatskin leather
- Reinforced stitching
- Reinforced para-aramid lining
- Thinsulate® lined layer
- TPR back of hand protection

BR GZ84BR M (8) - XXL (11)



EN 388: 2016+A1: 2018 // 4.X.4.4.D.P



EN 407: 2004 // X.2.X.X.X.X



EN 511 // 1.4.X



ARC FLASH RESISTANT ELIM 64.0CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 95.7%

HI-VISIBILITY



HI-VISIBILITY WORKWEAR

TWO TONE SOFTSHELL JACKET



HVTT040

44

TWO TONE HOODY



HVTT025

46

TWO TONE SWEATSHIRT



HVTT020

47

TWO TONE LONG SLEEVE T-SHIRT



HVTT005

47

TWO TONE SHORT SLEEVE T-SHIRT



HVTT001

48

TWO TONE LONG SLEEVE POLO SHIRT



HVTT015

49

TWO TONE SHORT SLEEVE POLO SHIRT



HVTT010SYN

49

TWO TONE TROUSERS



HVTT080

50

PU FLUORO BOOT



BBPUSB

53

SAFETY BASEBALL CAP



BBSBC

55

RAILSPEC RIS COVERALL



RSC

56

PU EN20471 COVERALL



PUC

56

TWO-TONE THERMAL WATER RESIST COVERALL



BD900SYN

57

TESLA FR ANTI-STATIC HI-VISIBILITY BOILERSUIT



CFRASTEBSSY

58



PU EN20471 LINED JACKET



PULJ471SY

58

RAILSPEC RIS JACKET



RSJ

59

PU EN20471 JACKET



PUJ

59

ELSENER 7 IN 1 JACKET



7IN1

60

FLEECE LINED TRAFFIC JACKET



CTJFLSY

61

4 IN 1 TRAFFIC JACKET & BODYWARMER



TJFS

61

CONSTRUCTOR TRAFFIC JACKET



CTJENG

62

LADIES EXECUTIVE JACKET



LBD35/LBD30

62

FR ANTI-STATIC HI-VIS PADDED JACKET



CFLR3456SY

63

CARNOUSTIE JACKET



CAR

63

JUBILEE JACKET



JJ

64

TWO-TONE JACKET



TJSTTENG

64

ETON BREATHABLEJACKET



ET460R / ET45SY

65

UITDAM SNS HI-VIS WATERPROOF JACKET



HYD07237

65

TWO-TONE TRAFFIC JACKET



BD109

66

HI-VISIBILITY WORKWEAR

UITHOORN SNS HI-VIS WATERPROOF JACKET



HYD07236
66



ETON SOFT SHELL JACKET



ET410R / ET40SY
67

SATURN YELLOW SOFT SHELL JACKET



SS20471
67

LIGHTWEIGHT EN20471 SUIT



TS8 / TJ8
68



SUPER BOMBER JACKET



BD75SY
68

TWO TONE CONSTRUCTOR BOMBER JACKET



CBJTTSYN
69

EUROPA BOMBER JACKET



EBJ
69

BOMBER JACKET



BD208
70

FLEECE LINED BOMBER JACKET



CBJFL
70



CARNOUSTIE FLEECE



CARF
71

REVERSIBLE BODYWARMER



BWENG
71



HI-VISIBILITY PULL-ON HOOD



BSSSH25
72

HOODED SWEATSHIRT



BSHSSN
72

HI-VISIBILITY SWEATSHIRT



BSSN
73

QUARTER ZIP SWEATSHIRT



BSZSSEN
73



HI-VISIBILITY POLO SHIRT



BPKLSNEN / BPKSEN
74

TWO-TONE POLYKNIT POLO SHIRT



CPKSTTEN
74

PLANT OPERATORS POLO SHIRT



BPK3Q
75

EXECUTIVE LONG SLEEVE POLO SHIRT



BPKEXEC
75

LADIES POLO SHIRT LONG / SHORT SLEEVES



LPK20 / 22 / 26 / 28
76

CREW NECK T-SHIRT



BSCNTSENSY
76



LONG SLEEVE JERKIN RED BRACE



PKJENG (RT)
77

FR HI-VISIBILITY JERKIN



CFRPKJ
77

STANDARD LONG SLEEVED JERKIN



PKJENG
78

HI-VISIBILITY WORKWEAR



RAILSPEC VEST



RSV02P

78

SATURN YELLOW I.D. VEST



BD108SY

79



FR HI-VISIBILITY WAISTCOAT



CFRWC

79

EXECUTIVE WAISTCOAT



WCENGEXEC

80

ZIP FASTENED WAISTCOAT



WCENGSYZ

80

HI-VISIBILITY WAISTCOAT



WCENG

81

SHORT WAISTCOAT



WCENGSH

81

TWO-TONE EXECUTIVE WAISTCOAT



HVWC2T

82

TWO TONE EXECUTIVE WAISTCOAT CLASS 2



HVWC2T

83

MESH WAISTCOAT



HVMWEXEC / HVMW

87



UTTING SNS HI-VIS WATERPROOF BIB & BRACE



HYD07226

84

FR ANTI-STATIC SATURN YELLOW BIB



CFRLR59SY

84



URSUM SNS HI-VIS WATERPROOF TROUSERS



HYD072375

84

FR ANTI-STATIC OVER TROUSERS



CFRLR52SY

85

TESLA FR ANTI-STATIC HI-VISIBILITY TROUSERS



CFRASTETSY

85

RAILSPEC RIS TROUSERS



RST

86

LADIES RAILSPEC TROUSERS



LRST

86

PUT EN ISO 20471 TROUSERS



PUT

87

HI-VISIBILITY POLYCOTTON WORK TROUSERS



PCTENSY

87

BIRKDALE TROUSERS



BIT

88

BELFRY TROUSERS



BET

88

TRAFFIC TROUSERS



TEN

89

JOG BOTTOMS



BSJB

89




RAILSPEC SHORTS



RSSOR

90

POLYCOTTON WORK SHORTS



PCSENSY

90

High visibility garments issued to employees should conform to all relevant performance standards (EN ISO 20471, European Standard for High Visibility Clothing), and are worn and maintained correctly for maximum protection.

In order to comply with all UK and European legislation, you need to ensure that the high visibility garments you buy comply with the following: High visibility clothing conforming to EN ISO 20471 Table 1, Class 2 or 3, which must be worn at all times.

The colour of the background materials should normally be fluorescent yellow from Table 2 of EN ISO 20471. The retro-reflective materials should comply with Table 5. Reflective material enhances your visibility in low light situations. This reflective material returns light to a light source – such as vehicle headlights – creating a bright image that motorists are more likely to see from a distance. As a result, motorists and pedestrians have more time to react.

HIGHWAYS AGENCY REQUIREMENTS

Produced by the Highways Agency for all its contractors working on main or trunk roads in the UK. “All those working on or near the roads should wear high visibility warning clothing (Class 2 or 3) complying to EN ISO 20471 paragraph 4.2.3(b).

‘Shall have two horizontal bands of retroreflective material not less than 50mm apart from around the torso and bands of retro-reflective material joining the uppermost torso band from the front to the back over each shoulder’. In addition on motorways or other high speed roads full length sleeved garments should also comply with paragraph 4.2.4 ‘Full length sleeves’.

The dirtier a Hi-Vis garment gets, the less effective it becomes.

Make sure that garments are washed regularly, or disposed of when permanently soiled.

Do NOT allow sections to be cut off or removed - the level of protection they provide depends on the areas of fluorescent and retro-reflective materials included within the garment.

Make sure that the garment is worn fastened at all times to ensure maximum protection and reduce the risk of entanglement with moving machinery etc.

Hi-Vis garment types are grouped into three classes based on the conspicuity provided, with the classes dictating the minimum quantities of background and retro-reflective materials to be used.



CLASS 3

Highest Protection Level:

Band of retro-reflective material shall not be less the 50mm wide.

Minimum background material 0.80m².

Minimum retro-reflective material 0.20m².



CLASS 2

Intermediate Protection Level:

Band of retro-reflective material shall not be less the 50mm wide.

Minimum background material 0.50m².

Minimum retro-reflective material 0.13m².



CLASS 1

Lowest Protection Level:

Band of retro-reflective material shall not be less the 50mm wide. Minimum background material 0.14m². Minimum retro-reflective material 0.10m².

For limited risk/off road purposes only.

THE NEW TWO TONE RANGE.



Saturn Yellow / Navy

HVTT040SYN

S-4XL

Orange / Black

HVTT040ORB

S-4XL

TWO TONE SOFTSHELL JACKET

- Lightweight & comfortable
- Windproof
- Fleece backed, breathable fabric
- Full length front zip to neck
- 2 Angled zipped hip pockets
- Zipped right breast pocket
- Retro-reflective segmented tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (Orange only)



MAKE YOUR STYLE VISIBLE.



Saturn Yellow / Navy
HVTT025SYN
S-4XL

Orange / Black
HVTT025ORBL
S-4XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested

TWO TONE HOODY

- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Handwarmer pockets
- Retro-reflective segmented tape
- 2 bands around chest and arms with shoulder accents

TWO TONE SWEATSHIRT

- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Retro-reflective segmented tape
- 2 bands around chest and arms with shoulder accents



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



Saturn Yellow / Navy

HVTT020SYN

S-4XL

Orange / Black

HVTT020ORBL

S-4XL



Saturn Yellow / Navy

HVTT005SYN

S-4XL

Orange / Black

HVTT005ORBL

S-4XL

TWO TONE LONG SLEEVE T-SHIRT

- 100% Bird Eye polyester fabric
- Retro-reflective segmented tape



EN ISO 20471
Class 3 High Visibility



TWO TONES ARE BETTER THAN ONE.



TWO TONE SHORT SLEEVE T SHIRT

- 100% Bird Eye Polyester fabric
- Retro-reflective segmented tape

Saturn Yellow / Navy
HVTT001SYN
S-4XL

Orange / Black
HVTT001ORB
S-4XL



EN ISO 20471
Class 2 High Visibility



Saturn Yellow / Navy
HVTT015SYN
S-4XL

Orange / Black
HVTT015ORB
S-4XL

TWO TONE LONG SLEEVE POLO SHIRT

- 100% Bird Eye Polyester fabric
- 3 Button placket
- Retro-reflective segmented tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



Saturn Yellow / Navy
HVTT010SYN
S-4XL

Orange / Black
HVTT010ORB
S-4XL

TWO TONE SHORT SLEEVE POLO SHIRT

- 100% Bird Eye Polyester fabric
- 3 Button placket
- Retro-reflective segmented tape



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



B/SEEN
by HILBERWITZ

B/SEEN
by HILBERWITZ

MADE TO BE SEEN.

TWO TONE TROUSERS

- 80-20 polyester cotton
- Seven loop belt waistband
- 2 x hip pockets
- 1 x left leg cargo pocket
- 2 x rear pocket
- Knee pad pouch pockets
- Hard wearing and durable
- ID pocket
- Available in regular, short and tall leg fit



EN ISO 20471
Class 1 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



Saturn Yellow / Navy
HVTT080SYN
28" - 44"



Orange / Black
HVTT0800RBL
28" - 44"



THESE BOOTS ARE MADE FOR WORKING.

PU FLUORO BOOT

- Fluorescent high quality and flexible polyurethane S5 Safety wellingtons
- Superior grip and excellent thermal insulation down to -20 degree centigrade
- Providing great comfort and strength even in extreme temperatures
- These hard wearing work boots are more comfortable and much lighter than any classic PVC or rubber safety boots
- Steel toe cap protection
- Steel midsole protection
- Energy absorbing sole
- Antistatic
- 100% waterproof
- Cold insulating
- Resistance to various chemicals, oils and fats



EN ISO 20345: 2011
SRC CI S5



Saturn Yellow

BBPUSBSY

Size 3-12 (UK) 36-47(EU)

Orange

BBPUSBOR

Size 3-12 (UK) 36-47(EU)



GET AHEAD OF THE STYLE.

SAFETY BASEBALL CAP WITH RETRO REFLECTIVE TAPE

- Stylish fashionable baseball cap with mesh side panels and ventilation holes
- Fitted over an ABS durable plastic shell, providing lightweight head protection
- 65/35% Polyester cotton hi viz cap with reflective tape
- Fits 54cm - 59cm Circumference



EN812: 2012
Impact/Shock Absorption



Saturn Yellow
BBSBCY



Orange
BBSBCOR



RAILSPEC RIS COVERALL

- 80-20 polyester cotton
- Teflon® treatment for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Double sewn seams for extra strength
- 2 cargo pockets
- Knee pad pockets
- 3M® retro-reflective tape



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified

OR **RSC** 36" - 54" / 91cm - 137cm

Elasticated Waist




Cargo Pockets



Breast Pockets

Garment
Features



Knee Pad Pockets

PU COVERALL

- Breathable fabric
- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated storm cuffs
- Studded ankles
- Stitched and welded seams
- Retro-reflective tape



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



OR **PUCOR** S - 4XL

SY **PUC471SY** S - 4XL

Jacket (page 59)



Lined Jacket (page 58)



Trousers (page 87)



Garment
Features

TWO-TONE THERMAL WATER RESISTANT COVERALL



Garment
Features



- 300 Denier outer fabrics with sewn on tape
- Heavyweight 100% polyester with PU coating
- Two-way heavy-duty YKK zip, with storm flap
- 2 lower bellows pockets with flaps
- Knitted storm cuffs
- Concealed hood
- Retro-reflective tape



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN 342
Icler 0.474
Air Permeability Class 2

SY N **BD900SYN** S - 3XL

TESLA HI-VISIBILITY BOILERSUIT

- Multi-purpose 'utilities' boilersuit
- 320gsm fabric
- 80% cotton 19% polyester 1% anti-static
- 2 Vertical side access hip pockets
- 1 left breast pocket with sewn down flap
- Concealed stud fly front to neck
- Plain back
- Internal knee pouch pockets
- Elastic to waist
- Plain cuffs and ankles
- Retro-reflective tape



EN ISO 11612: 2008
(A1 B1 C1)
Protection Against Heat and Flame



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN ISO 20471: 2013
Class 3 High Visibility

SY **CFRASTEBSY** 36" - 54" / 91cm - 137cm



PU LINED JACKET

- Breathable fabric
- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Nylon/polyester quilt lining
- Self double yoke back
- Lower pockets with flap
- Elasticated storm cuffs
- Stitched and welded seams
- Retro-reflective tape

SY **PULJ471SY** S - 4XL



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



RAILSPEC RIS JACKET

- 280gsm 80-20 Polyester cotton
- Teflon® coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Retro-reflective tape
- Two breast pockets with flaps
- Two hip pockets



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested

OR **RSJ** 38" - 54" / 96cm - 137cm



PU JACKET



OR **PUJOR** S - 4XL

SY **PUJ471SY** S - 4XL

- Breathable fabric
- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated storm cuffs
- Stitched and welded seams
- Reflective material



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

ELSENER 7 IN 1 JACKET

- Highly versatile garment
- Suitable for "All Seasons" use
- Breathable outer shell
- Removable hood
- External phone pocket
- D rings for attaching identity tags
- Fleece lined collar on outer garment
- Hook & loop adjustable cuffs
- Hand warmer pockets
- Inner jacket zipout sleeves
- 3M® Reflective tape



Jacket & Bodywarmer

OR **7IN10R** S - 4XL

SY **7IN1SY** S - 4XL



Bodywarmer Reversed



Bodywarmer



Bodywarmer & Sleeves



Bodywarmer Reversed



Jacket Only



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability



EN ISO 20471: 2013
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

- PU coated polyester
- Fleece lined
- Concealed hood
- Two-way heavy-duty zip front, storm flap and security pocket
- 2 Lower pockets with flaps
- Right hand chest pocket with flap
- Inside breast pocket
- Knitted storm cuffs
- Internal 'wicking' strip
- Fully taped seams
- Retro-reflective tape

SY CTJFLSY S - 4XL



FLEECE LINED TRAFFIC JACKET

4 IN 1 TRAFFIC JACKET & BODYWARMER



- Heavyweight PU coated polyester
- Nylon lining
- Concealed hood
- Two-way heavyweight zip with storm flap
- 2 lower hip pockets with flaps
- Knitted storm cuffs
- Fully taped seams
- Reversible bodywarmer 'zipout'
- 3M® retro-reflective tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN ISO 20471: 2013
Class 2 High Visibility
(Bodywarmer only)

OR TJFSOR S - 4XL

SY TJFSSY S - 4XL



CONSTRUCTOR TRAFFIC JACKET

OR CTJENGOR S - 4XL

SY CTJENGSY S - 4XL



- PU coated polyester
- Quilted lining with heavyweight (160gsm) polyester filling
- Concealed hood
- Two-way heavy-duty zip front with storm flap and security pocket
- 2 Lower pockets with flaps
- Inside breast pocket
- Knitted storm cuffs
- Internal 'wicking' strip
- Fully taped seams
- Retro-reflective material



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

LADIES EXECUTIVE JACKET

- Fully breathable with grey mesh lining
- Concealed hood in collar, hook & loop closure
- Heavy-duty two way front zip to neck with studded storm flap
- Zipped security pocket
- Part elasticated waist
- Angled hip pockets with stud closure flaps & reflective piping
- Internal right breast smartphone pocket
- Internal left breast pocket with pen holder
- Wicking strip
- Zipped access for badging
- Storm cuffs with hook & loop adjustment



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

OR LBD350R 8 - 18 / S - 2XL

SY LBD30SY 8 - 18 / S - 2XL



PADDED SATURN YELLOW JACKET



SY **CFRLR3456SY** S - 4XL



EN ISO 14116: 2008
Outer Index 1
Inner Index 3



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge-Decay



EN ISO 20471: 2003 + A1 2007
Class 3 High Visibility



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN ISO 20471: 2013
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

Related Garments



Saturn Yellow Jacket

OR **CAROR** S - 4XL

SY **CARSY** S - 4XL



Carnoustie Fleece (page 75)



CARNOUSTIE JACKET

- Interactive breathable jacket with detachable hood
- 100% polyester with PU coating
- Concealed hood
- Mesh lining
- Two-way heavy-duty zip front, double storm flap
- 2 lower zipped hip pockets
- Zipped breast pockets with flap
- Hook & loop adjustable elasticated cuffs
- Drawcord at hip
- 3M® retro-reflective tape
- Compatible with Carnoustie Fleece, sold separately



OR JJOR S - 4XL

SY JJSY S - 4XL

JUBILEE JACKET

- Detachable hood with drawcord
- Two-way heavy-duty zip front with storm flap
- Two lower front patch pockets with hook & loop fastening flap
- I.D. card 'D' ring
- Drawcord at hip
- Internal mesh lining with mobile phone pocket
- Two roomy 'Poachers' pockets at lower front
- Deep Left breast zipped security pocket under front flap
- Knitted storm cuffs
- Internal wicking strip
- Fully taped seams



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability



TWO TONE JACKET



OR N TJSTTENGORN S - 4XL

SY N TJSTTENGSYN S - 4XL

- Heavyweight breathable PU coated polyester
- Quilted lining with polyester filling
- Concealed hood
- Two-way heavy-duty zip front
- 2 lower pockets, 1 inside pocket
- Fully taped seams
- Zip front closure to neck with knitted storm cuffs
- Hook & loop fastening storm flap
- Adjustable cuffs
- 6cm retro-reflective tape and retro-reflective piping
- 2 zip fastening front pockets
- Hip drawcord



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



- Breathable PU coated fabric
- Waterproof jacket fully taped seams
- Zip front closure to neck
- Hook & loop fastening storm flap
- Adjustable cuffs
- 6cm retro-reflective tape
- Retro-reflective piping
- 2 zip fastening front pockets
- Concealed hood
- Hip drawcord

OR ET460R S - 4XL

SY ET45SY S - 4XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

ETON BREATHABLE JACKET



UITDAM HI-VIS WATERPROOF JACKET



EN ISO 20471: 2013
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

OR HYD0723700R S - 4XL

SY HYD072370SY S - 4XL

- Concealed zip front with storm flap cover and press stud closure
- Fixed hood with drawcord
- 2 front pockets with storm flap
- Mesh polyester lining
- Simply No Sweat (SNS) 210gsm polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth textile finish

HYDROWEAR
PROTECTIVE CLOTHING
SIMPLY NO SWEAT
HI-VISIBILITY

- Two-tone traffic jacket, breathable fabric
- Detachable hood with drawcord and drawcord at hip
- Two-way heavy-duty YKK zip front with storm flap
- Two lower front patch pockets, hook & loop fastening flap
- I.D card pocket
- Internal mesh lining with mobile phone pocket
- Two roomy 'Poachers' pockets at lower front
- Deep Left breast zipped security pocket under front flap
- Knitted storm cuffs
- Internal wicking strip
- Fully taped seams



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

| | | | |
|----|---|----------|---------|
| SY | N | BD109SYN | S - 6XL |
|----|---|----------|---------|

| | | | |
|----|----|-----------|---------|
| RE | GY | BD109REGY | S - 6XL |
|----|----|-----------|---------|

TWO TONE TRAFFIC JACKET

UITHOORN HI-VIS WATERPROOF PARKA JACKET

| | | |
|----|-------------|---------|
| OR | HYD072360OR | S - 6XL |
|----|-------------|---------|

| | | |
|----|-------------|---------|
| SY | HYD072360SY | S - 6XL |
|----|-------------|---------|

- Concealed zip front with double storm flap cover and press stud closure
- Fixed hood with drawcord
- 2 front pockets with hook & loop fastening
- Inner pocket with hook & loop fastening
- 85cm length offering extensive cover
- Mesh polyester lining
- Simply No Sweat (SNS)
210gsm polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth textile finish



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability



ETON SOFT SHELL JACKET

- Hi-vis "Soft Shell" jacket
- Water resistant, windproof
- Fleece backed, breathable fabric
- 2 hand warmer front pockets
- Adjustable cuffs
- 6cm retro-reflective tape
- Retro-reflective piping
- Spiral wound front zip to neck
- Hip drawcord
- Lightweight
- Stylish and comfortable



EN ISO 20471
Class 3 High Visibility



OR BL ET410R S - 4XL

SY N ET40SY S - 4XL



- Lightweight and comfortable
- Water resistant, windproof
- Fleece backed, breathable fabric
- Full length front zip to neck
- 2 Angled zipped hip pockets
- Zipped right breast pocket
- Plain cuffs
- Plain hem
- Retro-reflective tape

SOFT SHELL JACKET



OR SS204710R S - 4XL

SY SS20471SY S - 4XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



LIGHTWEIGHT EN ISO 20471 SUIT

- PVC coated 150D polyester
- Concealed hood
- Two-way heavy-duty zip front with studded storm flap
- 2 Lower pockets with flaps
- Knitted storm cuffs
- Fully taped seams

- PVC coated 150D polyester
- Elasticated waist
- 2 position stud adjustment to legs
- 2 Side pockets with storm flaps
- Fully taped seams



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

Jacket Codes

OR TJ80R S - 4XL

SY TJ8SY S - 4XL

Suit Codes

OR TS80R S - 4XL

SY TS8SY S - 4XL



SUPER BOMBER JACKET

- 300 Denier heavyweight polyester with PU coating
- Two-way heavy-duty zip front with storm flap
- Fleece lined collar
- 2 lower bellows pockets with flaps
- Security and phone pockets
- Rear hem access for ease of logo applications
- Knitted storm cuffs
- Concealed hood
- 3M® Retro-reflective tape



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

SY BD75SY S - 4XL





TWO TONE CONSTRUCTOR BOMBER JACKET

- Heavyweight polyester oxford outer shell with PU coating
- Press stud flap
- Fully taped seams
- 2 Lower front pockets with flaps
- Internal breast pocket plus separate phone pocket
- Concealed hood/drawcord in collar
- External phone pocket



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

SY N CBJTTSYN S - 4XL



EUROPA BOMBER JACKET

OR N EBJORN S - 4XL

SY N EBJSYN S - 4XL



EN ISO 20471
Class 3 High Visibility (with sleeves)
Class 2 High Visibility (without sleeves)



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

- 100% polyester with non-breathable coating
- Removable sleeves
- Detachable fleece liner
- Unlined hood with drawcord
- Plastic zip with internal storm flap
- Pen pocket to upper left sleeve
- Exposed ribbed cuffs and waist band
- Mobile phone pocket to right breast
- 2 lower front bellows pockets
- 2 hand warmer pockets
- Retro-reflective tape



BOMBER JACKET



- 300 Denier outer fabrics with sewn on tape
- Heavyweight 100% polyester with PU coating
- Two-way heavy-duty YKK zip, with storm flap
- Fleece lined collar
- 2 lower bellows pockets with flaps
- Security and phone pockets
- I.D. pocket
- Rear hem access for ease of logo applications
- Knitted storm cuffs
- Concealed hood
- Retro-reflective tape



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



| | | |
|------|----------|----------|
| SY N | BD208SYN | XS - 5XL |
|------|----------|----------|

| | | |
|-------|-----------|----------|
| RE GY | BD208REGY | XS - 5XL |
|-------|-----------|----------|



FLEECE LINED BOMBER JACKET

| | | |
|----|---------|---------|
| OR | CBJFLOR | S - 4XL |
|----|---------|---------|

| | | |
|----|---------|---------|
| SY | CBJFLSY | S - 4XL |
|----|---------|---------|



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

- Heavyweight polyester oxford outer shell with PU coating
- Press stud flap
- Fleece lining
- Fully taped seams
- 2 Lower front pockets with flaps
- Internal breast pocket
- Concealed hood/drawcord in collar



Related Garments

Carnoustie Jacket (page 63)



Saturn Yellow Fleece



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

- High density 300gm polyester fabric
- Angled hand warmer pocket
- Retro-reflective tape
- Drawcord at hip
- Compatible with Carnoustie Jacket, sold separately

CARNOUSTIE FLEECE



| | | |
|----|--------|---------|
| OR | CARFOR | M - 3XL |
| SY | CARFSY | M - 3XL |



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

Orange Bodywarmer



Saturn Yellow Reversed



Orange Reversed



REVERSIBLE BODYWARMER

- Reversible hi-vis "interactive" bodywarmer
- PU coating to hi-vis side
- Polycotton lining on reverse
- Heavy duty zip
- 2 zipped pockets on both sides
- Mobile phone compartment on quilted side
- Retro-reflective tape

| | | |
|----|---------|---------|
| OR | BWENGOR | S - 4XL |
| SY | BWENGSY | S - 4XL |

HI-VISIBILITY PULL-ON HOODY

- 280gsm fleece fabric
- 100% polyester
- Handwarmer pockets
- Retro-reflective tape

OR **BSSSH25OR** S - 4XL

SY **BSSSH25SY** S - 4XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



HOODED SWEATSHIRT

OR **BSHSSEOR** S - 3XL

SY **BSHSSESY** S - 3XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

- 280gsm fleece fabric
- 100% polyester
- Full length front zip
- Handwarmer pockets
- Retro-reflective sew on tape
- Two band & brace



- Hi-vis sweatshirt
- 280gsm fleece fabric
- 100% polyester
- Anti-pill
- Retro-reflective sew on tape
- 2 band & brace

HI-VISIBILITY SWEATSHIRT



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

| | | |
|----|---------|---------|
| OR | BSEENOR | S - 4XL |
| SY | BSENSY | S - 4XL |

QUARTER ZIP SWEATSHIRT



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



| | | |
|----|-----------|---------|
| OR | BZSSEENOR | S - 3XL |
| SY | BZSSENSY | S - 3XL |

- Hi-vis quarter zip sweatshirt
- 280 gsm fleece fabric
- 100% polyester
- Anti-pill
- Retro-reflective sew on tape
- 2 band & brace



HI-VISIBILITY POLO SHIRT LONG SLEEVES // SHORT SLEEVES

- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar and cuffs
- Retro-reflective tape



EN ISO 20471: 2013
Class 3 High Visibility (long sleeves)
Class 2 High Visibility (short sleeves)
RIS-3279-TOM
Railway Use Tested (orange)

Long Sleeves Codes

| | | |
|----|-----------|---------|
| OR | BPKSLENOR | S - 4XL |
| SY | BPKSLENSY | S - 4XL |
| RE | BPKSLENRE | S - 4XL |

Short Sleeves Codes

| | | |
|----|----------|---------|
| OR | BPKSEHOR | S - 4XL |
| SY | BPKSEHSY | S - 4XL |
| RE | BPKSEHRE | S - 4XL |



EN ISO 20471
Class 2 High Visibility

| | | | |
|----|----|--------------|---------|
| OR | N | CPKSTTENOR | M - 4XL |
| SY | N | CPKSTTENSY | M - 4XL |
| RE | GY | CPKSTTENREGY | M - 4XL |



TWO-TONE POLYKNIT POLO SHIRT

- 100% polyester
- 3 button placket
- Retro-reflective tape
- Contrast collar shoulders and hem

PLANT OPERATORS POLO SHIRT



EN ISO 20471
Class 3 High Visibility

| | | |
|----|---------|----------|
| OR | BPK3QOR | XS - 6XL |
| SY | BPK3QSY | XS - 7XL |

- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar
- Three quarter length sleeves
- Retro-reflective tape



EXECUTIVE LONG SLEEVE POLO SHIRT

| | | |
|----|----------|---------|
| OR | BPEXECOR | S - 6XL |
| SY | BPEXESY | S - 6XL |
| RE | BPEXECRE | S - 6XL |



Underarm Ventilation



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 13758-2
40+ UV Protection

- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar and cuffs
- Retro-reflective dynamic stripe tape
- UV protection
- SCOTCHGARD moisture management
- Anti-bacterial
- Insect repellent



LADIES POLO SHIRT

- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar and cuffs
- Retro-reflective tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested



OR LPK280R S - 5XL
SY LPK220R S - 5XL



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested

OR LPK260R S - 5XL
SY LPK200R S - 5XL

CREW NECK T-SHIRT

- 100% Bird Eye polyester fabric
- Reflective tape
- Left breast pocket



EN ISO 20471
Class 2 High Visibility

OR BSCNTSENR S - 5XL
SY BSCNTSENSY S - 5XL



LONG SLEEVES JERKIN RED TAPE

- Hook & loop fastening
- Reflective material
- Red Reflexite tape over shoulders



EN ISO 20471
Class 3 High Visibility

SY PKJENG(RT) M - 2XL



FIRE RETARDANT JERKIN



- Flame retardant vest 3/4 sleeves
- Zip fastening
- Retro-reflective tape
- Do not wear next to skin
- Must be worn over Index 2 or 3 garments



EN ISO 14116
Protection Against Heat and Flame



EN ISO 20471: 2013
Class 3 High Visibility

OR CFRPKJOR M - 4XL

SY CFRPKJSY M - 4XL

STANDARD JERKIN LONG SLEEVES

- 100% polyester
- Hook & loop fastening
- Reflective material



EN ISO 20471: 2013
Class 3 High Visibility

| | | |
|----|----------|---------|
| OR | PKJENGOR | S - 4XL |
|----|----------|---------|

| | | |
|----|----------|---------|
| SY | PKJENGSY | S - 4XL |
|----|----------|---------|

RAILSPEC VEST

- 100% polyester fabric
- Quick release to shoulders and sides
- Hook & loop closure
- Retro-reflective tape



EN ISO 20471: 2013
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested

| | | |
|----|--------|---------|
| OR | RSV02P | M - 3XL |
|----|--------|---------|



I.D. VEST

- 100% polyester
- I.D. pocket to left breast (dimensions 12cm x 10.5cm)
- Hook & loop fastening
- Retro-reflective tape
- 2 body bands
- 2 braces



EN ISO 20471
Class 2 High Visibility (sizes M - 5XL)
Class 1 High Visibility (sizes XS - S)

SY **BD108SY** **XS - 5XL**



OR **CFRWCOR** **S - 4XL**

SY **CFRWCSY** **S - 4XL**

FIRE RETARDANT WAISTCOAT

- Flame retardant vest
- 100% polyester FR fabric
- Must be worn over index 2 or 3 garments
- Do not wear next to skin
- Zip fastening
- FR retro-reflective hi-vis tape
- FR threads



EN ISO 14116: 2015
Low Protection Against
Heat and Flame



EN ISO 20471
Class 2 High Visibility



EXECUTIVE WAISTCOAT

- 100% polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with hook & loop fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent I.D. pouch pocket
- Retro-reflective tape
- Covered mesh back panel



EN ISO 20471
Class 2 High Visibility



OR **WCENGEXECOR** M - 4XL

SY **WCENGEXESY** M - 4XL

RE **WCENGEXECE** M - 4XL



Covered Mesh Back Panel

ZIP FASTENED WAISTCOAT

- 100% polyester
- Zip fastening
- Retro-reflective tape
- 2 body bands
- 2 braces



EN ISO 20471: 2013
Class 2 High Visibility

SY **WCENGSYZ** M - 6XL



- 100% polyester
- Hook & loop fastening
- Retro-reflective tape
- 2 body bands
- 2 braces

HI-VISIBILITY WAISTCOAT

Bulk Codes: Box of 100

| | | | | | |
|----|---------|---------|----|-------|---------|
| OR | WCENGOR | M - 7XL | OR | BWCOR | M - 4XL |
| SY | WCENGSY | M - 7XL | SY | BWCSY | M - 4XL |
| RE | WCENGRE | M - 7XL | | | |



EN ISO 20471
Class 2 High Visibility



SHORT WAISTCOAT

- 100% polyester
- Hook & loop fastening
- Retro-reflective tape
- 2 body bands
- 2 braces



EN ISO 20471
Class 1 High Visibility

| | | |
|----|---------|---------|
| SY | WCENGSH | L - 2XL |
|----|---------|---------|





- 100% polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with hook & loop fastening flap
- Radio loop, pen & pencil pockets
- Transparent I.D. pouch pocket
- Retro-reflective tape
- Covered mesh back panel



EN ISO 20471
Class 1 High Visibility



Orange & Navy



Saturn Yellow & Royal



Orange & Black



Saturn Yellow & Red

TWO TONE EXECUTIVE WAISTCOAT

| | | | | | | | | | | | |
|-------|------------|---------|-------|------------|---------|-------|------------|---------|-------|------------|---------|
| SY BL | HVWCTTSYBL | M - 3XL | SY R | HVWCTTSYR | M - 3XL | OR BL | HVWCTTORBL | M - 3XL | RE BL | HVWCTTREBL | M - 3XL |
| SY GY | HVWCTTSYGY | M - 3XL | SY RE | HVWCTTSYRE | M - 3XL | OR GY | HVWCTTORGY | M - 3XL | RE GY | HVWCTTREGY | M - 3XL |
| SY N | HVWCTTSYN | M - 3XL | OR N | HVWCTTORN | M - 3XL | | | | | | |

TWO TONE EXECUTIVE WAISTCOAT CLASS 2

SY OR HVWC2TSYOR M - 3XL

OR SY HVWC2TORSY M - 3XL

- 100% polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with hook & loop fastening flap
- Radio loop, pen & pencil pockets
- Transparent I.D. pouch pocket
- Retro-reflective tape
- Covered mesh back panel




EN ISO 20471
Class 2 High Visibility



MESH WAISTCOAT

- 100% Polyester Mesh
- Hook & loop fastening
- Retro-reflective tape
- 2 body bands
- 2 braces
- Also available as a standard version with no pockets



Saturn Yellow Mesh

Executive Codes

OR HVMWEXECOR S - 4XL

SY HVMWEXESY S - 4XL

Standard Codes

OR HVMWOR S - 6XL

SY HVMWSY S - 6XL



EN ISO 20471: 2013
Class 2 High Visibility

UTTING SNS HI-VIS WATERPROOF BIB & BRACE

- Adjustable elastic shoulder braces with fastening
- Chest pocket with flap and press stud closure
- 2 pockets with hook & loop flap fastening
- Thigh pocket with hook & loop flap fastening
- Adjustable leg opening with press-stud
- Polyester lining
- Simply No Sweat (SNS)
- 210gsm polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth textile finish



EN ISO 20471: 2013
Class 1 High Visibility
RIS-3279-TOM Issue 1*
Railway Use Tested (orange)



EN 343
Class 4 Water Penetration Resistant
Class 4 Air Permeability

* when worn with a Class 2 RIS compliant upper garment



OR **HYD072260OR** S - 4XL

SY **HYD072260SY** S - 4XL

HYDROWEAR[®]
PROTECTIVE CLOTHING
SIMPLY NO SWEAT
HI-VISIBILITY

URSUM SNS HI-VIS WATERPROOF TROUSERS

- Elasticated waist with drawcord
- Mesh polyester lining
- Simply No Sweat (SNS)
- 210gsm polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth textile finish

OR **HYD072375OR** S - 4XL

SY **HYD072375SY** S - 4XL



Rear of Garment



FR SATURN YELLOW BIB & BRACE

- High frequency welded seams
- Elasticated shoulder straps with buckles
- Press stud adjustments by the ankles



EN ISO 14116: 2008 INDEX 1
Protection Against Heat and Flame



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN 471: 2013
Class 2 High Visibility



EN 343: 2003 + A1: 2007
Class 3 Water Penetration Resistant
Class 3 Air Permeability

SY **CFRLR59SY** S - 4XL



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN 471: 2013
Class 2 High Visibility



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN 343: 2003 + A1: 2007
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements

- Elasticated waist
- 2 side slits
- High frequency welded seams
- Press stud ankle adjustments
- Reflective bands on each leg

FIRE RETARDANT SATURN YELLOW TROUSERS

SY **CFRLR52SY** S - 4XL



TESLA FR HI-VISIBILITY TROUSERS

SY **CFRASETYSY** 28" - 48" / 71cm - 121cm

- 320gsm hi-vis FR treated fabric with anti-static grid
- YKK Brass zip fly
- Brass hook and bar waistband fastening
- 7 Belt loops
- Two vertical side seam access pockets
- 2 Bands retro-reflective tape to legs
- FR & AS logos embroidered to left hip
- Plain ankles
- Available in tall leg (T) option



EN ISO 20471: 2013
Class 2 High Visibility



EN ISO 11612: 2008
(A1 B1 C1)
Protection Against Heat and Flame



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



RAILSPEC RIS TROUSERS

- 280gsm 80-20 polyester cotton
- Teflon® treatment coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Triple sewn seams for extra strength
- 7 Belt loop waistband
- 2 cargo pockets
- Knee pad pockets
- 3 x 3M® Scotchlite retro-reflective leg bands
- Tall leg (T) option available



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested

OR **RST** 30" - 46" / 76cm - 116cm

Cargo Pockets



LADIES RAILSPEC RIS TROUSERS

- 280gsm 80-20 Polyester cotton
- Teflon coated for improved soil release
- 7 belt loop waistband
- Limited inside leg length
- Cargo pockets
- Knee pad pocket
- Durable hard wearing whilst remaining soft and comfortable
- 3 x 3M Scotchlite retro-reflective leg bands



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

OR **LRST** 8 - 16 / 26" - 34"



Rear Pocket



PUT EN ISO 20471 TROUSERS

- Breathable fabric
- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles
- 3M® retro-reflective tape




EN ISO 20471: 2013
Class 2 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

| | | |
|----|----------|---------|
| OR | PUTOR | S - 4XL |
| SY | PUT471SY | S - 4XL |



HI-VISIBILITY POLYCOTTON WORK TROUSERS

- 80-20 polyester cotton
- 7 loop belt waistband
- 2 hip pockets
- 1 left leg cargo pocket
- 1 rear jettied pocket
- Knee pad pouch pockets
- Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon® treatment to aid soil release when washing
- 3M® Scotchlite retro-reflective hi vis tape
- Available in regular and tall leg fit (T)



EN ISO 20471
Class 1 High Visibility

SY PCTENSY 30" - 48" / 76cm - 121cm



BIRKDALE TROUSERS

- Hi-visibility breathable overtrousers
- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook & loop closure
- 2 side pockets access
- Fully taped seams



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

OR BITOR S - 3XL

SY BITSY S - 3XL



OR BETOR S - 3XL

SY BETSY S - 3XL



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

BELFRY TROUSERS

- Belfry two-tone breathable overtrousers
- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook & loop closure
- 2 side access pockets
- Fully taped seams
- Retro-reflective tape



TRAFFIC TROUSERS

- Heavyweight PVC coated polyester
- Elasticated waist
- 2 position stud adjustment to legs
- 2 Side pockets with storm flaps
- Fully taped seams
- Retro-reflective tape



EN ISO 20471
Class 1 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

OR **TENOR** S - 4XL

SY **TENSY** S - 4XL



OR **BSJBOR** S - 4XL

SY **BSJBSY** S - 4XL



Rear Patch Pocket

JOGGING BOTTOMS



EN ISO 20471
Class 1 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

- 280gsm anti-pill fleece fabric
- Fully elasticated waist, with drawcord
- 2 Hip pockets with zip closure
- Cargo pocket with hook & loop flap on both legs
- 1 rear patch pocket with hook & loop flap
- Reinforced nylon knee patches
- 2 bands retro reflective tape to mid thigh
- Elasticated ankles
- Comfortable to wear allowing maximum movement without restriction
- RIS-3279-TOM compliant when worn with Class 2 upper

RAILSPEC SHORTS

- 280gsm 80-20 polyester cotton
- Teflon treatment coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Triple sewn seams for extra strength
- 7 Belt loop waistband
- 2 cargo pockets
- 3 3M® Scotchlite retro-reflective leg bands
- RIS-3279-TOM compliant when worn with Class 2 upper



EN ISO 20471
Class 1 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

OR **RSS** 30" - 46" / 76cm - 116cm



HI-VISIBILITY SHORTS



EN ISO 20471
Class 1 High Visibility

- 80-20 polyester cotton
- Seven loop belt waistband
- 2 hip pockets
- 1 left leg cargo pocket
- 1 rear jetted pocket
- Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon treatment to aid soil release when washing
- 3M® Scotchlite retro-reflective hi-vis tape

SY **PCSENSY** 30" - 46" / 76cm - 116cm



WORKWEAR



ORIGINAL & PREMIUM WORKWEAR

CLICK 'COLDSTAR'
COVERALL/HOOD



CCFCN

98

CLICK 'COLDSTAR'
JACKET/HOOD



CCFJN

98

CLICK 'COLDSTAR'
BIB TROUSERS



CCFBTN

99



CLICK 'COLDSTAR'
ATTACHABLE HOOD



CCFH

99

QUILTED BOILERSUIT



QBSN

100

CLICK PREMIUM BOILERSUIT



CPC

100

SUPER CLICK HOODED
BOILERSUIT



PCBSHCAR

101

SUPER CLICK BOILERSUIT



PCBSHW

101

CLICK BOILERSUIT



PCBS

102

CLICK COTTON BOILERSUIT



CDBS

102

REGULAR BOILERSUIT



RPCBS

103



COTTON DRILL
BIB & BRACE



CDBB

103



WAREHOUSE COAT



PCWC

104



HEAVYWEIGHT DRIVERS
JACKET



PCJ9

104

SUPER CLICK DRIVERS
JACKET



PCJHWN

105

SOFT SHELL JACKET
TWO-TONE



SSJTBLGY

105

SOFT SHELL JACKET



SSJ

106



ENDEAVOUR FLEECE



EN28 / 29 / 30

106

FLEECE JACKET



FLJ

107



QUEBEC BODYWARMER



QN

107

HUDSON BODYWARMER



HB

108



HOODED SWEATSHIRT



CLPCSHN

108

QUARTER ZIP SWEATSHIRT



CLQZSS

109

ORIGINAL & PREMIUM WORKWEAR

CLICK PREMIUM SWEATSHIRT



CPPCS
109

POLYCOTTON SWEATSHIRT



CLPCS
110

V-NECK SWEATSHIRT



CLVPCS
110

ACRYLIC V-NECK SWEATER



ACSV
111

MILITARY STYLE SWEATER



AMODV / AMODC
111



CLICK PREMIUM PIQUE POLO SHIRT



CPPKS
112

CLICK POLO SHIRT



CLPKS
112

B-COOL POLO SHIRT



BCPKSN
113



B-COOL T-SHIRT



BCTSN
113

STANDARD / PREMIUM T-SHIRT



CLCTS / CLCTSHW
114



OXFORD SHIRT



OXSLs / OXSSs
114

PILOT SHIRT



PSLS / PSSS
115

CLASSIC SHIRT



CS / CSSS
115



DOUBLE BREASTED CHEF'S JACKET



CCCJLS / CCCJSS
116

CHEF'S BIB APRON



CCCBA34X40
116

STRIPED BUTCHER'S APRON



CCCBSBANW34X40
117

HALF APRON WITH POCKET



CCCHABL29X22
117



POLYCOTTON TABARD



PCTAB
118



FLEECE JOGGING BOTTOMS



FLJBCG
118

KINGTON MULTI-POCKET TROUSERS



KMPTBL
119

SHAWBURY MULTI-POCKET TROUSERS



SMPT
119

CLICK PREMIUM MULTI-POCKET TROUSERS



CPMPT
120

CLICK TRADERS NEWARK TROUSERS



CTRANT
120

HEAVYWEIGHT DRIVERS TROUSERS



PCT9
121

ORIGINAL & PREMIUM WORKWEAR

**SUPER CLICK
DRIVERS TROUSERS**



PCTHW
121

ACTION WORK TROUSERS



AWT
122

COMBAT TROUSERS



PCCT
122

**LADIES POLYCOTTON
TROUSERS**



LPCTHWN
123

**POLYCOTTON/NYLON
PATCH TROUSERS**



PCNT27N
123

NYLON PATCH TROUSERS



PCTSYNNP
124

CHEF'S TROUSERS



CCCT
124

**CHEF'S TROUSERS
SMALL CHECK**



CCCTSCNW
125



**GRANTHAM MULTI-POCKET
SHORTS**



GMPSN
125

**CARGO POCKET SHORTS
NAVY**



CLCPSN
126

**CARGO POCKET SHORTS
BLACK**



CLCPSBL
126



**BASE LAYER
VEST LONG SLEEVES**



BLV
127

BASE LAYER LONG JOHNS



BLLJ
127

**THERMAL VEST
LONG / SHORT SLEEVES**



THVLS / THVSS
128

THERMAL LONG JOHNS



THLJ
128



**CHEF'S TALL HAT/
CHEF'S SKULL CAP**



CCCTH / CCCSC
129

THINSULATE HAT



THH / WH
129

THINSULATE BALACLAVA



B
129

**THINSULATE BALACLAVA
ORANGE**



THB
130



THERMAL SOCKS



TS / TSL
130

SEA BOOT SOCKS



SBS
130

COMBAT SOCKS



MODS
130



25 LITRE HI-VIS RUCKSACK



CHVR
131

32 LITRE HOLDALL



QD70
131

74 LITRE HOLDALL



QD80BL
131

LAUNDRY INSTRUCTIONS

Bleaching



Bleaches can be safely used



Non-Chlorine bleach must be used



Do Not Bleach



Can be bleached using Chlorine

Washing



Machine Wash **NORMAL**



Machine Wash **COLD**



Machine Wash **WARM**



Machine Wash **HOT**



Machine Wash **NORMAL** Permanent Press



Machine Wash **COLD** Permanent Press



Machine Wash **WARM** Permanent Press



Machine Wash **HOT** Permanent Press



Machine Wash **NORMAL** Delicate Cycle



Machine Wash **COLD** Delicate Cycle



Machine Wash **WARM** Delicate Cycle



Machine Wash **HOT** Delicate Cycle



Wash at Indicated Temperature 40°C



Hand Wash Only



Do Not Wash

Drying



Dry in Shade



Should be Dried Flat



Line Dry or Hang to Dry



Should be Drip Dried



Do Not Wring



Can be Tumble Dried



Tumble Dry **NO HEAT**



Tumble Dry **LOW HEAT**



Tumble Dry **MEDIUM HEAT**



Tumble Dry **HIGH HEAT**



Do Not Tumble Dry



Tumble Dry Permanent Press



Tumble Dry **LOW HEAT** Permanent Press



Tumble Dry **MEDIUM HEAT** Delicate Cycle



Tumble Dry Delicate Cycle

Dry Cleaning



Can be Dry Cleaned



Dry Clean **REDUCED MOISTURE**



Dry Clean **LOW HEAT**



Dry Clean **SHORT CYCLE**



Do Not Dry Clean



Dry Clean, Any Solvent



Dry Clean, Petroleum Solvent Only



Dry Clean, Any Solvent except Trichloroethylene



Dry Clean **NO STEAM**

Ironing



Iron, Steam or Dry **LOW HEAT**



Iron, Steam or Dry **ANY HEAT**



Iron, Steam or Dry **HIGH HEAT**




Do Not Iron



Iron, Steam or Dry **MEDIUM HEAT**



Do Not Iron with Steam



A good fit is essential for a professional look and for wearer comfort. Follow these guidelines when choosing your Beeswift garments.

A: Chest or Bust -
Measure over the fullest part of the chest under the arms and straight across the back.

B: Waist -
Measure around the natural waistline with the tape snug but not too tight.

C: Hips -
Measure the fullest part of the body, generally 20cm below the waist.

D: Inside Leg -
Measure from crotch to floor to determine your normal leg measurement.

Do's and Dont's before you order

- Do not measure over clothing
- Do not pull the tape too tight
- Take the measurement from the fullest part of your body
- Ask someone else to measure you for greater accuracy
- Use the same unit of measurement when placing your order
- Check garment is sized inches (") or centimetres (cm)
- Always order the garment to accommodate the largest measurement

SIZING GUIDE

JACKETS & COVERALLS

| | LADIES SIZES | UK (INCHES) | EU | FR* | COLLAR (INCHES) |
|-----|--------------|-------------|----|-----|-----------------|
| S | 10 | 34 | 44 | 44 | 14 |
| | | 36 | 46 | 46 | 14.5 |
| M | 12 | 38 | 48 | 48 | 15 |
| | | 40 | 50 | 50 | 15.5 |
| L | 14 | 42 | 52 | 52 | 16 |
| | | 44 | 54 | 54 | 16.5 |
| XL | 16 | 46 | 56 | 56 | 17 |
| | | 48 | 58 | 58 | 17.5 |
| 2XL | 18 | 50 | 60 | 60 | 18 |
| | | 52 | 62 | 62 | 18.5 |
| 3XL | 20 | 54 | 64 | 64 | 19 |
| | | 56 | 66 | 66 | 19.5 |
| 4XL | 22 | 58 | 68 | 68 | 20 |
| | | 60 | 70 | 70 | 20.5 |
| 5XL | 24 | 62 | 72 | 72 | 21 |
| | | 64 | 74 | 74 | 21.5 |

*COVERS FR, ES AND BG

MENS TROUSERS

| | UK (INCHES) | EU | FR* |
|-----|-------------|----|-----|
| S | 28 | 44 | 38 |
| | 30 | 46 | 40 |
| M | 32 | 48 | 42 |
| | 34 | 50 | 44 |
| L | 36 | 52 | 46 |
| | 38 | 54 | 48 |
| XL | 40 | 56 | 50 |
| | 42 | 58 | 52 |
| 2XL | 44 | 60 | 54 |
| | 46 | 62 | 56 |
| 3XL | 48 | 64 | 58 |
| | 50 | 66 | 60 |
| 4XL | 52 | 68 | 62 |
| | 54 | 70 | 64 |
| 5XL | 56 | 72 | 66 |
| | 58 | 74 | 68 |

*COVERS FR, ES AND BG

LADIES TROUSERS

| | INCHES | LADIES SIZES |
|----|--------|--------------|
| XS | 24 | 08 |
| S | 28 | 10 |
| M | 30 | 12 |
| L | 32 | 14 |
| XL | 35 | 16 |

INSIDE LEG

| | INCHES | CM |
|------------|--------|----|
| SHORT | 29 | 74 |
| REGULAR | 31 | 79 |
| TALL | 33 | 84 |
| EXTRA TALL | 35 | 89 |

The following details are a general guide to product sizing when garments are marked Small, Medium, Large and so on. Each type and style of garment, depending on which layer it is, will have an appropriate ease allowance built into it to enable it to be worn over/under other layers. This may vary from manufacturer to manufacturer but it is generally between 4 and 8 inches (10-20cm) and is referred to as 'over measure'.

*Please note that some countries adopt a different numbering system for their size ranges.

CLICK 'COLDSTAR' COVERALL/HOOD

- Robust Oxford nylon outer fabric
- 3M® Thinsulate lining
- Knee pad pouch pockets
- 3 patch pockets
- Heavy-duty zip & fly front
- 2" Reflective body band
- 2" Reflective leg bands

EN Standards



EN 342
Icer 0.565
X
AP3
X
X

N CCFCN S - 3XL



Rear of Garment

Associated Items



Hood Sold Separately



CLICK 'COLDSTAR' JACKET/HOOD

- Robust Oxford nylon outer fabric
- 3M® Thinsulate lining
- 3 patch pockets
- Heavy-duty zip and fly front
- Hook & loop throat tab collar closure
- Zipped sleeve pocket
- 2" reflective body band
- Attachable hood sold separately

EN Standards



EN 342
Icer 0.565
X
AP3
X
X

N CCFJN S - 3XL



Rear of Garment



Associated Items



Hood Sold Separately





Coldstar Coverall



Associated Items



Rear of Garment



'COLDSTAR' COVERALL/HOOD

- Robust Oxford nylon outer fabric
- 3M® Thinsulate lining
- Knee pad pouch pockets
- 3 Patch pockets
- Heavy-duty zip front
- Zip and stud legs for ease of fitting
- 2" Reflective leg bands

EN Standards



EN 342
Icer 0.565
X
AP3
X
X

N CCFBTN S - 3XL



WORKWEAR



'COLDSTAR' ATTACHABLE HOOD

- Used in conjunction with 'Coldstar' Jacket or Coverall
- 3M® Thinsulate lining
- Hook & loop fastening

EN Standards



EN 342
Icer 0.565
X
AP3
X
X

N CCFH One Size

Coldstar Coverall



Associated Items



Coldstar Jacket



QUILTED BOILERSUIT

- 65% polyester 35% cotton
- Quilt lined
- Concealed two way zip front
- 2 breast pockets
- Reinforced elasticated waist
- 2 swing pockets with side access
- 2 rear pockets, one with hook & loop flap
- 1 rule pocket

| | | |
|---|------|--------------------------|
| N | QBSN | 36" - 62" / 91cm - 157cm |
|---|------|--------------------------|



Rear of Garment



Other Images



Elasticated Back



Unique Design Breast Pocket

Garment Features

CLICK PREMIUM BOILERSUIT

- Unique Stretch-plus design for enhanced comfort
- Elasticated back design allows garment to move with you as you work
- Hardwearing 250gsm 65/35 polycotton fabric
- Internal kneepad pockets
- 2 breast pockets with unique design
- 2 hook & loop hip pockets
- 2 thigh pockets
- 2 rear pockets
- 1 left sleeve pocket
- Under arm ventilation system

| | | |
|----|-------|--------------------------|
| N | CPCN | 36" - 54" / 91cm - 137cm |
| BL | CPCBL | 36" - 54" / 91cm - 137cm |
| RE | CPCRE | 36" - 54" / 91cm - 137cm |

SUPER CLICK HOODED BOILERSUIT

- 65% polyester 35% cotton
- Concealed zip front
- Hood with drawcord
- 2 zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 swing hip pockets with side access
- 2 rear pockets, one with hook & loop flap
- 1 rule pocket
- 1 hammer pocket
- Elasticated cuffs and ankles

| | | |
|---|----------|--------------------------|
| R | PCBSHCAR | 36" - 54" / 91cm - 137cm |
|---|----------|--------------------------|



Hood Down



Rear of Garment

Other Images



Reinforced Elasticated Waist

Garment Features



Zip Breast Pockets

SUPER CLICK BOILERSUIT

- 65% polyester 35% cotton
- Concealed two-way zip
- 2 zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 swing hip pockets with side access
- 2 rear pockets, one with hook & loop fastening
- 1 rule pocket, 1 hammer loop

| | | |
|----|----------|--------------------------|
| N | PCBSHWN | 36" - 54" / 91cm - 137cm |
| BL | PCBSHWBL | 36" - 54" / 91cm - 137cm |

| | | |
|----|----------|--------------------------|
| R | PCBSHWR | 36" - 54" / 91cm - 137cm |
| OR | PCBSHWOR | 36" - 54" / 91cm - 137cm |
| RE | PCBSHWRE | 36" - 54" / 91cm - 137cm |

CLICK BOILERSUIT

- 65% polyester 35% cotton
- Lay down collar
- Yoke back
- Concealed stud front
- 2 breast pockets with stud flap
- 2 lower welted pockets
- 2" (5cm) waistband with side elastication

| | | |
|----|--------|--------------------------|
| N | PCBSN | 34" - 54" / 86cm - 137cm |
| R | PCBSR | 34" - 54" / 86cm - 137cm |
| RE | PCBSRE | 34" - 54" / 86cm - 137cm |
| W | PCBSW | 34" - 54" / 86cm - 137cm |
| OR | PCBSOR | 34" - 54" / 86cm - 137cm |
| S | PCBSS | 34" - 54" / 86cm - 137cm |



5cm Waistband



Stud Flap Breast Pockets

Garment Features

CLICK COTTON BOILERSUIT

- Pre-shrunk 100% cotton (250gsm)
- Concealed stud front
- 1 breast pocket with stud flap
- Reinforced elasticated waist
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rule pocket

| | | |
|---|-------|--------------------------|
| N | CDBSN | 34" - 54" / 86cm - 137cm |
| W | CDBSW | 34" - 54" / 86cm - 137cm |

Other Images



Rear of Garment



Rear of Garment



REGULAR BOILERSUIT

- 65% polyester 35% cotton
- Concealed stud front
- 2 breast pockets
- Elasticated waist
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rule pocket

| | | |
|----|---------|--------------------------|
| N | RPCBSN | 36" - 54" / 91cm - 137cm |
| R | RPCBSR | 36" - 54" / 91cm - 137cm |
| BL | RPCBSBL | 36" - 54" / 91cm - 137cm |



Elasticated Waist

Other Images



Concealed Stud Front



Rear of Braces



Other Images



Rear of Braces Navy

COTTON DRILL BIB & BRACE

- Pre-shrunk cotton drill fabric
- Concealed button fly
- Bib pocket
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rule pocket
- Braces with clips

| | | |
|---|-------|--------------------------|
| N | CDBBN | 32" - 48" / 81cm - 121cm |
| w | CDBBW | 32" - 48" / 81cm - 121cm |



WAREHOUSE COAT

- 65% polyester 35% cotton
- Concealed stud front
- 1 breast pocket with pen divide
- 2 lower pockets
- Rear vents

| | | |
|---|-------|--------------------------|
| N | PCWCN | 32" - 54" / 81cm - 137cm |
| R | PCWCR | 32" - 54" / 81cm - 137cm |
| S | PCWCS | 32" - 54" / 81cm - 137cm |
| W | PCWCW | 32" - 54" / 81cm - 137cm |



HEAVYWEIGHT DRIVERS JACKET

- 9oz 65% polyester 35% cotton
- Lay down collar
- Yoke back
- No. 5 plastic zip closure with 3 stud flap fastening
- 2 breast pockets with stud flap
- 2 lower welted pockets
- 2" (5cm) waistband with side elasticsation

| | | |
|---|-------|--------------------------|
| N | PCJ9N | 36" - 52" / 91cm - 132cm |
|---|-------|--------------------------|



SUPER CLICK DRIVERS JACKET

- Polycotton
- Zip front with stud flap
- Cuffs with double two position press stud adjustment
- Elasticised waist band
- 2 Breast pockets with stud flap
- One breast pocket has pen divide
- 2 lower angled pockets

N PCJHWN 34" - 54" / 86cm - 137cm

WORKWEAR



Other Images



Zipped Breast Pocket



Rear of Garment

SOFT SHELL TWO-TONE JACKET

- High stretch water resistant, windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 2 zipped front hip pockets
- Right zipped breast pocket
- Adjustable cuffs
- Warm lined collar
- Hip drawcord

BL 6Y SSSJTBLGY XS - 5XL

SOFT SHELL JACKET

- High Stretch water resistant, windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 3 zipped front pockets
- Adjustable cuffs
- Warm fleece lined collar
- Cordura® tear resistant trim
- Hip drawcord

| | | |
|----|-------|----------|
| N | SSJN | XS - 4XL |
| BL | SSJBL | XS - 4XL |



Fleece Lined Collar

Alternative Colours



Navy Jacket



WORKWEAR



ENDEAVOUR FLEECE

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- Two lower pockets with zip closure
- Fully lined

| | | |
|----|--------|----------|
| N | EN28NR | XS - 4XL |
| BL | EN29BL | XS - 5XL |
| GY | EN30GY | S - 3XL |

Alternative Colours



Navy/Royal Fleece



Black Fleece



FLEECE JACKET

- 280gsm polyester
- Chunky zip front fastening
- Drawcord waist
- Two zipped side pockets

| | | |
|----|-------|---------|
| BL | FLJBL | S - 4XL |
| N | FLJN | S - 4XL |



WORKWEAR

QUEBEC BODYWARMER

- Quilted polycotton bodywarmer
- Stud and zip front
- Stand-up collar
- Elasticated armholes
- 2 patch pockets with hook & loop fastening flaps and side access
- Attractive brushed check cotton flannel lining
- 1 inside patch pocket with flap

| | | |
|---|----|---------|
| N | QN | S - 4XL |
|---|----|---------|



HUDSON BODYWARMER

- Polycotton outer
- Stand up collar
- Polyester padding
- Zip front with studded storm flap
- 2 stud top pockets
- 2 lower slanted pockets
- Shoulder cuffs
- Elasticated hem

| | | |
|----|------|---------|
| BL | HBBL | S - 2XL |
| N | HBN | S - 2XL |

Alternative Colours



Navy Bodywarmer



HOODED SWEATSHIRT

- 300g 65/35% polycotton fleece inner
- Hood with draw cord
- Front pouch pocket with hidden mobile phone pocket
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband

| | | |
|---|---------|---------|
| N | CLPCSHN | S - 3XL |
|---|---------|---------|

Other Images



Front Pouch

Alternative Colours



Black Sweatshirt



QUARTER ZIP SWEATSHIRT

- 280gsm 70% cotton 30% polyester fleece
- Brushed on the inside
- Quarter length zip
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband

| | | |
|----|----------|----------|
| N | CLQZSSN | XS - 6XL |
| BL | CLQZSSBL | XS - 3XL |

Alternative Colours



Navy Sweatshirt



PREMIUM SWEATSHIRT

- 65% cotton 35% polyester
- Heavy 365gsm fabric
- Fashionable drop shoulder style
- Cover seamed neck, shoulders armholes and waistband
- High quality ribbed cuffs and waistband

| | | |
|----|---------|---------|
| N | CPPCS | S - 3XL |
| BL | CPPCSBL | S - 3XL |

POLYCOTTON SWEATSHIRT

- 300g polycotton fleece inner
- 65% polyester 35% cotton
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband

| | | |
|----|---------|---------|
| N | CLPCSN | S - 4XL |
| R | CLPCSR | S - 4XL |
| BL | CLPCSBL | S - 4XL |
| BG | CLPCSBG | S - 4XL |
| RE | CLPCSRE | S - 4XL |
| GY | CLPCSGY | S - 4XL |



Red Sweatshirt



Bottle Green Sweatshirt

Alternative Colours

V-NECK SWEATER

- 300gms 65/35% polycotton fleece inner
- V-Neck collar
- Ribbed cuffs
- Ribbed waistband

| | | |
|---|---------|---------|
| N | CLVPCSN | S - 3XL |
|---|---------|---------|



ACRYLIC V-NECK SWEATER

- 100% acrylic material
- V-Neck collar
- Military style security sweater
- Thick material for added warmth

| | | |
|----|--------|---------|
| N | ACSVN | S - 3XL |
| BL | ACSVBL | S - 2XL |



Alternative Colours



Navy Sweater

WORKWEAR

Alternative Styles



V-Neck Black



V-Neck Navy

MILITARY STYLE SWEATER

- Military style security sweater
- Shoulder and elbow patches
- Epaulettes on shoulder
- 100% ribknit acrylic
- Thick material for added warmth

V-Neck Codes

| | | |
|----|---------|---------|
| N | AMODVN | S - 3XL |
| BL | AMODVBL | S - 3XL |

Crew Neck Code

| | | |
|---|--------|---------|
| N | AMODCN | S - 3XL |
|---|--------|---------|



CLICK PREMIUM PIQUE POLO SHIRT

50% cotton 50% polyester
 260gsm heavy knit pique polo shirt
 High natural cotton content for
 wearer comfort
 3 matching button placket
 Cuffed sleeves
 Taped neck

| | | |
|----|---------|---------|
| N | CPPKSN | S - 3XL |
| R | CPPKSR | S - 3XL |
| BL | CPPKSBL | S - 3XL |

Alternative Colours



WORKWEAR



| | | |
|----|---------|----------|
| N | CLPKSN | XS - 5XL |
| R | CLPKSR | XS - 5XL |
| BL | CLPKSBL | XS - 5XL |
| W | CLPKSW | S - 3XL |
| RE | CLPKSRE | S - 5XL |
| BU | CLPKSBU | S - 3XL |
| BG | CLPKSBG | S - 3XL |
| SB | CLPKSS | XS - 3XL |
| GY | CLPKSGY | S - 4XL |

CLICK POLO SHIRT

- 200gms 65/35% polycotton
- 3 Buttons
- Cuffed sleeves
- Side vents



B-COOL POLO SHIRT

- 150gsm polyester
- Wicking treatment
- Moisture absorbing
- Anti-perspiring

| | | |
|---|--------|---------|
| N | BCPKSN | S - 4XL |
|---|--------|---------|



Moisture Absorbing Material

Garment Features



WORKWEAR



Rear of T-Shirt

Other Images

B-COOL T-SHIRT

- 150gsm polyester lightweight fabric
- Wicking treatment
- Moisture absorbing
- Anti-perspiring

| | | |
|---|-------|---------|
| N | BCTSN | S - 4XL |
|---|-------|---------|





Alternative Colours

CLICK T-SHIRT
PREMIUM & STANDARD WEIGHT

- 100% cotton
- Twin needle stitching
- Generous sizing
- 180gms premium weight
- 150gms standard weight

Premium Weight Codes

| | | |
|----|-----------|---------|
| N | CLCTSHWN | M - 3XL |
| R | CLCTSHWR | M - 3XL |
| RE | CLCTSHWRE | M - 3XL |
| BG | CLCTSHWBG | M - 3XL |
| BL | CLCTSHWBL | M - 3XL |
| W | CLCTSHWW | M - 3XL |

Standard Weight Codes

| | | |
|---|--------|---------|
| N | CLCTSN | M - 3XL |
| R | CLCTSR | M - 3XL |
| W | CLCTSW | M - 3XL |

Long Sleeves Light Blue



Other Images



Short Sleeves White



Short Sleeves Light Blue

OXFORD SHIRT
LONG SLEEVES / SHORT SLEEVES

- 70% cotton 30% polyester
- Easy care fabric
- Semi-fitted styling
- Button down collar
- Left breast mitred pocket
- Button fastened cuffs that also fit cufflinks
- Back yoke with two side pleats
- Curved hem

Long Sleeves Codes / Neck Sizes

| | | |
|----|--------|---------------------------|
| W | OXSLSW | 14.5" - 19" / 37cm - 48cm |
| LB | OXSLSB | 14.5" - 19" / 37cm - 48cm |

Short Sleeves Codes / Neck Sizes

| | | |
|----|--------|---------------------------|
| W | OXSSSW | 14.5" - 19" / 37cm - 48cm |
| LB | OXSSSB | 14.5" - 19" / 37cm - 48cm |





PILOT SHIRT

LONG SLEEVES / SHORT SLEEVES

- 65/35% polycotton
- Shoulder epaulettes
- 2 breast pockets with button fasteners
- Stiffened collar

Long Sleeves Codes / Neck Sizes

| | | |
|----|-------|---------------------------|
| W | PSLSW | 14.5" - 19" / 37cm - 48cm |
| LB | PSSLB | 14.5" - 19" / 37cm - 48cm |

Short Sleeves Codes / Neck Sizes

| | | |
|----|-------|---------------------------|
| W | PSSSW | 14.5" - 19" / 37cm - 48cm |
| LB | PSSSB | 14.5" - 19" / 37cm - 48cm |



WORKWEAR

CLASSIC SHIRT

- 65/35% polycotton
- Stiffened collar
- Left breast pocket
- Button cuffs

Long Sleeves Codes / Neck Sizes

| | | |
|----|-----|---------------------------|
| W | CSW | 14.5" - 19" / 37cm - 48cm |
| LB | CSB | 14.5" - 19" / 37cm - 48cm |

Short Sleeves Codes / Neck Sizes

| | | |
|----|-------|---------------------------|
| W | CSSSW | 14.5" - 19" / 37cm - 48cm |
| LB | CSSSB | 14.5" - 19" / 37cm - 48cm |



Other Images



Long Sleeves Black



Short Sleeves Black



DOUBLE BREASTED CHEF'S JACKET

LONG SLEEVES / SHORT SLEEVES

- 65% polyester 35% cotton
- Long sleeves or short sleeves
- Stud fastening

Long Sleeves Codes

| | | |
|----|----------|----------|
| BL | CCCJLSBL | XS - 2XL |
| W | CCCJLSW | XS - 2XL |

Short Sleeves Codes

| | | |
|----|----------|----------|
| BL | CCCJLSBL | XS - 2XL |
| W | CCCJSSW | XS - 2XL |



CHEF'S BIB APRON

- 65% polyester 35% cotton
- Anti-Tangle ties
- 34" Wide x 40" High

| | | |
|----|---------------|--|
| BL | CCCBABL34X40 | 34" wide x 40" High / 86cm wide x 101cm High |
| W | CCCBABLW34X40 | 34" wide x 40" High / 86cm wide x 101cm High |
| CC | CCCBAW34X40 | 34" wide x 40" High / 86cm wide x 101cm High |



Black Apron

Alternative Colours

STRIPED BUTCHER'S APRON

- 100% cotton
- Anti-tangle ties
- Men's and women's sizes

CCCBSBANW34X40 34" Wide x 40" High / 86cm Wide x 101cm High



WORKWEAR



Front Pocket

Garment Features

HALF APRON WITH POCKET

- 65% polyester 35% cotton
- Anti-tangle ties
- 29" wide x 22" high
- Front pocket

BL CCCHABL29X22 29" Wide x 22" High / 73cm Wide x 55cm High

POLYCOTTON TABARD

- 65% polyester 35% cotton
- Front pouch pocket
- Tab side fastening

| | | |
|----|---------|---------|
| N | PCTABN | S - 2XL |
| R | PCTABR | S - 2XL |
| BL | PCTABBL | S - 2XL |



Alternative Colours



Garment Features



FLEECE JOGGING BOTTOMS

- Fleece jogging bottom
- 50% polyester
- 50% cotton fleece to inside - 320gsm
- Elasticated waist and ankles
- 2 side hip pockets with zip fastening
- 1 rear pocket and 1 tool pocket
- Knee pad pocket

| | | |
|----|--------|---------|
| GY | FLJBCG | S - 3XL |
|----|--------|---------|

KINGTON MULTI-POCKET TROUSERS

- 98% cotton / 2% lycra stretch fabric
- YKK zip fastening with metal button waistband attachment
- 7 belt loops
- Triple stitching to main seams
- 2 front hip pockets, 2 detachable tool (nail) pouches
- 1 multi cargo pocket to thigh, hook & loop fastening, including mobile phone pocket
- 2 rear patch pockets with hook & loop fastening
- Cordura knee pad pockets
- 1 Cordura rule pocket
- Cordura heel reinforcement
- Available in regular and tall (T) sizes

BL KMPTBL 28" - 48" / 71cm - 121cm

Rear and Cargo Pockets



Tool Pockets

Garment Features



WORKWEAR

SHAWBURY MULTI-POCKET TROUSERS

- Polycotton twill fabric
- Multi-pocket design with tool pouches
- Tuck away holster pockets
- 1 rear pocket with hook & loop flap
- Hammer loop
- External knee pad pouches
- Reinforced knees
- Side elastic on waist for comfort and ease of fitting
- 30cm gusset at ankles with zip closure
- Available in regular and tall fit (T)

| | | |
|----|--------|--------------------------|
| N | SMPTN | 30" - 50" / 76cm - 127cm |
| BL | SMPTBL | 30" - 50" / 76cm - 127cm |

Garment Features

Tool Pouches



External Knee Pad Pockets





CLICK PREMIUM MULTI-POCKET TROUSERS

- Rugged heavyweight polyester cotton fabric
- Multi-feature design
- Holster pockets
- Large pockets, tool holder, fasteners
- Hard wearing `Duratex` kneepad pockets and hip linings
- All main seams are triple stitched for maximum strength
- Available in regular and tall fit (T)
- Also available in Navy regular and tall fit

| | | |
|----|---------|--------------------------|
| N | CPMPTN | 30" - 46" / 76cm - 116cm |
| BL | CPMPTBL | 30" - 46" / 76cm - 116cm |

Garment Features



Rear of Trousers



Holster Pockets

CLICK TRADERS NEWARK TROUSERS

- 320gsm 65% polyester 35% cotton
- Cargo trousers with triple stitched seams
- 2 Side pockets and ticket pocket
- Metal zip fly
- Reinforced back pockets with flaps, hook & loop fastening
- 2 Large thigh pockets with flaps and special pockets
- Internal knee pad pockets
- Can be used in conjunction with Beeswift folding knee pads (sold seperatley)
- Available in regular and tall (T) sizes

| | | |
|----|----------|--------------------------|
| N | CTRANTN | 30" - 48" / 76cm - 121cm |
| BL | CTRANTBL | 30" - 48" / 76cm - 121cm |

Thigh Pockets



Garment Features



Folding Knee Pads (sold separately)



HEAVYWEIGHT DRIVERS TROUSERS

- 9oz 65% polyester 35% cotton
- 7 belt loops
- Metal button waist fastening
- No. 5 YKK brass zip
- 2 front pleats
- 2 hip pockets with flap and press stud closure
- Pleated leg pockets with stud flap
- Knee pad pockets

| | | |
|----|--------|--------------------------|
| N | PCT9N | 26" - 50" / 66cm - 127cm |
| BL | PCT9BL | 26" - 50" / 66cm - 127cm |
| GY | PCT9GY | 26" - 50" / 66cm - 127cm |



Rear Pockets



Other Images



Navy Trousers

SUPER CLICK DRIVERS TROUSERS

- 235gsm polycotton
- Zip fly with hook/bar and button fastening
- Belt loops
- 2 Swing hip pockets
- 2 cargo pockets
- 2 rear pockets with stud flap
- Sewn in crease
- Knee pad pockets

| | | |
|----|---------|--------------------------|
| N | PCTHWN | 28" - 52" / 71cm - 132cm |
| R | PCTHWR | 30" - 48" / 76cm - 121cm |
| BL | PCTHWBL | 30" - 52" / 76cm - 132cm |
| BG | PCTHWBG | 30" - 48" / 76cm - 121cm |



Navy Trousers



Royal Trousers



Alternative Colours





ACTION WORK TROUSERS

- Polycotton
- Zip fly
- 7 zipped, multi-sized pockets
- Double seat and knee patches
- Available in regular, short (S) and tall fit (T)

Garment Features



Zipped Multi Pockets

| | | |
|----|-------|--------------------------|
| N | AWTN | 30" - 48" / 76cm - 121cm |
| BL | AWTBL | 30" - 48" / 76cm - 121cm |



Drawcord Ankles

COMBAT TROUSERS

- Polycotton
- Zip fly and belt loops
- Adjustable clips
- 2 front pockets with button flap
- 2 lower pleated pockets with button flap
- 2 rear pockets with button flap
- Drawcord ankles

Garment Features



Rear Pockets with Button Flaps

| | | |
|----|--------|--------------------------|
| N | PCCTN | 28" - 50" / 71cm - 127cm |
| BL | PCCTBL | 28" - 50" / 71cm - 127cm |
| O | PCCTO | 30" - 48" / 76cm - 121cm |

LADIES POLYCOTTON TROUSERS

- Polycotton
- Zip fly with hook/bar and button fastening
- Belt loops
- Part elastic waist band
- 2 swing hip pockets
- 2 cargo pockets
- 1 rear pockets with hook & loop flap
- Internal knee pad pockets

Part Elastic Waist

Garment Features

Cargo Pockets

N LPCTHWN 24" - 48" / 60cm - 121cm

POLYCOTTON / NYLON PATCH TROUSERS

- 250gsm 65/35 polyester cotton trouser
- 7 belt loops
- Sewn front seams
- Heavy-duty outer leg reinforcement fabric from thigh to bottom leg
- 2 hip pockets
- Available in regular and tall fit (T)
- 100% Polyester cordura patch

THESE GARMENTS ARE NOT HI-VISIBILITY
They meet no recognised standards

N PCNT27N 30" - 46" / 76cm - 116cm



NYLON PATCH TROUSERS

- 280gsm 80/20 polyester cotton
- 7 belt loops
- Sewn front seams
- Heavy-duty outer leg reinforcement panel from thigh to hem
- 2 hip pockets
- 2 Bands retro-reflective tape around legs
- Available in regular and tall fit (T)

THESE GARMENTS ARE NOT HI-VISIBILITY
They meet no recognised EN standards

| | | | |
|----|---|----------|--------------------------|
| SY | N | PCTSYNNP | 28" - 48" / 71cm - 121cm |
|----|---|----------|--------------------------|




Alternative Colours



Check Trousers

CHEF'S TROUSERS

- 65% polyester 35% cotton
- Elasticated waist with drawcord

| | | |
|---|---------|----------|
| BL | CCCT | XS - 2XL |
|  | CCCTBLW | XS - 2XL |

CHEF'S TROUSERS SMALL CHECK

- 65% polyester 35% cotton
- Elasticated waist with drawcord

 CCCTSCNW XS - 2XL



WORKWEAR



GRANTHAM MULTI-POCKET SHORTS

- 98% cotton 2% lycra stretch fabric
- YKK zip fastening with metal button waistband attachment
- 7 belt loops
- Triple stitching to main seams
- 2 front hip pockets
- 2 front detachable tool (nail) pouches
- 1 multi cargo pocket to thigh, metal stud fastening, including mobile phone pocket
- 1 rear patch pocket with hook & loop fastening
- 1 Cordura rule pocket

 GMPSN 30" - 48" / 76cm - 121cm

CARGO POCKET SHORTS NAVY

- Peached 100% cotton twill 260gsm
- Zip fastening with button closure
- 2 Hip pockets and side mobile phone pocket
- 1 Patch pockets on leg with button fastening
- 2 Rear pockets

N CLCPSN 30" - 46" / 76cm - 116cm

Garment Features



Rear Pockets

Garment Features



Rear Pockets with Stud Flap

CARGO POCKET SHORTS NAVY

- 230gsm polyester cotton industrial work shorts
- Zip fly
- 7 belt loop waistband with double button fastening
- Sewn in crease
- 2 swing hip pockets
- 2 cargo pockets
- 2 rear pockets with stud flap
- Tax tag

BL CLCPSBL 30" - 50" / 76cm - 127cm

BASE LAYER VEST LONG SLEEVES

- 98% polyester 2% elastane blend
- Extremely comfortable with soft handle
- Elastane content to retain shape and form
- Crew neck
- Ribbed cuffs
- Contrast stitching
- Excellent for work, sport and outdoor activities

BL BLV S - 3XL

WORKWEAR

BASE LAYER LONG JOHNS

- 98% polyester 2% elastane blend
- Extremely comfortable with soft handle
- Elastane content to retain shape and form
- Ribbed ankles
- Fully elasticated waist
- Contrast stitching
- Excellent for work, sport and outdoor activities

BL BLLJ S - 3XL



THERMAL VEST

LONG SLEEVES / SHORT SLEEVES

- Long sleeve thermal vest
- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material

Long Sleeves Codes

| | | |
|---|--------|---------|
| w | THVLSW | S - 3XL |
| R | THVLS | S - 3XL |

Short Sleeves Codes

| | | |
|---|--------|---------|
| w | THVSSW | S - 3XL |
| R | THVSS | S - 3XL |

Other Images

Long Sleeves White

Long Sleeves Blue



Alternative Colours

Blue Long Johns

THERMAL LONG JOHNS

- Soft polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material
- Heat seal labelling for irritation-free fit
- Essential layer for cold temperatures

| | | |
|---|-------|---------|
| w | THLJW | S - 3XL |
| R | THLJ | S - 3XL |

CHEF'S TALL HAT / CHEF'S SKULL CAP

- 100% cotton
- Chef's tall hat has traditional floret design
- Comfortable fit

Tall Hat Code

| | | |
|---|-------|----------|
| w | CCCTH | One Size |
|---|-------|----------|

Skull Cap Codes

| | | |
|----|----------|----------|
| BL | CCCSCBL | One Size |
| w | CCCSCW | One Size |
| | CCCSCBLW | One Size |



Black Skull Cap

Alternative Colours for Skull Cap

White Skull Cap



THINSULATE HAT

- Microfibre technology traps air to keep user warm
- Effective when wet and dries quickly
- Ideal for winter use
- Made from 3M® Thinsulate
- Available as a non-Thinsulate watch hat version

Thinsulate Hat Codes

| | | |
|----|-------|----------|
| N | THHN | One Size |
| BL | THHBL | One Size |

Watch Hat Codes

| | | |
|----|------|----------|
| BL | WHBL | One Size |
| OR | WHOR | One Size |



BALACLAVA

- Acrylic material
- Offers good insulation
- Ideal for winter use

| | | |
|----|---|----------|
| BL | B | One Size |
|----|---|----------|





THINSULATE BALACLAVA

- 100% acrylic material
- Offers excellent insulation
- 3M® C40 premium Thinsulate
- Ideal for winter use

| | | |
|----|-------|----------|
| OR | THBOR | One Size |
| BL | THBBL | One Size |

Thinsulate
INSULATION
3M

THERMAL SOCKS

- 80% cotton
- 20% polyester
- Gentle welt for comfort
- Offers protection against cold conditions
- Looped terry for extra warmth and comfort
- Available in a pack of three colours
- Also available in longer length (TSLL)

| | | |
|----|------|----------|
| BL | TS | One Size |
| BL | TSLL | One Size |



SEA BOOT SOCKS

- Good insulation
- Heavyweight material
- 60% Wool
- 40% Nylon
- UK Size 6-8

| | | |
|---|------|---------|
| N | SBSN | UK Size |
| w | SBSW | UK Size |

COMBAT SOCKS

- Warm and durable
- Rib knit construction
- Manufactured to a high quality
- 60% Wool, 40% Nylon

| | |
|------|----------|
| MODS | One Size |
|------|----------|



25 LITRE HI-VIS RUCKSACK

- 600d polyester with padded back panel
- Quick release buckle fastening straps
- Internal black lining with mesh pocket
- Two way nylon zips
- Multiple pockets
- Mobile phone pocket and MP3, mobile phone outlet

| | | |
|----|--------|--------|
| SY | CHVRSY | 25 Ltr |
|----|--------|--------|

32 LITRE HOLDALL

- Material 420D
- Webbing Handles and detachable/adjustable
- padded shoulder strap
- Pocket with zip at each end
- Capacity 32 litres
- Dimensions: 53 x 32 x 26cm

| | | |
|----|-------|--------|
| N | QD70N | 32 Ltr |
| BG | QD70G | 32 Ltr |



74 LITRE HOLDALL

- 420D Polyester
- Detachable adjustable shoulder strap with pad
- Zippered end pockets
- 74 Litre
- Wet Pocket
- Dimensions 75 x 35 x 30cm

| | | |
|----|--------|--------|
| BL | QD80BL | 74 Ltr |
|----|--------|--------|



LET'S BE SOCIAL



**FOLLOW TO KEEP UP TO DATE
WITH EVERYTHING**



BEEESWIFT®
FOCUSSED ON SAFETY



@BeeswiftLimited



@BeeswiftLTD



@BeeswiftLimited



@beeswiftlimited

www.beeswift.com

FIRE RETARDANT



FIRE RETARDANT CLOTHING

TESLA FR ANTI-STATIC HI-VISIBILITY BOILERSUIT



CFRASTEBSY

136

FR BOILERSUIT NORDIC DESIGN



CFRBSND

137

FR ANTI-STATIC BURGAN BOILERSUIT



CFRASBBS

137

FR REGULAR BOILERSUIT



CFRBS

138

FR SATURN YELLOW BIB & BRACE



CFRLR59SY

138

PADDED SATURN YELLOW JACKET



CFRLR3456SY

139

FR HI-VISIBILITY WAISTCOAT



CFRWC

140

FR JERKIN



CFRPKJ

140

TESLA FR ANTI-STATIC HI-VISIBILITY TROUSERS



CFRASTETSY

141

FR ANTI-STATIC OVER TROUSERS



CFRLR52SY

141

FR TROUSERS



CFRT

142



EN ISO11611



PROTECTIVE CLOTHING FOR USE IN WELDING AND APPLIED PROCESSES

General requirements.
Does not cover clothing worn for special welding jobs.

EN1149-1



PROTECTIVE CLOTHING - ELECTROSTATIC PROPERTIES

Surface resistivity
(test methods and requirements).

EN ISO14116



PROTECTION AGAINST HEAT AND FLAME:

Limited flame spread materials and material assemblies.

This standard refers only to the materials or material assemblies from which garments with limited flame spread properties are made.

Such information may appear in the manufacturer's literature.

Markings in the form: EN ISO 14116
Flame spread index/Durability.

Flame Spread Index - 1, 2 or 3 -
Limited flame spread index
(3 is best). If index 1 materials are present:

Use only over EN ISO 14116 Index 2 or 3 material and DO NOT use next to the skin.

EN ISO11612



PROTECTIVE CLOTHING FOR INDUSTRIAL WORKERS EXPOSED TO HEAT: EXCLUDING FIREFIGHTERS AND WELDERS CLOTHING

- A - Limited flame spread, and at least one of:
- B# - Convective heat resistance (# = 1 to 5)
- C# - Radiant heat resistance (# = 1 to 4)
- D# - Molten aluminium splash (# = 1 to 3)
- E# - Molten iron splash (# = 1 to 3)
- F# - Contact Heat (# = 1 to 3)

In all cases, higher number denotes better performance.
If no number is given, no protection is claimed.



Example Marking

TESLA FR ANTI-STATIC HI-VISIBILITY BOILERSUIT



- Multi purpose 'utilities' boilersuit
- 320gsm fabric
- 80% Cotton 19% Polyester 1% anti-static
- 2 Vertical side access hip pockets
- 1 left breast pocket with sewn down flap
- Concealed stud fly front to neck
- Plain back
- Internal knee pouch pockets
- Elastic to waist
- Plain cuffs and ankles
- Retro-reflective tape
- FR/AS embroidery to right sleeve



Rear of Garment

SY CFRASTEBSY 36" - 58" / 91cm - 147cm



EN ISO 11612: 2008
(A1 B1 C1)
Protection Against Heat and Flame



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN ISO 20471: 2013
Class 3 High Visibility

FR BOILERSUIT NORDIC DESIGN



- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Knee pad pockets
- Plain back and hips



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1)
Protective Clothing for use in Welding



**PLAIN BACK
& HIPS**

| | | |
|-----------|------------------|---------------------------------|
| N | CFRBSNDN | 36" - 60" / 91cm - 152cm |
| R | CFRBSNDR | 36" - 60" / 91cm - 152cm |
| RE | CFRBSNDRE | 36" - 60" / 91cm - 152cm |
| OR | CFRBSNDOR | 36" - 60" / 91cm - 152cm |

- 220 gram 100% lightweight cotton drill fabric
- Flame retardant anti-static
- FR retro-reflective tape (Nordic Design)
- Concealed zip front to neck
- Two breast pockets, brass zip closure
- Two hip pockets, vertical access
- One rear hip patch pocket with flap
- One plain patch hip pocket
- Rule pocket
- Half elasticated waist
- Plain cuffs and ankles



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1)
Protective Clothing for use in Welding



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements

FR ANTI-STATIC BURGAN BOILERSUIT



| | | |
|-----------|-------------------|---------------------------------|
| N | CFRASBBSN | 36" - 58" / 91cm - 147cm |
| OR | CFRASBBSOR | 36" - 58" / 91cm - 147cm |

FR REGULAR BOILERSUIT



- 300 gram 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Plain back and hips
- Embroidered 'FR' logo to upper left sleeve
- One garment per polybag
- Ten garments per carton



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN ISO 11612: 2015
(Class 1 A1)
Protective Clothing for use in Welding

| | | |
|----|---------|--------------------------|
| N | CFRBSN | 36" - 60" / 91cm - 152cm |
| R | CFRBSR | 36" - 60" / 91cm - 152cm |
| RE | CFRBSRE | 36" - 60" / 91cm - 152cm |
| OR | CFRBSOR | 36" - 60" / 91cm - 152cm |

- Fire Retardant / Anti-Static
- High frequency welded seams
- Elasticated shoulder straps with buckles
- Press stud adjustments by the ankles



EN ISO 20471: 2013
Class 3 High Visibility



EN ISO 14116: 2008
Index 1



EN 343: 2003 + A1: 2007
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements

FR SATURN YELLOW BIB & BRACE



SY **CFRLR59SY** S - 4XL

PADDED SATURN YELLOW JACKET



EN ISO 14116: 2008
Index 1



EN 343: 2003 + A1 2007
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN ISO 20471: 2003 + A1 2007
Class 3 High Visibility



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



SY **CFRLR3456SY** S - 4XL



- Fire Retardant / Anti-Static / Hi-Vis
- 50% polyamide, 50% polyurethane, 170g/m²
- FR quilted cotton lining with polyester padding
- Microflex flame-retardant hi-vis winter rain jacket
- High frequency welded seams
- Zipper under storm flap with press studs
- Sleeves with adjustable press stud
- Hood with drawstring, hidden in collar
- Drawstring at waist with reflective tape
- 2 patch pockets
- Inside pocket

FR HI-VISIBILITY WAISTCOAT



- Flame retardant vest
- 100% polyester FR fabric
- Must be worn over EN ISO 14116 index 2 or 3 garments
- Do not wear next to skin
- Zip fastening
- FR retro-reflective hi-vis tape
- FR threads



OR CFRWCOR S - 4XL

SY CFRWCYS S - 4XL



EN ISO 14116: 2015 INDEX 1
Low protection against
Heat and Flame



EN ISO 20471: 2103
Class 2 High Visibility



- Fire Retardant / Hi-Vis
- Flame retardant vest 3/4 sleeves
- Zip fastening
- Retro-reflective tape
- Do not wear next to skin
- Must be worn over Index 2 or 3 garments



EN ISO 14116: 2015 INDEX 1
Low protection against
Heat and Flame



EN ISO 20471: 2103
Class 3 High Visibility

Orange



FR JERKIN



OR CFRPKJOR M - 4XL

SY CFRPKJSY M - 4XL

- 320gsm Hi Vis FR treated fabric with anti static grid
- YKK Brass zip fly
- Brass hook and bar waistband fastening
- 7 Belt loops
- Two vertical side seam access pockets
- 2 Bands retro reflective tape to legs
- FR & AS logos embroidered to left hip
- Plain ankles
- Available in tall leg (T) option



EN ISO 20471: 2013
Class 1 High Visibility



EN ISO 11612: 2015
(A1 B1 C1)
Protection against Heat and Flame



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements

TESLA FR ANTI-STATIC HI-VISIBILITY TROUSERS



SY CFRASTETSY 28" - 48" / 71cm - 121cm

FR ANTI-STATIC OVER TROUSERS



- Elasticated waist
- 2 side slits
- High frequency welded seams
- Press stud ankle adjustments
- Reflective bands on each leg



EN ISO 20471: 2013
Class 2 High Visibility



EN 343: 2003 + A1 2007
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN ISO 14116: 2008
Index 1



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements

SY CFRLR52SY S - 4XL



EN ISO 11612: 2015
(A1 B1 C1)
Protection against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1)
Protective Clothing for
Use in Welding



FR TROUSERS

- 300gram cotton drill fabric with flame retardent treatment
- Brass zip fly
- Button waistband fastening
- 7 Belt loops
- Two vertical side seam access pockets
- Plain back and hips
- FR logo embroidered to left hip

| | | |
|----|--------|--------------------------|
| N | CFRTN | 30" - 48" / 76cm - 121cm |
| OR | CFRTOR | 30" - 48" / 76cm - 121cm |

WEATHERPROOF



WEATHERPROOF

SUPER B-DRI COVERALL



SBDC

145

NYLON B-DRI COVERALL



NBDC

145

SALESBURY HYDROSOFT COVERALL



HYD018500

146

SUPER B-DRI BIB & BRACE



SBDBB

146

SANDHURST HYDROSOFT BIB & BRACE



HYD014045

147

SPRINGFIELD JACKET



SJ

147

SELSEY HYDROSOFT JACKET



HYD015020

148

MOWBRAY 3 IN 1 JACKET DETACHABLE FLEECE



MBN

148

GUARDIAN JACKET



GU88PN

149

MERCURY JACKET



MUJ

149

MERCURY BOMBER JACKET



MUBJ

150

NYLON B-DRI SUIT PACK



NBDS

150

SUPER B-DRI JACKET



SBDJ

151

NYLON B-DRI JACKET



NBDJ

151

ULFT SNS JACKET



HYD072400N

153

UTRECHT SNS TROUSERS



HYD072350

153

SPRINGFIELD TROUSERS



ST

154

NAVY OVERTROUSERS



BD118N

155

SUPER B-DRI TROUSERS



SBDTN

155

NYLON B-DRI TROUSERS



NBDT

156

SOUTHEND HYDROSOFT TROUSERS



HYD014015

156

PU FLUORO BOOT



BBPUSB

157

BUDGET WHITE WELLINGTON



BBW

157

PVC SAFETY BOOT WHITE



BBSW

158

PVC SAFETY BOOT BLACK



BBSSB

158

SUPER B-DRI COVERALL

- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated wind cuffs
- Studded ankles
- Stitched and welded seams

N SBDCN S - 2XL O SBDCO S - 2XL SY SBDCSY S - 2XL



Saturn Yellow



NYLON B-DRI COVERALL

- Lightweight with PVC coating to reverse
- Concealed hood
- Plastic front zip with storm flap
- Studded cuffs and ankles
- Fully taped seams



OR NBDCOR S - 3XL SY NBDCSY S - 3XL



SALESBURY

Hydrosoft Waterproof Coverall

- Zip front covered by a double storm flap with press studs
- Fixed hood
- Wind cuffs
- Elasticated waist
- Adjustable leg opening with press studs
- Lightweight and durable
- 170gsm PU coated polyester fabric
- Multi-use garment for agriculture, industrial and leisure



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

| | | | | | |
|---|------------|---------|----|-------------|---------|
| N | HYD018500N | S - 4XL | OR | HYD0185000R | M - 3XL |
| R | HYD018500R | S - 3XL | Y | HYD018500Y | S - 3XL |
| O | HYD0185000 | S - 4XL | | | |

SUPER B-DRI BIB & BRACE

- Polyester with PU coating
- Adjustable elasticated braces with quick release buckles
- Internal bib pocket with zipped entry
- Side waist expansion for easy "on-off"
- 25cm zips at ankles with hook & loop tab closure
- Stitched and welded seams

N SBDBBN S - 3XL

O SBDBBO S - 3XL

SY SBDBBSY S - 3XL



SANDHURST

Hydrosoft Waterproof Bib & Brace

- Adjustable elastic shoulder braces
- Adjustable leg openings with press studs
- 170gsm PU coated polyester fabric
- Lightweight and durable
- Multi-use garment for agriculture, industrial and leisure



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

| | | | | | |
|---|------------|---------|---|------------|---------|
| N | HYD014045N | S - 4XL | Y | HYD014045Y | M - 3XL |
| R | HYD014045R | M - 3XL | O | HYD014045O | S - 3XL |



Black Jacket



SPRINGFIELD JACKET

- Breathable fabric
- Tsoft soft feel fabric
- Robust tensile strength
- Excellent water shedding characteristics
- Hi-vis piping
- Concealed hood
- Lightweight

| | | | | | |
|---|-----|---------|----|------|---------|
| N | SJN | S - 3XL | BL | SJBL | S - 3XL |
|---|-----|---------|----|------|---------|

SELSEY

Hydrosoft Waterproof Jacket

- Zip up front with storm flap and press stud closure
- Fixed hood
- Underarm ventilation
- Elasticated cuffs with press studs
- 2 front pockets with flap
- 85cm length offering extensive cover
- Lightweight and durable
- 170gsm PU coated polyester fabric
- Multi-use garment for agriculture, industrial and leisure



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

| | | | | | |
|---|------------|---------|----|-------------|---------|
| N | HYD015020N | S - 5XL | OR | HYD015020OR | S - 3XL |
| R | HYD015020R | S - 3XL | Y | HYD015020Y | S - 3XL |
| O | HYD015020O | S - 3XL | | | |



MOWBRAY 3 IN 1 JACKET WITH DETACHABLE FLEECE

- Polyester with PU coating on the reverse side
- Detachable heavyweight anti-pill fleece zipped into outer garment
- Concealed hood
- Two-way heavy-duty zip with storm flap
- Zipped breast pocket and internal safety pocket
- Lower pockets with zip fastening and storm flap
- Hook & loop adjustable cuffs
- Drawstring waist with cord lock
- Fully taped seams
- Made with AZO free dyes

Detachable Fleece



N MBN S - 3XL



Jacket & Fleece



GUARDIAN JACKET

- 100% polyester shell fabric
- PU water resistant coating to inside surface
- Polyester quilt lining
- Two-way zip front with double front storm flap
- Zip access for corporate logo printing
- 2 lower zipped pockets with flap
- 1 upper zipped inset pocket
- Internal security and mobile phone pocket
- Drawstring at waist and hip
- Semi-elasticated cuffs with hook & loop adjustment
- Zipped vents under each arm
- Fleece lined collar
- Concealed hood
- Fully taped seams

N GU88PN S - 3XL



MERCURY JACKET

- Polyester/Pongee fabric
- 2 Zipped side pockets
- 1 Zipped security pocket
- Adjustable hook & loop cuffs
- Drawcord waist
- Half fleece lined
- Zipped logo access
- 2 Internal zipped pockets
- Internal mobile phone pocket
- Taped seams
- Zip away hood

N MUJN S - 3XL

BL MUJBL S - 3XL

MERCURY BOMBER JACKET

- Polyester/Pongee fabric
- 2 zipped side pockets with reflective edge
- 1 zipped security pocket
- Adjustable hook & loop cuffs
- Elasticated waist
- Polar fleece lined
- Zipped logo access
- 2 internal zipped pockets
- Internal mobile phone pocket
- Taped seams
- Zip away hood

| | | | | | |
|---|-------|---------|----|--------|---------|
| N | MUBJN | S - 3XL | BL | MUBJBL | S - 3XL |
|---|-------|---------|----|--------|---------|



NYLON B-DRI SUIT PACK

Jacket:

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- Lower front pocket with flaps
- Studed cuffs
- Hip drawcord
- Fully taped seams

Trousers:

- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams

| | | | | | | | | |
|---|-------|---------|----|--------|---------|----|-------|---------|
| N | NBDSN | S - 5XL | OR | NBDSOR | S - 5XL | SY | NBDSY | S - 5XL |
|---|-------|---------|----|--------|---------|----|-------|---------|



SUPER B-DRI JACKET

- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated wind cuffs
- Stitched and welded seams

N SBDJN S - 3XL 0 SBDJO S - 3XL SY SBDJSY S - 3XL



NYLON B-DRI JACKET

- Lightweight nylon with PVC coating on inside
- Zip front
- Concealed hood
- Lower front pockets with flap
- Studded cuffs
- Hip drawcord
- Fully taped seams



N NBDJN S - 3XL 0 NBDJO S - 3XL SY NBDJSY S - 3XL

EN 343 PROTECTION AGAINST RAIN

Protective clothing is certified to the EN343 standard to withstand precipitation, fog and ground humidity and is tested accordingly. It also accounts for the breathability of the garment in such conditions.

Please note EN 343 certified garments will protect the wearer against these conditions provided that:

- The garment is fully closed before use to ensure maximum protection.
- The fabric is clean. (If it is dirty its performance may be impaired)
- The protective clothing is stored in a dry and well-ventilated space.
- The garment is cared for according to the washing instructions to ensure maximum protective performance.


Resistance to Water Penetration is split into 4 levels:

| Water penetration resistance WP | Class | | | |
|---|--------------|--------------|---------------|---------------|
| | 1 | 2 | 3 | 4 |
| Specimen to be tested | | | | |
| - material before pre-treatment; | WP ≥ 8000 Pa | - | - | - |
| - material after each pre-treatment; | - | WP ≥ 8000 Pa | WP ≥ 13000 Pa | WP ≥ 20000 Pa |
| - seams before pre-treatment | WP ≥ 8000 Pa | WP ≥ 8000 Pa | WP ≥ 13000 Pa | - |
| - seams after pre-treatment by cleaning | - | - | - | WP ≥ 20000 Pa |

Note - 1000 Pa approximately 102 (mmH₂O)

Breathability is also split into 4 levels:

| Water penetration resistance WP | Class | | | |
|---------------------------------|----------|---------------|---------------|----------|
| | 1 | 2 | 3 | 4 |
| $\frac{m^2 \cdot Pa}{W}$ | 40 < Ret | 25 < Ret ≤ 40 | 15 < Ret ≤ 25 | 15 ≥ Ret |



ULFT

SNS Waterproof Jacket

- Zip front with storm flap cover and press stud closure
- Fixed hood
- Elasticated cuffs with press stud closure
- 2 front pockets with flap
- Mesh polyester lining
- Simply No Sweat (SNS) 210gsm polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth polyester textile finish



EN 343
Class 4 Water Penetration Resistant
Class 4 Air Permeability

| | | | | | |
|---|------------|---------|----|-------------|---------|
| N | HYD072400N | S - 4XL | BL | HYD072400BL | S - 4XL |
| R | HYD072400R | S - 4XL | GY | HYD072400GY | S - 4XL |
| G | HYD072400G | S - 4XL | Y | HYD072400Y | S - 4XL |



HYDROSOFT
SIMPLY NO SWEAT



UTRECHT

SNS Waterproof Trousers

- Elasticated waist with drawcord
- Mesh polyester lining
- Adjustable leg opening with press studs
- Simply No Sweat (SNS) 210gsm polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth polyester textile finish



EN 343
Class 4 Water Penetration Resistant
Class 4 Air Permeability

| | | | | | |
|---|------------|---------|----|-------------|---------|
| N | HYD072350N | S - 4XL | BL | HYD072350BL | S - 4XL |
| R | HYD072350R | S - 4XL | GY | HYD072350GY | S - 4XL |
| G | HYD072350G | S - 4XL | Y | HYD072350Y | S - 4XL |



Elasticated waist

SPRINGFIELD TROUSERS

- Tasoft PU breathable nylon
- Elasticated waist
- Lightweight
- Flexible
- Gusset at ankles with zip closure

| | | | | | |
|---|-----|---------|----|------|---------|
| N | STN | S - 3XL | BL | STBL | S - 3XL |
|---|-----|---------|----|------|---------|



NAVY OVERTROUSERS

- 300 denier Oxford polyester with PU breathable coating
 - Elasticated waist with drawcord
 - YKK zip fastening to legs with hook & loop closure flaps
 - 2 side access openings
 - Cargo pockets on legs
 - Retro-reflective tape to legs
 - Fully taped seams
- THESE GARMENTS ARE NOT HI-VISIBILITY
• They meet no recognised standards

| | | |
|---|--------|---------|
| N | BD118N | S - 6XL |
|---|--------|---------|



SUPER B-DRI TROUSERS

- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles

| | | | | | |
|---|-------|---------|---|-------|---------|
| N | SBDTN | S - 3XL | O | SBDTO | S - 3XL |
|---|-------|---------|---|-------|---------|

| | | |
|----|--------|---------|
| SY | SBDTSY | S - 3XL |
|----|--------|---------|



NYLON B-DRI TROUSERS

- Lightweight nylon
- PVC coating to the inside
- Elasticated waist
- Access to side pockets
- Stud fastening to ankles
- Fully taped seams

N NBDTN S - 3XL 0 NBDTO S - 3XL SY NBDTSY S - 3XL



SOUTHEND

Hydrosoft Waterproof Trousers

- Elasticated waist
- Adjustable leg opening with press studs
- Lightweight and durable
- 170 gsm PU coated polyester fabric
- Multi-use garment for agriculture, industrial and leisure



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

N HYD014015N S - 5XL OR HYD014015OR S - 3XL
R HYD014015R S - 3XL Y HYD014015Y S - 3XL
G HYD0140150 S - 3XL

PU FLUORO BOOT



- Fluorescent high quality and flexible polyurethane S5 Safety wellingtons
- Superior grip and excellent thermal insulation down to -20 degree centigrade
- Providing great comfort and strength even in extreme temperatures
- These hard wearing work boots are more comfortable and much lighter than any classic PVC or rubber safety boots
- Steel toe cap protection
- Steel midsole protection
- Energy absorbing sole
- Antistatic
- 100% waterproof
- Cold insulating
- Resistance to various chemicals, oils and fats

| | | |
|----|----------|-------------------|
| SY | BBPUSBSY | 03 - 12 / 36 - 47 |
|----|----------|-------------------|

| | | |
|----|----------|-------------------|
| OR | BBPUSBOR | 03 - 12 / 36 - 47 |
|----|----------|-------------------|



PRICEMASTOR NON SAFETY WELLINGTON 380BV

- No steel components
- Resists low-concentration acids, bases, disinfectants and fertiliser
- Non safety
- 100% waterproof

| |
|----|
| NS |
|----|

| | | |
|---|-----|-------------------|
| w | BBW | 03 - 12 / 36 - 47 |
|---|-----|-------------------|

PVC SAFETY BOOT WHITE

- PVC / Nitrile
- Steel toe cap
- Various chemical resistant
- Oil resistant outsole
- 100% waterproof

CE EN ISO 20345 S4 SRC

w BBSW 03 - 13 / 36 - 48



PVC SAFETY BOOT BLACK

- Full Safety
- Steel midsole
- Various chemical resistant
- Oil resistant outsole
- 100% waterproof

CE EN ISO 20345 S5 SRC

BL BBSSB 03 - 13 / 36 - 48

DISPOSABLE

BEESWIFT®



DISPOSABLE PPE

DISPOSABLE COVERALL TYPE 5/6



COCN4013EW

161

MICROPOROUS TYPE 3/4/5/6 DISP. COVERALL



COC40

162

MICROPOROUS TYPE 4/5/6 DISPOSABLE COVERALL



COC30W

162

DISPOSABLE POLYPROP BOILERSUIT



PDBSHN

163

TYPE 5/6 DISPOSABLE COVERALL



COC10W

163

14 INCH (35CM) OVERSLEEVES



D014

164

DISPOSABLE APRON PACKS



DA42DP

164

DISPOSABLE POLYPROP VISITORS COAT



PDVC

165

DISPOSABLE WHITE TRILBY HAT



TW

165

DISPOSABLE SNOOD CAP



DSCW500

165

DISPOSABLE MOB CAP



DMC

166

DISPOSABLE HAIRNET



DH

167

QED31 EAR DEFENDERS



DHGK

167

DISPOSABLE BEARD SNOOD



DBS

167

LATEX DISPOSABLE GLOVES



LEG

168

NITRILE DISPOSABLE GLOVES POWDER FREE



NDGPFPU

168

VINYL DISPOSABLE GLOVES



VDG / VDGPF

169

NITRILE DISPOSABLE GLOVES POWDER FREE



NDGPF50

169

CPE/PP DISPOSABLE OVERSHOES



DOSCPE


170

16 INCH (40CM) DISPOSABLE OVERSHOES



DOSB16

170



DISPOSABLE

VIRA-CHEM DISPOSABLE COVERALL

PROTECTS AGAINST:

- **CHEMICAL & VIRAL AGENTS**
- **BLOODBORNE PATHOGENS**
- **SULPHURIC ACID**
- **CONTAMINATED LIQUIDS**
- **RADIOACTIVE CONTAMINATION**

- For fine dust particles, reduced spray and limited splash
- Anti-static
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
- Microporous fabric 54% polypropylene + 46% polyethylene
- Individually packaged

EN ISO 13688: 2013 - General requirements for protective clothing
EN ISO 14325 : 2004



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010



EN 1073-2: 2002
Protective Clothing Against
Radioactive Contamination (no rays)



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN 14126: 2003 + AC:2004
Protective Clothing Against
Infective Agents (Type 4B, 5B, 6B)

W **COCN4013EW** S - 2XL

MICROPOROUS TYPE 3/4/5/6 DISPOSABLE COVERALL

- 90gm 56% SMS polypropylene, 44% polyethylene
- Polyethylene laminated +3 layers of polypropylene
- Ultrasonic taped seams
- Elasticated hood, wrists, ankles and waist
- Zip front with storm flap
- Elasticated thumb loops

EN ISO 13688: 2013 - General requirements for protective clothing



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010
EN14605: 2005 + A1: 2009



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN 1073-2: 2002
Protective Clothing Against
Radioactive Contamination (no rays)



EN 14126: 2003 + AC:2004
Protective Clothing Against
Infective Agents (Type 4B, 5B, 6B)

Y COC40 S - 3XL



DISPOSABLE



MICROPOROUS TYPE 4/5/6 DISPOSABLE COVERALL

- 60G microporous fabric
- Laminated finish
- Light spray and limited splash protection
- 2 way zip front with flap
- Elasticated cuffs, ankles, waist and hood
- Fully taped seams
- Individually packaged
- CE Type 4, 5 and 6

EN ISO 13688: 2013 - General requirements for protective clothing



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010
EN14605: 2005 + A1: 2009



EN 1149-5: 2008
Electrostatic charges



EN 1073-2: 2003
Protective Clothing Against
Radioactive Contamination (no rays)



EN 14126: 2003 + AC:2004
Protective Clothing Against
Infective Agents (Type 4B, 5B, 6B)

w COC30W S - 3XL



DISPOSABLE POLYPROP BOILERSUIT

- Fabric disposable boilersuit
- Non-woven fabric
- 33gsm SMS
(spunbond + meltblown + spunbond nonwovens)
- Elasticated hood
- Elasticated waistband and ankles
- No.3 nylon spiral one-way zip front opening
- Zip colour matches garment shell fabric

| | | |
|---|--------|---------|
| N | PDBSHN | S - 2XL |
|---|--------|---------|

| | | |
|---|--------|---------|
| w | PDBSHW | S - 2XL |
|---|--------|---------|

DISPOSABLE

TYPE 5/6 DISPOSABLE COVERALL

- Protective coverall CE Type 5 & 6
- For fine dust particles
- Reduced spray and limited splash
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
- Breathable fabric
- Individually packaged
- Very economical

EN ISO 13688: 2013 - General requirements for protective clothing



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010



EN 1149-5: 2008
Electrostatic charges



EN 1073-2: 2002
Protective Clothing Against
Radioactive Contamination (no rays)

| | | |
|---|--------|---------|
| w | COC10W | S - 3XL |
|---|--------|---------|

| | | |
|---|--------|---------|
| N | COC10N | S - 3XL |
|---|--------|---------|

| | | |
|----|---------|---------|
| RE | COC10RE | S - 3XL |
|----|---------|---------|



14 INCH (35CM) OVERSLEEVES

- Elasticated cuffs and upper arm
- Offers secure comfortable fitting
- Ideal for use in the food industry
- Available in 4 distinctive colours
- 2000 loose (1000 pairs)
- Non-compliant to any EN standard

| | | | | | |
|---|--------|----------|---|--------|----------|
| W | D014W2 | One Size | B | D014B2 | One Size |
|---|--------|----------|---|--------|----------|



DISPOSABLE



DISPOSABLE APRON PACKS

- Halter neck and ties around the waist
- Bacteria and fluid penetration resistant
- Aprons measure 42" x 27" (107 x 69mm) approx.



White
Apron

| | | | | | |
|---|--------|----------|---|---------|----------|
| W | DA42DP | One Size | B | DAB42DP | One Size |
|---|--------|----------|---|---------|----------|



DISPOSABLE POLYPROP VISITORS COAT

- Non-woven polypropylene
- Disposable visitors coat with collar
- Hook & loop fastening

| | | |
|---|------|--------|
| w | PDVC | M - XL |
|---|------|--------|

DISPOSABLE



DISPOSABLE WHITE TRILBY HAT

- Smart lightweight nylon mesh
- Offers good head coverage
- Good for achieving hygiene standards
- Washable

| | | |
|---|----|--------|
| w | TW | S - XL |
|---|----|--------|



DISPOSABLE SNOOD CAP

- Styled with peak and snood to ensure total head cover
- Ideal for use in the food processing industry
- Standard size

| | | |
|---|---------|----------|
| w | DSCW500 | One Size |
|---|---------|----------|

DISPOSABLE



DISPOSABLE MOB CAP

- Soft and lightweight
- Fully elasticated cap
- Made from non-woven fabric
- Standard size fits all
- Also available as metal detectable (DMCMDB)

Standard Codes

| | | |
|----|------|----------|
| B | DMCB | One Size |
| G | DMCB | One Size |
| RE | DMCB | One Size |
| w | DMCB | One Size |
| Y | DMCB | One Size |

Metal Detectable Code

| | | |
|---|--------|----------|
| B | DMCMDB | One Size |
|---|--------|----------|

DISPOSABLE HAIRNET

Standard Hairnet

- 5mm polypropylene mesh
- Standard size
- Pack size 144 (3 rings of 48)

Detectable Hairnet

- 5mm polypropylene mesh
- Certified to give a reading of at least 4mm ferrous
- 100 hairnets per pack

Standard Codes

| | | |
|---|-----|----------|
| W | DHW | One Size |
| B | DHB | One Size |

Detectable Code

| | | |
|---|--------|----------|
| B | DHBDET | One Size |
|---|--------|----------|

DISPOSABLE

DISPOSABLE KNOTTED HAIRNET

- Complete headcover
- Ideal method of achieving hygiene standards
- Standard size

| | | |
|---|------|----------|
| G | DHGK | One Size |
|---|------|----------|




DISPOSABLE BEARD SNOOD

- This product is metal free
- Complete lower face cover
- Lightweight mesh encloses beards and moustaches
- Ideal method for eliminating loose hair contamination
- Fits comfortably and snugly around the face
- Standard size
- Pack size of 12

| | | |
|---|-------|----------|
| B | DBSBL | One Size |
|---|-------|----------|

| | | |
|----|-------|----------|
| BR | DBSBR | One Size |
|----|-------|----------|



DISPOSABLE



LATEX DISPOSABLE GLOVES

- Allows touch sensitive work to be carried out with ease
- Ambidextrous
- Easy to pull on beaded cuff
- Available in pre-powdered or powder free

w LEG S(7) - XL(10)

w LEGP S(7) - XL(10)



NITRILE DISPOSABLE GLOVES POWDER FREE

- High quality disposable product
- Liquid proof
- Ideal for general lightweight handling including foodstuffs



PU NDGPFP S(7) - XL(10)





VINYL DISPOSABLE GLOVES

- 100% synthetic PVC
- Contains no latex or protein
- Ambidextrous
- Easy to pull on beaded cuff



Pre-Powdered Codes / Sizes

| | | | | |
|-----|---------------|---|------|---------------|
| VDG | S(7) - XL(10) | B | VDGB | S(7) - XL(10) |
|-----|---------------|---|------|---------------|

Powder Free Codes / Sizes

| | | | | |
|-------|---------------|---|--------|---------------|
| VDGPF | S(7) - XL(10) | B | VDGBPF | S(7) - XL(10) |
|-------|---------------|---|--------|---------------|

DISPOSABLE

NITRILE DISPOSABLE GLOVES POWDER FREE

- CE category III
- CE class I examination glove
- Suitable for catering, beauty and body art sectors
- Fulfilling medical requirements for tattoos and piercing
- Free from phthalates/softeners, allergenic latex proteins
- Tested and certified according to 1935/2004



Suitable for food contact



EN 374-5



EN 374-1

| | | |
|---|----------|---------------|
| B | NDGPF50B | S(7) - XL(10) |
|---|----------|---------------|

| | | |
|----|-----------|---------------|
| BL | NDGPF50BL | S(7) - XL(10) |
|----|-----------|---------------|



**CPE/PP
DISPOSABLE OVERSHOES**

- Deluxe overshoe
- Polypropylene upper
- Compressed PE embossed sole for extra grip
- Elasticated opening
- 16" overshoes

| | | | |
|---|---|--------|------------|
| w | B | DOSCPE | 16" / 40cm |
|---|---|--------|------------|

**16 INCH (40CM)
DISPOSABLE OVERSHOES**

- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring
- Available as an economy version also

| | | |
|---|--------|----------|
| B | DOSB16 | One Size |
| w | DOSW16 | One Size |

Economy Code / Size

| | | |
|---|--------|----------|
| B | DOSECB | One Size |
|---|--------|----------|



FOOTWEAR



**ALL OF OUR FOOTWEAR CONFORMS TO
EN ISO 20345**



BOOTS, SHOES & RIGGERS

6 INCH BOOT HONEY



GWBNB
179

6 INCH BOOT BLACK



GWBMSBL
179

6 INCH BOOT BROWN



GWBBR
179

SCUFF CAP BOOT



GWBMSSCBL
179



TRADERS CHUKKA BOOT



CTF32BL / CTF33NB
180

4 D-RING CHUKKA BOOT



CDDCBL
180

LADIES CHUKKA BOOT



CF14BL
180

4 D-RING CHUKKA BOOT
MIDSOLE



CDDCMSBL
180

4 D-RING SCUFF CAP
CHUKKA BOOT



CDDSCCMSBL
180

4 D-RING CHUKKA BOOT



CF55BL
181

NON-METALLIC CHUKKA
BOOT



CF50BL
181



6 INCH BOOT



CF2BL
181

MID-CUT BOOT



CF4BL
181

TRADERS 6 INCH BOOT



CTF20BL
182

SITE BOOT



CF11BL
182

TRAINER BOOT



CDDTBBL
182

DEALER BOOT



CF16BL
182

METATARSAL BOOT



CF9MBL
183



MICRO FIBRE BOOT



CF852
183



TRAXION BOOT



TBBL / TBBR
184

HIKERS BOOT



CTF30BL
184

TRADERS THINSULATE BOOT



CTF24BL / CTF25NB
184



WATERPROOF SIDE ZIP
BOOT



CF68NB
185

TRADERS PUR DEALER
BOOT



CTF42BR
185



BOOTS, SHOES & RIGGERS

**TRENCH BOOT
QUICK RELEASE**



CF70BL

186

**TRENCH PLUS BOOT
QUICK RELEASE**



CF71BL

186

TRENCH BOOT



CF66BL

187

TRENCH PLUS BOOT



CF67BL

187



PUR METATARSAL BOOT



CF5BL

188

6 EYELET PUR BOOT



CF60BL

188

PUR BOOT



CF62BL

188

NON-METALLIC PUR BOOT



CF65BL

188



SHERPA 6 INCH BOOT



SBBL

189

SHERPA DEALER BOOT



SDB

189

SHERPA MID-CUT BOOT



SCBBL

189



MANAGERS SHOE



SW2010

190

MANAGERS BROGUE SHOE



SW2011

190



BLACK SHOE



CDDS

191

SMOOTH LEATHER TIE SHOE



CDDSTS

191

BLACK SHOE



CF53BL

191

**BLACK SHOW MIDSOLE
PROTECTION**



CDDSMS

191

LADIES TIE SHOE



CF13BL

191

LADIES SLIP-ON SHOE



CF12BL

192



TRAINER SHOE



CDDTB

192

TRAINER SHOE BLACK / BLUE



CF17

192

SNEAKER TRAINER



CF18

192

ACTION TRAINER SHOE



CF19

193

BLACK SHOE



CF52BL

193

TRAINER SHOE



CTF59

193

BOOTS, SHOES & RIGGERS



NON-METALLIC TRAINER



CF27

194

NON-METALLIC TRAINER



CF29 / CF26B

194

NON-METALLIC TRAINER



CF26

194

TRAINER SHOE BLACK / GREY



CF7BL

195

COMPOSITE HIKER



CF35 / CF35B

195

LADIES TRAINER



CF862

196



TIE SHOE



CF822 / CF823

196

SLIP-ON SHOE



CF832 / CF833

196



UNLINED / FUR LINED RIGGER BOOT



RBUS / RBLS

197

LINED SCUFF CAP RIGGER BOOT



RBLSSC

197

PREMIUM HEEL SUPPORT RIGGER BOOT



CF8

197

TRADERS PUR RIGGER BOOT



CTF48BR

198

SHERPA RIGGER BOOT



SRB

198



PU FLUORO BOOT



BBPUSBOR / BBPUSBSY

199

PVC SAFETY WELLINGTONS WHITE



BBSW

200

PVC SAFETY WELLINGTONS BLACK



BBSSB

200



GEL INSOLE 'FOOTSOCK'



CF1000

200

BOOTLACES



CFL / CRL

200



It is important that you choose the correct industrial footwear for your specific working environment. We would therefore recommend that in the first instance a risk assessment is carried out to ensure that the correct protection level and style of footwear is selected.

Risk Assessment

Assess the risks within the working environment to either remove or protect against the hazards. This must involve defining the job or work area, recognising the risks, and identifying the correct method of reducing them i.e. by removing, controlling, or by choosing suitable safety footwear. Safety features include:

- Impact resistant toe caps
- Pierce resistant midsoles
- Anti-static soles
- Sole resistance to heat
- Resistance to cold
- Water resistance
- Resistance to fuel oil
- Resistance to chemicals
- Slip resistant sole properties



Materials and construction

There are various methods of attaching the sole of the footwear to the upper material; this has some considerable influence on product selection depending on the environment in which the footwear will be used.

Direct injection moulding

A strong construction method used with either one density of polyurethane (known as single density) or two densities, either polyurethane or an inner density of polyurethane and an outer density of nitrile rubber (known as dual density). Both types provide reduced weight with improved comfort and flexibility, without any compromise in performance.

Cemented

This is exactly what it suggests; the sole unit is preformed and cemented (glued) onto the upper material creating a strong bond.

Goodyear welted

A traditional form of construction where the sole is stitched to the upper material, again a very strong method, which would generally be slightly heavier in use than the above. Suitable for most dry environments.

Wellington boot

The vast majority of wellingtons in use are direct injection moulded from either raw PVC with varying quantities of nitrile rubber or Polyurethane, both types provide excellent flexibility and resistance to chemicals.

Additional protection may be provided and is identified on the product by its marking as below:









Footwear that feature slip resistance, are tested according to a set of European standards written into EN ISO 20345: 2011. Footwear which has passed this test will be marked with one of the codes below.

| | | | | | |
|---|---|--|---|--|--|
| A ANTI-STATIC | AN ANKLE PROTECTION | C CONDUCTIVE | CI INSULATION AGAINST COLD | CR CUT RESISTANT UPPER | E ENERGY ABSORPTION OF THE SEAL REGION |
| FO FUEL OIL RESISTANT OUTSOLE | HI INSULATION AGAINST HEAT | HRO HEAT RESISTANT OUTSOLE COMPOUND: SHALL WITHSTAND 300°C FOR 60S | I INSULATING | M METATARSAL PROTECTION: 100J IMPACT ENERGY | P PENETRATION RESISTANT OUTSOLE |
| WR WATER RESISTANT FOOTWEAR | WRU WATER RESISTANT UPPER LEATHER | SRA SLIP RESISTANCE ON STEEL FLOOR WITH GLYCEROL | SRB SLIP RESISTANCE ON CERMAIG TILE FLOOR WITH DILUTE SOAP SOLUTION | SRC SLIP RESISTANCE ON CERAMIC TILE FLOOR WITH DILUTE SOAP SOLUTION AND ON STEEL FLOOR WITH GLYCEROL | |

FOOTWEAR SYMBOLS

| | | | | | |
|----------------------------------|-----------------------------------|------------------------------|----------------------------------|---------------------------|-------------------------------------|
| 200 JULE STEEL TOE CAP | 200 JULE COMPOSITE TOE CAP | STEEL MIDSOLE PROTECTION | COMPOSITE MIDSOLE PROTECTION | METATARSAL PROTECTION | ANTI-STATIC |
| SHOCK ABSORBER HEEL | RESISTANT TO ACIDS & ALKALIS | ENERGY ABSORBANT | WASHABLE TO 40°C | RESISTANT TO OILS | BREATHABLE MEMBRANE LINING |
| HEAT RESISTANT SOLE TO 300°C | WATER RESISTANT LEATHER UPPER | SLIP RESISTANT | 3M THINSULATE LINING | LEATHER UPPER | CONTAINS EUROPEAN SIZES 40 & 45 |

FOOTWEAR MARKINGS CHECKLIST

| | NS | SB | SBP | S1 | S1P | S2 | S3 | S4 | S5 |
|---|----|----|-----|----|-----|----|----|----|----|
|  | | ● | ● | ● | ● | ● | ● | ● | ● |
|  | | ● | ● | ● | ● | ● | ● | ● | ● |
|  | | | ● | | ● | | ● | | ● |
|  | | | ● | | ● | | ● | | ● |
|  | | | | ● | ● | ● | ● | ● | ● |
|  | | | | ● | ● | ● | ● | ● | ● |
|  | | | | ● | ● | ● | ● | ● | ● |
|  | | | | | | ● | ● | | |
| EN ISO 20345 | | ● | ● | ● | ● | ● | ● | ● | ● |
| WATERPROOF SEAL | | | | | | | | ● | ● |

MATERIAL RECOMENDATION

Nitrile rubber sole - for higher temperatures, oil and solvent resistant.

PVC, PVC nitrile, rubber and polyurethane uppers – where there is long term exposure to water and certain chemical applications.

Polyurethane soles - for general purpose use, oil and solvent resistant.

Water repellent leather uppers - where there is an occasional exposure to water.

| SHOES | |
|-------|----|
| UK | EU |
| 3 | 36 |
| 4 | 37 |
| 5 | 38 |
| 6 | 39 |
| 6.5 | 40 |
| 7 | 41 |
| 8 | 42 |
| 9 | 43 |
| 10 | 44 |
| 10.5 | 45 |
| 11 | 46 |
| 12 | 47 |
| 13 | 48 |
| 14 | 49 |
| 15 | 50 |



FOOTWEAR SIZES

Selecting the correct materials is critical, especially when contaminants are present. By choosing the correct material the maximum lifespan of footwear can be achieved.



BEESWIFT®

GOODYEAR WELTED

6 INCH BOOT



Tan
GWBNB



SBP HRO SRC

UK 6 - 12 // EU 39 - 47

SCUFF CAP BOOT



Black
GWBMSBL

Brown
GWBBR

Black
GWBMSBL



Kick off heel



TRADERS CHUKKA BOOT



**DUAL DENSITY
EVA/RUBBER**

SBP SRA



Black
CTF32BL



Tan
CTF33NB

UK 6 - 12 // EU 39 - 47

CHUKKA BOOTS

4 D-RING CHUKKA BOOT



Black

CDDCBL




DUAL DENSITY PU

Black

CF14BL

UK 3 - 13 // EU 36 - 48

S1 SRC



LADIES CHUKKA BOOT



Black

CDDCMSBL

4 D-RING CHUKKA BOOT MIDSOLE



UK 3 - 13 // EU 36 - 48

S1P SRC

Black

CDDSCCMSBL



4 D-RING SCUFF CAP CHUKKA BOOT

UK 4 - 13 // EU 37 - 48

CHUKKA BOOTS

DUAL DENSITY PU

4 D-RING CHUKKA BOOT



S3 SRC

Black
CF55BL

UK 3 - 13 // EU 36 - 48



NON-METALLIC CHUKKA BOOT



Black
CF50BL

UK 3 - 13 // EU 36 - 48

S3 SRC

SMOOTH LEATHER

DUAL DENSITY PU

6 INCH BOOT



TPU heel support

Black
CF2BL

MID-CUT BOOT

UK 6 - 13 // EU 39 - 48




S1P SRC

Black
CF4BL



DUAL DENSITY PU



TRADERS 6 INCH BOOT

Black
CTF20BL

UK 6 - 13 // EU 39 - 48

S3 SRC

SITE BOOT



UK 3 - 13 // EU 36 - 48



Black
CF11BL

S3 SRC

TRAINER BOOT



Black
CDDTBBL

UK 3 - 13 // EU 36 - 48

S1P SRC

DEALER BOOT


UK 3 - 13 // EU 36 - 48

S1P SRC

Black
CF16BL



METATARSAL BOOT



Black

UK 3 - 13 // EU 36 - 48

CF9MBL

S3 M SRC

Poron XRD internal M-Guard metatarsal impact protection



MICRO FIBRE BOOT



White

UK 3 - 13 // EU 36 - 48


S2 SRC

CF852

**TRAXION
BOOT**



**DUAL DENSITY
PU - TPU
WATER RESISTANT**



Black

TBBL

Brown

TBBR

UK 6 - 12 // EU 39 - 47

S3 SRC

HIKERS BOOT



Black

CTF30BL

S3 WR SRC

UK 6 - 13 // EU 39 - 48



TRADERS THINSULATE BOOT



Black

CTF24BL

Tan

CTF25NB

UK 6 - 13 // EU 39 - 48

S3 WR SRC

WATERPROOF SIDE ZIP BOOT



Tan
CF68NB



Poron XRD internal M-Guard

TPU protective scuff cap

YKK heavy duty side zip


Waterproof membrane lining

S3 WR M CI HRO SRC

UK 6 - 12 // EU 39 - 45

PU/RUBBER

TRADERS PUR DEALER BOOT



Brown

UK 5 - 13 // EU 38 - 48

S3 SRC

CTF42BR

QUICK RELEASE

TRENCHER BOOT

Black

CF70BL

Rotary Dial lacing system


One hand adjustment operation

Padded collar

Waterproof membrane lining

Breathable Thinsulate lining

Foam fabric footbed for excellent comfort



Poron XRD internal M-Guard metatarsal impact protection



TRENCHER PLUS BOOT

Black

CF71BL

Rotary Dial lacing system

One hand adjustment operation

Padded collar

Ankle protection

TPU protective scuff cap

Electro-static discharge protection

Waterproof membrane lining

Breathable Thinsulate lining

Foam fabric footbed for excellent comfort

Poron XRD internal M-Guard metatarsal impact protection



PU/RUBBER

S3 M HRO WR SRC

UK 3 - 13 // EU 36 - 48

Winter grip compound within the outsole for enhanced slip resistance

TRENCHER BOOT

PU/RUBBER



UK 3 - 13 // EU 36 - 48

Black
CF66BL

**extreme
impact
protection**



TRENCHER PLUS BOOT

PU/RUBBER




YKK heavy duty side zip

TPU protective scuff cap

Ankle protection

Poron XRD internal M-Guard metatarsal impact protection



Winter grip compound within the outsole for enhanced slip resistance

Black
CF67BL

UK 3 - 14 // EU 36 - 49

S3 M HRO WR SRC



PUR METATARSAL BOOT



Black
CF5BL

UK 6 - 13 // EU 39 - 48

S3 M SRC



Black
CF60BL

6 EYELET PUR BOOT



UK 4 - 13 // EU 40 - 48

S3 HRO SRC



PUR BOOT



Black
CF62BL

UK 4 - 13 // EU 40 - 48

S3 HRO WR SRC

PUR FOOTWEAR PROTECTION



Black
CF65BL

NON-METALLIC PUR BOOT



UK 3 - 12 // EU 36 - 47

S3 HRO SRC

SHERPA PU RUBBER


S3

HRO

SRC

UK 6 - 12 // EU 39 - 47

Black
SBBL



6 INCH BOOT

DEALER BOOT

Brown
SDB



MID-CUT BOOT



Black
SCBBL

**MONO
DENSITY
PU**

Black
SW2010



MANAGERS SHOE



UK 5 - 12 // EU 38 - 47

S1 SRC



Black
SW2011

MANAGERS BROGUE SHOE

DUAL DENSITY PU SHOES



Black
CDDS

BLACK SHOE

UK 4 - 13 // EU 37 - 48

S1 SRC



SMOOTH LEATHER TIE SHOE

S1P SRC

UK 6 - 12 // EU 39 - 47

Black
CDDSTS



Black
CF53BL

BLACK SHOE

UK 4 - 12 // EU 37 - 47

S3 SRC



BLACK SHOE MIDSOLE PROTECTION

UK 3 - 13 // EU 36 - 48

S1P SRC



Black
CDDSMS



Black
CF13BL

LADIES TIE SHOE



UK 2 - 7 // EU 35 - 41

S1P SRC

Black
CF12BL



LADIES SLIP-ON SHOE



UK 2 - 7 // EU 35 - 41 S1P SRC

TRAINER SHOE



UK 3 - 13 // EU 36 - 48

Black
CDDTB



S1P SRC


Black
Blue
CF17



TRAINER SHOE DARK GREY/BLUE

UK 3 - 13 // EU 36 - 48

S1P SRC



SNEAKER TRAINER



UK 3 - 13 // EU 36 - 48

S1P SRC



Black
CF18

NON-METALLIC DUAL DENSITY PU



Black
CF19

ACTION TRAINER SHOE



UK 3 - 12 // EU 36 - 47

S1P SRC

BLACK SHOE



Black
CF52BL



UK 3 - 13 // EU 36 - 48

S1P SRC



Black
CTF59

TRAINER SHOE




UK 3 - 13 // EU 36 - 48

S1P SRC



Black
CF27



UK 4 - 12 // EU 37 - 47

PU RUBBER

NON-METALLIC TRAINERS

Lichtweicht



Black
Blue
CF29B



Black
Orange
CF29

UK 4 - 12 // EU 37 - 47

S3 SRC

eva RUBBER



Black
CF26

UK 3 - 12 // EU 36 - 47

S3 SRC

TRAINER SHOE BLACK/GREY



UK 3 - 12 // EU 36 - 47

S1P SRA

Black
CF7BL



eva
rUBBER

eva
TPU
rUBBER

COMPOSITE
HIKER



UK 3 - 12 // EU 36 - 47

Black
Orange
CF35

S3 SRC



lightweight

Black
Blue
CF35B

LADIES COMPOSITE TRAINER



UK 3 - 8 // EU 36 - 42

Black
CF862

S1P SRC



TIE SHOE

MICRO FIBRE



White
CF822

Black
CF823

SLIP-ON SHOE

White
CF832

Black
CF833

UK 3 - 13 // EU 36 - 48

S2 SRC



UNLINED
FUR LINED

UK 4 - 13 // EU 37 - 48



Unlined
Tan

RBUS



Fur Lined
Tan

RBLS



DUAL DENSITY PU RIGGERS

S1P SRC

**LINED
SCUFF CAP**

UK 6 - 12 // EU 39 - 47

Tan

RBLSSC



**PREMIUM
HEEL SUPPORT**

UK 6 - 13 // EU 39 - 48

Tan

CF8



TRADERS PUR BOOT

UK 5 - 12 // EU 38 - 47

S3 SRC

Brown
CTF48BR



PU RUBBER



TRADERS FUR LINED

UK 6 - 12 // EU 39 - 47

S3 HRO SRC

Brown
SRB




SHERPA PU RUBBER



PU FLUORO BOOT



BEESWIFT™



S5 CI SRC

UK 3 - 12 // EU 36 - 47



Hi-Vis
Orange

BBPUSBOR

Saturn
Yellow

BBPUSBSY

- Fluorescent high quality and flexible polyurethane S5 Safety wellingtons
- Superior grip and excellent thermal insulation down to -20 degree centigrade
- Providing great comfort and strength even in extreme temperatures
- These hard wearing work boots are more comfortable and much lighter than any classic PVC or rubber safety boots
- Energy absorbing sole
- Resistance to various chemicals, oils and fats

PVC SAFETY WELLINGTONS



UK 6 - 12 // EU 39 - 47

White
BBSW

S4 SRC



Black
BBSSB

S5 SRC

FOOTWEAR ACCESSORIES

GEL INSOLE 'FOOTSOCK'

CF1000



- High elastic EVA, soft latex
- Shock absorption honeycomb heel
- Excellent comfort
- Offers cushioning and support
- Honeycomb gel heel for extra cushioning
- Help prevent injury
- Anti-static stitching



FLAT LACES


70cm // CFL70 90cm // CFL90
100cm // CFL100

ROUNDED LACES

140cm // CRL140

BOOTLACES

WELLINGTONS



DUNLOP WELLINGTONS

**WHITE WELLIE SHOE
B370411**



WG
203

**PRICEMASTOR NON SAFETY
WELLINGTON 380BV**



BBW
203

**PROTOMASTOR SAFETY
WELLINGTON**



171BV
203

**PUROFORT MULTI-GRIP
WELLINGTON**



CA61831
204

**PUROFORT MULTI-GRIP
SAFETY WELLINGTON**



CA61631
204

**PUROFORT MULTI-GRIP
SAFETY WELLINGTON**



CA61131
204



**PRICEMASTOR NON SAFETY
WELLINGTON 380PP/380VP**



BBB / BBG
205

**WARWICK FULL SAFETY
WELLINGTON H812511**



D8864
205



RIBBED THIGH WELLINGTON



A442631.TW
206

**ACIFORT RIBBED
FULL SAFETY WELLINGTON**



A252931
206

**PUROFORT+ FULL SAFETY
WELLINGTON**



C762041
207

**PUROFORT+ FULL SAFETY
WELLINGTON**



C762241
207

**PUROFORT THERMO+
WELLINGTON**



C662343
207

**PUROFORT+ RUGGED
FULL SAFETY RIGGER**



C762043
208

**PUROFORT RIG-AIR FULL
SAFETY RIGGER FUR LINED**



C462743.FL
208

**PUROFORT RIG-AIR FULL
SAFETY RIGGER UNLINED**



C462743
208



**GREEN WELLIE SHOE
B350611**



GG
209

**PUROFORT PROFESSIONAL
NON SAFETY WELLINGTON**



D460933
209

**PUROFORT THERMO+
FULL SAFETY WELLINGTON**



C662933
209

**PUROFORT PROFESSIONAL
FULL SAFETY WELLINGTON**



C462933
210

**PROTOMASTER FULL
SAFETY PVC WELLINGTON**



142VP
210

**ACIFORT HEAVY DUTY
GREEN WELLINGTON**



A440631
210

**ACIFORT HEAVY DUTY
WELLINGTON**



A442631 / A4422B1
211

**PVC CHEST WADER
388VP**



PCW
212

**FULL SAFETY
CHEST WADER 142VRPT**



PCWFS
212

**NON SAFETY
THIGH WADER 386VP**



PTW
212

**FULL SAFETY
THIGH WADER 142VRPP**



PTWFS
212

FOOD INDUSTRY

- Waterproof to give protection in wet conditions
- Oil resistant, SRA rated outsole for perfect grip
- Slip resistant to assure safe working conditions
- No steel components
- Non-safety

NS **OB** **FO** **CI** **SRA**

UK 3 - 11 // EU 36 - 46



PROTOMASTOR SAFETY WELLINGTON

- 100% waterproof
- Steel toe cap
- Oil resistant outsole
- Various chemical resistant
- PVC/Nitrile
- Resists minerals, animal and plant oils and fats, blood, disinfectants, fertilizer, various chemicals

SB **E** **FO** **SRA**

UK 3 - 13 // EU 36 - 48

WHITE WELLIE SHOE B370411



White
WG

PRICEMASTOR NON SAFETY WELLINGTON 380BV

- No steel components
- Resists low-concentration acids, bases, disinfectants and fertiliser
- Non safety
- 100% waterproof

NS

UK 3 - 12 // EU 36 - 47

White
BBW



White
171BV

PUROFORT® MULTI-GRIP SAFETY WELLINGTON



CA61831



CA61631

S4 CI SRC

UK 3 - 13 // EU 36 - 48



CA61131

- 100% waterproof
- Steel toe cap protection
- Energy absorbing
- Anti-static, oil resistant and slip resistant
- Anti-Bac lining
- Designed for orthopaedic insole
- Gender specific design
- Purofort technology: light and durable

**PRICEMASTOR
NON SAFETY
WELLINGTON
380PP / 380VP**

- No steel components
- Non safety
- 100% waterproof

NS

UK 3 - 13 // EU 36 - 48



CONSTRUCTION and Infrastructure



**WARWICK
FULL SAFETY
WELLINGTON
H812511**

- Acifort full safety
- PVC/Nitrile rubber
- Steel toe cap
- Midsole protection
- Oil resistant outsole
- 100% waterproof

SB P FO SRA

UK 6 - 12 // EU 39 - 47

**Black
D8864**

RIBBED THIGH WELLINGTON

- Steel toe cap
- Steel midsole
- Oil resistant sole
- Energy absorbing

S5 SRA

UK 6 - 13 // EU 39 - 48

Green

A442631.TW

**ACIFORT
RIBBED
FULL SAFETY
WELLINGTON**



Black

A252931

SBP P A FO SRA

- Acifort full safety
- Toecap protection
- Midsole protection
- Energy absorbent
- Oil resistant outsole
- 100% waterproof
- Ribbed to protect shinbone

UK 6 - 12 // EU 39 - 47

- Steel toe cap and midsole protection
- Energy absorbent
- Anti-static
- Oil resistant and slip resistant
- 100% waterproof
- Cold insulating to -20°C
- Additional reinforcement in the metatarsal area
- Lightweight and durable
- SRC highest non-slip certificaton

UK 6 - 14 // EU 39 - 49

Black
C762041



**PUROFORT+[®]
FULL SAFETY
WELLINGTON**

S5 CI SRC

S5 CI SRC



Yellow
C762241

**PUROFORT+[®]
FULL SAFETY
WELLINGTON**

UK 5 - 12 // EU 38 - 47

**PUROFORT[®] THERMO+
WELLINGTON**

- Steel toe cap
- Midsole protection
- Energy absorbing sole
- Anti-static
- 100% waterproof
- Oil resistant outsole
- Slip resistant
- Cold insulating

UK 5 - 13 // EU 38 - 48

Orange
C662343



S5 CI SRC



UK 6 - 13 // EU 39 - 48

PUROFORT® RUGGED FULL SAFETY RIGGER

S5 **CI** **SRC**

- 100% waterproof (no stitched seams)
- Keeping feet dry and warm
- Stays flexible and supple, with every step
- Anatomically designed foot bed
- Easy to maintain and clean, does not dry out and crack
- Cut resistant upper
- Outsole with optimal grip on uneven and wet surfaces
- Steel toecap and midsole
- Cold insulation down to -20°C

Black
C762043



UK 6 - 13 // EU 39 - 48

PUROFORT® RIG-AIR FULL SAFETY RIGGER

S5 **CI**

- Steel toe cap
- Midsole protection
- Anti-static
- Oil resistant sole
- Comfortable fit
- 100% waterproof
- Fur lining for additional warmth (C462743.FL only)
- Cold insulating to -20°C
- Lightweight
- Available as fur lined or unlined

Fur Lined



C462743.FL

Unlined



C462743

agriculture

- No steel components
- Resists low-concentration acids, bases, disinfectants and fertiliser

NS

UK 3 - 11 // EU 36 - 46



PUROFORT® PROFESSIONAL NON SAFETY WELLINGTON

- Purofort non safety
- 100% waterproof
- Anti-static
- Cold insulating
- Energy absorbent

UK 5 - 12 // EU 38 - 47

S4 FO CI SRC

Green

D460933

PUROFORT® THERMO+ FULL SAFETY WELLINGTON

- Toecap protection
- Midsole protection
- Energy absorbing sole
- Anti-static
- 100% waterproof
- Oil resistant outsole
- Slip resistant
- Cold insulating

S5 CI SRC

UK 5 - 13 // EU 38 - 48



Green

C662933



**PUROFORT® PROFESSIONAL
FULL SAFETY
WELLINGTON**

S5 CI SRA

UK 4 - 13 // EU 37 - 48

- Toecap protection
- Midsole protection
- Energy absorbing sole
- Anti-static
- 100% waterproof
- Cold insulating

Green
C462933

- Toecap protection
- Steel midsole
- Oil resistant outsole
- Anti-static
- Energy absorbing sole
- Waterproof
- Cold insulating

UK 3 - 13 // EU 36 - 48



**PROTOMASTER
FULL SAFETY PVC
WELLINGTON**

Green
142VP

S5 SRA



**ACIFORT®
HEAVY DUTY
GREEN
WELLINGTON**

- Anti-slip
- Anti-static
- Energy Absorbing
- Resistance to minerals,
- animal and plant oils and fats,
- fertilizer, acids, disinfectants,
- various chemicals
- Waterproof

Green
B440631

NS FO SRA

UK 6 - 13 // EU 39 - 48

ACIFORT[®] HEAVY DUTY WELLINGTON

S5 SRA

UK 6 - 12 // EU 39 - 47



Green

A442631



Yellow

A4422B1

- Strong abrasion resistant outsole for extra durability
- Easy cleaning and SRA+ rated slip resistant outsole
- Shock absorbing heel design
- Suitable for use under protective suits (A4422B1 only, EN 943-1 certified)
- Excellent level of toe protection
- Nitrile and polymers enhanced PVC compound for basic chemical protection
- Reinforced ankle protection

AGRICULTURE

PVC CHEST WADER



PCW

NON SAFETY 388VP

- Practical, durable wading pants
- Ideal for a variety of uses in the agricultural sector
- 100% waterproof

NS

FULL SAFETY 142VR.PT

- Toecap protection
- Midsole protection
- Energy absorbing sole
- Anti-static
- Slip resistant
- 100% waterproof
- Resistant to mineral oils, animal, vegetable oils and fats, disinfectants and various chemicals



PCWFS

S5 SRA

UK 6 - 12 // EU 39 - 47

PVC THIGH WADER



PTW

NON SAFETY 386VP

- Practical, durable wading pants
- Ideal for a variety of uses in the agricultural sector
- 100% waterproof

NS

FULL SAFETY 142VR.PP

- Toecap protection
- Midsole protection
- Energy absorbing sole
- Anti-static
- Slip resistant
- 100% waterproof
- Resistant to mineral oils, animal, vegetable oils and fats, disinfectants and various chemicals



PTWFS

S5 SRA





PERSONAL PROTECTION EQUIPMENT

HEAD GEAR/ FACE GUARDS



BBHG
221

FORESTRY KIT



BBFK
221

REDUCED PEAK SAFETY HELMET



BBSHRPW
221

VENTED SAFETY HELMET PREMIUM



BBVSH
222

VENTED SAFETY HELMET RATCHET HARNESS



BBVSHRH
222

VENTED SAFETY HELMET ECONOMY



BBEVSH
222

SAFETY BASEBALL CAP



BBSBC
223

SAFETY BASEBALL CAP STANDARD/ SHORT PEAK



BBSBC / BBSPSBC
223

VENTED HELMET REPLACEMENT HARNESS



BBVHRH / PH / TH
223

VENTED HELMET ACCESSORIES



BBVHSBN / BBVHCSN
223



BBH50 SAFETY SPECTACLES



BBH50
227

BBH60 SAFETY SPECTACLES



BBH60
227

KANSAS SAFETY SPECTACLES



BBKS
227

RICHMOND SAFETY SPECTACLES



BBRIC
227

TEXAS SAFETY SPECTACLES



BBTXS
227

UTAH SAFETY SPECTACLES



BBUTSBF
228

PORTLAND SAFETY SPECTACLES



BBPS
228

YALE SAFETY SPECTACLES



BBYS
228

DIEGO SAFETY SPECTACLES



BBDS
229

EVERSON SAFETY SPECTACLES



BBES
229

COLORADO SAFETY SPECTACLES



BBCS
229

ROMA SAFETY SPECTACLES



CTRS
230

BOSTON SAFETY SPECTACLES



BBBS
230

MILANO SAFETY SPECTACLES



CTMS
230

SEATTLE SAFETY SPECTACLES



BBSS
230

AKRON SAFETY SPECTACLES



BBACS
231

FLORIDA SAFETY SPECTACLES



BBFS
231

VEGAS SAFETY SPECTACLES



BBVS
231

SAFETY SPECTACLE CLEAR



ZZ0010
232

PERSONAL PROTECTION EQUIPMENT

HIGH PERFORMANCE LENS SAFETY SPECTACLE



ZZ0020
232

SPORTS STYLE SAFETY SPECTACLE



ZZ0040
232

HIGH PERFORMANCE SPORTSTYLE SPECTACLE



ZZ0050
233

VEGAS SAFETY SPECTACLES



ZZ0060
233

WRAP AROUND SPECTACLE



ZZ0080
233

PERFORMANCE WRAP AROUND SPECTACLE



ZZ0090
233

ANCONA SAFETY SPECTACLES



CTAS
234

VERONA SAFETY SPECTACLES



CTVS
234

HAMILTON GOGGLES/ DETACHABLE VISOR



BBHAM / CV1 / V1
235

SG31 GOGGLES



BBSG31
236

CHEMICAL GOGGLES



BBCG
236

COMFORT FIT GOGGLES



BBCFG
236

WIDE VISION GOGGLES



BBWVG
237

PREMIUM GOGGLES



BBPGBF / BBPGAF
237

GENERAL PURPOSE GOGGLES



BBGPG
238

ANTI-MIST GOGGLES



BBAMG
238

FLIP FRONT WELDING GOGGLES



BBFFWG
238

SG-604 VENTED / NON VENTED GOGGLES



BBSG604 / BBNVSG604N
239

SAFETY SPECTACLE ACCESSORIES



BBSC / BBNC / BBLC
239

LENS CLEANING STATION



BBLCS
239

QED27 EAR DEFENDERS 187G



QED27
243

QED31 EAR DEFENDERS 218G



QED31
243

QED33 EAR DEFENDERS 227G



QED33
243

QED EAR PLUGS



QED301
244

QED CORDED EAR PLUGS



QED301C
244

QED CORDED DETECTABLE EAR PLUGS



QED301CD
244

QED EAR PLUGS BULK PACK



QED301BP
244

QED ECONOMY EAR DEFENDER



QED504 / 506
244



QED CORDED DETECTABLE TREE EAR PLUGS



QED001CD
245

PERSONAL PROTECTION EQUIPMENT

QED CORDED FOAM EAR PLUGS



QED602C
245

QED FOAM EAR PLUGS



QED602
245

QED CORDED TREE EAR PLUGS



QED601C
245

QED TREE EAR PLUGS



QED601
245

ECONOMY EAR DEFENDERS



BBED
246

SUPERIOR EAR DEFENDERS



BBSED
246

PREMIUM EAR DEFENDERS



BBED1
246

FOLDING EAR DEFENDERS



BBFED
246

STANDARD EAR PLUGS



BBEPN
247

CORDED EAR PLUGS



BBCEPN
247

DETECTABLE CORDED EAR PLUGS



BBDCEPN
247

BANDED EAR PLUGS



BBBEPN / BBEPD
247

REUSABLE TPR MOULDED CORDED EAR PLUGS



BBEP25C
247

REUSABLE TPR MOULDED EAR PLUGS



BBEP25N
247

EAR PLUG DISPENSER & ACCESSORIES



BBEP500DS / 500R / 500RB
248



TWIN FILTER MASK/FILTERS



BB3000 / FILTERS
252

P3 PREMIUM MASK VALVED



BBP3VDN
253

P3 MASK VALVED



BBP3VN
253

P3 PREMIUM FOLD FLAT MASK VALVED



BBFFP3VDN
254

P3 FOLD FLAT MASK VALVED



BBFFP3VN
254

FOLD FLAT P3 MASK WITH VALVE



3FF3V
254

P3 PREMIUM MESH MASK VALVED



BBMMP3VDN
255

P2 PREMIUM MESH MASK VALVED



BBMMP2VDN
255

P2 CHARCOAL PREMIUM MESH MASK VALVED



BBMMP2CVDN
255

FOLD FLAT P2 MASK WITH VALVE



2FF2V
256

P2 FOLD FLAT MASK NON-VALVED/VALVED



BBFFP2N / BBFFP2VN
256

P2 MASK NON-VALVED/VALVED



BBP2N / BBP2VN
256

COMFORT MASK



BBDMN
256



PERSONAL PROTECTION EQUIPMENT

CE APPROVED ANTI-SLIP KNEE PAD



BBKP05

258

RIVETED CAP KNEE PAD



BBKP02

258

POLY RIDGED KNEE PAD



BBKP03

258

STANDARD KNEE PAD



BBKP01

259

FOLDING KNEE PAD



BBKP08

259



SNOW & ICE FOOTWEAR GRIPS/HEEL GRIPS



BBICT / BBICHG

259



1 POINT RESCUE HARNESS



HSFA10102

261

LUXURY HARNESS



HSFA10101

261

2 POINT RESCUE HARNESS



HSFA10106

262

1 POINT COMFORT HARNESS



HSFA10108

262

1.8 METRE LANYARD & SCAFF HOOK



HSFA3030418

263

1.5 METRE LANYARD & SCAFF HOOK



HSFA30303

263

STEEL KARABINER



HSFA50101

263

1 METRE RESTRAINT KERNMANTLE LANYARD



HSFA40503

263

2.5 METRE FALL ARREST BLOCK



HSFA20301

264

FALL ARRESTER ON KERNMANTLE ROPE 10M



HSFA2010210

264

1.5 METRE LANYARD Y-SHOCK ABSORB



HSFA3080015

264

1 METRE RESTRAINT LANYARD



HSFA40303

264



HEAD PROTECTION



HEAD PROTECTION SELECTION

Identifying Hazards

A safety helmet is required where there is a risk of being injured by falling objects. Bump caps are not a substitute for safety helmets and must not be used to protect the head from falling objects.

Identifying Materials

Shells are primarily made using UV stabilised high density polyethylene (HDPE) or ABS (Acrylonitrile Butadiene Styrene). Harnesses are made using low density polyethylene or terylene webbing.

Shelf Life

All helmets are marked with the quarter or month and year of manufacture. Helmets stored in boxes in which they were supplied and do not experience environmental extremes, the shelf life of a helmet is not limited. However, it is not recommended that a helmet should be in use 5 years after date of manufacture.

Accessories

Some helmets have sweatbands/a chinstrap, or both already fitted. Either can be purchased separately. Safety helmets can be fitted with hearing protection through clip on ear defenders.

Care and Maintenance

Helmets may be cleaned with soap and water, drying with a soft cloth. Do not use abrasive substances or solvents and do not store in direct sunlight or in contact with chemicals. Inspect a helmet regularly. Replace if the shell shows more than superficial abrasions/scuffing.



EN 397 specifies physical and performance requirements of industrial safety helmets. Certain tests are mandatory if the product is to receive EN 397 approval.

These cover: • Shock absorption • Resistance to penetration • Flame resistance • Chinstrap anchorage

A manufacturer can choose to submit his products to additional optional tests. Such tests could lead to one or more of these markings appearing on a helmet.

-20°/-30°C

The helmet will provide some protection when worn in an environment at or above this temperature.

440V a.c.

Protects against short term, accidental contact with live electrical conductors up to this voltage.

LD

The helmet will provide some protection from lateral compressive loads.

MM

Molten Metal splash test.

HEAD GEAR/FACE GUARDS

Head Gear

- Fully adjustable
- Ratchet fastening
- Soft nylon brow guard
- Face guards sold separately (listed)

Face Guards

- Standard face visor
- Mesh visor
- Metal edged face visor

| | | |
|----|--------|---------|
| CE | EN 166 | EN 1731 |
|----|--------|---------|

| | |
|---|------|
| 1 | BBHG |
|---|------|

| | |
|---|-------|
| 2 | BBFV7 |
|---|-------|

| | |
|---|-------|
| 3 | BBMV7 |
|---|-------|

| | |
|---|---------|
| 4 | BBMEFV8 |
|---|---------|



FORESTRY KIT

- 1 safety helmet
- 1 set of clip-on ear defenders
- 1 chin strap
- 1 mesh face shield with mount
- Suitable for forestry, strimming, agricultural and chainsaw use

| | | | |
|----|--------|----------|---------|
| CE | EN 397 | EN 352-3 | EN 1731 |
|----|--------|----------|---------|

| | |
|----|------|
| OR | BBFK |
|----|------|

REDUCED PEAK SAFETY HELMET

- Reduced peak industrial safety helmet
- ABS vented shell to improve long period wear
- Comfort fit sweatband
- 6-point webbing harness
- Ratchet adjustment
- Complete with 4-point chinstrap
- 30mm slot fixing point for attachments

| | |
|----|--------|
| CE | EN 397 |
|----|--------|

| | |
|---|---------|
| w | BBSHRPW |
|---|---------|

| | |
|----|----------|
| BL | BBSHRPBL |
|----|----------|





VENTED SAFETY HELMET PREMIUM

- Modern stylish design
- Lightweight ABS shell
- Vents to crown
- Lightweight
- 6-point webbing harness
- Slip-ratchet headband adjustment
- Slots for attachments
- Comes with terry towelling sweatband

CE EN 397

| | | | |
|----|---------|----|---------|
| B | BBVSHB | OR | BBVSHO |
| RE | BBVSHR | G | BBVSHG |
| Y | BBVSHY | BL | BBVSHBL |
| SY | BBVSHSY | W | BBVSHW |

VENTED SAFETY HELMET RATCHET HARNESS

- Modern Stylish Design
- ABS shell
- Vents to crown
- Lightweight
- Wheel ratchet adjustment harness
- Slots for attachments
- Complete with terry towelling sweatband



CE EN 397

| | | | | | |
|----|----------|----|-----------|---|----------|
| B | BBVSHRHB | BL | BBVSHRHBL | Y | BBVSHRHY |
| RE | BBVSHRHR | W | BBVSHRHW | | |

VENTED SAFETY HELMET ECONOMY

- Modern stylish design
- ABS shell
- Vents to crown
- Lightweight
- Plastic harness c/w sweatband
- Slots for attachments

CE EN 397

| | | | | | |
|----|----------|----|---------|----|----------|
| B | BBEVSHB | OR | BBEVSHO | BL | BBEVSHBL |
| RE | BBEVSHRE | G | BBEVSHG | W | BBEVSHW |
| | | Y | BBEVSHY | | |





SAFETY BASEBALL CAP

- Stylish fashionable baseball cap
- Mesh side panels
- Ventilation holes
- Fitted over an ABS durable plastic shell
- Provides lightweight head protection
- 65/35% polyester cotton hi-vis cap with reflective tape

CE EN 812

OR BBSBCOR

SY BBSBCY

HEAD PROTECTION



SAFETY BASEBALL CAP STANDARD PEAK

- Stylish fashionable 100% cotton baseball cap with ventilation holes
- Fitted over a plastic shell providing lightweight head protection
- Standard or short peak

| | |
|----|---------|
| N | BBSBCN |
| B | BBSBCR |
| RE | BBSBCRE |

| | |
|----|---------|
| BL | BBSBCBL |
| G | BBSBCG |

CE EN 812



SAFETY BASEBALL CAP SHORT PEAK

| | |
|----|----------|
| N | BBSPBCN |
| BL | BBSPBCBL |

VENTED HELMET REPLACEMENT HARNESS

- Use in conjunction with Beeswift Vented Safety Helmets
- Ratchet harness
- Plastic harness
- Terylene harness
- Sold separately

1 BBVHRH

2 BBVHPH

3 BBVHTH



VENTED HELMET ACCESSORIES

Use in conjunction with B-Brand Vented Safety Helmets
Sold separately

1 BBVHSBN


2 BBVHCSN

EYE PROTECTION



LENS AND FRAME MARKINGS

EXAMPLE OF FRAME MARKING



| | | | |
|-----------------------------|--|------------------------------------|-----------------------------|
| 1 OPTICAL CLARITY | B / MARK OF THE MANUFACTURER | CE CE MARK OF CONFORMITY | F IMPACT STRENGTH |
|-----------------------------|--|------------------------------------|-----------------------------|

EXAMPLE OF LENS MARKING

| | | | |
|------------------------------------|--|------------------------------------|-----------------------------|
| EN166 EN SAFETY STANDARD | B / MARK OF THE MANUFACTURER | CE CE MARK OF CONFORMITY | F IMPACT STRENGTH |
|------------------------------------|--|------------------------------------|-----------------------------|

UNDERSTANDING FRAME MARKINGS

| | | | | |
|---|--|---|---|---------------------------------------|
| B / MANUFACTURER'S IDENTIFICATION CODE | 166 NUMBER OF EN STANDARD | 34 FIELD(S) OF USE (OPTIONAL) | NO SYMBOL - BASIC USE | 3 - LIQUIDS |
| 0196 CERTIFICATION MARK, NUMBER OF CERTIFIED BODY | CE SYMBOL OF CONFORMITY TO CE DIRECTIVE 89/686 EEC | | 4 - LARGE DUST PARTICLES | 5 - GAS & FINE DUST PARTICLES |
| | | | 8 - SHORT CIRCUIT ELECTRIC ARC | 9 - MOLTEN METALS & HOT SOLIDS |
| B SYMBOL OF RESISTANCE TO HIGH SPEED PARTICLES (OPTIONAL) | NON - INCREASED ROBUSTNESS | F - LOW ENERGY IMPACT (45 m/s) | A - HIGH ENERGY IMPACT (190 m/s) | |
| | | B - MEDIUM ENERGY IMPACT (120 m/s) | | |

UNDERSTANDING LENS MARKINGS

| | | | |
|--|--|--|---|
| B / MANUFACTURER'S IDENTIFICATION CODE | 1 1 - BEST CLASS 2 - MEDIUM CLASS 3 - LOW QUALITY* *not for continuous use 1 OPTICAL CLASS | 9 SYMBOL OF NON-ADHERENCE OF MOLTEN METAL | K SYMBOL OF RESISTANCE TO SURFACE DAMAGE BY FINE PARTICLES (optional) |
| N SYMBOL OF RESISTANCE TO FOGGING (optional) | CE SYMBOL OF CONFORMITY TO CE DIRECTIVE 89/686 EEC | F SYMBOL OF MECHANICAL STRENGTH (OPTIONAL) | F - LOW ENERGY IMPACT (45 m/s) |
| | | | B - MEDIUM ENERGY IMPACT (120 m/s) |
| | | A - HIGH ENERGY IMPACT (190 m/s) | T - IMPACTS AT EXTREME TEMPERATURE |

CHOOSING SAFETY EYEWEAR

To help choose safety eyewear best suited to your needs the following information may be useful. Whilst every effort should be made to remove hazards as the result of a Workplace Risk Assessment, if Safety Eyewear is necessary as a last resort, the following selection criteria should be considered:

Type of protection

Both employee and employer have a responsibility to keep all eye protection in good order. User instructions are provided and give cleaning and maintenance information. We provide a full range of products to help keep eyewear in optimum condition.

1. Goggles -

Can provide protection for all types of hazards. May be worn over spectacles

2. Spectacles -

Comfortable and available in a variety of styles. Will not keep out dust, gas or molten metal.

Type of lens

1. Clear -

Suitable for general use.

2. Anti-Glare -

Suitable for use in high glare situations such as finished concrete slabs in bright sun light.

3. Yellow -

Suitable for those moving from light to dark environments.

Type of hazard

Hazards fall into 4 main categories:

1. Mechanical -

Flying Debris, Dust or Molten Metal.

2. Chemical -

Fumes, Gases or Liquid Splash.

3. Radiation -

Heat (Infrared), Ultraviolet light or Glare.

4. Laser Light -

Over a wide spectrum of wavelengths from Ultraviolet to Infrared.

EN169 - Welding Filters • EN170 - Ultraviolet Filters • EN171 - Infrared Filters • EN172 - Solar Protection Filters for Industrial Use
EN175 - Welding Work Equipment • EN207 - Laser Protection Eyewear • EN208 - Laser Adjustment Eyewear

IDENTIFYING EYEWEAR MARKINGS

To assist you in your understanding of markings on eye protection products covered by this standard, this chart should be of help. You should note:

| OPTICAL STANDARD: | FRAME | LENS | MECHANICAL PROPERTIES: | FRAME | LENS |
|---|-------|------|---|-------|------|
| Class 1: For continuous work | - | 1 | High energy impact (190m/sec) | A | A |
| Class 2: For intermittent work | - | 2 | Medium impact energy (120m/sec) Grade 1 | B | B |
| Class 3: For occasional work, but must not be worn continuously | - | 3 | Low energy impact (45m/sec) Grade 2 | F | F |
| | | | Increased robustness - General purpose impact - Performance at extreme temperature | T | T |
| AREAS OF USE: | FRAME | LENS | OPTIONAL: | FRAME | LENS |
| Liquids (chemical) | 3 | 3 | Resistance to misting/fogging | - | N |
| Large dust particles | 4 | 4 | Resistance to mechanical damage (Anti-Scratch) | - | K |
| Gas and fine dust particles | 5 | 5 | *NB: The "A", "B", "F" and "S" markings on frame and lens represent tests carried out on each component and therefore may be different - in which case the lower level must be assigned to the complete unit when making an assessment. | | |
| Short circuit electrical arc | 8 | 8 | | | |
| Molten metals and hot solids | 9 | 9 | | | |



BBH50 SAFETY SPECTACLES

CE EN 166

CL BBH50 Y BBH50Y
S BBH50S

- Ergonomic temple for comfort fit
- Temple tip locking catch
- Temple ratchet adjustment
- Hard coated polycarbonate lens
- Anti-fog and anti-scratch
- Soft nose pad



BBH60 SAFETY SPECTACLES

- OTG lenses gives good fit for prescription spectacle wearers

CE EN 166 CL BBH60 S BBH60S

EYE PROTECTION



KANSAS SAFETY SPECTACLES

- Wraparound spectacle
- Anti-fog polycarbonate lens
- Scratch resistant
- Adjustable side arms
- Nylon frame

CE EN 166 1F

CL BBKS



RICHMOND SAFETY SPECTACLES

- Wraparound style "one piece moulding" single clear lens spectacles
- Integrally moulded nose bridge
- Scratch resistant
- Ratchet side arms to facilitate accurate fitting
- Informative "point-of-sale" packaging
- Low impact energy at extreme temperatures

CE EN 166 Optical Class 1 F K

CL BBRIC S BBRICS

TEXAS SAFETY SPECTACLES

- Lightweight spectacles with ultra soft nose bridge
- 10 Curve single polycarbonate lens
- Fully adjustable side arms with temple ratchet
- Adjustable neck cord
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter

CE EN 166 Optical Class 1 F T

CL BBTXS Y BBTXS2Y GY BBTXS2GY

UTAH SAFETY SPECTACLES

- 8-curve optically correct lens
- Anti-static and scratch resistant
- Super tough nylon frame
- Anti-fog single lens and side shields
- Fully adjustable side arms with temple ratchet
- Complete with unique neck clip and cord
- Low impact energy at extreme temperatures

CE EN 166 Optical Class 1 F

1 CL BBUTSBF

2 CL BBUTSGYF

3 SH.2 GY BBUTSS2GY



PORTLAND SAFETY SPECTACLES

- Wraparound spectacle
- Scratch resistant lens
- Adjustable side arms
- Nylon frame

CE EN 166

CL BBPS



YALE SAFETY SPECTACLES

- Ultra-lightweight
- Wraparound design
- Contoured shape
- Polycarbonate anti-fog lens (PC lens)
- Soft nose bridge
- Non slip coloured rubber tips
- Low impact energy at extreme temperatures

CE EN 166 Optical Class 1 F

CL BBYS

SH.2 Y BBYSS2Y

SH.2 GY BBYSS2GY



DIEGO SAFETY SPECTACLES

- Ultra lightweight
- Polycarbonate curved lens and side shield
- Scratch resistant lens
- Fully adjustable nylon side arms
- 5 position temple ratchets
- Low impact energy at extreme temperatures

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | F |
|----|--------|-----------------|---|

| | |
|----|------|
| cl | BBDS |
|----|------|



EVERSON SAFETY SPECTACLES

- Ultra lightweight
- Polycarbonate wraparound lens
- Anti-mist clear lens
- Low impact energy

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | F |
|----|--------|-----------------|---|

| | |
|----|------|
| cl | BBES |
|----|------|



COLORADO SAFETY SPECTACLES

- Wraparound single lens
- Scratch resistant
- Nylon frame
- Anti-scratch and anti-fog polycarbonate lens
- Adjustable side arms
- Low impact energy

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | F |
|----|--------|-----------------|---|

| | | | | | |
|----|------|------------|---------|-------------|----------|
| cl | BBCS | SH. 2 Y | BBCSS2Y | SH. 2 GY | BBCSS2GY |
|----|------|------------|---------|-------------|----------|



EYE PROTECTION



ROMA SAFETY SPECTACLES



- Wrap around protective eyewear
- Anti-fog clear lens
- Black frame
- Rubber nose bridge and temple tips for added comfort
- Orange ratchet inclination system (allows lens angle modification)
- Individually packaged with Euro slot
- Low impact energy at extreme temperatures

CE EN 166 Optical Class 1 F T

CL CTRS SH. 2 GY CTRSS3GY



BOSTON SAFETY SPECTACLES

- Wraparound clear visitors spectacle
- Polycarbonate lens
- Ventilated side arms
- Width 157mm
- Low impact energy at extreme temperatures

CE EN 166 Optical Class 1 F

CL BBBS



MILANO SAFETY SPECTACLES

- Wrap around protective eyewear
- Stylish design
- Metal frame and spring hinges
- Anti-fog clear lens
- Soft, comfortable nose bridge
- Individually packaged with Euro slot
- Low impact energy at extreme temperatures

CE EN 166 Optical Class 1 F T

CL CTMS



SEATTLE SAFETY SPECTACLES

- Wraparound clear cover spectacle
- Polycarbonate lens
- Ventilated side arms
- Width 165mm
- Low impact energy at extreme temperatures

CE EN 166 Optical Class 1 F


CL BBSS

AKRON SAFETY SPECTACLES

- Curved one-piece spectacle
- Polycarbonate lens and side shield
- Scratch resistant lens
- Nylon frame
- Low impact energy at extreme temperatures

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | F |
|----|--------|-----------------|---|

| | |
|----|-------|
| CL | BBACS |
|----|-------|



EYE PROTECTION

VEGAS SAFETY SPECTACLES

- Ultra lightweight
- Polycarbonate wraparound lens
- Scratch resistant
- One-piece side arm
- Low impact energy at extreme temperatures

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | F |
|----|--------|-----------------|---|

| | |
|----|------|
| CL | BBVS |
|----|------|

| | |
|------------|---------|
| SH. 2 Y | BBVSS2Y |
|------------|---------|

| | |
|-------------|----------|
| SH. 2 GY | BBVSS2GY |
|-------------|----------|



FLORIDA SAFETY SPECTACLES

- High performance eyewear
- Anti-fog lens
- Ventilated nose and temple
- Contrasting santoprene tips
- Comfortable nose bridge
- Low impact energy


| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | F | N |
|----|--------|-----------------|---|---|

| | |
|----|------|
| CL | BBFS |
|----|------|

| | |
|-------------|----------|
| SH. 2 GY | BBFSS2GY |
|-------------|----------|

| | |
|----|---------|
| RM | BBFSREM |
|----|---------|





SAFETY SPECTACLE CLEAR

- Lightweight
- Adjustable arms
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Complete with spec cord

CE EN 166 Optical Class 1 F T

CL ZZ0010 SH. 2 Y ZZ0010Y SH. 2 GY ZZ0010GY



HIGH PERFORMANCE LENS SAFETY SPECTACLE

- Lightweight
- Adjustable arms
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Complete with spec cord

CE EN 166 Optical Class 1 F T K N

CL ZZ0020 SH. 2 Y ZZ0020Y SH. 2 GY ZZ0020GY



SPORTS STYLE SAFETY SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Complete with spec cord

CE EN 166 Optical Class 1 F T

CL ZZ0040 SH. 2 Y ZZ0040Y SH. 2 GY ZZ0040GY

HIGH PERFORMANCE SPORTSTYLE SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Complete with spec cord

| | | | | | | |
|----|--------|-----------------|---|---|---|---|
| CE | EN 166 | Optical Class 1 | F | T | K | N |
|----|--------|-----------------|---|---|---|---|

| | | | | | |
|----|--------|------------|---------|-------------|----------|
| CL | ZZ0050 | SH. 2 Y | ZZ0050Y | SH. 2 GY | ZZ0050GY |
|----|--------|------------|---------|-------------|----------|



WRAP AROUND SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens) with intergrated nose bridge
- Complete with spec cord

| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | F | T |
|----|--------|-----------------|---|---|

| | | | | | |
|----|--------|------------|---------|-------------|----------|
| CL | ZZ0080 | SH. 2 Y | ZZ0080Y | SH. 2 GY | ZZ0080GY |
|----|--------|------------|---------|-------------|----------|



SAFETY SPECTACLE

- Lightweight
- Adjustable/Flexible arms
- Polycarbonate lens (PC lens) with intergrated nose bridge
- Complete with spec cord

| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | F | T |
|----|--------|-----------------|---|---|

| | | | | | |
|----|--------|------------|---------|-------------|----------|
| CL | ZZ0060 | SH. 2 Y | ZZ0060Y | SH. 2 GY | ZZ0060GY |
|----|--------|------------|---------|-------------|----------|



PERFORMANCE WRAP AROUND SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens) with intergrated nose bridge
- Complete with spec cord

| | | | | | | |
|----|--------|-----------------|---|---|---|---|
| CE | EN 166 | Optical Class 1 | F | T | K | N |
|----|--------|-----------------|---|---|---|---|

| | | | | | |
|----|--------|------------|---------|-------------|----------|
| CL | ZZ0090 | SH. 2 Y | ZZ0090Y | SH. 2 GY | ZZ0090GY |
|----|--------|------------|---------|-------------|----------|





ANCONA SAFETY SPECTACLES

- Ultra-lightweight
- Polycarbonate wraparound lens
- Scratch resistant
- One-piece side arm
- Low impact energy at extreme temperatures

| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | F | T |
|----|--------|-----------------|---|---|

| | | | | | |
|----|------|------------|---------|-------------|----------|
| CL | CTAS | SH. 2 Y | CTASS2Y | SH. 2 GY | CTASS2GY |
|----|------|------------|---------|-------------|----------|




VERONA SAFETY SPECTACLES

- Lightweight frameless design protective eyewear
- Single piece lens
- Straight temple
- Rubber nose pad and temple tips for added comfort
- Individually packaged with Euro slot
- Low impact energy at extreme temperatures



| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | F | T |
|----|--------|-----------------|---|---|

| | | | |
|----|------|------------|--------|
| CL | CTVS | SH. 2 B | CTVSSB |
|----|------|------------|--------|





| | |
|----|-------|
| CL | BBHAM |
|----|-------|

| | |
|---|------|
| B | BBV1 |
|---|------|

EYE PROTECTION



HAMILTON GOGGLES/ DETACHABLE VISOR

- Protective safety goggles
- Indirect ventilation
- Comfortable face seal and nose bridge
- Wide adjustable elastic
- Excellent field of vision
- Limited protection against chemicals
- Goggle lens and face visor both polycarbonate
- Excellent protection against impacts and dust
- High impact energy at extreme temperatures

| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | B | T |
|----|--------|-----------------|---|---|

| | |
|----|----------|
| CL | BBHAMCV1 |
|----|----------|

SG31 GOGGLES


- Polycarbonate lens
- Ideal for wearing over spectacles
- Complete contoured face seal
- Indirect four point ventilation

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | B |
|----|--------|-----------------|---|

| | |
|----|--------|
| CL | BBSG31 |
|----|--------|



EYE PROTECTION



CHEMICAL GOGGLES

- Polycarbonate lens
- PVC frame
- Comfortable and lightweight
- Indirect vents
- Medium impact energy at extreme temperatures

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | B |
|----|--------|-----------------|---|

| | |
|----|------|
| CL | BBCG |
|----|------|

COMFORT FIT GOGGLES

- Wide vision goggle
- Anti-fog clear lens
- Blue tint PVC frame
- Indirect vent
- Wraparound style provides excellent panoramic vision
- Foam surround for extra comfort and improved seal
- Adjustable strap
- Medium impact energy at extreme temperatures

| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | B | T |
|----|--------|-----------------|---|---|

| | |
|----|-------|
| CL | BBCFG |
|----|-------|



WIDE VISION GOGGLES

- 1mm acetate anti-fog lens
- Wide vision anti-scratch lens
- Comfortable soft PVC frame
- All round ventilation
- Wide contoured face seal
- Fits over spectacles
- Comfortable wide headband
- Low impact energy at extreme temperatures

| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | F | N |
|----|--------|-----------------|---|---|

| | |
|----|-------|
| CL | BBWVG |
|----|-------|

EYE PROTECTION



1



2




PREMIUM GOGGLES

- Wide vision anti-scratch, anti-mist lens
- Unvented
- Soft and flexible for extra comfort
- Adjustable wide headband
- Available in two frame colours
- Medium impact energy at extreme temperatures

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | B |
|----|--------|-----------------|---|

| | | | |
|---|--------|---|--------|
| 1 | BBPGBF | 2 | BBPGAF |
|---|--------|---|--------|


GENERAL PURPOSE GOGGLES

- Polycarbonate lens with PVC frame
- Comfortable
- Lightweight
- Direct vent
- Optical class 1
- Impact B (medium energy)
- Medium impact energy at extreme temperatures

| | | | |
|----|--------|-----------------|---|
| CE | EN 166 | Optical Class 1 | B |
|----|--------|-----------------|---|

| | |
|----|-------|
| CL | BBGPG |
|----|-------|


ANTI-MIST GOGGLES

- Anti-mist safety goggle
- Polycarbonate lens
- Direct vent
- Soft PVC frame
- Fits over most prescription glasses
- Adjustable strap
- Medium impact energy at extreme temperatures

| | | | | |
|----|--------|-----------------|---|---|
| CE | EN 166 | Optical Class 1 | B | T |
|----|--------|-----------------|---|---|

| | |
|----|-------|
| CL | BBAMG |
|----|-------|


FLIP FRONT WELDING GOGGLES

- Green soft PVC frame
- Green polycarbonate lens shade 5
- 4 indirect vents
- Black ABS lens holder

| | | |
|----|--------|--------|
| CE | EN 166 | EN 175 |
|----|--------|--------|

| | |
|-------------|--------|
| SH, 5 GY | BBFFWG |
|-------------|--------|

- Polycarbonate lens
- PVC frame
- Comfortable and lightweight
- CAT II
- Conform to EN166:
- Optical Class:1
- BT - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Fields of use: 3 Liquid splash (Non Vented version only)

SG-604 GOGGLES NON-VENTED



BBNVSG604N

These goggles are treated with Crystal Coat (TM), C-380M is a polysiloxane based thermal cure hardcoat that combines anti-fog performance with abrasion and chemical resistance.



BBSG604

SG-604 GOGGLES VENTED

EYE PROTECTION

SAFETY SPECTACLE ACCESSORIES

Spectacle Case

- Wide opening PVC pouch with easy access
- Large ABS hook

Neck Cord

- Use in conjunction with Beeswift safety spectacle ranges

Lens Cloth

- Super soft
- Double sided



Neck Cord

Lens Cloth

Spectacle Case

- 1 BBSC
- 2 BBNC
- 3 BBLCS

LENS CLEANING STATION

BBLCS

- Contains 600 tissues
- 250ml bottle of lens cleaning fluid
- in pump dispenser
- Tissues dispense from left and right sides
- Stands freely or wall mountable
- Not to be used with contact lenses



HEARING PROTECTION



Levels of Protection Physical Agents (Noise) Directive - 2003/10/ECA

This Directive is now in place and became law in early 2006. It requires that persons working in noise levels between 80dBA (Lower Action Level) & 85dBA must be provided with suitable hearing protection on request. Where noise levels are at or above 85dBA (Upper Action Level, suitable hearing protection **MUST BE SUPPLIED AND WORN**. In addition, the new "Exposure Limit Value" requires that no worker may be exposed to more than "87dBA 8 Hour Equivalent" under any circumstances, taking into account any hearing protection worn, (the 87dBA level is that **INSIDE** the Hearing Protector). There are also new "Action Values" for IMPACT NOISE and the requirement for Risk Assessments in the workplace is reinforced by Article 4 of the new Directive.

Noise meters

As part of risk assessment, noise meter readings should be taken by a competent person to monitor sound level. protect the head from falling objects.

Electronic hearing protection

The latest in sound technology - hearing protectors which amplify weak sounds while attenuating loud noises. density polyethylene or terylene webbing.

Ear muffs

A traditional method of ear protection. Today's range of muffs cope with a very wide spectrum of industrial hazards. It is important to study the attenuation characteristics of each model as they do vary in performance across the range of sound frequency.

Helmet mounted ear muffs

Popular with safety officers, head and ear protection in one. Today's models are styled to be sensibly 'parked' when not in use. on ear defenders.

SNR (Standard Noise Reduction)

SNR (Standard Noise Reduction) is only a general means of comparing different ear muffs.

Generally the higher the SNR number, the better the performance of the ear muff across a range of noise frequencies.

Example: a SNR of 30 may not give a 30 decibel attenuation at all frequencies. The figures associated with H, M and L indicate the level of protection within the range of High, Medium or Low frequency noise. Examples: For the wearer of an ear muff where H=35 a high frequency noise of 100 decibels will drop to 65 decibels.

Wearing the same ear muff, where M=25, a medium frequency noise of 100 decibels will drop to 75 decibels.

Communication head sets

For people covering large areas within a noisy environment, ear muffs that incorporate communication systems.



Plugs

Can be worn conveniently with all other PPE items. Easy to use, with attenuation provided often exceeding that of ear muffs, whilst disposable they provide excellent protection with long term comfort.



Flex and corded plugs

These versions are favoured for carrying around the neck when not in use. Most plugs are also available in a corded version.

European standards

Ear muffs and plugs are tested to the relevant European Standards and are CE marked

| | |
|--------------|---------------------------------------|
| EN352 Part 1 | Ear Muffs |
| EN352 Part 2 | Ear Plugs |
| EN352 Part 3 | Helmet Mounted Ear Muffs |
| EN352 Part 4 | Level Dependent Ear Muffs |
| EN352 Part 5 | Active Noise Reduction Ear Muffs |
| EN352 Part 6 | Ear Muffs with Electrical Audio Input |
| EN352 Part 7 | Level Dependent Ear Plugs |



by HESWIET

SNR 27

QED27

CE

EN352-1:2002



QED27 EAR DEFENDERS 187G

| | | | | | |
|----|--------|----------|--------|--------|--------|
| CE | EN 352 | SNR 27dB | H=33dB | M=25dB | L=16dB |
|----|--------|----------|--------|--------|--------|

QED27

QED31 EAR DEFENDERS 218G

| | | | | | |
|----|--------|----------|--------|--------|--------|
| CE | EN 352 | SNR 31dB | H=35dB | M=28dB | L=20dB |
|----|--------|----------|--------|--------|--------|

QED31



by HESWIET

SNR 31

QED31

CE

EN352-1: 2002



- Padded headband
- Soft foam ear cushions for wearer comfort
- Ease of headband adjustment



SNR 33

QED33

CE

EN352-1: 2002



QED33 EAR DEFENDERS 227G

| | |
|----|--------|
| CE | EN 352 |
|----|--------|

| | | | |
|----------|--------|--------|--------|
| SNR 33dB | H=33dB | M=30dB | L=23dB |
|----------|--------|--------|--------|

QED33

HEARING PROTECTION



QED EAR PLUGS

Y QED301



QED CORDED EAR PLUGS

Y QED301C

QED CORDED DETECTABLE EAR PLUGS

B QED301CD



QED EAR PLUGS BULK PACK

Y QED301BP



- Corded foam earplugs, disposable
- Found to be in conformity with Council Regulation (EU) 2016/425 relating to Personal Protective Equipment (P.P.E)

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 39dB | H=38dB | M=37dB | L=34dB |
|----|----------|----------|--------|--------|--------|

QED ECONOMY EAR DEFENDER SNR 31

OR QED504

| | | | |
|----------|--------|--------|--------|
| SNR 31dB | H=36dB | M=28dB | L=21dB |
|----------|--------|--------|--------|

QED ECONOMY EAR DEFENDER SNR 37

RE QED506

| | | | |
|----------|--------|--------|--------|
| SNR 37dB | H=38dB | M=34dB | L=32dB |
|----------|--------|--------|--------|



- Premium economy quality hearing protection with over the head ear defenders
- Padded headband for user comfort over extended periods
- Soft foam ear cushions for wearer comfort
- Ease of headband adjustment
- Can be folded for easy storage
- Use where the user is exposed to high levels of noise, such as industrial zones, construction sites and other noise hazard settings

| | |
|----|----------|
| CE | EN 352-2 |
|----|----------|



QED CORDED DETECTABLE TRI-FLANGE REUSABLE EAR PLUGS

- TPR disposable ear plugs
- Conforms to EN352-2: 2002

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 30dB | H=31dB | M=26dB | L=24dB |
|----|----------|----------|--------|--------|--------|

| | |
|---|----------|
| B | QED001CD |
|---|----------|



QED CORDED TRI-FLANGE REUSABLE EAR PLUGS

| | |
|----|---------|
| OR | QED602C |
|----|---------|



- Foam disposable ear plugs
- Conforms to EN352-2: 2002

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 34dB | H=35dB | M=31dB | L=28dB |
|----|----------|----------|--------|--------|--------|

QED TRI-FLANGE REUSABLE EAR PLUGS

| | |
|----|--------|
| OR | QED602 |
|----|--------|



QED CORDED FOAM EAR PLUGS

| | |
|---|---------|
| G | QED601C |
|---|---------|



QED FOAM EAR PLUGS

| | |
|---|--------|
| G | QED601 |
|---|--------|

- TPR disposable ear plugs
- Conforms to EN352-2: 2002

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 36dB | H=36dB | M=34dB | L=32dB |
|----|----------|----------|--------|--------|--------|

HEARING PROTECTION



ECONOMY EAR DEFENDERS

- Economy ear defender
- Lightweight robust design
- Adjustable headband

| | | | | | |
|----|----------|------------|----------|----------|----------|
| CE | EN 352-2 | SNR 27.6dB | H=29.2dB | M=25.4dB | L=17.9dB |
|----|----------|------------|----------|----------|----------|

BBED

SUPERIOR EAR DEFENDERS

- Superior ear defender
- Padded adjustable headband

| | |
|----|----------|
| CE | EN 352-1 |
|----|----------|

| | | | |
|------------|----------|----------|----------|
| SNR 27.6dB | H=30.4dB | M=24.9dB | L=17.7dB |
|------------|----------|----------|----------|

BBSED



PREMIUM EAR DEFENDERS

- Premium foldable ear defender
- Extremely comfortable with extra large foam pads
- Padded adjustable headband allows easy fitting
- Good attenuation performance

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-1 | SNR 33dB | H=34dB | M=31dB | L=24dB |
|----|----------|----------|--------|--------|--------|

BBED1



FOLDING EAR DEFENDERS

- Premium quality ear defender
- Adjustable fold away headband
- Self aligned earcups

| | | | | | |
|----|----------|------------|--------|----------|----------|
| CE | EN 352-1 | SNR 30.4dB | H=33dB | M=27.8dB | L=21.3dB |
|----|----------|------------|--------|----------|----------|

BBFED



- Foam disposable ear plugs
- Found to be in conformity with Council Regulation (EU) 2016/425 relating to Personal Protective Equipment (P.P.E).

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 34dB | H=33dB | M=31dB | L=28dB |
|----|----------|----------|--------|--------|--------|



STANDARD EAR PLUGS

B BBEPN



CORDED EAR PLUGS

B BBCEPN



DETECTABLE CORDED EAR PLUGS

- Detectable brass metal safety component
- Found to be in conformity with Council Regulation (EU) 2016/425 relating to Personal Protective Equipment (P.P.E)

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 37dB | H=36dB | M=35dB | L=34dB |
|----|----------|----------|--------|--------|--------|

B BBDCPN



- 3 flange plugs
- Ease of fit into ear canal
- Reusable
- Shaped stem for ease of fitting

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 27dB | H=27dB | M=23dB | L=23dB |
|----|----------|----------|--------|--------|--------|

REUSABLE TPR MOULDED CORDED EAR PLUGS

G BBEP25CN



BANDED EAR PLUGS


- Extremely light
- Comfortable to wear
- Soft absorbent foam caps
- Worn under the chin or behind the neck
- Replacement pods available - BBPEPOD (sold separately)

| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 21dB | H=24dB | M=16dB | L=14dB |
|----|----------|----------|--------|--------|--------|

1 BBEPN 2 BBPEPOD

REUSABLE TPR MOULDED EAR PLUGS

G BBEP25N




2


EAR PLUG DISPENSER / REFILL PACK / REPLACEMENT BOTTLE

- Free standing or wall mounted
- Robust design
- Easy twist action dispenser
- Bottle rotates and unscrews easily for refilling
- Contains 500 pairs of hi-vis foam disposable ear plugs
- Refill pack contains 500 pairs of ear plugs (sold separately)
- Replacement bottle available (sold separately)


| | | | | | |
|----|----------|----------|--------|--------|--------|
| CE | EN 352-2 | SNR 34dB | H=33dB | M=31dB | L=28dB |
|----|----------|----------|--------|--------|--------|

| | |
|---|-----------|
| 1 | BBEP500DS |
|---|-----------|

| | |
|---|----------|
| 2 | BBEP500R |
|---|----------|

| | |
|---|-----------|
| 3 | BBEP500RB |
|---|-----------|





Assigned Protection Factors:

The higher the factor, the greater the protection

Selecting a respirator

Workplace conditions such as temperature, humidity and work rate affect wearer comfort and the relevance of the different respirator features that are available. A respirator must allow you the freedom to communicate easily with colleagues and fit well with the rest of your safety equipment.

Achieving a good fit is essential to the level of protection. A leaking respirator could be perceived as comfortable, but is not much better than using no respirator at all.

Always select a respirator that meets the European Standard, is CE Marked and offers you the right level of comfort and protection...and ensure that you fit it correctly.

Nuisance dust masks

Many types of masks and respirators seem similar but there are significant differences in the use of materials, design technology and protection levels. Make sure you always use an approved respirator to protect your health.

Nuisance Dust Masks vs. Disposable Respirators

Nuisance Dust Masks and Gauze Pads do NOT meet the European Standard (EN149:2001) for respirators and are not CE marked so they don't have any of this information printed on the mask. They do not provide protection against fine lung damaging dusts and cannot be used as personal protective equipment.

Disposable Respirators are typically white face masks with two straps and often an exhalation valve for improved comfort. They are also printed with 'EN149:2001', the 'CE' mark and they are designed to provide effective protection against fine respirable dusts, mists and metal fumes.

Fit testing

Checking that a respirator with a tight fitting facepiece provides an adequate seal to the wearer's face has long been considered best practice as part of a general Respiratory Protective Equipment (RPE) programme.

Fit testing has been a mandatory requirement under the UK Asbestos Regulations and now, with the introduction of the Control of Substances Hazardous to Health Regulations 2002 (COSHH) and the supporting Approved Codes of Practice, fit testing is an industry wide requirement. Respirators with tight fitting facepieces include disposable respirators, half masks and full face masks.

Fit testing should be carried out:

- On all wearers of RPE with tight fitting facepieces where fit testing has previously not been performed
- During initial selection of RPE

Fit testing should be repeated at appropriate times such as:

- If the RPE wearer significantly loses or gains weight, has major dental work or sustains a major facial injury
- If a different size or model of RPE is specified
- If specified by the company policy eg.repeated with annual health surveillance check.

Fit testing is in addition to the requirement to perform a pre-use fit check.

Two main methods of fit testing are available:

Quantitative fit testing

Quantitative fit tests give an objective measure of the quality of the seal between the wearer's face and the facepiece. A fit factor number is produced. These tests will usually be carried out by a consultant.

For more information or advice contact your safety advisor.

Qualitative fit testing

Qualitative fit tests provide a pass or fail result based upon the wearer detecting a test agent. They provide a subjective measure of the quality of the seal of the facepiece to the wearer's face. These tests may be carried out by a suitably trained company Safety Advisor.

| <i>Mask selection buyers guide</i> | | | | | | | |
|--|------------|------|------|--|------------|------|------|
| Application | Face masks | | | Application | Face masks | | |
| Construction | FFP1 | FFP2 | FFP3 | Wood Working | FFP1 | FFP2 | FFP3 |
| Asbestos: low level / small amounts | | | ● | Hard wood: Sanding & cutting | | | ● |
| Cement work, plastering, tiling & roofing | | ● | | Soft wood: Sanding & cutting | | ● | |
| Demolition | | ● | ● | Sanding/brushing off colour | | ● | |
| Ground work | | ● | ● | Sanding / brushing off paint containing chrome | | | ● |
| Masonry: cutting, drilling and demolition | | ● | | Water soluble paint containing copper / chrome / arsenic | | | ● |
| Putty / filler: sanding | | ● | | Disposal / cleaning work | | | |
| Roof insulation, glass and mineral fibres | | ● | | Disposal of medical waste | | | ● |
| Scabbling | | | ● | Radioactive dust | | | ● |
| Shot creting | | | ● | Sweeping floors | ● | | |
| Boiler maintenance | | ● | ● | Waste sorting & disposal | | ● | |
| Metal working | | | | Agriculture | | | |
| High alloy steel: Drilling, grinding & milling | | | ● | Animal diseases & sickness | | | ● |
| Metal: Drilling, grinding & milling | | ● | | Handling mould spores | | | ● |
| Molten metal handling | | | ● | Handling hay, cereal & flour | ● | | |
| Linishing | ● | ● | ● | Medicine / care / health | | | |
| Polishing | ● | ● | ● | Allergies, pollen, house dust & pet hair | | ● | |
| Stainless steel: Drilling, grinding & milling | | | ● | Bacteria, viruses, infections & Legionella | | | ● |
| Welding | | | | Legal notice: Beeswift assumes no liability for any damage that may result from the use of this mask selection buyers guide, especially any health-related damage as a result of using this guide. This guide cannot replace a risk assessment or purchase advice. For free advice you can contact us at sales@beeswift.com | | | |
| Stainless steel & Aluminium welding | | | ● | | | | |
| Hard soldering | | | ● | | | | |

Selection guide for gas/vapour/hazardous particulates

| Gas Filters | Hazard Type | Examples | Colour |
|-------------|------------------------------|--|--------------|
| A1 | Organic Vapour | Solvents such as White Spirit Toluene, Carbon Tetrachloride (CCI4) | Brown |
| B1 | Inorganic Gases | Chlorine (Cl2), Hydrogen Sulphide (H2S) | Grey |
| E1 | Acid Gases | Sulphur Dioxide (SO2) | Yellow |
| K1 | Ammonia | Ammonia (NH3) and certain Amines | Green |
| ABEK1 | OV/IG/AG/AM | Combine Filter ABEK1 | Striped |
| Hg | Mercury | Mercury Vapour | Red & White |
| NO | Oxides of Nitrogen | Nitrogen oxide | Blue & White |
| AX | Organic Vapour | Solvents such as White Spirit Toluene, Carbon Tetrachloride (CCI4) | Brown |
| SX | As specified by manufacturer | | Violet |

SHELF LIFE: 5 years from the date of manufacture (if stored between -5 °C and +50 °C and humidity not over 80%).



Medium



Large



TWIN FILTER MASK/FILTERS

- Facepiece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters

EN Standards - Half Mask

CE EN 140

EN Standards - Particulate Filters

CE EN 143

EN Standards - Gas Filters and Combination Filters

CE EN 14387

Mask Codes / Sizes

GY BB3000M Medium

B BB3000L Large

Filter Codes

| | | | |
|---|------------|---|------------|
| 1 | BB3000A1 | 5 | BB3000A1P2 |
| 2 | BB3000B1 | 6 | BB3000P3 |
| 3 | BB3000K1 | 7 | BB3000PF |
| 4 | BB3000ABEK | 8 | BB3000RET |

Mask Pack Codes

| | |
|--------|-----------------------|
| BB3020 | Mask c/w A1P2 Filters |
| BB3030 | Mask c/w ABEK Filters |



P3 PREMIUM MASK VALVED

- Soft foam nose seal for added comfort
- Adjustable elastic straps
- High quality construction
- Dolomite clogging tested, gives better breathing resistance and for a longer time period
- Comfortable face fit
- Easy breath exhale valve

CE EN 149: 2001 +A1: 2009 FFP3 NR D

w BBP3VDN

RESPIRATORY PROTECTION



P3 MASK VALVED

- Unique 'Big Eye' design provides very low breathing resistance due to increased filtration area
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Compatible with glasses/goggles
- Full facial close-cell foam and adjustable nose piece ensures increased worker comfort and acceptance
- Adjustable head strap ensures the best facial seal with minimum leakage

CE EN 149: 2001 +A1: 2009 FFP3 NR

w BBP3VN



P3 PREMIUM FOLD FLAT MASK VALVED

- Adjustable nose bridge
- Space saving design
- Adjustable elastic straps
- Dolomite clogging tested, gives better breathing resistance and for a longer time period
- Easy breath exhale valve
- Individually packed
- Fits neatly into a breast pocket

CE EN 149: 2001 +A1: 2009 FFP3 NR D

w BBFFP3VDN

P3 FOLD FLAT MASK VALVED

- Maintenance free particulate respirator
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Latex free synthetic rubber head strap
- Contour design ensures the compatibility of glasses/goggles and reduces fogging
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance
- Soft inner face-seal ring

CE EN 149: 2001 +A1: 2009 FFP3 NR

w BBFFP3VN



FOLD FLAT P3 MASK WITH VALVE

- Maintenance free particulate respirator
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Latex free synthetic rubber head strap
- Contour design ensures the compatibility of glasses / goggles and reduces fogging
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance

CE EN 149: 2001 +A1: 2009 FFP3 NR V

w 3FF3V





CE EN 149: 2001 +A1: 2009 **FFP3** NR D

Y **BBMMP3VDN**

P3

PREMIUM MESH MASK VALVED

- Soft foam nose seal for added comfort
- Mesh shell for more durability and resists collapsing
- Adjustable clip strap for simple and quick release
- Dolomite clogging tested, gives better breathing resistance and for a longer time period
- Easy breathe exhale valve

RESPIRATORY PROTECTION

CE EN 149: 2001 +A1: 2009 **FFP2** NR D

B **BBMMP2VDN**

P2



P2

CHARCOAL

- All carbon (charcoal) helps absorb smell and odours

CE EN 149: 2001 +A1: 2009 **FFP2** NR D

GY **BBMMP2CVDN**

FOLD FLAT P2 MASK WITH VALVE

- Vertical fold flat design
- Latex free synthetic rubber head strap
- Comfortable face fit
- Low breathing resistance

CE EN 149: 2001 +A1: 2009 FFP2 NR V

w 2FF2V



P2 FOLD FLAT MASK NON-VALVED/VALVED

- Vertical fold flat design
- Low pressure exhale valve
- Latex free synthetic rubber head strap
- Comfortable face fit
- Low breathing resistance

CE EN 149: 2001 +A1: 2009 FFP2 NR

Non-Valved Code Valved Code

w BBFFP2N

w BBFFP2VN

P2 MASK NON-VALVED/VALVED

CE EN 149: 2001 +A1: 2009 FFP2 NR

Non-Valved Code Valved Code

w BBP2N

w BBP2VN



COMFORT MASK

- Fibreglass free, odourless shell
- Low breathing resistance
- Non-irritating to skin
- Soft flexible nosepiece permits individual facial adjustment
- Nuisance masks are not CE marked

w BBDMN



PPE ACCESSORIES



CE APPROVED ANTI-SLIP KNEE PAD

- Heavy duty nylon construction to resist abrasion and tear
- Adjustable clip buckle with hook and loop closure
- Hard shell cap to aid swivelling
- Gel foam centre to cap for even weight distribution when worn for long periods
- An all round superior knee pad
- Fully CE approved

CE EN14404: 2004 Type Level 1

BBKP05



RIVETED CAP KNEE PAD

- Heavy duty protection
- Protects knees against injuries often sustained in rigorous working conditions when kneeling for long periods
- Lightweight pads with hard riveted caps produced from abrasion resistant plastic
- Soft foam padding and adjustable straps ensure hours of comfortable productive work

BBKP02

POLY RIDGED KNEE PAD

- Deluxe model offers excellent knee protection
- Made using non-marking material
- Rubber-like surface and grip ridges help prevent against sliding and slipping
- Hook and loop adjustable straps

BBKP03



STANDARD KNEE PAD

- Our most economical knee pads
- Protects knees against the rigours inherent in kneeling on hard or rough surfaces
- Impact resistant
- Adjustable knee straps

BBKP01



FOLDING KNEE PAD

- Universal sizing
- Ergonomic design
- Easily moulds around knee and can be trimmed to size
- For use with all knee pad type work trousers (sold separately)

BBKP08

PPE ACCESSORIES

LETZ-U-GRIP SNOW & ICE FOOTWEAR GRIPS

- Footwear grips
- Improves traction in slippery conditions
 - Increased stability
 - Reduces slipping or falling

BBICT 03 - 13 / 36 - 48



LETZ-U-GRIP SNOW & ICE HEEL GRIPS

- Heel grips
- TPE material
 - Tungsten spikes
 - Cold resistant to -40°C

BBICHG S - 2XL

FALL ARREST



1 POINT RESCUE HARNESS

- Body harness with one attachment point
- Attachment Elements -
- Dorsal attachment D-ring for fall arrest
- Adapatability -
- Adjustable shoulder and thigh straps
- Convenience -
- Shoulder and thigh straps differentiated by a dual colour scheme
- Ergonomics -
- Ideally positioned sit straps for extended comfort

CE EN 361

HSFA10102



FALL ARREST

LUXURY HARNESS

- Attached Elements - Two ideally positioned chest attachment textile loops and a dorsal attachment D-Ring for fall arrest
- Adaptability - Fully adjustable shoulder straps, chest strap and thigh straps
- Convenience - Shoulder straps have combination buckles and thigh straps are provided with automatic buckles for easy adjustment
- Web keepers on shoulder straps have been provided for easy placement of free lanyards
- Ergonomics - Specially cushioned mesh net has been used for better shock absorbtion and comfort of the user

CE EN 361

HSFA10101

1 POINT COMFORT HARNESS

- Body harness with one attachment point
- Attachment Elements - Dorsal attachment D-ring for fall arrest
- Adapatability - Adjustable shoulder and thigh straps
- Convenience - Shoulder and thigh straps differentiated by a dual colour scheme
- Ergonomics - Ideally positioned sit straps for extended comfort

CE EN 361

HSFA10108



2 POINT RESCUE HARNESS

- Body harness with two attachment points and one extension rescue strap
- Attachment elements - One sternal attachment D-ring and a dorsal attachment D-ring for fall arrest
- Extension rescue strap with top D-ring for rescue
- Adapatability - Adjustable shoulder and thigh straps
- Convenience - Shoulder and thigh straps differentiated by a dual colour scheme
- Ergonomics - Ideally positioned sit strap for extended comfort

CE EN 361 EN 1497

HSFA10106

1.8 METRE LANYARD & SCAFF HOOK



CE EN 355 HSFA3030418

- Shock absorbing webbing lanyard
- 1.8m (Model: FA 30 304 18)
- 30mm wide webbing lanyard
- 35mm webbing shock absorber
- Karabiner at one end and scaffold hook at the other end
- Loops protected by abrasion resistant tubular webbing
- Conforms to EN 355: 2002 and tested as per VG 11 of P.P.E Directive 89/686/EEC

1.5 METRE LANYARD & SCAFF HOOK



CE EN 355 HSFA30303

- Energy absorbing lanyard with scaff hook
- Length - 1.5 metres
- 44mm wide polyester webbing which reduces the impact of fall to less than 6kN
- Loops protected by an abrasion resistant tubular webbing
- Conforms to EN355: 2002 and tested per VG11 of P.P.E Directive 89/686/EEC


STEEL KARABINER

- Steel screw-locking karabiner
- Material/Composition: alloy steel
- Gate opening: 17mm
- Minimum breaking strength: 25kN

CE EN 362: 2004 Class B HSFA50101



1 METRE RESTRAINT KERNMANTLE ROPE LANYARD



- 12mm kernmantle rope with snap hook at one end and scaffold hook at the other end
- Loops protected by abrasion resistant thimbles
- Stitching protected by strong transparent sleeve
- Minimum breaking strength 22kN as per EN 354: 2002

CE EN 354 HSFA40503

2.5 METRE FALL ARREST BLOCK



- Fall arrester
- Retractable fall arrest with 50mm webbing
- Maximum length: 2.5 metres
- Incorporating a protective casing and Energy Absorber (45mm)
- Minimum breaking strength >15kN

CE EN 360

HSFA20301



FALL ARRESTER ON KERNMANTLE ROPE 10 METRE

- Fall Arrester on kernmantle rope 10 metre with energy absorber
- Material: Rope grab Stainless Steel; Anchorage line: Polyester kernmantle rope
- Length of the rope: 10 metres
- Breaking strength: > 15 kN
- Connector: 1 steel screw-locking karabiner FA 50 101 17

CE EN 353-2: 2002

HSFA2010210

1.5 METRE LANYARD Y-SHOCK ABSORB



HSFA3080015

- 44mm wide elastic webbing
- 35mm wide shock absorber
- Karabiner at one end and scaffold hook at the other
- Loops protected by an abrasion resistant tubular webbing
- Energy absorber in 35mm wide webbing which reduces the impact of the fall less than 6kN
- 44mm wide polyester expandable elasticated webbing lanyard
- Expanded length: 1.5m
- Relaxed length: 1m



1 METRE RESTRAINT LANYARD



- 1 Metre restraint webbing lanyard
- Made from 30mm wide polyester webbing
- Loops protected by an abrasion resistant tubular webbing
- Break strength is 22kN

CE EN 354

HSFA40303





READY-FOR-RETAIL PRODUCTS

**SAFETY BASEBALL CAP
NAVY**



BS074N

268

**SAFETY BASEBALL CAP
HI-VIS YELLOW**



BS074Y

268

**SAFETY HELMET
VENTED BLUE**



BS076B

268

**SAFETY HELMET
VENTED WHITE**



BS076W

268



**SEATTLE CLEAR
SAFETY SPECTACLE**



BS096

269

**ANCONA CLEAR
SAFETY SPECTACLE**



BS098

269

**ANCONA SMOKE
SAFETY SPECTACLE**



BS098GY

269

**ZZ CLEAR
SAFETY SPECTACLE**



BS099

269

**UNIVERSAL
SAFETY GOGGLE**



BS091

270

PREMIUM SAFETY GOGGLE



BS092AF

270



QED27 EAR DEFENDERS



QED27

271

**HI-VISIBILITY
EAR DEFENDERS**



BS005

271

**CORDED EAR PLUGS
EASY FIT MOULDED**



BS002C

271

**EAR PLUGS EASY FIT
MOULDED**



BS002

271



**FFP2 MOULDED VALVED
RESPIRATOR**



BS031

272

**FFP2 FOLD FLAT VALVED
RESPIRATOR**



BS035

272

**FFP3 MOULDED VALVED
RESPIRATOR**



BS033

272

**FFP3 FOLD FLAT VALVED
RESPIRATOR**



BS036

272

**ABEK HALF MASK
RESPIRATOR & CARTRIDGES**



BS038

273



**HEAVYWEIGHT RIGGER
GLOVES**



BS040

273

**HIGH VISIBILITY RIGGER
GLOVES**



BS041

273

BUILDERS GLOVES



BS042BL

274

MULTI-PURPOSE GLOVES



BS043BL

274

**THERMAL GLOVES HIGHLY
VISIBLE**



BS047OR

274

**THERMAL GLOVES HIGHLY
VISIBLE**



BS047SY

274

**MEC DEX GLOVES
MECHANICS**



BS048

275

READY-FOR-RETAIL PRODUCTS

MEC DEX GLOVES MECHANICS



BS049
275

KUTSTOP GLOVES MICRO FOAM NITRILE



BS050
276

DRIVERS GLOVES



BS051
276

KUTSTOP GLOVES POLYURETHANE



BS052
276

NITRILE DISPOSABLE GLOVES



BS055
277

NITE STAR NYLON GLOVES



BS053
277

ANTI-VIBRATION GLOVES



BS054
277

RED PVC GAUNTLET



BS056
278

NITRILE 18" GAUNTLET



BS057L
278

DISPOSABLE BLACK GRIPPER GLOVES



GZNDG10BL
279



KNEE PAD FLEXIBLE INSERTS



BS070
280

POLY RIDGED KNEE PADS



BS071
280

DISPOSABLE OVERSHOES ELASTICATED



BS023
281



HIGH VISIBILITY WAISTCOAT



BS062
282

DISPOSABLE COVERALL TYPE 5:6



BS020W
282

THINSULATE BALACLAVA & GLOVES



BS205
283

THINSULATE SOCKS, HAT & GLOVES



BS210
283



EYE WASH PODS STERILE



BS021
284

1 PERSON FIRST AID KIT POUCH



CM0002
284

DELTA HSE 1-10 PERSON FIRST AID KIT



CM1801
284

DISCLAIMER

All products shown as B-SAFE products will change to the new Beeswift branding once current stock has been sold. You may receive orders that comprise of both sets of branding. The products within are all the same.

SAFETY BASEBALL CAP NAVY

- Stylish fashionable 100% cotton baseball cap with ventilation holes
- Fitted over a plastic shell providing lightweight head protection

CE EN 812

N BS074N One Size



SAFETY BASEBALL CAP HI-VIS YELLOW

- Stylish fashionable baseball cap
- Mesh side panels
- Ventilation holes
- Fitted over an ABS durable plastic shell
- Provides lightweight head protection
- 65/35% Polyester cotton hi viz cap with reflective tape

CE EN 812

SY BS074Y One Size



B BS076B One Size



w BS076W One Size

SAFETY HELMET VENTED

- Modern stylish design
- ABS shell
- Vents to crown
- Lightweight
- Plastic harness comes with sweatband
- Slots for attachments

CE EN 397

SEATTLE CLEAR SAFETY SPECTACLE

- Wraparound clear cover spectacle
- Polycarbonate lens
- Ventilated side arms
- Width 165mm

CE EN 166 Optical Class 1 F

CL BS096



ANCONA SAFETY SPECTACLE

- Ultra lightweight
- Polycarbonate wrap around lens
- Scratch resistant
- One piece side arm

CE EN 166 Optical Class 1 F T

CL BS098



S BS098GY



ZZ CLEAR SAFETY SPECTACLE

- Lightweight
- Adjustable arms
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Scratch and fog resistant

CE EN 166 Optical Class 1 F T

CL BS099



UNIVERSAL SAFETY GOGGLE

- Polycarbonate anti-scratch, anti-mist lens
- Ideal for wearing over spectacles
- Complete contoured face seal
- Indirect four point ventilation

CE EN 166 Optical Class 1 B

w BS091



PREMIUM SAFETY GOGGLE

- Wide vision anti-scratch, anti-mist lens
- Unvented
- Soft and flexible for extra comfort
- Adjustable wide headband
- Available in 2 frame colours

CE EN 166 Optical Class 1 B T

CL BS092AF





QED27 EAR DEFENDERS

- Padded headband
- Soft foam ear cushions for wearer comfort
- Ease of headband adjustment
- Lightweight 187g

CE EN 352

SNR 27dB H=33dB M=25dB L=16dB

QED27

EAR PROTECTION POS



HI-VISIBILITY EAR DEFENDERS

- Superior ear defender
- Durable and hard wearing
- Padded adjustable headband
- Comfortable to wear

CE EN 352-2

SNR 27dB H=30dB M=25dB L=18dB

SY BS005



EAR PLUGS EASY FIT MOULDED

G BS002

- 3 flange plugs
- Ease of fit into ear canal
- Reusable
- Shaped stem for ease of fitting

CE EN 352-2

SNR 27dB H=27dB M=23dB L=23dB



CORDED EAR PLUGS EASY FIT MOULDED

G BS002C

FFP2 MOULDED VALVED RESPIRATOR

- Soft foam nose seal for added comfort
- Adjustable elastic straps
- High quality construction
- Comfortable face fit

CE EN 149: 2001 +A1: 2009 **FFP2** NR

w **BS031**



FFP2 FOLD FLAT VALVED RESPIRATOR

- Vertical fold flat design
- Low pressure exhale valve
- Latex free synthetic rubber head strap
- Comfortable face fit
- Low breathing resistance

CE EN 149: 2001 +A1: 2009 **FFP2** NR

w **BS035**



FFP3 FOLD FLAT VALVED RESPIRATOR

- Adjustable nose bridge
- Space saving design
- Adjustable elastic straps
- Easy breathe exhale valve
- Individually packed
- Fits neatly into a breast pocket

CE EN 149: 2001 +A1: 2009 **FFP3** NR

w **BS036**



FFP3 MOULDED VALVED RESPIRATOR

- Soft foam nose seal for added comfort
- Adjustable elastic straps
- High quality construction
- Comfortable face fit
- Easy breathe exhale valve

CE EN 149: 2001 +A1: 2009 **FFP3** NR

w **BS033**



ABEK HALF MASK RESPIRATOR & CARTRIDGES

- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours

CE EN 140 EN 14387

GY BS038



MASK / GLOVES POS



HEAVYWEIGHT RIGGER GLOVES

- Grey split leather
- Heavyweight red cotton backing and safety cuff
- Vein patch
- Good fitting large size with fleecy lined palm and thumb-face for added comfort

EN 388 CAT II
4.1.4.4

BS040 XL(10)



HIGH VISIBILITY RIGGER GLOVES

- Grey split leather B-Flex Hi Vis rigger glove
- Saturn yellow polyester backing and safety cuff
- Retro-reflective tape to knuckle strip
- Generous hand size
- Fleece lining for warmth and comfort

EN 388 CAT II
4.1.4.4

BS041 XL(10)



BUILDERS GLOVES

- Multi-purpose glove
- Latex rubber coated palm
- Knitted base construction to allow air passage and aid comfort
- Excellent dexterity
- Ideal for construction and steel handling



| | |
|-----------|----------|
| BS042BLL | Large(9) |
| BS042BLXL | XL(10) |

MULTI-PURPOSE GLOVES

- Nylon glove
- Polyurethane palm coated
- Machine knitted
- Integral elasticated wrist
- Ideal for handling light components



| | |
|-----------|----------|
| BS043BLL | Large(9) |
| BS043BLXL | XL(10) |



THERMAL GLOVES HIGHLY VISIBLE

- 7G Brushed polyester heavyweight knitted liner
- Latex coated to palm area
- Double dip to fingers for added protection
- Vented back
- Highly visible fleece liner
- Ideal for refrigeration, coldstore, and winter conditions
- Thick latex coating for durability and grip



| | |
|-----------|----------|
| BS0470R09 | Large(9) |
| BS0470R10 | XL(10) |



| | |
|-----------|----------|
| BS047SY09 | Large(9) |
| BS047SY10 | XL(10) |

BS048L Large(9)

BS048XL XL(10)



GLOVES POS

MEC DEX GLOVES MECHANICS

- Form-fitting glove with reinforced palm patch and finger tips
- Durable synthetic leather base palm
- Original synthetic leather vintage puller
- PVC grip crotch
- Contrast yellow colour fourchetes and binding
- Multi-purpose
- Landscaping, forestry lumberyards, cable and wire work, maintenance and repair, material handling

EN 388 CAT II
3.2.4.1

BS049L Large(9)

BS049XL XL(10)



KUTSTOP GLOVES MICRO FOAM NITRILE

- Kutstop system
- Cut 5 green highest cut protection
- 15g HPPE plus glass fibre and spandex liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Ideal for the construction industry, automotive industry, electrical industry and handling glass or sheet metal



EN 388 CAT II
4.X.4.4

| | |
|---------|----------|
| BS050L | Large(9) |
| BS050XL | XL(10) |



DRIVERS GLOVES

- High quality soft grain leather
- Cotton back
- Hook and loop cuff fastening



EN 388 CAT II
2.1.1.1

| | |
|---------|----------|
| BS051L | Large(9) |
| BS051XL | XL(10) |



KUTSTOP GLOVES POLYURETHANE

- High engineered nylon/spandex yarn
- Seamless liner
- PU coating, palm coated
- High quality cut resistance
- Excellent dexterity



EN 388 CAT II
4.X.4.3.C

| | |
|---------|----------|
| BS052L | Large(9) |
| BS052XL | XL(10) |



NITRILE DISPOSABLE GLOVES

- Powder free nitrile gloves
- High quality disposable product
- Liquid proof
- Ideal for general lightweight handling including foodstuffs



EN 374-2



EN 374-3

| | |
|---------|----------|
| BS055L | Large(9) |
| BS055XL | XL(10) |

GLOVES POS



NITE STAR NYLON GLOVES

- 100% Nylon seamless shell
- Nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and engineering applications



EN 388 CAT II
3.1.2.1

| | |
|---------|----------|
| BS053L | Large(9) |
| BS053XL | XL(10) |



ANTI-VIBRATION GLOVES

- Ideal for demolition, assembly, heavy construction, drilling and mining, sanding and grinding, power tools, deburring



EN 388 CAT II
4.X.4.2



EN 10819

| | |
|---------|----------|
| BS054L | Large(9) |
| BS054XL | XL(10) |





RED PVC GAUNTLET

- PVC Gauntlet
- 16" (40cm) overall length
- Liquid proof



EN 388 CAT II
3.1.1.1

BS056 Large(9)



NITRILE 18" GAUNTLET

- Unsupported nitrile glove
- Overall Length 45cm
- A high level of resistance to abrasion, solvents and animal fats
- Pebble finish to palm
- Food safe
- Silicon and wax free



EN 388 CAT II
4.1.0.2



EN 374-2



EN 374-3
F L K

BS057L Large(9)



DISPOSABLE BLACK GRIPPER GLOVES

- Powder free black textured nitrile gloves
- CE category III
- Excellent elasticity
- Textured for added grip



EN 374-2



EN 374-3

GZNDG10BL

Large(9)



GLOVES POS



KNEE PAD FLEXIBLE INSERTS

- Universal sizing
- Ergonomic design
- Use with all knee pad type work trousers
- Easily moulds around knee and can be trimmed to size
- For use with all knee pad type work trousers

BS070



POLY RIDGED KNEE PADS

- Deluxe model offers excellent knee protection
- Made using non-marking material
- Rubber-like surface and grip ridges help prevent against sliding and slipping
- Hook and loop adjustable straps

BS071



DISPOSABLE OVERSHOES ELASTICATED

- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring

BS023



HIGH VISIBILITY WAISTCOAT

- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 body bands
- 2 braces



EN ISO 20471: 2013
Class 2 High Visibility

| | | |
|----|---------|--------|
| SY | BS062L | Large |
| SY | BS062XL | XLarge |



DISPOSABLE COVERALL TYPE 5:6

- Ideal for hazardous waste removal and fine dust particles
- Reduced spray and limited splash
- 2 way zip front with adhesive storm flap
- Elasticated cuffs, ankles, waist and hood
- Breathable fabric

EN Standards EN ISO 13688: 2013 - General requirements for protective clothing



EN ISO 13982-1: 2004 + A1: 2010
Type 5 - Protective Clothing for
Use Against Solid Particulates



EN 13034: 2005 + A1: 2009
Type 6 - Protective Clothing Against
Liquid Chemicals



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010

| | | |
|---|--------|--------|
| w | BS020W | XLarge |
|---|--------|--------|



THINSULATE BALACLAVA & GLOVES

Balaclava

- 100% Acrylic material
- Offers excellent insulation
- 3M[®] C40 premium Thinsulate
- Comes with hook & loop flaps for attaching to helmet harnesses
- Earpieces open to aid hearing

Gloves

- Fleece glove with 3M[®] Thinsulate underlayer
- Microfibre technology to keep the hands warm
- Generously sized
- Minimal risk

BS205



CLOTHING POS



THINSULATE SOCKS, HAT & GLOVES

Socks

- Gentle welt for comfort
- Looped terry for extra warmth and comfort

Hat

- Microfibre technology traps air to keep user warm
- Effective when wet and dries quickly
- Made from 3M[®] Thinsulate

Gloves

- Knitted acrylic with 3M[®] Thinsulate underlayer
- Microfibre technology to keep the hands warm
- Effective when wet and dries quickly

BS210



EYE WASH PODS STERILE

- Each pod contains 20ml solution
- For irrigation use only
- Can be used as eye wash and wound wash

BS021

1 PERSON FIRST AID KIT POUCH

- 1 x Guidance note
- 2 x Non woven triangular bandages
- 1 x Large sterile dressing 180 x 180mm
- 6 x Assorted sterile transparent plasters
- 2 x Alcohol free cleansing wipes
- 1 x Pair of disposable gloves

CM0002




DELTA HSE 1-10 PERSON FIRST AID KIT

- 1 x Guidance note
- 4 x Non woven triangular bandages
- 2 x Large sterile dressing (180 x 180mm)
- 6 x Medium sterile dressing (120 x 120mm)
- 2 x Sterile eye pad dressing
- 20 x Assorted sterile waterproof plasters
- 6 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 6 x Safety pins

CM1801



GLOVES



LIST OF CONTENTS

ARC FLASH



**ARC FLASH
THERMAL
DRIVERS GLOVE**



GZ83 298

**ARC FLASH
THERMAL
DRIVERS GLOVE**



GZ84 297

**ARC FLASH
DRIVERS
GLOVE**



GZ80 300

**ARC FLASH
DRIVERS
GLOVE**



GZ81 300

FREEZER



**CLAW
FREEZER
GLOVE**



GZ40 301

**SCALE
FREEZER
GLOVE**



GZ41 301

**HI-VIS
FREEZER
GLOVE**



GZ42 302

**THERMAL
LEATHER
GLOVE**



GZ50

302

KNITTED



**PU
PALM COATED
GLOVE**



GZ03

303

**LATEX
PALM COATED
GLOVE**



GZ09

304

**NITRILE
PALM COATED
GLOVE**



GZ04

305

**NITRILE
PALM COATED
GLOVE**



GZ01

306

**NITRILE
PALM COATED
GLOVE**



GZ06

306

**HI-VIS NITRILE
PALM COATED
GLOVE**



GZ02

307

**FOAM NITRILE
PALM COATED
PROTECTIVE GLOVE**



GZ64/65

308

**NITRILE
PALM COATED
PROTECTIVE GLOVE**



GZ17

309

**FULLY COATED
IMPACT
GLOVE**



GZ61

310

**FULLY COATED
IMPACT
GLOVE**



GZ62

311

**SANDY
NITRILE PALM
COATED GLOVE**



GZ60

312

**SANDY
NITRILE PALM
COATED GLOVE**



GZ63

312

**GLOW
IN THE DARK
GLOVE**



GZ66

313

**TITAN ARMOUR
NEEDLESTICK
GLOVE**



GZ67B

314

**CUT RESISTANT
FOOD SAFE
GLOVE**



GZ10

316

**10" PARA
ARAMID
SLEEVE**



GZ14

317

**12" PARA
ARAMID SLEEVE
W/ THUMBHOLES**



GZ13

317

**18" PARA
ARAMID
SLEEVE**



GZ15

317

**22" PARA
ARAMID SLEEVE
W/ THUMBHOLES**



GZ16

317

**ANTI
VIBRATION
GLOVE**



GZAVG

318

**CUT RESISTANT
DRIVER
GLOVE**



GZ35

319

**CUT RESISTANT
DRIVER
GLOVE**



GZ71

319

**CUT RESISTANT
RIGGER
GLOVE**



GZ70

320

**HI-VIS
MECHANICS
GLOVE**



GZ33/34

321

**HI-VIS
GLOVE**



GZ30

322

**HI-VIS
GLOVE**



GZ32

323

**HI-VIS
GLOVE**



GZ31

323

**HI-VIS
MECHANICS
GLOVE GREY**



GZ37

324

**HI-VIS
GLOVE**



GZ36

324

**MECHANICAL
IMPACT
GLOVE**



GZ82

325

**DISPOSABLE
GRIPPER
GLOVE**



GZNDG10

326



EN ISO 21420:2020 GENERAL REQUIRMENTS FOR GLOVES

This standard defines the general requirements for all protective gloves in terms of construction, fitness of purpose, safety, etc.

- The gloves themselves should not impose a risk or cause injury
- The pH of the gloves should be as close as possible to neutral
- Leather gloves should have a pH value between 3.5 - 9.5
- The highest permitted value for chromium is 3 mg/kg (Chrome VI)
- Specific details of any substance used in the glove which is known to cause allergies must be listed
- Sized by reference to an agreed common European hand size, for example, minimum length
- AZO colourants which release carcinogenic chemicals should not be detectable in any glove

Size Chart for EN ISO 21420: 2020

| Hand Size* | Hand Circumference (mm) | Hand Length (mm) |
|------------|-------------------------|------------------|
| 4 | 101 | < 160 |
| 5 | 127 | < 160 |
| 6 | 152 | 160 |
| 7 | 178 | 171 |
| 8 | 203 | 182 |
| 9 | 229 | 192 |
| 10 | 254 | 204 |
| 11 | 279 | 215 |
| 12 | 304 | > 215 |
| 13 | 329 | > 215 |

* This code is a conventional designation of hand size corresponding to the hand circumference expressed in inches.

EN 388:2016


PROTECTIVE GLOVES AGAINST MECHANICAL RISKS (1)

After EN ISO 21420:2020, this standard is the most common found amongst protective gloves. It is tested to multiple different risks, these include Abrasion, Cut, Tear, Puncture and Impact. Gloves, once tested, are given either a marking or a label which has the standards it has been tested to on, including the scores it achieved.

The below is an example of the markings you will find either printed onto the glove or sewn inside, but what does it all mean?



For each standard there are pictograms and scores, the pictogram for EN388 is:



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS (2)

Abrasion Resistance:

Samples are cut from the palm of the glove and rubbed against a 180 grit abrasive paper using a “Martindale” type abrasion machine. The number of cycles for the samples to hole is measured.

| | | | | |
|------------------|-----|-----|------|------|
| Number of Cycles | 100 | 500 | 2000 | 8000 |
| Level | 1 | 2 | 3 | 4 |

Cut Resistance (Coup Test):

Samples are taken from the palm of a glove and the number of cycles to cut through the full thickness of the test sample by a circular rotating blade, with 5 Newtons of pressure, is recorded. Blade sharpness will vary and is assessed by using the cut test machine to cut through a standard reference fabric. This test is known as the ‘Coup Test’. The cut resistance of the glove is based on a relative index that compares the number of cycles to cut through the glove when compared with the standard fabric.

| | | | | | |
|-----------|-----|-----|---|----|----|
| Cut Index | 1.2 | 2.5 | 5 | 10 | 20 |
| Level | 1 | 2 | 3 | 4 | 5 |

Tear Resistance:

Samples are taken from the palm of a glove and are torn apart using a standard tensile test machine. The score is based off the Newtons of force required to tear the sample apart.

| | | | | |
|------------------|----|----|----|----|
| Newtons of Force | 10 | 25 | 50 | 75 |
| Level | 1 | 2 | 3 | 4 |

Puncture Resistance:

Samples are taken from the palm of a glove and the force required to penetrate the sample with a defined stylus using a tensile test machine is measured. The score based off the Newtons of force required to penetrate through the sample.

| | | | | |
|------------------|----|----|-----|-----|
| Newtons of Force | 20 | 60 | 100 | 150 |
| Level | 1 | 2 | 3 | 4 |

Cut Resistance (ISO 13997 Test):

The ISO 13997 test runs a straight blade over the sample, replacing the blade after each cut, the Newtons of force applied to the blade is adjustable so that it can give a more accurate level of cut resistance for gloves that naturally blunt blades.

| | | | | | | |
|------------------|----------|----------|-----------|-----------|-----------|-----------|
| Newtons of Force | ≥ 2 | ≥ 5 | ≥ 10 | ≥ 15 | ≥ 22 | ≥ 30 |
| Level | A | B | C | D | E | F |

Impact Resistance:


Other than the fingers, each area where impact protection is claimed shall be tested for impact attenuation by measuring the peak transmitted force. To test the glove, the area of protection is secured over a domed anvil and is impacted at an energy of 5J.

| | | | |
|-------|------|------|------------|
| | Pass | Fail | Not tested |
| Level | P | X | No Marking |



EN 407:2004

PROTECTIVE GLOVES AGAINST THERMAL HAZARDS



Resistance of Flammability:

The glove's material is stretched and lit with a gas flame. The flame is held against the material for 15 seconds. After the flame is extinguished, the length of time it takes for the material to stop burning or glowing is measured.

| Test | Measured In: | Level 1 | Level 2 | Level 3 | Level 4 |
|-----------------|--------------|----------|---------|---------|---------|
| After-burn time | Seconds | ≤20 | ≤10 | ≤3 | ≤2 |
| After-glow time | Seconds | Infinity | ≤120 | ≤25 | ≤5 |

Resistance to Contact Heat:

The glove's material is exposed to temperatures between +100°C and +500°C. The length of time it takes the material on the inside of the glove to increase by 10°C from the starting temperature (25°C approx), is then measured. The minimal amount of time accepted is 15 seconds.

| Test | Measured In: | Level 1 | Level 2 | Level 3 | Level 4 |
|--------------|-----------------------------|---------|---------|---------|---------|
| Contact heat | Temp in °C after 15 seconds | 100°C | 250°C | 350°C | 500°C |

Resistance to Convective Heat:

The length of time is measured for the heat from a gas flame to increase the temperature of the gloves inside material by 24°C.

| Test | Measured In: | Level 1 | Level 2 | Level 3 | Level 4 |
|-----------------|--------------|---------|---------|---------|---------|
| Convective heat | Seconds | ≤4 | ≤7 | ≤10 | ≤18 |

Resistance to Radiant Heat:

The glove's material is stretched in front of a heat source with an effect of 20-40 kw/kvm. The average time is measured for the heat penetration of 2.5 kw/kvm.

| Test | Measured In: | Level 1 | Level 2 | Level 3 | Level 4 |
|--------------|--------------|---------|---------|---------|---------|
| Radiant heat | Seconds | ≤5 | ≤30 | ≤90 | ≤150 |

Resistance to small splashes of molten metal:

The test is based on the total number of drops of molten metal required to increase the temperature by 40°C between the inside of the glove and the skin.

| Test | Measured In: | Level 1 | Level 2 | Level 3 | Level 4 |
|-----------------------|-----------------|---------|---------|---------|---------|
| Drops of molten metal | Number of drops | ≥5 | ≥15 | ≥25 | ≥35 |

Resistance to Large splashes of molten metal:


Simulated skin is attached to the inside of the glove material. Molten metal is then poured over the glove material. The total number of grams is measured of how much molten metal is required to damage the simulated skin.

| Test | Measured In: | Level 1 | Level 2 | Level 3 | Level 4 |
|--------------|--------------|---------|---------|---------|---------|
| Molten metal | Gram | 30 | 60 | 120 | 200 |



EN 511:2006

PROTECTIVE GLOVES AGAINST THERMAL COLD



Resistance to Convective Cold:

This is measured based on the transfer of cold through the glove via convection. A model hand heated to body temperature is subjected to a cold room; the resistance to the room's climatic temperature and also the energy required by the hand to maintain a constant temperature are both measured to arrive at a final score.

Resistance to Contact Cold:

This measures the how protective the garment is when put into direct contact with a cold object or source. The sample is placed between a warm plate and a cold plate before an extractor fan is used to cool both plates further, the results are then compared to a reference standard and a final level decided.



Resistance to Water Permeability:

These tests ensure that your hands will be completely safe from water seeping in and is simply a pass (1) or fail (0) (X= not been tested) - if the glove cannot withstand water permeating its fabric after 30 minutes of exposure it will fail. Receiving a Level 0 on this test does not necessarily mean these gloves do not perform highly in the other two areas and can still earn them accreditation. All gloves that achieve this standard must also pass at least level 1 of the EN 388 abrasion tests.

EN 374

PROTECTIVE GLOVES AGAINST CHEMICALS AND MICRO-ORGANISMS

For a glove to be resistant to micro-organisms, it must successfully undergo the penetration test under EN 374-2:2014. The penetration test consists of the air leak test and the water leak test. For the Air leak test the glove is immersed in water and the interior of the glove is filled with pressured air. Leaks are detected if air bubbled emit from the glove. For the water leak test, the glove is filled with a minimum of 1L of water and hung with the fingers facing down. Leaks are detected by any water droplets appearing on the outside of the glove. For a glove to be resistant to viruses, an additional test (ISO16604:2004) is conducted to ensure no detectable transfer of the challenge bacteriophage. The word "VIRUS" is to be displayed beneath the symbol to indicate resistance to virus.

EN ISO 374-5:2016



EN ISO 374-5:2016



VIRUS

Resistance to permeation is assessed by measuring the length of time it takes for a chemical to permeate the glove's material. There are 18 chemicals which are each given a corresponding letter. Depending on whether the glove material can resist permeation for a single chemical level 1, or 3 or 6 chemicals on the list to at least Level 2. It is awarded either the type A, B or C pictogram and the corresponding letters for the chemicals are placed beneath. Other chemicals can be tested but will not have a corresponding letter.

| Measured Breakthrough Time | Performance Level |
|----------------------------|-------------------|
| >10 Minutes | Level 1 |
| >30 Minutes | Level 2 |
| >60 Minutes | Level 3 |
| >120 Minutes | Level 4 |
| >240 Minutes | Level 5 |
| >480 Minutes | Level 6 |

| Code | Chemical |
|------|------------------------|
| A | Methanol |
| B | Acetone |
| C | Acetonitrile |
| D | Dichloromethane |
| E | Carbon Disulphide |
| F | Toluene |
| G | Diethylamine |
| H | Tetrahydrofuran |
| I | Ethyl Acetate |
| J | n-Heptane |
| K | Sodium Hydroxide 40% |
| L | Sulfuric Acid 96% |
| M | Nitric Acid 65% |
| N | Acetic Acid 99% |
| O | Ammonium Hydroxide 25% |
| P | Hydrogen Peroxide 30% |
| S | Hydrofluoric Acid 40% |
| T | Formaldehyde 37% |

EN374-1: 2016+A1:
2018/type C



X

EN374-1: 2016+A1:
2018/type B



X.X.X

EN374-1: 2016+A1:
2018/type A



X.X.X.X.X



DRIVERS ARC FLASH THERMAL

ADVANCED HAND PROTECTION

- Premium goatskin leather
- Reinforced stitching
- Reinforced para-aramid lining
- Thinsulate® lined layer



ARC FLASH RESISTANT ELIM 56.0CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 95.7%



EN 388: 2016+A1: 2018 // 3.X.2.3.D



EN 407: 2004 // 4.1.3.2.X.X



EN 511 // X.3.X

Brown

GZ83BR

M (8) - XXL (11)



ARC FLASH RESISTANT ELIM 64.0CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 97.7%

- Premium goatskin leather
- Reinforced stitching
- Reinforced para-aramid lining
- Thinsulate® lined layer
- TPR back of hand protection



EN 388: 2016+A1: 2018 // 4.X.4.4.D.P



EN 407: 2004 // X.2.X.X.X



EN 511 // 1.4.X

Brown

GZ84BR

M (8) - XXL (11)

DRIVERS ARC FLASH ESSENTIAL HAND PROTECTION



ARC FLASH RESISTANT ELIM 41.0CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 94.5%



EN 388: 2016+A1: 2018 // 3.X.3.3.D



EN 407: 2004 // 4.1.2.2.X.X

Brown

GZ80BR

M (8) - XXL (11)



- Premium goatskin leather

- Reinforced stitching

- Reinforced para-aramid lining



EN 388: 2016+A1: 2018 // 3.X.4.3.E.P



EN 407: 2004 // X.1.X.X.X.X

- TPR back of hand protection



Brown

GZ81BR

M (8) - XXL (11)



ARC FLASH RESISTANT ELIM 55.0CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 97.1%

CLAW FREEZER GLOVES



- Premium split leather
- Nylon palm reinforcements
- G-150 gram Thinsulate® and micro fleece
- Elasticated and strap adjusted cuff
- Stylish padding on knuckle area



EN 388: 2016+A1: 2018 // 3.X.2.3.C



EN 511 // 2.2.0

Black
GZ40BL

S (7) - XXL (11)

COLD CONDITION

FOREMOST HAND PROTECTION

SCALE FREEZER GLOVES



EN 388: 2016+A1: 2018 // 4.X.2.2.C



EN 511 // 3.2.0

Black
GZ41BL

S (7) - XXL (11)

- Premium split leather palm
- Laminated reinforcements
- G-150 gram Thinsulate® and micro fleece
- Buckle and drawstring adjusted cuff
- D-ring for clipping gloves together



HI-VIS FREEZER GLOVES



- Premium pearlhide leather palm
- Fluorescent to assist with visibility
- G-150 gram Thinsulate® and micro fleece
- Elasticated cuff
- D-ring for clipping gloves together



EN 388: 2016+A1: 2018 // 2.X.2.3.B



EN 511 // 2.2.0



Yellow

S (7) - XXL (11)

GZ42SY

THERMAL LEATHER GLOVES



EN 388: 2016+A1: 2018 // 4.X.3.4.B



EN 511 // 1.3.X



Brown

ONE SIZE - XL (10)

GZ50BR

- Premium cowhide split leather
- G-150 gram Thinsulate® and micro fleece
- Nylon cuff





• 100% PU coating

• Ventilated back

• Lightweight

• Maximum dexterity

• Comfort with sensitivity



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

PU PALM COATED HAND PROTECTION



EN 388: 2016+A1: 2018 // 4.X.4.2.C

| | |
|---------------|-------|
| HPPE | 40.9% |
| Nylon | 14.1% |
| Polyester | 15.9% |
| Glass fibre | 21.3% |
| Spandex Liner | 7.8% |

Grey
GZ03GY

S (7) - XXL (11)



LATEX PALM COATED



EN 388: 2016+A1: 2018 // 3.X.4.2.D



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

- Ventilated back
- Lightweight
- Maximum dexterity
- Comfort with sensitivity

Green
GZ09G

S (7) - XXL (11)



Palm area

Para-Aramid 25.5
 Steel 11%
 Polyester 16.6%
 Polycotton 46% Liner



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 4.X.4.2.D



- 100% nitrile rubber coating
- 100% PVC TPR back of hand protection
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



NITRILE PALM COATED



GZ04GY

M (8) - XXL (11)

HPPE 40.9%
Nylon 14.1%
Polyester 15.9%
Glass fibre 21.3%
Spandex 7.8% Liner

NITRILE PALM COATED



EN 388: 2016+A1: 2018 // 4.X.4.2.C



Grey
GZ01GY

S (7) - XXL (11)

HPPE 40.9%
Nylon 14.1%,
Polyester 15.9%
Glass Fibre 21.3%,
Spandex 7.8% liner



EN 388: 2016+A1: 2018 // 4.X.4.1.D



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

- 100% Nitrile rubber coating
- Ventilated back
- Lightweight for maximum dexterity
- Comfort with sensitivity



Yellow
GZ06Y

S (7) - XXL (11)

Para-Aramid 71.2%
Steel 13.5%,
Polyester 10.5%
Spandex 8% liner



HI-VIS NITRILE PALM COATED

- 100% nitrile rubber coating
- 100% PVC TPR back of hand protection
- Lightweight
- Maximum dexterity
- Comfort with sensitivity

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 4.X.4.2.D

HPPE 49%
Polyester 25%
Glass Fibre 12%
Steel 8%
Spandex Liner 6%

Green

GZ02G

M (8) - XXL (11)



FOAM NITRILE PALM COATED PROTECTOR

- 100% foam nitrile coating
- 100% TPR back of hand protection
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



EN 388: 2016+A1: 2018 // 3.X.4.3.B.P

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

Green

GZ64LG

M (8) - XXL (11)

Orange

GZ650R

M (8) - XXL (11)

13 Gauge HPPE
Polyester

Glass Fibre Green or Orange Liner



- 100% Nitrile Rubber coating
- 100% TPR back of hand protection
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



CE APPROVEMENT PENDING

NITRILE PALM COATED PROTECTOR

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

HPPE 49%
Polyester 25%
Glass Fibre 12%
Steel 8%
Spandex Liner 6%

Green
GZ17G

M (8) - XXL (11)

FULLY COATED IMPACT HAND PROTECTION



- 13 Gauge, HPPE liner
- 100% TPE Fully injection coating
- Lightweight
- Maximum dexterity
- Comfort with sensitivity

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 3.X.4.2.C.P

Orange

GZ610R

S (7) - XXL (11)



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 3.X.4.2.D.P

- 13 Gauge, HPPE liner
- 100% TPE Fully injection coating
- Lightweight
- Maximum dexterity
- Comfort with sensitivity

Green
GZ62G

XS (6) - XXL (11)

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



Green
GZ60LG

M (8) - XXL (11)

13 Gauge HPPE
Polyester
Glass Fibre Liner



EN 388: 2016+A1: 2018 // 4.X.4.3.C.P



Orange
GZ630R

M (8) - XXL (11)

SANDY NITRILE PALM COATED

- 100% Sandy Nitrile coating
- 100% TPR back of hand protection
- Lightweight for maximum dexterity
- Comfort with sensitivity

GLOW IN THE DARK

PROGRESSIVE HAND PROTECTION



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 3.X.4.3.B.P

- 13 Gauge HPPE
- Polyester, Glass Fibre liner
- 100% foam nitrile coating
- 100% TPR Glow in the Dark back of hand
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



GZ66B



GZ66G



GZ66OR



GZ66P



GZ66RE

M (8) - XXL (11)



Shows actual glowing properties

TITAN ARMOUR NEEDLESTICK CUT PROTECTION

- Dependable grip, excellent flexibility
- Comfortable ergonomic shape
- Lined with two layers of Titan Armour
- Makes a great general-purpose work glove
- Comfort with sensitivity



Green
GZ67B

S (7) - XL (10)



EN 388: 2016+A1: 2018 // 2.X.4.4.F



EN 407: 2004 // X.2.X.X.X.X

Glovezilla Titan armour comprises of 2 finely threaded layers of steel mesh, with a further 2 layers of tightly woven high cut resistant para-aramid liner.

Thanks to the technology allowing these layers to be so thin we are able to retain a high level of flexibility and dexterity without compromising on protection.

These protective layers are then attached to a high comfort liner and then palm dipped into a highly visible green latex coating which acts as the first line of defence against all external dangers.

ASTM F2878 14.4 NEWTONS OF PUNCTURE PROTECTION (HYPODERMIC NEEDLE)

Please note:

There is no European standard for needle resistance.

Current industry practice is to utilise the

American Standard ASTM F2878

as a guide, and to allow comparisons between different products.

These products are not needle proof.

Your own risk assessment therefore needs to be undertaken to decide the suitability of this product.





CUT RESISTANT FOOD SAFE

CUTTING EDGE HAND PROTECTION

- Food safe
- Washable
- Extremely high cut protection

GENERAL FOOD PREPARATION

WHERE HIGH CUT PROTECTION IS NEEDED



EN 388: 2016+A1: 2018 // 4.X.4.2.F

Blue

GZ10B

S (7) - XXL (11)

HPPE 47.4%
Polyester 20.1%,
Glass Fibre 17.2%
Steel 14%,
Spandex 1.3%



10 INCHES

12 INCHES

18 INCHES

22 INCHES



Yellow
GZ14



Yellow
GZ13



Yellow
GZ15



Yellow
GZ16

PARA-ARAMID SLEEVES

WITH / WITHOUT THUMBHOLES



Back of wrist heatseal

• 100% Para-aramid liner

• Lightweight

• Maximum dexterity

• Comfort with sensitivity



EN 388: 2016+A1: 2018 // 1.X.2.3.B



EN ISO 11612: 2015 // A1 F2



EN 388: 2016+A1: 2018 // 4.X.4.2.B



EN 10819 // Medium Frequency // 0.865



EN 10819 // Large Frequency // 0.598



ANTI VIBRATION

FOREMOST HAND PROTECTION

Black
GZAVGBL

L (9) - XL (10)

- High performance
- Nylon/Cotton knit
- Natural vulcanised palm and fingertips



• Premium soft grain yellow leather

• Protects against knocks and scrapes

• Half elastication to back of cuff

• Para-aramid lining



EN 388: 2016+A1: 2018 // 3.X.3.2.D.P



S (7) - XXL (11)



EN 388: 2016+A1: 2018 // 3.X.4.4.D



M (8) - XXL (11)

CUT RESISTANT DRIVERS GLOVE

CUT RESISTANT RIGGER



EN 388: 2016+A1: 2018 // 4.X.4.4.E



- Premium grey split leather
- Heavyweight cotton backing and safety cuff
- Para-aramid lining

White

M (8) - XXL (11)

GZ70W



EN 388: 2016+A1: 2018 // 3.X.4.1.B.P



GZ340R

- Synthetic PVC abrasion resistant palms
- Back of hand protection
- Avoid knocks and scuffs
- Cuff includes I.D. tag



EN 388: 2016+A1: 2018 // 2.X.3.1.B.P

Green

GZ33LG

S (7) - XXL (11)

HI-VIS MECHANICS PROTECTOR



• Synthetic leather palms

• Reflective fingertips

• Protects against knocks and scuffs

• Hook & loop fastened cuff

Orange

GZ300R

S (7) - XXL (11)



EN 388: 2016+A1: 2018 // 2.X.2.1.C.P



HI-VIS SYNTHETIC LEATHER HAND PROTECTION



Stitched Palm



EN 388: 2016+A1: 2018 // 2.X.2.1.A.P

Orange
GZ320R

S (7) - XXL (11)

- Synthetic leather palms
- Protects against knocks and scuffs
- Hook & loop fastened cuff



Cuff I.D Tag



EN 388: 2016+A1: 2018 // 2.X.3.1.E

Green
GZ31G

S (7) - XXL (11)





• Synthetic leather palms

• Protects against knocks and scuffs

• Hook & loop fastened cuff



EN 388: 2016+A1: 2018 // 2.X.2.1.C.P



Grey

GZ37GY



S (7) - XXL (11)



HI-VIS ESSENTIAL HAND PROTECTION



EN 388: 2016+A1: 2018 // 3.X.2.1.D.P



Black

GZ36BL



S (7) - XXL (11)



- Abrasion resistant palms
- Thermo-plastic rubbers pads
- Protects without creating stiffness
- Neoprene cuffs
- Hook & loop closure
- Extra wrist cushioning



EN 388: 2016+A1: 2018 // 4.X.4.3.B.P

Yellow

M (8) - XXL (11)

GZ82Y

MECHANICAL IMPACT PROTECTION



DISPOSABLE GRIPPER

ESSENTIAL HAND PROTECTION

- Powder free
- CE category III
- Excellent elasticity
- High dexterity
- Textured for added grip

Black

S (7) - XXL (11)

GZNDG10BL



EN ISO 374-5: 2016



EN ISO 374-1: 2016

GLOVES



HAND PROTECTION

RIGGERS & GAUNTLETS



CANADIAN DOUBLE PALM HIGH QUALITY RIGGER



CANDPPN
333

CANADIAN HIGH QUALITY RIGGER



CANCSP
333

CANADIAN RED HIGH QUALITY RIGGER



CANCHQP
334

HIGH QUALITY CHROME RIGGER



CANCHQN
334

CANADIAN HIGH QUALITY RIGGER HI-VISIBILITY



CANCHQHV
334

CANADIAN YELLOW HIDE RIGGER



CANYHSP
334

CAT II BLUE / GOLD WELDERS GAUNTLET



BFHQWN
335

PREMIUM GOLD / BLACK WELDERS GAUNTLET



BFPGWN
336

HIGH QUALITY HEAT RESISTANT GAUNTLET



HRG2N
336

CAT II WELDERS GAUNTLET



C2WN
337

CAT II WELDERS GAUNTLET PATCH PALM



C2WRPN
337

CUT PROTECTION



MICRO FOAM NITRILE AMBER CUT GLOVES



KS13
338

MICRO FOAM NITRILE CUT B GLOVES



KS3
338

MICRO FOAM NITRILE CUT C GLOVES



KS15
339

MICRO FOAM NITRILE CUT D GLOVES



KS5
339

MEDIUMWEIGHT DOTTED GLOVES



KGMWD
340

FINGERLESS DOTTED GLOVES



KFLGMWD
340

LIGHTWEIGHT GLOVES



KGLW
340

LATEX FULLY COATED GLOVE



KLGFC
341

LATEX PALM COATED GLOVES



KLG
341

MEDIUMWEIGHT GLOVES



KGMW
341

PU COATED CUT RESISTANT



KSPU5
342

REINFORCED SLEEVE



KS14 / KS18
342

GENERAL PURPOSE



PU COATED "PUGGIES" GLOVES



PUGBL / PUGGY / PUGW
343

PU COATED BLACK GLOVES



EC9NBL
343

MULTI-PURPOSE LATEX GLOVES



MP1BL / MP1G / MP10R
344

MULTI-PURPOSE BLACK LATEX GLOVES



MP4
345

HAND PROTECTION

ECONOMY GRIP GLOVES



EC8NG / EC8NOR

345

LATEX FULLY COATED GRIPPER GLOVES



LFCGGB

345

CRISS CROSS GLOVES



XXN

346

TRONIX BLUE DOT GLOVES



TBDN

346

NITRILE FOAM NYLON GLOVES



NFNG

346

TOUCH SCREEN KNITTED GLOVES



BF10

347

NITE STAR DIPPED GLOVES



NSGBL / NDGBL

347

NITRILE PU MIX COATED GLOVES



BF1

348

NITRILE PALM COATED POLYESTER GLOVES



EC7NGY

348

NITRILE FOAM POLYESTER SHELL GLOVES



EC6NGY

348

NITRILE / PVC COATED



NITRILE SAFETY CUFF HW FULLY COATED GLOVES



NSCFCHWN

349

KNITWRIST HW FULLY COATED GLOVES



NKWFCCHWN

349

KNITWRIST LIGHTWEIGHT FULLY COATED GLOVES



NKWFCCLWN

349

KNITWRIST LIGHTWEIGHT PALM COATED



NKWPCCLWN

349

NITRILE FULLY COATED POLYESTER GLOVES



NDGFCBL

350

PVC FULLY COATED KNITWRIST GLOVES



PVCFCCHWN

350

PVC OPEN CUFF GAUNTLETS 11 INCH / 28CM



PVCNR11

351

PVC OPEN CUFF GAUNTLETS 14 INCH / 35CM



PVCNR14

351

PVC OPEN CUFF GAUNTLETS 16 INCH / 40CM



PVCNR16

351

PVC OPEN CUFF GAUNTLETS 18 INCH / 45CM



PVCNR18

351

CHEMICAL PROTECTION



HEAVYWEIGHT HOUSEHOLD GLOVES



HHBHW

352

MEDIUMWEIGHT HOUSEHOLD GLOVES



HHMW

352

NITRILE GAUNTLET FLOCK LINED 18 INCH / 45CM



NG18

353

NITRILE GAUNTLET FLOCK LINED 12 INCH / 30CM



NG

353

BI-COLOUR NEOPRENE HOUSEHOLD GLOVES



BCYB

353

DISPOSABLES



NITRILE DISPOSABLE GLOVES POWDER FREE



NDGPF50BL / NDGPF50B

354

GLOVEZILLA DISPOSABLE GRIPPER GLOVES



GZNDG10BL

354

HAND PROTECTION

NITRILE DISPOSABLE GLOVES POWDER FREE



NDGPFPU

355

VINYL DISPOSABLE GLOVES POWDERED / POWDER FREE



VDG / VDGPF

355

LATEX DISPOSABLE GLOVES POWDERED / POWDER FREE



LEG / LEGP

355

DRIVERS GLOVES



HOOK & LOOP CUFF DRIVERS GLOVES



DGVC

356

ONE PIECE BACK FREEZER GLOVES



FGIMP

356

QUALITY LINED DRIVERS GLOVES



QLDGN

357

PEARL LINED DRIVERS GLOVES



QLDGPHN / QUDGPHN

357

SIMPLE DESIGN



MIXED FIBRE GLOVES GREY



MFGNGY

358

MIXED FIBRE GLOVES WHITE



MFGNW

358

STOCKINETTE KNITWRIST SUPER



SKWSNM / SKWSNL

358

ACRYLIC GLOVES



ACG

359

FINGERLESS MITTS



FLM

359

FINGERLESS GEL GLOVES



FGG01

359

FINGERLESS GEL GLOVES



FGG

359

THERMAL



THERMO-STAR FULLY-DIPPED LATEX



BF30R / BF3SY

360

THINSULATE FLEECE GLOVES



THFLGBL

360

THINSULATE KNITTED ACRYLIC GLOVES



THGBL

360



HAND PROTECTION INFORMATION

CE Implies that the gloves comply with the basic requirements laid down by the EU Regulation 2016/425: Personal Protective Equipment.

Simple Design

For areas of 'minimal risk' where the effects of not wearing a glove are easily reversible or superficial. Such products are self-certified.

Intermediate Design Category 2 (CAT II)

For areas of specific risk, i.e. mechanical risks. Such products will have been EC type tested against European test methods and certified by a notified body.

Complex Design Category 3 (Cat III)

For areas/applications that can seriously or irreversibly harm the health. In addition to the CE type test, products will also have to be either produced under an approved quality system OR be type tested annually.

GLOVE MARKINGS



EN 388 - This standard applies to all kinds of protective gloves giving protection from mechanical risks, in respect of physical problems caused by abrasion, blade cut, puncture or tearing.



EN 374 - This standard specifies the capability of gloves to protect the user against chemicals and/or micro-organisms.



EN 511 - This standard applies to gloves which protect the hands against convective and contact cold.



EN 407 - This standard specifies thermal performance for protective gloves against heat and/or fire.



EN 659 - This standard defines performance requirements for gloves designed to protect fire fighters against heat and flames.



EN 421 - This standard lays down test methods and performance criteria for gloves offering protection against ionising radiation and radioactive contamination.



If a glove is to be used for food handling, it is required to carry either the words: 'For Food Use' or this symbol.



Mechanical Hazards EN 388

| | Performance Level |
|---------------------------|-------------------|
| (a) Abrasion Resistance | 0 - 4 |
| (b) (COUP)-Cut Resistance | 0 - 5 |
| (c) Tear Resistance | 0 - 4 |
| (d) Puncture Resistance | 0 - 4 |
| (e) (TDM)-Cut Resistance | A - F |



Cold Hazards EN 511

| | Performance Level |
|-----------------------|-------------------|
| (a) Convective Cold | 0 - 4 |
| (b) Contact Cold | 0 - 4 |
| (c) Water Penetration | 0 - 1 |



Thermal Hazards EN 407

| | Performance Level |
|------------------------------------|-------------------|
| (a) Burning Behaviour | 0 - 4 |
| (b) Contact Heat | 0 - 4 |
| (c) Convective Heat | 0 - 4 |
| (d) Radiant Heat | 0 - 4 |
| (e) Small splashes of Molten Metal | 0 - 4 |
| (f) Large splashes of Molten Metal | 0 - 4 |

GLOVE SIZE GUIDE

INSTRUCTIONS: Photocopy this page and then cut out the size guide as shown. Make sure you photocopy it to scale or you may end up with an inaccurate measurement.

HAND MEASUREMENTS ARE TAKEN IN TWO WAYS.

1. HAND LENGTH

Place the window area of the glove size guide on the wrist (where the base of the hand meets the arm) where the tip of your middle finger reaches is your hand length as in *fig.1*.

2. HAND CIRCUMFERENCE

Wrap the glove size guide around your hand ensuring the window is on top (do NOT over tighten). Make sure the guide is wrapped around the hand as in *fig.2*. The window will show you your hand circumference.

Once you have your hand length and hand circumference you can know what size gloves you need.




FIG.1

FIG.2

Beeswift will not accept liability where this guide has been printed to the incorrect size or where the guide has been misused.

Cut out the window

Place at the wrist

- Heavy duty double palm rigger style glove
- Generous hand size
- Robust yet supple
- Part fleece lined
- Cotton drill back
- Knuckle strap
- Pasted cuff with vein patch



EN 388: 2016+A1: 2018 // 4.X.4.4.C

**CANADIAN
DOUBLE PALM
HIGH QUALITY
RIGGER**



ONE SIZE - XL (10)

CANDPPN

FLEX GOLD
CANDPP 10
CE
MEESWIT



ONE SIZE - XL (10)

CANCSP



EN 388: 2016+A1: 2018 // 4.X.4.4.B

**CANADIAN
HIGH QUALITY
RIGGER**

- Natural grey heavy tanned leather
- Safety cuff fabric
- Superior performance and durability
- Generously sized
- Comfortable fleece lined palm and thumb face

CANADIAN RED HIGH QUALITY RIGGER

ONE SIZE - XL (10)



EN 388: 2016+A1: 2018 // 4.X.4.4.A

CANCHQPN

- Grey split leather
- Heavyweight red cotton backing and safety cuff
- Vein patch
- Good fitting large size with fleecy lined palm and thumb-face for added comfort



ONE SIZE - XL (10)

CANCHQN



MINIMAL RISK

- Chrome leather palm
- Chrome leather thumb & first finger
- Cotton drill back
- Chrome leather knuckle strip
- Rubberized cuff
- Lined palm & fingers

HIGH QUALITY CHROME RIGGER



CANADIAN HIGH QUALITY RIGGER HI-VISIBILITY

ONE SIZE - XL (10)



EN 388: 2016+A1: 2018 // 4.X.4.4.A

CANCHQHVN

- Grey split leather Hi-Vis rigger glove
- Saturn yellow polyester backing and safety cuff
- Retro-reflective tape to knuckle strip
- Generous hand size
- Fleece lining for warmth and comfort



CANADIAN YELLOW HIDE RIGGER

- Canadian pattern yellow grain leather glove
- Striped cotton drill back and pasted safety cuff
- Large hand size with fleece lining

ONE SIZE - XL (10)

CANYHSPN



EN 388: 2016+A1: 2018 // 3.X.4.4.B



- 16" shoulder split leather
- Fully lined
- Gold leather welts
- Leather reinforced thumb and part palm
- Reinforced stitching

ONE SIZE - XL (10)

BFHQWN



 EN 388: 2016+A1: 2018 // 4.X.4.4.C

 EN 407 // 4.3.3.X.4.X

 EN 12477 Type A

CAT II

BLUE / GOLD

WELDERS

PREMIUM GOLD / BLACK WELDERS

- Cow split leather
- Fully lined
- Reinforced stitching
- Hand lining 100% cotton
- Outer in split leather



EN 388: 2016+A1: 2018 // 4.X.4.4.C



EN 407 // 4.3.3.X.4.X



EN 12477 Type A

ONE SIZE - XL (10)

BFGWN



HIGH QUALITY HEAT RESISTANT GAUNTLET



EN 388: 2016+A1: 2018 // 4.X.4.4.B



EN 407 // 4.1.3.2.X.2

- Brown/silver split leather
- Heat resistant leather palm and back
- Vein patch
- Wool & canvas lined
- 20cm cuff
- Textile edge binding
- Reinforced stitching



ONE SIZE - XL (10)

HRG2N

CAT II WELDERS



EN 388: 2016+A1: 2018 // 3.X.2.3.B



EN 407 // 4.2.3.X.4.X



EN 12477 Type A



- Red welders gauntlet 14"
- Finger welts
- Fully lined hand and cuff

ONE SIZE - XL (10)

C2WN



EN 388: 2016+A1: 2018 // 4.X.4.4.C



EN 407 // 4.3.3.X.4.X



EN 12477 Type A

- Red welders gauntlet 14"
- Reinforced palm (two layers of leather)
- Finger welts
- Fully lined including cuff



ONE SIZE - XL (10)

C2WRPN

CAT II WELDERS PATCH PALM



MICRO FOAM NITRILE AMBER CUT

- Kutstop system
- Amber intermediate cut protection
- 13g HPPE plus nylon liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Construction industry, automotive industry, electrical industry and handling materials with sharp edges



EN 388: 2016+A1: 2018 // 4.X.4.2.B

S (7) - XXL (11)

KS13

MICRO FOAM NITRILE CUT B

- Cut resistant
- Nitrile micro foam palm coating
- Dexterity with comfort



EN 388: 2016+A1: 2018 // 4.X.4.3.B

S (7) - XL (10)

KS3

MICRO FOAM NITRILE CUT C



EN 388: 2016+A1: 2018 // 4.X.4.4.C

S (7) - XXL (11)

KS15



CUT PROTECTION

- Kutstop system
- 15g HPPE plus glass fibre and spandex liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Ideal for the construction industry, automotive industry, electrical industry and handling glass or sheet metal

MICRO FOAM NITRILE CUT D



EN 388: 2016+A1: 2018 // 4.X.4.3.D

S(7) - XL (10)

KS5



- High cut resistance
- Nitrile micro foam palm coating
- Dexterity with comfort

MEDIUMWEIGHT DOTTED

- Extra density blended yarn knit
- Latex dotted both sides providing excellent grip
- Dexterity & comfort
- Ideal to handle both large and small hazardous components



EN 388: 2016+A1: 2018 // 1.X.4.X.B

M (8) - XL (10)

KGMWD

FINGERLESS DOTTED



EN 388: 2016+A1: 2018 // 1.X.4.X.B

- Medium weight
- Extra density blended yarn
- Offers exceptional cut protection
- Good dexterity and comfort to the user
- Ideal to handle both large and small hazardous components
- Dotted both sides



M (8) - XL (10)

KFLGMWD

- Lightweight cut resistant glove
- Exceptional dexterity for safe handling of the smallest components
- Extremely successful used as a glove liner in conjunction with traditional work gloves
- Used this way it can provide additional protection should the outer glove incur laceration



LIGHTWEIGHT GLOVES



EN 388: 2016+A1: 2018 // 1.X.4.X.A

M (8) - XL (10)

KGLW

LATEX FULLY COATED



EN 388: 2016+A1: 2018 // 3.X.4.4.D



S (7) - XL (10)

KLGFC

CUT PROTECTION

- Reinforced knitted glove fully latex coated
- Excellent all-round protection
- High cut resistance
- Offers excellent grip



LATEX COATED PALM

- Reinforced knitted glove latex coated palm
- High cut resistancy
- Comfortable, allows hand to breath through back
- Excellent grip

S (7) - XL (10)

KLG



EN 388: 2016+A1: 2018 // 3.X.4.4.D



MEDIUMWEIGHT GLOVES

- Extra density yarn
- High level cut protection without the loss of dexterity
- Comfortable for the wearer
- Ideal where there is a requirement to handle both large and small hazardous components



EN 388: 2016+A1: 2018 // 1.X.4.X.B

M (8) - XL (10)

KGMMW

PU COATED CUT RESISTANT

- High engineered nylon/spandex yarn
- Seamless liner
- PU coating, palm coated
- High quality cut resistance
- Excellent dexterity



EN 388: 2016+A1: 2018 // 4.X.4.3.C

S (7) - XXL (11)

KSPU5



**cut resistant
protection**

REINFORCED SLEEVE

14 INCH // 35cm
18 INCH // 45cm



EN 388: 2016+A1: 2018 // 1.X.4.X.B



ISO 13997 Cut Resistance Level B

- Reinforced sleeve with thumb slot
- Excellent cut resistance
- Extremely lightweight elasticated style allows the sleeve to remain in place during the most rigorous tasks
- Soft and comfortable
- Ideal in industries where laceration risks to the arms are prominent

UNIVERSAL SIZING

14 KS14

18 KS18

**SOLD AS SINGLES*

PU COATED "PUGGIES"

GENERAL PURPOSE

- Nylon glove
- Polyurethane palm coated
- Machine knitted
- Integral elasticated wrist
- Ideal for handling light components

S (7) - XXL (11)



EN 388: 2016+A1: 2018 // 4.X.3.1.A

BL **PUGBL**

GY **PUGGY**

W **PUGW**



PU COATED BLACK

- Polyester glove
- Polyurethane palm coated
- Machine knitted
- Integrated elasticated wrist



EN 388: 2016+A1: 2018 // 4.X.2.1.A

M (8) - XXL (11)

EC9NBL

MULTI-PURPOSE LATEX

- Multi-purpose glove
- Latex rubber coated palm
- Knitted base construction to allow air passage and aid comfort



M (8) - XXL (11)

BL **MP1BL**

G **MP1G**

OR **MP1OR**



EN 388: 2016+A1: 2018 // 2.X.4.3.A

MULTI-PURPOSE BLACK LATEX

- Multi-purpose glove
- Polyester knitted base for comfort
- Natural latex rubber coating to palm and fingers
- Open back to help hand breath and limit moisture



EN 388: 2016+A1: 2018 // 2.X.2.1.A

S (7) - XL (10)

MP4



GENERAL PURPOSE

ECONOMY GRIP

- Economy multi-purpose glove
- Natural rubber coated palm
- Knitted area on back of glove aids breathability and comfort



EN 388: 2016+A1: 2018 // 1.X.2.1.A

M (8) - XL (10)

G **EC8NG**

OR **EC8NOR**



Crinkle Finish



LATEX FULLY COATED GRIPPER

- Fully coated gripper glove
- 100% interlock cotton liner
- Natural rubber latex coating - crinkle finish

L (9) - XL (10)

LFCGGB



EN 388: 2016+A1: 2018 // 3.X.2.1.B





CRISS CROSS

ONE SIZE - XL (10)

XXN



EN 388: 2016+A1: 2018 // 2.X.3.1.B

- Yellow/Gold knitted base
- PVC criss cross coating
- Multi purpose glove offering excellent grip

TRONIX BLUE DOT

- Nylon fibre knitted glove
- Comfort fit
- Offering excellent dexterity
- PVC dots to palm area for added grip



S (7) - XL (10)

TBDN



EN 388: 2016+A1: 2018 // 1.X.4.1.B



NITRILE FOAM NYLON

- 100% nylon seamless shell with nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and light engineering
- Ideal for dry or slightly oily applications



EN 388: 2016+A1: 2018 // 4.X.2.1.A

M (8) - XXL (11)

NFNG

TOUCH SCREEN KNITTED

XS (6) - XXL (11)

BF10




EN 388: 2016+A1: 2018 // 2.X.4.X.A



EN 511 // X.1.0

- Blue knitted polyester/cotton seamless liner
- Thermal yarns for additional warmth
- Comfort fit
- PVC dots on palm and fingers for added grip



Dotted Palm

GENERAL PURPOSE



CLICK 2000
Nitrile
NDGBL 7/5
CAT II
CE
3X21A

NSGBL

NDGBL

S(7) - XL(10)

NITE STAR DIPPED



EN 388: 2016+A1: 2018 // 3.X.2.1.A

- 100% Nylon seamless shell
- Nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and engineering applications

NITRILE PU MIX COATED



EN 388: 2016+A1: 2018 // 3.X.3.1.A

S (7) - XL (10)

BF1



EN 388: 2016+A1: 2018 // 4.X.2.1.A



NITRILE PALM COATED POLYESTER

- 100% Polyester seamless shell
- Nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and engineering applications

S(7) - XL(10)

EC7NGY

NITRILE FOAM POLYESTER SHELL

- 100% polyester shell with nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and light engineering
- Ideal for dry or slightly oily applications

S(7) - XL(10)

EC6NGY



EN 388: 2016+A1: 2018 // 4.X.2.1.A





EN 388: 2016+A1: 2018 // 4.X.2.1.B

**NITRILE
SAFETY CUFF
HEAVYWEIGHT
FULLY COATED**



ONE SIZE - L (9)

NSCFCHWN

- Excellent protection for heavy duty applications
- Soft jersey liner for wearer comfort
- Nitrile coating resists puncture cuts and abrasions



**KNITWRIST
HEAVYWEIGHT
FULLY COATED**



EN 388: 2016+A1: 2018 // 4.X.1.1.B

L (9) - XL (10)

NKWFCHWN

**KNITWRIST
LIGHTWEIGHT
FULLY COATED**

M (8) - XL (10)

NKWPCLWN



EN 388: 2016+A1: 2018 // 3.X.1.1.B

- Good flexibility and comfort
- Resists abrasion, cuts and punctures
- General purpose handling in many industrial sectors



ONE SIZE - XL (10)

NKWFLWN

**KNITWRIST
LIGHTWEIGHT
PALM COATED**

NITRILE FULLY COATED POLYESTER



- Polyester seamless shell with full nitrile coating
- Lightweight for maximum dexterity and comfort with sensitivity
- Liquid proof
- Suitable for general assembly handling and engineering applications



EN 388: 2016+A1: 2018 // 4.X.2.1.A

S (7) - XL (10)

NDGFCBL

PVC FULLY COATED KNITWRIST

- Fully coated PVC glove
- Stockinette liner
- Elasticated cuff



EN 388: 2016+A1: 2018 // 3.X.1.1.A

S (7) - XL (10)

PVCFCCKWR

PVC OPEN CUFF GLOVES

NITRILE / PVC COATED

- Liquid proof
- Available in overall sizes:
11 Inch / 28cm
14 Inch / 35cm
16 Inch / 40cm
18 Inch / 45cm



11 INCH / 28cm

1 PVCNR11

14 INCH / 35cm

2 PVCNR14

16 INCH / 40cm

3 PVCNR16

18 INCH / 45cm

4 PVCNR18



EN 388: 2016+A1: 2018 // 3.X.1.1.A

ONE SIZE - XL (10)

CHEMICAL PROTECTION



S (7) - XXL (11)

HHBHW



EN 388: 2016+A1: 2018 // 2.X.1.0.0



EN 374-1 Type C



EN 374-5

- Heavyweight rubber glove
- Manufactured from neoprene blended natural latex
- Cotton flock lining
- Resistant to selected chemicals and acids

HEAVYWEIGHT HOUSEHOLD

CLICK
2000
BY FLEISCHER CATHE
HHBHW
09 13
CE 2777
EN 388: 2016+A1: 2018
EN 374-1: 2011
EN 374-5: 2016
EN 374-5: 2016



B HHMWB



P HHMWP



Y HHMWY

MEDIUMWEIGHT HOUSEHOLD

- Manufactured from natural rubber latex
- Cotton flock lined
- Flexible and comfortable to wear
- Offers a high degree of sensitivity



MINIMAL RISK

S (7) - XL (10)

NITRILE GAUNTLET FLOCK LINED

 EN 388: 2016+A1: 2018 // 4.X.0.2.B

 EN ISO 374-5

 EN ISO 374-1 Type B // A F J K L

- Unsupported nitrile glove
- A high level of resistance to abrasion, solvents and animal fats
- Pebble finish to palm
- Food safe
- Silicon and wax free

18 INCH // 45cm

XL (10) - XXL (11)

NG18

12 INCH // 30cm

S (7) - XXL (11)

NG

 EN 388: 2016+A1: 2018 // 4.X.X.1.A

 EN ISO 374-5


 EN ISO 374-1 Type B // J K L

BI-COLOUR NEOPRENE HOUSEHOLD

- Heavy weight rubber glove
- Withstands repeated rubbing and scuffing
- Neoprene blended natural latex
- Cotton flock lining
- Offers sensitivity and comfort
- Remain flexible and wearer friendly throughout the life of the product
- Resistant to some chemicals and acids

 EN 388: 2016+A1: 2018 // 1.X.2.0.0

 EN ISO 374-5

 EN ISO 374-1 Type B // A K L

S (7) - XL (10)

BCYB

S (7) - XL (10)


BL **NDGPF50BL**

B **NDGPF50B**



NITRILE DISPOSABLE POWDER FREE

- CE category III
- CE class I examination glove
- Suitable for catering, beauty and body art sectors
- Fulfilling medical requirements for tattoos and piercing
- Free from phthalates/softeners, allergenic latex proteins
- Tested and certified according to 1935/2004
- Suitable for food use



DISPOSABLE GRIPPER

- Powder free
- CE category III
- Excellent elasticity
- Textured for added grip



S (7) - XXL (11)

BL **GZNDG10BL**



- High quality disposable product
- Liquid proof
- Ideal for general lightweight handling

S (7) - XL (10)

PU **NDGPFPU**

NITRILE DISPOSABLE POWDER FREE



CE MINIMAL RISK

- 100% synthetic PVC
- Contains no latex or protein
- Ambidextrous
- Easy to pull on beaded cuff
- Suitable for general food handling

S (7) - XL (10)

VINYL DISPOSABLE



CE MINIMAL RISK

PRE-POWDERED

W **VDG**

B **VDGB**

POWDER FREE

W **VDGPF**

B **VDGBPF**

LATEX DISPOSABLE



CE MINIMAL RISK

S (7) - XL (10)

PRE-POWDERED

W **LEG**

POWDER FREE

W **LEGP**



HOOK & LOOP CUFF DRIVERS

- High quality soft grain leather
- Cotton back
- Hook and loop cuff fastening



EN 388: 2016+A1: 2018 // 3.X.2.1.A

S (7) - XL (10)

DGVC



- Full grain cowhide leather
- Gun pattern
- Elasticated cuff with integral vein patch
- Fully cotton fleece lined
- Robust hard wearing, multi purpose glove ideal for low temperature working



EN 388: 2016+A1: 2018 // 3.X.4.4.B

ONE SIZE - XL (10)

FGIMP

ONE PIECE BACK FREEZER GLOVES

QUALITY LINED DRIVERS



- Soft grain leather
- Gun pattern design
- Half elastication to back of cuff
- Fleece lined
- Colour co-ordinated sized cuffs
L - Green Cuff
XL - Blue Cuff



EN 388: 2016+A1: 2018 // 3.X.4.4.B

L (9) - XL (10)

QLDGN

PEARL LINED DRIVERS

- Soft grain leather
- Gun pattern design
- Half elastication to back of cuff
- Colour co-ordinated sized cuffs
L - Green cuff
XL - Blue cuff
- Available as fleece lined or unlined



EN 388: 2016+A1: 2018 // 3.X.4.4.B

L (9) - XL (10)

LINED

QLDGPHN

UNLINED

QUDGPHN



- Mixed fibre non specific glove
- 60/40 cotton/polyester blend
- Can be used as heavyweight liner

ONE SIZE - XL (10)

GY **MFGNGY**

W **MFGNW**



MINIMAL RISK

MIXED FIBRE GLOVES



STOCKINETTE KNITWRIST SUPER

- Knitted stockinette glove
- Lightweight
- Many and varied uses, light handling of dry product
- Makes an excellent liner

MENS // LADIES

♂ **SKWSNM**

♀ **SKWSNL**

MENS ♂
LADIES ♀

ACRYLIC GLOVES

- Acrylic fibre knit
- One size
- Generous fit



ONE SIZE - XL (10)

ACG



FINGERLESS MITTS

- Acrylic fibre knit
- One size fits all

ONE SIZE - XL (10)

FLM

SIMPLE DESIGN



FGG



- High quality fingerless gloves
- Leather palm
- Gel inserts
- Terry towel backing (FGG only)
- Comfort fit
- Reflective piping
- Ideal for use with power tools
- Sport or gymnasium use

FGG01

M (8) - XXL (11)

FINGERLESS GEL GLOVES

THERMAL



M (8) - XXL (11)

OR **BF30R**

SY **BF3SY**

THERMO-STAR FULLY DIPPED LATEX



EN 388: 2016+A1: 2018 // 2.X.4.1.B



EN 407 // X.2.X.X.X.X



EN 511 // 1.4.X

- 7G Brushed polyester heavyweight knitted liner
- Latex coated to palm area
- Double dip to fingers for added protection
- Vented back
- Highly visible fleese liner
- Ideal for refrigeration, coldstore, and winter conditions
- Thick latex coating for durability and grip



MINIMAL RISK



THINSULATE FLEECE GLOVES

- Fleece glove with 3M® Thinsulate underlayer
- Microfibre technology to keep the hands warm
- Generously sized
- One size fits all
- Ideal for winter use



ONE SIZE - XL (10)

THFLGBL



THINSULATE KNITTED ACRYLIC

ONE SIZE - XL (10)

THGBL



- Knitted acrylic with 3M® Thinsulate underlayer
- Microfibre technology to keep the hands warm
- Effective when wet and dries quickly
- Ideal for winter use



FIRST AID KITS



363

BIOHAZARD EQUIPMENT



373

HAEMOSTATIC DRESSINGS



378

INTERNATIONAL KITS



383

BURNS KITS



388

EYE WASH EQUIPMENT



390

FIRST AID ESSENTIALS



392

BAGS AND CARRY CASES



405

DEFIBRILLATORS



411

SPORTS FIRST AID



418

HEALTH AND SAFETY ROOM ITEMS



426

EMERGENCY EVACUATION



432

AIR FOR LIFE



438

HEALTH AND WELLBEING



440

[◀ BACK TO CONTENTS PAGE](#)

Your FIRST RESPONSE Solution

Click Medical provides a wide range of quality and innovative medical and first aid products.

We supply a range of first aid kits and products to HSE and British Standard requirements, more specialist equipment

such as burn and body fluid spill kits, eyewash stations, pods and bottles, specialised travel and overseas travel kits and a complete range of individual medical items.

All are from Quality Assured suppliers with many covered by our own Medical Devices CE mark, certified and authorised by the BSI.

The Delta range of first aid kits in our new style box, meets all required specifications at a competitive price.



BEESWIFT
MEDICAL

SITE SAFETY AND FIRST AID COMBINATION BAG



NOTE: Extra contents shown are for example only and not included with the Site Safety kit

The Site Safety and First Aid kit is a combination bag and kit is ideal for everyone from the lone worker to site offices in changing locations and has the following features:

- Highly transportable and transferable from site to site or vehicle
- Large individual compartments for all your safety essentials
- Match the safety essentials to your precise requirements
- Roll out compartments allowing you to carry more important safety or first aid items
- Helmet lanyard for attaching your safety helmet to the bag
- Refills available for each individual kit
- Excellent cover for all your first aid needs

Individual items:

- EY3155 - Hard hat lanyard

CM 1926 - Burns first aid kit refill:

- 1 x Hydrogel dressing 10 x 10cms
- 1 x Hydrogel dressing 20 x 20cms
- 5 x Low adherent dressing 5 x 5cms
- 5 x 20ml eyewash pods
- 1 x 59ml bottle hydrogel
- 1 x tough cut scissors
- 1 x microporous tape 2.5cms x 5m
- 2 x Pairs of nitrile gloves

CM 1927 - Biohazard and sharps kit refill:

- 1 x Body Fluid spill kit
- 1 x 0.6 litre sharps bin
- 1 x Yellow plastic tweezers
- 1 x Disinfectant spray
- 2 x Pairs of nitrile gloves

CM1928 - Personal issue First Aid refill:

- 10 x Sterile saline wipes
- 2 x Eyepad dressing
- 1 x HSE Medium dressing
- 1 x HSE large dressing
- 1 x Triangular bandage
- 5 x Eyewash 20ml pods
- 1 x Set of 6 safety pins
- 2 x Pairs of nitrile gloves
- 1 x Pair scissors
- 20 x Assorted plasters

CM1929 - Critical injury pack refill:

- 2 x Foil blankets
- 1 x Cuteeze haemostatic dressing 5 x 5cms
- 1 x Cuteeze haemostatic dressing 10 x 10cms
- 1 x Cuteeze haemostatic dressing 10cms x 1m
- 1 x Medium trauma dressing
- 1 x STAT tourniquet
- 2 x Pairs nitrile gloves

CM1925 (1) EY3155 (2) CM1926 (3) CM1927 (4) CM1928 (5) CM1929 (6)

HSE FIRST AID KIT



| | 1 Person | 10 People | 20 People | 50 People |
|--------------------------------------|----------|-----------|-----------|-----------|
| Guidance leaflet | 1 | 1 | 1 | 1 |
| Non woven triangular bandages | 2 | 4 | 6 | 8 |
| Large sterile dressing 18cm x 18cm | 1 | 2 | 3 | 4 |
| Medium sterile dressing 12cm x 12cm | 0 | 6 | 9 | 12 |
| Sterile eye pad dressing | 0 | 2 | 4 | 6 |
| Assorted sterile waterproof plasters | 6 | 20 | 40 | 60 |
| Alcohol free cleansing wipes | 2 | 6 | 10 | 20 |
| Pairs disposable vinyl gloves | 1 | 1 | 2 | 3 |
| Safety pins | 0 | 6 | 12 | 12 |

Refill pack for kit sold separately

CM0001 (Kit) CM0003 (Refill Pack) 1 Person

CM0010 (Kit) CM0011 (Refill Pack) 10 People

CM0020 (Kit) CM0021 (Refill Pack) 20 People

CM0050 (Kit) CM0051 (Refill Pack) 50 People

BS 8599-1 COMPLIANT FIRST AID KIT



| | Small | Medium | Large |
|--|-------|--------|-------|
| Guidance leaflet | 1 | 1 | 1 |
| Burn relief dressing 10cm x 10cm* | 1 | 2 | 2 |
| Assorted waterproof plasters | 40 | 60 | 100 |
| Eyepad dressing with sterile bandages | 2 | 3 | 4 |
| Foil blankets | 1 | 2 | 3 |
| Large HSE dressing 18cm x 18cm | 2 | 3 | 4 |
| Medium HSE dressing 12cm x 12cm | 2 | 4 | 6 |
| Pairs disposable nitrile gloves | 6 | 9 | 12 |
| Resuscitation device with valve** | 1 | 1 | 2 |
| Finger dressing with adhesive fixing 3.5cm | 2 | 3 | 4 |
| Conforming bandages 7.5cm x 4m | 1 | 2 | 2 |
| Microporous tape 2.5cm x 5m | 1 | 2 | 3 |
| Sterile cleansing wipes | 20 | 30 | 40 |
| Single use triangular bandage 90cm x 127cm | 2 | 3 | 4 |
| Universal shears small | 1 | 1 | 1 |

Small size kits for use in:
Low risk areas up to 20 employees
Medium risk areas up to 10 employees

Medium size kits for use in:
Low risk areas up to 100 employees
Medium risk areas up to 50 employees
High risk areas up to 20 employees

Large size kits for use in:
Low risk areas per 100 employees
Medium risk areas per 50 employees
High risk areas per 25 employees

CM0100 (Small) CM0105 (Refill Pack)

CM0110 (Medium) CM0115 (Refill Pack)

CM0120 (Large) CM0125 (Refill Pack)

HSE FIRST AID KIT IN FEVA BAG



| | 1-10 | 1-20 | 1-50 |
|--------------------------------------|------|------|------|
| Guidance leaflet | 1 | 1 | 1 |
| Non woven triangular bandages | 4 | 6 | 8 |
| Large sterile dressing 18cm x 18cm | 2 | 3 | 4 |
| Medium sterile dressing 12cm x 12cm | 6 | 9 | 12 |
| Sterile eyepad dressing | 2 | 4 | 6 |
| Assorted sterile waterproof plasters | 20 | 40 | 60 |
| Alcohol free cleansing wipes | 6 | 10 | 20 |
| Pair disposable vinyl glove | 1 | 2 | 3 |
| Safety pins | 6 | 12 | 12 |



CM0262 (10) CM0263 (20) CM0264 (50)

TRADERS FIRST AID KIT - 10 PERSON / 50 PERSON



| | 1-10 | 1-50 |
|--------------------------------------|------|------|
| Guidance leaflet | 1 | 1 |
| Non woven triangular bandages | 4 | 8 |
| Large sterile dressing 18cm x 18cm | 2 | 4 |
| Medium sterile dressing 12cm x 12cm | 6 | 12 |
| Sterile eye pad dressing | 2 | 6 |
| Assorted sterile waterproof plasters | 20 | 60 |
| Alcohol free cleansing wipes | 6 | 20 |
| Pairs disposable vinyl gloves | 1 | 3 |
| Safety pins | 6 | 12 |
| Scissors | 1 | 1 |
| Tweezers | 1 | 1 |
| Resuscitade | 1 | 1 |
| Foil blanket | 1 | 1 |
| 20ml eye wash pods | 2 | 5 |
| 100ml aerosol eyewash | 1 | -- |
| Ice pack | -- | 1 |
| Fingerstalls | -- | 2 |
| Fingerbobs | -- | 2 |
| Finger dressing | -- | 2 |
| Microporous tape 2.5cm x 10m | -- | 1 |
| Conforming bandage 5cm x 4m | -- | 2 |

CM0210 (10) CM0250 (50)

DELTA HSE FIRST AID KITS



CM1803 shown here

| | 1-10 | 1-20 | 1-50 |
|--------------------------------------|------|------|------|
| Guidance leaflet | 1 | 1 | 1 |
| Non woven triangular bandages | 4 | 6 | 8 |
| Large sterile dressing 18cm x 18cm | 2 | 3 | 4 |
| Medium sterile dressing 12cm x 12cm | 6 | 9 | 12 |
| Sterile eyepad dressing | 2 | 4 | 6 |
| Assorted sterile waterproof plasters | 20 | 40 | 60 |
| Alcohol free cleansing wipes | 6 | 10 | 20 |
| Pair disposable vinyl gloves | 1 | 2 | 3 |
| Safety pins | 6 | 12 | 12 |

CM1801 (10) **CM0017** (Refill pack)

CM1802 (20) **CM0027** (Refill pack)

CM1803 (50) **CM0057** (Refill pack)

DELTA BSI FIRST AID KITS



| | Small | Medium | Large |
|--|-------|--------|-------|
| Guidance leaflet | 1 | 1 | 1 |
| Burn relief dressing 10cm x 10cm | 1 | 2 | 2 |
| Assorted waterproof plasters | 40 | 60 | 100 |
| Eyepad dressing with sterile bandages | 2 | 3 | 4 |
| Foil blankets | 1 | 2 | 3 |
| Large HSE dressing 18cm x 18cm | 2 | 3 | 4 |
| Medium HSE dressing 12cm x 12cm | 2 | 4 | 6 |
| Pairs disposable nitrile gloves | 6 | 9 | 12 |
| Resuscitation device with valve | 1 | 1 | 2 |
| Finger dressing with adhesive fixing 3.5cm | 2 | 3 | 4 |
| Conforming bandages 7.5cm x 4m | 1 | 2 | 2 |
| Microporous tape 2.5cm x 5m | 1 | 2 | 3 |
| Sterile cleansing wipes | 20 | 30 | 40 |
| Single use triangular bandage 90cm x 127cm | 2 | 3 | 4 |
| Universal shears small | 1 | 1 | 1 |

CM1804 (Small) **CM0106** (Refill Pack)

CM1805 (Medium) **CM0116** (Refill Pack)

CM1806 (Large) **CM0126** (Refill Pack)



DELTA 1 PERSON FIRST AID KIT



- 1 x Guidance leaflet
- 2 x Non woven triangular bandages
- 1 x Large sterile dressing 18cm x 18cm
- 6 x Assorted sterile transparent plasters
- 2 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves

CM1800

DELTA BS 8599-1 : 2012 TRAVEL FIRST AID KIT



- 1 x Guidance note
- 1 x Burn relief dressing (10cm x 10cm)
- 10 x Assorted waterproof plasters
- 1 x Foil blanket
- 1 x Large HSE dressing (18cm x 18cm) sterile unboxed
- 1 x Medium HSE dressing (12cm x 12cm) sterile unboxed
- 1 x Nitrile gloves (pair)
- 1 x Mouth-to-mouth resuscitation device with valve
- 1 x Conforming bandage 7.5cm x 4m
- 1 x Microporous tape 2.5cm x 10m
- 4 x Cleansing wipes
- 1 x Single use triangular bandage 90cm x 127cm
- 1 x Universal shears small 6"
- 1 x Eye wash 250ml

CM1807

BS 8599-1 WORKPLACE FIRST AID KIT IN FEVA BAG



NOTE:

* A burn dressing cools the burn injury without any pre-cooling with water or any other medium. The dressing does not dry out within one hour of application

** A shield that can be used to protect a first aider from infection from a casualty during mouth-to-mouth resuscitation

| | Small | Medium | Large |
|---|-------|--------|-------|
| Guidance leaflet | 1 | 1 | 1 |
| Burn relief dressing 10cm x 10cm* | 1 | 2 | 2 |
| Assorted waterproof plasters | 40 | 60 | 100 |
| Eyepad dressing with sterile bandages | 2 | 3 | 4 |
| Foil blanket | 1 | 2 | 3 |
| Large HSE dressing 18cm x 18cm sterile | 1 | 2 | 2 |
| Medium HSE dressing 12cm x 12cm sterile | 4 | 6 | 8 |
| Pair disposable nitrile gloves | 6 | 9 | 12 |
| Resuscitation device with valve** | 1 | 1 | 2 |
| Finger dressing with adhesive fixing 3.5cm | 2 | 3 | 4 |
| Conforming bandage 7.5cm x 4m | 1 | 2 | 2 |
| Microporous tape 2.5cm x 5m | 1 | 1 | 1 |
| Sterile cleansing wipes | 20 | 30 | 40 |
| Single use triangular bandages 90cm x 127cm | 2 | 3 | 4 |
| Universal shears small | 1 | 1 | 1 |

CM0267 (Small) CM0268 (Medium) CM0269 (Large)

1 PERSON FIRST AID KIT POUCH



- 1 x Guidance leaflet
- 2 x Non woven triangular bandages
- 1 x Large sterile dressing 18cm x 18cm
- 6 x Assorted sterile transparent plasters
- 2 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves

CM0002 (Kit) CM0003 (Refill Pack)

PSV FIRST AID KIT



- 1 x Guidance leaflet
- 3 x Large sterile dressing 18cm x 18cm
- 2 x Conforming bandages 5cm x 4.5cm
- 1 x Conforming bandage 7.5cm x 4.5cm
- 2 x Sterile eye pad dressing
- 30 x Assorted sterile waterproof plasters
- 10 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 12 x Safety pins
- 1 x Tuffcut scissors

CM0150 (Kit) CM0151 (Refill Pack)

BS 8599-1: 2019 PERSONAL ISSUE PACK IN BAG



- 1 x First aid guidelines
- 1 x Triangular bandage
- 10 x Assorted washproof plasters
- 4 x Sterile saline wipes
- 2 x Nitrile gloves in pairs
- 1 x Resuscitade
- 1 x Tuff cut scissors
- 1 x Foil blanket
- 1 x Large dressing

CM0008

BS 8599-1: 2019 PERSONAL ISSUE PACK IN BOX



- 1 x First aid guidelines
- 1 x Triangular bandage
- 10 x Assorted washproof plasters
- 4 x Sterile saline wipes
- 2 x Nitrile gloves in pairs
- 1 x Resuscitade
- 1 x Tuff cut scissors
- 1 x Foil blanket
- 1 x Large dressing

CM0009

MEDICAL TRAVEL KIT



| | BAG | | | BOX | | |
|-----------------------------------|-------|--------|-------|-------|--------|-------|
| | Small | Medium | Large | Small | Medium | Large |
| Guidance Notes | 1 | 1 | 1 | 1 | 1 | 1 |
| Guidance Notes Adherent Dressing | - | 1 | 2 | - | 1 | 2 |
| Medium Dressing 12 x 12cm | - | 1 | 2 | - | 1 | 2 |
| Medium Trauma Dressing 10 x 18cm | 1 | 1 | 2 | 1 | 1 | 2 |
| Large Trauma Dressing 15 x 18cm | - | - | 1 | - | - | 1 |
| Burn Dressings 10 x 10cm | 1 | 2 | 4 | 1 | 2 | 4 |
| Triangular Bandage | - | 1 | 2 | - | 1 | 2 |
| Cleansing Wipes | 5 | 10 | 20 | 5 | 10 | 20 |
| Assorted Washproof Plasters | 10 | 10 | 20 | 10 | 10 | 20 |
| Nitrile Disposable Gloves (Pairs) | 1 | 2 | 5 | 1 | 2 | 5 |
| Resuscitation Device | 1 | 1 | 2 | 1 | 1 | 2 |
| Foil Blankets | - | 1 | 3 | - | 1 | 3 |
| Universal Shears | 1 | 1 | 1 | 1 | 1 | 1 |

SMALL VEHICLE FIRST AID KIT BS8599-2 COMPLIANT

For moped, motorcycle, motor tricycle, and quadricycle (maximum 3 passengers)

MEDIUM VEHICLE FIRST AID KIT BS8599-2 COMPLIANT

For car, taxi, van, and truck (maximum 8 passengers)

LARGE VEHICLE FIRST AID KIT BS8599-2 COMPLIANT

For minibus, bus and coach (maximum 16 passengers, larger passenger vehicles will require multiple kits to suit)

The size of the first aid kits required for motor vehicles is determined by the size of the vehicle, category of hazard, and passenger numbers



BAG CM0143 (Small) CM0141 (Medium) CM0144 (Large)

BOX CM0135 (Small) CM0140 (Medium) CM0148 (Large)

WINTER DRIVING KIT



- 2 x Hypaguard vinyl gloves (pair)
 - 1 x Hypaguard foil blanket
 - 1 x De-icer aerosol 300ml
 - 1 x Anti-mist pad
 - 1 x Ice scraper
 - 1 x All seasons screen wash 500ml
 - 1 x Dynamo torch
 - Dynamo torch stores energy in a flywheel so you will never be caught without a working torch
- Essential supplies for motoring in winter conditions

CM0142

PSV KIT IN SMALL FEVA BAG



- 1 x Guidance leaflet
- 2 x Conforming bandages 5cm x 4.5cm
- 1 x Conforming bandage 7.5cm x 4.5cm
- 3 x Large sterile dressing 18cm x 18cm
- 2 x Sterile eyepad dressing
- 30 x Assorted sterile waterproof plasters
- 10 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 12 x Safety pins
- 1 x Tuffcut scissors

CM0265

BS 8599-2 TRAVEL KIT IN FEVA BAG



| | Small | Medium | Large |
|----------------------------------|-------|--------|-------|
| Medium trauma dressing | 1 | 1 | 2 |
| Large trauma dressing | - | - | 1 |
| Triangular dressing | - | 1 | 2 |
| Adhesive plasters | 10 | 10 | 20 |
| Low adherent dressing | - | 1 | 2 |
| Sterile wet wipes | 5 | 10 | 20 |
| Sterile dressing 12cm x 12cm | - | 1 | 2 |
| Pairs disposable nitrile gloves | 1 | 2 | 5 |
| Face shields | 1 | 1 | 2 |
| Foil blankets | - | 1 | 3 |
| Burn relief dressing 10cm x 10cm | 1 | 2 | 4 |
| Universal shears 6" | 1 | 1 | 1 |

CM0270 (Small) CM0271 (Medium) CM0272 (Large)

BS 8599-1: 2012 COMPLIANT FIRST AID TRAVEL KIT



| | CM0130 | CM0266 |
|---|--------|--------|
| Guidance leaflet | 1 | 1 |
| Burn relief dressing 10cm x 10cm* | 1 | 1 |
| Assorted waterproof plasters | 10 | 10 |
| Foil blanket | 1 | 1 |
| Large HSE dressing 18cm x 18cm sterile unboxed | 1 | 1 |
| Medium HSE dressing 12cm x 12cm sterile unboxed | 1 | 1 |
| Pair disposable nitrile gloves | 1 | 1 |
| Resuscitation device with valve** | 1 | 1 |
| Conforming bandage 7.5cm x 4m | 1 | 1 |
| Microporous tape 2.5cm x 10m | 1 | 1 |
| Cleansing wipes | 4 | 4 |
| Single use triangular bandage 90cm x 127cm | 1 | 1 |
| Universal shears small | 1 | 1 |
| Eye wash 250ml | 1 | 1 |
| Eye pad HSE | 1 | - |

CM0130 - Appropriate for 1 person

CM0266 - In Feva Bag



ACID ATTACK KIT



BEESWIFT
MEDICAL



- 11 x Chemical Goggle
- 1 x Premium fold flat P2CV mask
- 1 x Eyewash bottle 500ml
- 1 x Nitrile gloves 6 pairs in a carton
- 3 x Foil blanket
- 2 x Burns dressing 20 x 20cm
- 1 x Tuffcut scissors 6"
- 1 x Mckinnon economy face shield
- 1 x Gauze swabs 7.5 x 7.5cm - pack of 5
- 1 x Black heavy weight rubber gloves
- 1 x Bottle shower 2L
- 10 x Single eyewash pod 20ML
- 6 x bottle water 500ML
- The kit contains items for washing chemicals from the skin
- It contains a bottle shower which allows for longer decontamination
- Also included are items for treating burns and irrigating the eyes
- In addition the kit contains safety equipment to protect the rescuer such as goggles, face mask and gloves
- Supplied in a heavy duty first aid bag

CM1770

BOTTLESHOWER 2L

- Designed specifically for decontamination and emergency washing
- The Bottleshower multiplies the running time of bottled water by up to 6 to 10 times compared to poured water making washing more effective and controllable
- As a guide, a one litre bottle of water lasts approximately 12 seconds when continually poured, the Shower Head extends that usable time to 1 minute 12 seconds
- The Bottleshower wash heads ensure the most cost effective and efficient means of using bottled water in emergency situations
- Turns 1 litre of clean water into 10 litres of washing time



CM1767

PLAYGROUP / CHILDMINDERS FIRST AID KIT



BEESWIFT
MEDICAL



This Playgroup/childminder first aid kit has contents approved for local authority use, meets the requirements for HSE 1-10 person kit, with significant added extras and includes:

- Guidance Note
- 6 x medium Dressing
- 2 x large dressing
- 2 x eyepad dressing
- 4 x triangular bandages
- 6 x sterile saline wipes
- 12 x safety pins
- 4 x 20ml eyewash pods
- 1 x resuscitation faceshield
- 1 x roll 2,5cm x 5m microporous tape
- 5 x assorted low adherent dressings
- 20 x assorted plasters
- 1 x pack of 5 sterile gauze swabs
- 2 x pairs of disposable gloves
- 1 x 7.5cm conforming bandage

CM1825

OVERSEAS STERILE TRAVEL PACK



- 4 x 2ml syringe
- 4 x 5ml syringe
- 2 x 10ml syringe
- 5 x Green needle
- 5 x Orange needle
- 5 x Blue needle
- 1 x IV set
- 1 x Butterfly IV cannula
- 1 x Sutures
- 10 x Sterile pre-injection swabs
- 10 x Spot plasters
- 1 x Non adhesive dressing 5cm
- 1 x Microporous tape 2.5cm x 10m

CM0147

INSECT REPELLENT KIT



- 1 x Care Plus Natural Repellent Spray 60ml
- 1 x Antiseptic cream 30g
- 1 x Care Plus Deet Spray 40% strongest insect-repellent 100ml
- 1 x Anthisan Bite and Sting Cream 20g
- 3 x Conforming bandage 7.5cm x 4m
- 3 x Non adhesive dressing pad 5cm
- 2 x Fabric tape 5cm x 7.5m
- 1 x Guidance leaflet
- 20 x Assorted waterproof plasters
- 30 x Piriton branded allergy tablets
- 16 x Paracetamol tablets
- 12 x Calpol Infant pain relief sachets
- 2 x Care Plus Tick Remover
- 6 x Sterile alcohol wipes

CM0145

HSE KITCHEN FIRST AID KIT



| | 1-10 | 1-20 | 1-50 |
|-------------------------------------|------|------|------|
| Guidance leaflet | 1 | 1 | 1 |
| Non woven triangular bandages | 4 | 6 | 8 |
| Large sterile dressing 18cm x 18cm | 2 | 3 | 4 |
| Medium sterile dressing 12cm x 12cm | 6 | 9 | 12 |
| Sterile eyepads | 2 | 4 | 6 |
| Assorted blue detectable plasters | 20 | 40 | 60 |
| Alcohol free cleansing wipes | 6 | 10 | 20 |
| Safety pins | 6 | 12 | 12 |
| Pair disposable blue nitrile gloves | 1 | 2 | 3 |

CM0305 (10) CM0306 (20) CM0307 (50)

BSI CATERING FIRST AID KIT

| | Small | Medium | Large |
|--|-------|--------|-------|
| Guidance leaflet | 1 | 1 | 1 |
| Burn relief dressing (10cm x 10cm) | 1 | 2 | 2 |
| Assorted blue detectable plasters | 40 | 60 | 100 |
| Eyepad dressing with sterile bandages | 2 | 3 | 4 |
| Foil blankets | 1 | 2 | 3 |
| Large HSE dressing (18cm x 18cm) | 1 | 2 | 2 |
| Medium HSE dressing (12cm x 12cm) | 4 | 6 | 8 |
| Blue nitrile gloves (pair) | 6 | 9 | 12 |
| Resuscitation device with valve | 1 | 1 | 2 |
| Finger dressing with adhesive fixing 3.5cm | 2 | 3 | 4 |
| Conforming bandages 7.5cm x 4m | 1 | 2 | 2 |
| Microporous tape 2.5cm x 5m | 1 | 1 | 1 |



**CM0308 (Small)
CM0309 (Medium)
CM0310 (Large)**

| | Small | Medium | Large |
|--|-------|--------|-------|
| Sterile cleansing wipes | 20 | 30 | 40 |
| Single use triangular bandage 90cm x 127cm | 2 | 3 | 4 |
| Universal shears 6" | 1 | 1 | 1 |

BIOHAZARD Kits

Our range of Body Fluid Spill kits and Sharps handling kits are designed to enable any worker to deal with the problems of body fluids such as blood and vomit and the problem of discarded needles and syringes.

These kits are easy to use and address all the issues that are caused by cross contamination and infections caused by Bio Hazards.

The HSE give guidance on 'Blood – borne viruses in the workplace' (leaflet INDG342) and there is a provision under COSHH that employers have a legal duty to assess the risk of cross infection for employees and others affected by your work.

Carrying a Click Medical spill or sharps handling kit, will help meet these requirements and increase the confidence of employees, knowing that you as the employer are dealing with the risk attached to biohazards and their control.

All our body fluid spill kits are multiples of either the single application kit, which includes all the items to deal effectively with one incident of biohazard, either vomit or blood, all you have to do decide how many you may require, one, two, five, ten or above, remembering we also stock the replacement kits as and when required.

We also have a full range of sharps handling kits and sharps bins for dealing with needles and a range of combination kits for handling all types of biohazard.

BODY FLUID BULK SPILL KIT



- Supplied in a large protective carrying case
- 5 x Single Application Clean UP Pack (**CM0620**)
- 1 x Trigger Disinfectant Spray (**CM0625**)
- 1 x 100gms Super Absorbent Powder (**CM0630**)
- This larger kit designed for medium risk areas for body fluid spills, with extra powder and disinfectant to help with a major clean up

CM0635

RESPONSE BIOHAZARD COMBINATION KIT



- Supplied in a large protective carrying case
- 2 x Single Application Sharps Disposal Kit (**CM0610**)
- 5 x Single Application Clean UP Pack (**CM0620**)
- 1 x Trigger Disinfectant Spray (**CM0625**)
- 1 x 100gms Super Absorbent Powder (**CM0630**)
- For use anywhere that you have a reasonable risk of having to deal with Body Fluid Spill and/or incidents where you may come across used syringes and needles

CM0640

SMALL SHARPS & BODY FLUID SPILL KIT



- 1 x Single Application Body Fluid Spill Kit (CM0615)
- 1 x Sharps disposal container, 0.1ltr
- 1 x Pair soft vinyl gloves
- 1 x Biohazard bag
- 1 x Disinfectant wipe
- 1 x Sharps handling forceps
- Ideal for small businesses, offices, shops, pubs, restaurants and lone workers where occasional risk may be encountered

CM0610

2 APPLICATION BODY FLUID SPILL KIT



- 2 x Single Application Body Fluid Spill Kit (CM0615)
- 1 x Clean Up pack (CM0620)
- 1 x 50ml disinfectant spray
- 1 x Super absorbent powder sachet (10g)
- Ideal for small businesses, offices, shops, pubs, restaurants and lone workers where occasional risk may be encountered

CM0605

ONE APPLICATION BODY FLUID SPILL KIT

This one application kit is designed to deal with any single application to handle body fluids and can be bought singularly or in bulk as a refill for your kits or as a backup for large, multiple or continuing risks.



- 1 x Clean Up pack (CM0620)
- 1 x Instructions
- 1 x Pair soft vinyl gloves
- 1 x Pair polythene oversleeves
- 1 x Polythene apron
- 1 x Polypropylene scoop and scrape
- 1 x Biohazard bag
- 1 x Non woven wipe
- 1 x 50ml disinfectant spray
- 1 x Super absorbent powder sachet (10g)

CM0615

ONE APPLICATION BODY FLUID SPILL KIT



- 1 x Instructions
- 1 x Pair soft vinyl gloves
- 1 x Pair polythene over sleeves
- 1 x Polythene apron
- 1 x Polypropylene scoop and scrape
- 1 x Biohazard bag
- 1 x Non woven wipe
- 1 x Disinfectant wipe
- 1 x 30ml disinfectant spray
- 1 x Super absorbent powder sachet (10gms)

CM0660



BEESWIFT
MEDICAL

SHARPS DISPOSAL KIT IN GRIP SEAL BAG



- 1 x Sharps disposal container
- 1 x 50ml disinfectant spray
- 1 x pair large vinyl gloves
- 1 x Biohazard bag
- 1 x Disinfectant wipe
- 1 x pair polypropylene forceps

CM0611

DISINFECTANT TRIGGER SPRAY



- Easy to use and addresses all the issues that are caused by cross contamination and infections caused by Bio Hazards
- Designed to enable any worker to deal with the problems of body fluids such as blood and vomit and the problem of discarded needles and syringes
- 500ml Trigger Disinfectant Spray, scientifically proven biocidal formula kills viruses, bacteria, fungi, yeasts and spores
- Offers powerful residual effect for up to hours after application

CM0625

100GMS SUPER ABSORBANT POWDER



- Deodorising effect can be up to five times more effective than other brands
- Can absorb up to 300 times its own weight in water
- Significantly reduces unpleasant odours
- Makes body fluids easy to clean up, unlike others which can leave a nasty sludge which is difficult to clear up, especially carpets

CM0630

SINGLE APPLICATION CLEAN UP KIT



- Supplied in grip seal bag
- 1 x Instructions
- 1 x Pair soft vinyl gloves
- 1 x Pair polythene oversleeves
- 1 x Polythene apron
- 1 x Polypropylene scoop and scrape
- 1 x Biohazard bag
- 1 x Non woven wipe
- 1 x Disinfectant wipe
- This is the basic clean up pack that should be used in conjunction with disinfectant spray and our super absorbent powder

CM0620

SHARPS BIN 0.2 - 30LTR



- Welded construction for added strength
- In-mould label - offers permanent audit trail which cannot be removed
- Flip top lid for temporary and final closure
- Choice of openings - Non-return 'petal opening'
- Scalpel blade remover opening
- Insulin pen needle removal feature and unobstructed opening for large syringes and blood collection holders
- Puncture resistance base for added safety
- Class leading leak resistance

| | | |
|------------|------------|------------|
| (1) CM0641 | (2) CM0642 | (3) CM0643 |
| (4) CM0644 | (5) CM0645 | (6) CM0646 |
| (7) CM0647 | (8) CM0648 | (9) CM0649 |

SHARP SAFE NPSD TRAY FOR 2/3 LTR BIN

NOTE: Tray only, sharps bin not included - (CM0643 or CM0644 - 2 or 3Ltr Sharps Bin)



- The Sharpsafe Tray forms an important part of the Sharpsafe Near Patient Sharps Disposal System (NPSD) and has been designed to provide a large, easy to clean procedure tray

CM0651

YELLOW SHARPS FORCEPS



- Ideal for holding and disposing of all small needles and syringes

CM0662

DISPOSABLE PAPER KIDNEY DISH 700ML



- General purpose receptacle
- Ideal for holding a variety of medical items including dressings, wipes or surgical instruments

CM1717

DISPOSABLE PAPER GENERAL PURPOSE BOWL



- Ergonomically shaped, graduations for measuring liquid
- Can be used as a vomit bowl
- Also used as a child's potty when used together with a plastic support

CM1719

SELF SEAL WASTE BAG



- Highly visible printed bags for disposal of medical and clinical waste
- Heavy duty bags in 205mm x 305mm size
- Compact self-seal bags are an ideal supplement to first aid kits

CM1710

VOMIT BAGS



- Strong, lined paper bags are compact
- Highly recommended to be provided in mini-buses, coaches, or any passenger carrying vehicle

CM1736

EMESIS VOMIT BAG 1500ML CAPACITY



- 'Hard to miss', rigid plastic wide opening
- Twist 'n' seal lock - avoid spills and contain odours
- Made from recycled plastic

CM1923

CLINELL SPILL WIPES



- Including one super absorbent spill pad and two disinfectant wipes
- Patented revolutionary new product
- It is proven to kill all known micro-organisms associated with blood, vomit, urine and faecal spills
- This includes hepatitis B & C, HIV, Clostridium difficile and Norovirus

CM1904

CUT-EEZE HAEMOSTATIC DRESSINGS and Kits

First aid training and regulations now include the use of haemostatic dressings and tourniquets for workers who are in high risk environments where serious trauma injuries and bleeding are a possibility.

Our haemostatic (or wound clotting) dressings comprise of a white knitted fabric which is made primarily from sodium carboxymethyl cellulose.

The new 8599-1 : 2019 standard from the BSI also includes a new critical injury pack designed to meet industry's need for a first aid kit designed specifically to deal with major trauma injuries and other bleeding problems faced in the workplace. Every working environment is different, so we have introduced a low, medium and high risk version of this kit, to deal with the office, small business or high risk industry.

When Cuteeze gauze comes in contact with the bleeding area it quickly absorbs the water contents in the exudates to form a viscous gel which fills the wound and stops the bleeding. This process includes joining with the bloods platelets and the clot to plug the wound and close off the blood vessels.

Being a natural product the gauze converts into a gel then dissolves to saline and glucose. We have developed a range of products from our island dressings to large Z-fold gauze rolls which can deal with a range of injuries from serious finger cuts and nose bleeds right up to major lacerations and trauma wounds.

We also have a mini gauze kit ideal for small wound areas, especially for dental applications.

Includes a range of tourniquets and kits to cover a wide variety of needs and injuries.


We also supply the full range of Celox haemostatic products, developed for high risk trauma environments.



CUT EEZE®

What are the advantages of Cut-eeze?

- Instant reaction with blood, stops bleeding fast
- No residue in the wound site
- No secondary bleeding
- No adverse reactions
- Ease of use and application with no pain on removal
- Safe, with no side effects
- Works with people using blood thinning medications or bleeding disorders, including haemophiliacs



HAEMOSTATIC PLASTERS X 10



- 10 x Washproof plasters 1.9 x 7.5cms
- Haemostatic island dressing
- Dressings that stop bleeding quickly, safely and effectively
- Instant reaction with blood, stops bleeding fast
- Avoids adhesion, reducing secondary trauma, dissolves naturally
- Ideal for haemophiliacs and users of 'blood thinning' and 'anti-coagulant' agents
- Natural, PH Neutral, gentle, no burning sensation
- Safe and easy to use, no side effects

CM1900 (Washproof) CM1901 (Fabric)

HAEMOSTATIC SPRAY 70ML



- Our Cut-Eeze Haemostatic spray is a wound congealant which is ideal for small cuts and grazes
- Spray on to a bandage or dressing, and apply to the wound
- Can also be sprayed direct to the wound area
- When the wound heals, remove residual powder and dress with plaster or bandage as usual

CM0565

HAEMOSTATIC DRESSING Z FOLD



- This is a 10cm x 1m haemostatic gauze dressing used to stop the bleeding of larger cuts and lacerations
- Used to pack and seal larger wound areas
- Can be cut to size to use on smaller wounds
- Supplied in vacuum sealed foil pouch

CM0562

SOLUBLE DRESSING



- A gauze dressing used to stop surface bleeding and to pack smaller wounds and lacerations
- Can be cut to size
- Supplied in individual peel pouch
- Supplied in a box of 20 dressings

CM0568 (10cm x 10cm) CM0569 (5cm x 5cm)

HAEMOSTATIC DRESSING Z FOLD GAUZE ROLL



- This is a 7.5cm x 3.7m Z fold gauze roll used to stop bleeding in the most severe of wounds and lacerations
- Used to pack and seal larger wound areas
- Can be cut to size to use on smaller wounds
- Supplied in vacuum sealed foil pouch

CM0563

HAEMOSTATIC DRESSING KIT (QUICK KIT)



- 1 x Quick release tourniquet
- 1 x Cut-Eeze dressing 10cm x 10cm
- 1 x Z fold dressing 1m x 10cm
- 2 x Cut-Eeze island dressing 2cm x 4cm
- 2 x Cut-Eeze island dressing 1.8cm x 10cm
- 1 x Conforming bandage 7.5cm
- 1 x Tuffcut scissors
- 1 x Bag

CM0566

HAEMOSTATIC DRESSING KIT



| | | | | | |
|---------------------------|---|---|---------------------------------|---|---|
| Quick release tourniquet | 2 | 1 | Cut-eeze island dressing | 5 | 2 |
| Tactical tourniquet | 2 | 1 | 1.8cm x 10cm | | |
| Cut-Eeze dressing | 5 | 2 | Conforming bandage 7.5cm | 2 | 2 |
| 10cm x 10cm | | | Large trauma dressing | 2 | 2 |
| Cut-Eeze dressing | 5 | 2 | Tough cut scissors | 1 | 1 |
| 5cm x 5cm | | | Medium traums dressing | 1 | 0 |
| Z fold dressing 10cm x 1m | 1 | 1 | Foil blanket | 2 | 1 |
| Cut-eeze island dressings | 1 | 2 | Pairs disposable nitrile gloves | 2 | 2 |
| 2cm x 4cm | | | | | |

CM0567 (Hazardous Industry) CM0572 (All Industry)

TOURNIQUET WITH BUCKLE



- Easy to use tourniquets provide maximum comfort for the patient
- Perfect for use during routines such as drawing blood and insertion of cannula
- Simply tighten the tourniquet around the patient's upper arm and use the quick release buckle for rapid removal
- Contains latex

CM0570

SPECIAL OPERATION FORCES TOURNIQUET (S.O.F)



- A true constricting band for increased constricting pressure and patient comfort
- Quick-connect, snap-lock buckle design, allowing rapid re-routing of the band around trapped limbs without re-threading
- Lower-profile, lighter weight alloy components, providing the required strength and durability only metal can offer
- Single application method regardless of location
- Controls life-threatening extremity haemorrhage

CM0571

COMBAT APPLICATION TOURNIQUET (C.A.T)



- True one-handed tourniquet that completely occludes arterial and venous blood flow of an extremity in the event of a traumatic wound with significant haemorrhage
- The C-A-T uses a windlass system with a free moving internal band to provide true circumferential pressure to the extremity
- Once tightened and bleeding has stopped, the windlass is locked in place
- A hook and loop strap is then applied for further securing of the windlass during casualty evacuation
- Small and lightweight

CM0574

HAEMOSTATIC GRANULES 15G



- Works independently of normal blood clotting factors
- Simple and safe to use
- Not Exothermic; will not burn the victim or caregiver
- Works in hypothermic conditions and clots Heparinized blood
- Safe to use for the entire body including, head, neck and chest wounds
- Suitable for the military, first responders, hospitals, industrial first aid, emergency services, wilderness medicine, adventure pursuits, professional and amateur sports

CM1910

HAEMOSTATIC GAUZE ROLL 56G



- Highly effective Celox granules bonded on to the surface of a stable gauze which will not compact under pressure
- The unique, patented and natural formula, works independently of the body's normal clotting mechanisms to clot blood even where normal clotting is slow or impaired
- Made with chitosan. Chitosan is broken down by lysozyme, a human enzyme, to leave glucosamine, a sugar which is normally found in the body
- It is suitable for severe high pressure bleeding, arterial & venous bleeding, bullet, blast, knife & shrapnel wounds, wound packing

CM1911

SMART TACTICAL APPLICATION TOUQUET (S.T.A.T)



timestrip

- Can be used on adults, children and dogs
- Fine tune application in millimeter increments
- Waterproof built in-timer (no battery required)
- Automatic self-locking mechanism
- Compact design & Molle compatible
- Latex free, single use
- Pull hole assists application and can be used to hook multiple devices for mass casualty incidents
- Use to make splints, hold dressings in place, bind patient's limbs during transport, or carry equipment

CM1924

TRAINING GAUZE



CELOX

- Made from exactly the same material as standard CELOX to ensure you get a truly realistic training experience
- Highly effective Celox granules bonded on to the surface of a stable gauze which will not compact under pressure
- Unique, patented and natural formula, works independently of the body's normal clotting mechanisms to clot blood even where normal clotting is slow or impaired
- Made with chitosan. Chitosan is broken down by lysozyme, a human enzyme, to leave glucosamine, a sugar which is normally found in the body

CM1912

HAEMOSTATIC GAUZE Z-FOLD VERSION 5 FOOT



CELOX

- Gauze has proved itself in the most challenging environments when rapid control of severe bleeding is required
- The new compact design for Celox Z-Fold (14mm thick, 34g weight) allows multiple packs to be carried, makes for easier handling and reduces application time
- Celox Gauze Z-Fold is available as a 10 foot z-fold, ideal for the medic or vehicle kit
- The gauze is especially useful in challenging conditions, in wind, rain or poor visibility

CM1913

RAPID HAEMOSTATIC GAUZE Z-FOLD



CELOX

- Celox RAPID Gauze removes the delay by speeding up packing time and reducing compression time to just 60 seconds while using the proven haemostat technology of Celox.
- Saves valuable time in an emergency as well as reducing blood loss
- Independent testing showed 100% success in achieving haemostasis and reduced blood loss compared to other treatments
- The key users of CELOX RAPID are professionals exposed to situations where traumatic blood loss can occur, including Military, special forces, tactical units, law enforcement, first responders and emergency services personnel

CM1914

HAEMOSTATIC APPLICATOR 6G PLUNGER



CELOX

- Specifically designed delivery system that gives you an easy, safe and effective way to stop life-threatening bleeding from difficult to treat penetrating trauma
- The instinctive applicator allows you to get the Celox granules through a small entry wound, directly to the bleeding site in just a few seconds
- The applicator is vacuum packed, sterile and lightweight, and can be easily stored within your existing trauma pouch
- For knife, bullet and any other penetrating wound

CM1915

CRITICAL INJURY QUICK RELEASE EMERGENCY KIT



BEESWIFT
MEDICAL

- 1 x pair of 17.5cm Tuffcut clothing shears
- 1 x Rescue Whistle
- 1 x PHC cutter for safely releasing webbing or clothing
- 1 x SOF Military Tourniquet (CAT Tourniquet available as an option)
- 1 x 15cm Emergency Bandage which can apply significant pressure to the wound to prevent excessive bleeding
- Designed for single person operation when facing a major trauma injury when working on their own or in a difficult working position
- The kit can fit on belt, a bag or other form of webbing
- Quick release cord, which when pulled brings the contents to the top

CM0070

CRITICAL INJURY QUICK RELEASE HAEMOSTATIC KIT



- 1 x Pair of 17,5cm Tuffcut clothing shears
- 1 x Rescue Whistle
- 1 x PHC cutter for safely releasing webbing or clothing
- 1 x SOF Military Tourniquet (CAT Tourniquet available as an option)
- 1 x Cuteeze 3.7m x 7.5cm Haemostatic Dressing, for those trained in the use of Haemostatic dressings, ideal for all major trauma injuries
- Designed for single person operation when facing a major trauma injury when working on their own or in a difficult working position
- The kit can fit on belt, a bag or other form of webbing
- Quick release cord, which when pulled brings the contents to the top

CM0071

BS 8599-1: 2019 CRITICAL INJURY PACK



| | Low | Medium | High |
|---|-----|--------|------|
| Guidance note | 1 | 1 | 1 |
| Large Trauma dressings | 2 | 2 | 2 |
| Strap tourniquet | 1 | 1 | 1 |
| Foil blanket | 1 | 1 | 1 |
| Tuff cut scissors | 1 | 1 | 1 |
| Haemostatic gauze dressing 5 x 5cm | 1 | 1 | 1 |
| Haemostatic gauze dressing 10 x 10cm | 1 | 1 | 1 |
| Haemostatic adhesive dressings 7 x 4cm | 2 | 2 | 2 |
| Haemostatic adhesive dressings 10 x 1.8cm | 2 | 2 | 2 |
| Box haemostatic plasters | 1 | 1 | 1 |
| Haemostatic dressing 10cm x 1M | - | 1 | 1 |
| Tourniquet (SOF) | - | 1 | 1 |
| Haemostatic dressing 7.5cm x 3.7M | - | - | 1 |

The new BS8599-1: 2019 standard requires that any industry that has the potential risk of a critical injury should have a Critical Injury pack to supplement their normal workplace first aid kits

The main areas for major trauma injuries would be: dangerous equipment or machinery, sharp instruments, cutting equipment, power tools, construction, agriculture, forestry etc.

Kit with Box

Kit with Bag

CM0080 (Low Risk)

CM0081 (Low Risk)

CM0082 (Medium Risk)

CM0083 (Medium Risk)

CM0084 (High Risk)

CM0085 (High Risk)



INTERNATIONAL KITS

HSA IRISH FIRST AID KIT



| | 1-10 | 1-20 | 1-50 |
|------------------------------|------|------|------|
| Assorted adhesive plasters | 20 | 20 | 40 |
| Triangular bandages | 2 | 6 | 6 |
| No 8 dressing | 2 | 2 | 4 |
| No 9 dressing | 6 | 6 | 8 |
| No 3 dressing - Extra large | 2 | 3 | 4 |
| Eye pad dressing | 2 | 2 | 4 |
| Disinfectant cleansing wipes | 10 | 20 | 40 |
| Crepe bandage 7cm | 1 | 2 | 3 |
| Safety pins | 6 | 6 | 6 |
| Pocket face mask | 1 | 1 | 1 |
| Paramedic shears | 1 | 1 | 1 |
| Gloves - Pair | 5 | 10 | 10 |

CM0013 (1-10) **CM0012** (Refill Pack)

CM0023 (11-25) **CM0022** (Refill Pack)

CM0053 (26-50) **CM0052** (Refill Pack)

HSA IRISH FIRST AID KIT WITH ADDITIONAL REQUIREMENTS

| | 1-10 | 1-20 | 1-50 |
|------------------------------|------|------|------|
| Assorted adhesive plasters | 20 | 20 | 40 |
| Triangular bandages | 2 | 6 | 6 |
| No 8 dressing | 2 | 2 | 4 |
| No 9 dressing | 6 | 6 | 8 |
| No 3 dressing - Extra large | 2 | 3 | 4 |
| Eye pad dressing | 2 | 2 | 4 |
| Disinfectant cleansing wipes | 10 | 20 | 40 |
| Crepe bandage 7cm | 1 | 2 | 3 |
| Safety pins | 6 | 6 | 6 |
| Pocket face mask | 1 | 1 | 1 |
| Paramedic shears | 1 | 1 | 1 |
| Gloves - Pair | 5 | 10 | 10 |

Additional Requirements:

Sterile water 500ml - **CM0710**

Small burn dressing (10 x 10cm) - **CM0351**

Large burn dressing (20 x 20cm) - **CM0353**

Kit with Eyewash & Burn Dressings

Kit with Burn Dressing

Kit with Eyewash

CM0014 (1-10)

CM0015 (1-10)

CM0016 (1-10)

CM0024 (11-25)

CM0025 (11-25)

CM0026 (11-25)

CM0054 (26-50)

CM0055 (26-50)

CM0056 (26-50)



CM0710



CM0351



CM0353

To include the additional requirements, just add the codes listed

DUTCH/BELGIAN FIRST AID KIT - UP TO 25 EMPLOYEES



- 1 x Disinfectant 30ml
 - 3 x Triangular bandage
 - 1 x Vinyl gloves (per pair)
 - 1 x Roll adhesive plaster 2.5cm x 5m
 - 1 x Resusciate
 - 1 x Splinter tweezers 8cm stainless steel
 - 4 x Synthetic wadding 10cm x 3m
 - 2 x Safety pins (3 pieces)
 - 1 x Bandage scissors, 14cm Stainless steel
 - 1 x Wound plasters (30 pieces)
 - 16 x Gauze dressing 5cm x 7.5cm (1/16) sterile
 - 10 x Gauze dressing 5cm x 5cm sterile
 - 10 x Gauze dressing 10cm x 10cm sterile
 - 2 x Metalline dressing 8cm x 10cm
 - 2 x Metalline compress 10cm x 12cm
 - 2 x Universal (support) gusset 8cm x 5m
 - 2 x Universal (support) gusset 10cm x 5m
 - 2 x Condensed fastening 6cm x 8cm flat model
 - 4 x Fastening band 6cm x 8cm rolled (No. 1)
 - 2 x Rapid bandage 8cm x 10cm rolled (No. 2)
 - 1 x Rapid bandage 10cm x 12cm rolled (No. 3)
 - 3 x Elastic hydrophilic bandage 6cm x 4m
 - 3 x Elastic hydrophilic bandage 8cm x 4m
- Supplied in Orange ABS plastic case, with internal dividers and side covers
 - Comes complete with wall hanging bracket.
 - Dimensions: 44.5 x 32 x 15 cm

CM1826

DUTCH/BELGIAN FIRST AID KIT - UP TO 50 EMPLOYEES REFILL ONLY



- 1 x Disinfectant 10ml
 - 1 x Three-sided cloth (mitella)
 - 1 x Roll adhesive plaster 2.5cm x 5m
 - 1 x Resusciate
 - 1 x Splinter tweezer 8cm stainless steel
 - 1 x Synthetic wadding 10cm x 3m
 - 1 x Safety pins (3 pieces)
 - 1 x Bandage scissors, 14cm Stainless steel
 - 1 x Vinyl gloves (per pair)
 - 2 x White cotton wool 10 gram
 - 1 x Wound plasters (30 pieces)
 - 3 x Elastic hydrophilic bandage 6cm x 4m
 - 16 x Gauze dressing 5cm x 7.5cm (1/16) sterile
 - 10 x Gauze dressing 5cm x 5cm sterile
 - 2 x Metalline dressing 8cm x 10cm
 - 4 x Quick dressing 6cm x 8cm rolled (No. 1)
 - 2 x Quick-band 8cm x 10cm rolled (No. 2)
 - 1 x Universal (support) gusset 6cm x 5m
 - 1 x Universal (support) gusset 8cm x 5m
 - 2 x Quick-fit 6cm x 8cm flat model
- Dimensions 32 x 22 x 13 cm

CM1827

GERMAN VEHICLE FIRST AID KIT DIN 13164 IN TRAVEL BAG / BOX



- Designed to meet DIN 13164-2014 which details the requirements or the contents of a vehicle first aid kit. All products come with multilingual descriptions
- This kit is supplied in either a convenient travel bag or box
- Adhesive plaster tape. A 5 x 2.5. 1pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 1 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 4pc.
- Finger plaster. 120 x 20mm. 4pc.
- Finger plaster. 7.2cm x 1.9cm. 4pc.
- Finger plaster. 25 x 72mm. 8pc.
- First aid dressings bandages, sterile. Compress 6 x 8cm. 1pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 3 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 1 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 1pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 3 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 2pc.
- Instant cold compress. Min.200cm². 1pc.
- First aid blanket. 160cm x 210cm 12 um. 1pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 2 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 2 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 2pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 2pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m². 5pc.
- Disposable gloves PVC. 4's L-AQL1.5. 1 Set of 4pcs. DIN EN 455-1.
- Brochure

CM1828 (with Bag) **CM1829** (with Box)

GERMAN COMBINATION VEHICLE FIRST AID KIT DIN 13164



- Designed to meet DIN 13164-2014 which details the requirements or the contents of a vehicle first aid kit. All products come with multilingual descriptions
- Kit is also supplied with foldaway hazard warning triangle and high viz vest
- This kit is supplied in a black, slimline combination kit bag.
- Adhesive plaster tape. A 5 x 2.5. 1pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 1 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 4pc.
- Finger plaster. 120 x 20mm. 4pc.
- Finger plaster. 7.2cm x 1.9cm. 4pc.
- Finger plaster. 25 x 72mm. 8pc.
- First aid dressings bandages, sterile. Compress 6 x 8 cm. 1pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 3 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 1 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 1pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 3 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 2pc.
- Instant cold compress. Min.200cm². 1pc.
- First aid blanket. 160cm x 210cm 12 um. 1pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 2 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 2 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 2pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 2pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m². 5pc.
- Disposable gloves PVC. 4's L-AQL1.5. 1 Set of 4pcs. DIN EN 455-1.
- Brochure

CM1830

GERMAN WORKPLACE FIRST AID KIT DIN 13157 UP TO 50 EMPLOYEES



- Designed to meet DIN 13157-2009, which details the requirements for the contents and box for a workplace of up to 50 employees
- All contents supplied with multilingual descriptions
- Kit supplied in Orange ABS box complete with integral handle and supplied with wall bracket
- Adhesive plaster tape. A 5 x 2.5. 1pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 1 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 4pc.
- Finger plaster. 120 x 20mm. 4pc.
- Finger plaster. 7.2cm x 1.9cm. 4pc.
- Finger plaster. 25 x 72mm. 8pc.
- First aid dressings bandages, sterile. Compress 6 x 8 cm. 1pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 3 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 1 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 1pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 3 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 2pc.
- Instant cold compress. Min.200cm2. 1pc.
- First aid blanket. 160cm x 210cm 12 um. 1pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 2 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 2 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 2pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 2pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m2. 5pc.
- Disposable gloves PVC. 4's L-AQL1.5. 1 Set of 4pcs. DIN EN 455-1.
- Brochure
- Dimensions: 28 x 20 x 11.5cms

CM1831

GERMAN FIRST AID KIT DIN STANDARD 13169



- Designed to meet DIN 13169-2009, which details the requirements for the contents and box for a workplace of up to 100 employees
- All contents supplied with multilingual descriptions
- Kit supplied in Orange ABS box complete with integral handle and supplied with wall bracket
- Adhesive plaster tape. A 5 x 2.5. 2pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 2 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 8pc.
- Finger plaster. 120 x 20mm. 8pc.
- Finger plaster. 7.2cm x 1.9cm. 8pc.
- Finger plaster. 25 x 72mm. 16pc.
- First aid dressings bandages, sterile. Compress 6 x 8 cm. 2pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 6 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 2 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 2pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 6 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 4pc.
- Instant cold compress. Min.200cm2. 2pc.
- First aid blanket. 160cm x 210cm 12 um. 2pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 4 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 4 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 4pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 4pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m2. 10pc.
- Disposable gloves PVC. 4's L-AQL1.5. 2 Set of 4pcs. DIN EN 455-1.
- Brochure
- Dimensions: 32 x 22 x 13cms

CM1832

ITALIAN WORKPLACE FIRST AID KIT



- This kit meets the Italian DM388 A1 standard for workplace first aid kits
- Supplied in Orange, ABS plastic case.
- 1 x Copy of DM388
- 5 x Pairs of sterile gloves
- 1 x Safety mask with eye protection visor
- 3 x Sterile saline solutions 500 ml CE
- 10 x Sterile gauze in sachets 10 x 10 cm
- 2 x Sterile gauze in sachets 18 x 40 cm
- 2 x Sterile bandages cm 40 x 60 DIN13152BR
- 1 x Pack of cotton
- 2 x Sterile tweezers
- 1 x Pack of net elastic bandage
- 2 x Adhesive plasters m 5 x 2.5 cm
- 2 x 20 assorted dressings
- 1 x Pair of Lister scissors 14.5 cm DIN58279
- 3 x Tourniquets
- 2 x Instant Ice packs
- 2 x Waste bags
- 1 x Clinical digital thermometer
- 1 x Personal Sphygmomanometer with stethoscope
- 2 x Gauze bandages 10cm x 3.5m
- 1 x Pack of 8 wipes
- 2 x Burn gel sachet 3.5g
- 1 x Resusciate
- 1 x Isothermic blanket Gold/Silver 160 x 210 cm
- 1 x Triangular TNT bandage 136 x 96 x 96 cm
- 2 x Elastic bandages m 4 x 6 cm
- 1 x Sterile compressive bandage 80 x 100 DIN13151
- 1 x Multilingual first aid booklet
- To meet standard, kit requires:
- 2 Iodopovidone Disinfectant solutions 10% 500ml
- To be added at source

CM1833

ITALIAN WORKPLACE FIRST AID KIT REFILL



- 1 x Copy of DM388
- 5 x Pairs of sterile gloves
- 1 x Safety mask with eye protection visor
- 3 x Sterile saline solutions 500 ml CE
- 10 x Sterile gauze in sachets 10 x 10 cm
- 2 x Sterile gauze in sachets 18 x 40 cm
- 2 x Sterile bandages cm 40 x 60 DIN13152BR
- 1 x Pack of cotton
- 2 x Sterile tweezers
- 1 x Pack of net elastic bandage
- 2 x Adhesive plasters m 5 x 2.5cm
- 2 x 20 assorted dressings
- 1 x Pair of Lister scissors 14.5cm DIN58279
- 3 x Tourniquets
- 2 x Instant Ice packs
- 2 x Waste bags
- 1 x Clinical digital thermometer
- 2 x Gauze bandages 10cm x 3.5m
- 1 x Pack of 8 wipes
- 2 x Burn gel sachet g 3.5
- 1 x Resusciate
- 1 x Isothermic blanket Gold/Silver 160 x 210cm
- 1 x Triangular TNT bandage 136 x 96 x 96cm
- 2 x Elastic bandages m 4 x 6cm
- 1 x Sterile compressive bandage 80 x100 DIN13151
- 1 x Multilingual first aid booklet

CM1834

BURNS KITS

FIRST AID KIT FOR BURNS



- 1 x Sterile burn dressing 5cm x 15cm
- 1 x Sterile burn dressing 10cm x 10cm
- 1 x Sterile burn dressing 20cm x 20cm
- 3 x Sachets pain relieving gel 3.5gm
- 1 x Bottle pain relieving gel 59ml
- 2 x Conforming bandages 5cm x 4m
- 6 x Safety pins
- 2 x Pairs disposable vinyl gloves

CM0320 (Kit) CM0315 (Refill Pack)

BURN CARE KIT

NOTE:

- * A burn dressing cools the burn injury without any pre-cooling with water or any other medium.
- The dressing does not dry out within one hour of application



- G1 x Sterile burn dressing 10cm x 10cm*
- 3 x Sachets pain relieving gel 3.5gm
- 1 x Bottle pain relieving gel 59ml
- 4 x Alcohol free wipes
- 2 x Low adherent dressing 5cm x 5cm
- 2 x Low adherent adhesive dressing
- 1 x Conforming bandage 5cm x 4m
- 1 x Microporous tape 2.5cm x 5m

CM0311

BURNFREE PERSONAL KIT



- 1 x Burns dressing 5cm x 15cm (**CM0331**)
- 1 x Burns dressing 10cm x 10cm (**CM0332**)
- 1 x Gel bottle 59ml (**CM0340**)
- 3 x 3.5gmd gel sachets
- 1 x Burnfree personal box

CM0321

BURNFREE MULTI-PURPOSE KIT



- 1 x Gel bottle 118ml (**CM0341**)
- 3 x Burns dressing 5cm x 15cm (**CM0331**)
- 3 x Burns dressing 10cm x 10cm (**CM0332**)
- 2 x Burns dressing 20cm x 20cm (**CM0333**)
- 1 x Box of 20 x 3.5gm gel sachets (**CM0342**)
- 3 x Conforming bandages
- 1 x Burnfree multi-purpose box

CM0322

BURNFREE EMERGENCY KIT



- 1 x Gel bottle 118ml (CM0341)
- 2 x Burns dressing 5cm x 15cm (CM0331)
- 2 x Burns dressing 10cm x 10cm (CM0332)
- 1 x Box of 20 x 3.5gm gel sachets (CM0242)
- 3 x Conforming bandages
- 1 x Emergency burns box

CM0323

BURNFREE HYDROGEL 3.5GMS/59ML/118ML



- Pain relieving gel
- BurnFree gel is designed to be viscous enough to remain on the burn wound and not run off (like cheaper alternatives)
- Simultaneously draws the heat out and up into the gel

CM0340 (59ml) CM0341 (118ml) CM0342 (3.5gms)

BURNFREE DRESSING




- All BurnFree dressings are designed for first aid use on all types of burn injuries
- The dressings are constructed of a special soft, open cell foam and are elastic enough to allow possible swelling or the need to flex joints
- BurnFree dressings are non-adherent and the inert foam will not shed threads, strands or fibres that could get embedded in the wound
- The pliable foam holds 50 times its weight in gel, meaning the gel will always stay in contact with the burn

CM0330 (5 x 5cm) CM0331 (5 x 15cm) CM0332 (10 x 10cm)

CM0333 (20 x 20cm) CM0334 (30 x 30cm)

BURNFREE TRAUMA BLANKET



- BurnFree blankets are for emergency and industrial use
- During transport to the medical facility the blanket will soothe the victim
- Reduces physiological and psychological trauma
- Made up of pure virgin wool which holds up to 14 times its weight in gel to prolong trauma relief during transport

CM0327 (244cm x 152cm) CM0328 (183cm x 152cm)

HYDROGEL BURNS DRESSINGS 10 X 10CM



- Gel soaked burn dressings
- Helps prevent contamination
- Suitable for treating superficial and partial thickness burns

CM0351

HYDROGEL BURNS DRESSINGS 20 X 20CM



- Gel soaked burn dressings
- Helps prevent contamination
- Suitable for treating superficial and partial thickness burns

CM0353

EYEWASH

EYEWASH FIRST AID KIT



- 2 x 500ml sterile eyewash bottles
- 8 x 20ml sterile eyewash pods
- 2 x boxed eyepad dressings
- Eyewash kit can be wall mounted or be carried to any incident

CM0721

EYEWASH PODS



- 20ml Solution
- Sterile sodium chloride 0.9% w/v Ph. Eur
- Packed in 25's (25 x 20ml)
- For irrigation only

CM0705

EYEWASH BOTTLE



- 500ml bottle
- Sodium chloride BP 0.9%w/v.
- For irrigation only

CM0710

EYEWASH STATION WATER ADDITIVE



- An 8 Fl oz (236ml) bottle of water preservative for use with the portable self-contained eye/face wash stations
- It preserves from 15-76 litres of water and comes free when purchasing a CM1764 eye/face wash station

CM1768

EYE WASH STAND SINGLE / DOUBLE



- Drill points for securing to the wall
- Supplied with clip-on clear cover
- For use with 500ml Eyewash Bottle (CM0710)

(1) CM1009 (2) CM0701 (3) CM1010 (4) CM0702

WALL MOUNTABLE EYEWASH STATION



- 2 x 500ml eye wash solution
- 2 x eye bandages
- Clear plastic carry case
- Wall mountable bracket

CM0700

EYEWASH POD STATION



- 10 x 20ml pods
- 2 x No 16 eye pad dressings
- Mirror

CM0715

EYEWASH STATION



- 2 x 500ml solution bottles
- 2 x No16 eye bandages
- Mirror

CM0720

SELF CONTAINED EYEWASH STATION



- Easy to transport and ideal for use where a continuous supply of water is not available
- Wide fill opening enables quick inspection, cleaning and filling
- For use as a wall-mounted or table top unit
- Provided with one bottle of water preservative
- Station should be cleaned and refilled every 120 days, when using the water preservative.

CM1764

CEDERROTH EYE WASH STATION



- The world's smallest eye emergency department
- Hygienic door
- Buffered liquid increases the chance of saving your eyes
- Plaster dispenser and extra compartment
- An eyewash instruction is included

CM0726

CEDERROTH 500ML BOTTLE / BOTTLE BRACKET



- Cederroth eyewash is buffered, which means that parallel to dilution and rinsing the eyewash also has a neutralising effect on alkalis and acids
- The eye cup is also designed to keep the eye open and maximise the flow ensuring the rinsing is efficient
- The wall bracket for the 500ml Cederroth eyewash opens the bottle automatically when the bottle is rotated and released from the eyewash stand
- Can be used singularly or in a bank of several units.

(1) CM0727 (2) CM0728

CEDERROTH FIRST AID STATION



- 2 x 4 in 1 Bloodstoppers
- 3 x 4 in 1 Mini Bloodstoppers
- 2 x Burn gel dressings
- 1 x Eye and wound cleansing spray 150ml
- 1 x Salvequick plaster dispenser including
- 45 waterproof and 40 fabric
- 1 x Salvequick wound cleansers
- 1 x Protection kit
- 1 x Dirt plate
- 1 x Instructions
- 1 x Key
- Dimensions:
Width 20cm
Height 56cm
Depth 12cm

CM0548

First Aid

ESSENTIALS

Dressings

Our standard first aid dressings include an absorbent dressing pad with a low adherent film fully stitched on to a high quality, high stretch polyamide conforming bandage for excellent wound sealing and bandaging. Sterile.

HSE, HSM, HSL, ambulance dressings, 1, 2, 3, 4, Trauma Dressing

Plasters

Our range of plasters are manufactured from the highest quality materials and adhesives to ensure the best protection and adhesion, but whilst being completely Latex-Free and Hypo-Allergenic.

Low Adherent Dressings

A highly absorbent pad with low adherent film, supplied sterile in its own individual peel pouch. 5 x 5, 7.5 x 7.5 and 10 x 10cms.

Low Adherent Adhesive Dressings

A highly absorbent, low adherent pad with a high stretch adhesive film which is Latex Free and Hypo-allergenic. This practical dressings act like a big plaster and are ideal for handling a range of minor wounds. Supplied in their own individual peel pouch. Sterile.

Skin Closure Strips

Quick and convenient alternative to stitches, preventing minor wounds from reopening and bleeding. Supplied in peel pouch. Sterile. Two sizes.

Gauze Swabs

Available sterile in peel pouch or non-sterile in packs of 100.

Tapes

Our range of quality tapes are ideal for dealing with a range of uses for securing dressings and bandages.

First Aid Boxes

We have a range of different styles of boxes in a variety of colours and sizes which are ideal for a range of working environments.








Wipes







Approved for use in HSE complaint first aid kits or for general applications, our Alcohol free wipes come in individual satchets and are supplied in a carton of 100 wipes.

ASSORTED BLUE DETECTABLE PLASTERS



CM0500

| 120 Plasters Contents | | | | | | |
|---|---|--|--|--|---|--|
|  8 |  6 |  48 |  16 |  16 |  6 |  20 |
| 60 x 45mm | 72 x 50mm | 72 x 19mm | 38 x 38mm | 38 x 19mm | 74 x 38mm | 72 x 22mm |

| 100 Plasters Contents | | | | | |
|---|---|--|--|--|---|
|  8 |  4 |  24 |  40 |  20 |  4 |
| 60 x 45mm | 72 x 50mm | 72 x 22mm | 72 x 19mm | 38 x 19mm | 74 x 38mm |








- High stretch material
- Low allergy latex free
- Electromagnetic foil patch for excellent detection
- Featuring carton and storage tray (120 version)
- Each plaster is individually sealed to keep it sterile
- Ideal for the food industries
- Available in boxes of 120 or 100 (sold separately)







CM0500 (120) CM0507 (100)

ASSORTED FABRIC PLASTERS



CM0515

| 120 Plasters Contents | | | | | | |
|--|--|---|---|---|--|---|
|  8 |  6 |  48 |  16 |  16 |  6 |  20 |
| 60 x 45mm | 72 x 50mm | 72 x 19mm | 38 x 38mm | 38 x 19mm | 74 x 38mm | 72 x 22mm |

| 100 Plasters Contents | | | | | |
|---|---|--|--|--|---|
|  8 |  4 |  24 |  40 |  20 |  4 |
| 60 x 45mm | 72 x 50mm | 72 x 22mm | 72 x 19mm | 38 x 19mm | 74 x 38mm |








- Strong and durable fabric
- Low allergy, high adhesion
- Ideal for building, construction and heavy industries
- Featuring carton and storage tray (120 version)
- Each plaster is individually sealed to keep it sterile
- Available in boxes of 120 or 100 (sold separately)







CM0515 (120) CM0522 (100)

ASSORTED WATERPROOF PLASTERS



CM0530

| 120 Plasters Contents | | | | | | |
|---|---|--|--|--|---|--|
|  8 |  6 |  48 |  16 |  16 |  6 |  20 |
| 60 x 45mm | 72 x 50mm | 72 x 19mm | 38 x 38mm | 38 x 19mm | 74 x 38mm | 72 x 22mm |

| 100 Plasters Contents | | | | | |
|---|---|--|--|--|---|
|  8 |  4 |  24 |  40 |  20 |  4 |
| 60 x 45mm | 72 x 50mm | 72 x 22mm | 72 x 19mm | 38 x 19mm | 74 x 38mm |

- High stretch material
- Low allergy latex free
- Featuring carton and storage tray (120 version)
- Each plaster is individually sealed to keep it sterile
- Available in boxes of 120 or 100 (sold separately)

CM0530 (120) CM0537 (100)

FINGERTIP PLASTERS



- Fingertip (or Butterfly) plasters are designed to fold over the top of fingers and wrap around the sides to give maximum protection
- Supplied in a box of 50 plasters
- Size: 60 x 40mm

CM0501 (Blue Detectable)

CM0516 (Fabric)

CM0531 (Waterproof)

KNUCKLE PLASTERS



- Knuckle plasters are designed to give maximum protection for cuts and grazes on the back of your hand
- Supplied in a box of 50 plasters
- Size 74 x 38mm

CM0502 (Blue Detectable)

CM0517 (Fabric)

CM0532 (Waterproof)

LARGE PATCH PLASTERS 72 X 50MM



- Large Patch plasters give protection to a wide range of minor cuts and injuries
- Supplied in a box of 50 plasters
- Size 72 x 50mm

CM0503 (Blue Detectable)

CM0518 (Fabric)

CM0533 (Waterproof)

MEDIUM STRIP PLASTERS 72 X 19MM




- Strip plasters are the most used plasters offering protection to a wide range of smaller injuries
- Supplied in a box of 100 plasters
- Size: 72 x 19mm

CM0504 (Blue Detectable)

CM0519 (Fabric)

CM0534 (Waterproof)

SQUARE PLASTERS 38MM X 38MM



- Square plasters give protection to a wide range of minor injuries
- Supplied in a box of 100 plasters
- Size: 38 x 38mm

CM0505 (Blue Detectable)

CM0520 (Fabric)

CM0535 (Waterproof)

SENIOR STRIP PLASTERS 72MM X 22MM



- Strip plasters are the most used plasters offering protection to a wide range of smaller injuries
- Supplied in a box of 100 plasters
- Size: 72 x 22mm

CM0506 (Blue Detectable)

CM0521 (Fabric)

CM0536 (Waterproof)

**WASHPROOF PLASTERS
REFILL PACK
6 X 45 PLASTERS**

Salvequick



CM0542

**FABRIC PLASTERS
REFILL PACK
6 X 40 PLASTERS**

Salvequick



CM0543

**BLUE DETECTABLE
PLASTERS REFILL PACK
6 X 35 PLASTERS**

Salvequick



CM0544

**QUICKPLAST
BLUE DETECTABLE
6 X 40 PLASTERS**

quickplast



CM0493

**QUICKPLAST
WATERPROOF
6 X 40 PLASTERS**

quickplast



CM0494

**QUICKPLAST
FABRIC
6 X 40 PLASTERS**

quickplast



CM0495

**SNOGG SOFT1 PLASTERS
6CM X 450CM
NEUTRAL**

snogg



CM0545

**SNOGG SOFT1 PLASTERS
6CM X 450CM
BLUE**

snogg



CM0546

**SNOGG SOFT1
PLASTERS
DISPENSER**

snogg



CM0547



**SALVEQUICK DISPENSER
40 FABRIC
/ 45 WASHPROOF**



CM0540

**SALVEQUICK
PLASTER DISPENSER
70 BLUE**



CM0541

**WATERPROOF
SPOT PLASTERS
100 X 2MM**



CM0539

**ASSORTED
WATERPROOF
PLASTERS**



72 x 19mm - 6pce
38 x 38mm - 5pce
38 x 19mm - 4pce
72 x 22mm - 5pce

CM0538

**EYEPAD
NO 16
BOXED**



CM0496

**BLISTER
PLASTERS
PACK OF 2**



CM0444

**GUIDANCE
NOTE**




CM1172

FOIL BLANKET



CM0491

**PACK OF 10 TWEEZERS
PLASTIC /
STAINLESS STEEL**



CM0467 (1) CM0468 (2)



**PREPARATION
RAZOR**



BEESWIFT
MEDICAL



CM1729

**PACK OF 10
SCISSORS TUFTCUT
6 INCH / 7 INCH**



BEESWIFT
MEDICAL



CM0465 (6 Inch) CM0466 (7 Inch)

**PACK OF 10
SCISSORS BLUNT
4 INCH / 5 INCH**



BEESWIFT
MEDICAL



CM0463 (4 Inch) CM0464 (5 Inch)

**SAFETY PINS
6 / 12**



CM0469 (6 Pins) CM0470 (12 Pins)

**CALICO
TRIANGULAR BANDAGE
PACK OF 10**



BEESWIFT
MEDICAL



CM0405

**30GMS NON WOVEN
TRIANGULAR BANDAGE
PACK OF 10**



BEESWIFT
MEDICAL



CM0404

**UNIVERSAL
TONGUE
DREPRESSOR**



BEESWIFT
MEDICAL



CM0969

**SPORTS TRIGGER
SPRAY BOTTLE**



BEESWIFT
MEDICAL



CM1709

**NITRILE GLOVES
PACKED IN
MINI GRIP BAG**



BEESWIFT
MEDICAL



CM1720

NITRILE GLOVES 6 PAIRS IN CARTON



- Compact carton allows them to fit in virtually any size of first aid bag or box
- Ideal for anyone with a Type 1 allergy
- High resistance to a wide range of chemicals, especially to hydrocarbons, oils and fats
- Commonly used in hospitals, the nursing sector, medical practitioners in surgeries and the dental sector

CM1721

STERILE SALINE WIPES PACK OF 100



- Individually sterile wrapped
- Ideal for cleaning areas around cuts and grazes prior to dressing
- Impregnated with a 0.9% sodium chloride solution for gentle wound cleansing
- Safe for use on broken skin
- Safe to use on children
- Meets the requirements for first aid kits conforming to BS8599-1 and BS8599-2

CM0805

ALCOHOL FREE WIPES PACK OF 100



- Individually wrapped
- Ideal for cleaning area around cuts and grazes prior to dressing
- Consists of 0.5% Cetrimide and 0.2% Chlorhexidine Gluconate
- Meets the HSE First Aid regulations for use in a first aid kit
- Wipe size: 20cm x 10cm for a large surface area

CM0800

ALCOHOL FREE WIPES PACK OF 10



- Individually wrapped
- Ideal for cleaning area around cuts and grazes prior to dressing
- Consists of 0.5% Cetrimide and 0.2% Chlorhexidine Gluconate
- Meets the HSE First Aid regulations for use in a first aid kit
- 20cm x 10cm for a large surface area
- Supplied in grip seal bag

CM0801

CLINELL ANTI-BACTERIAL HAND WIPES



clinell

- Clean and disinfect in one easy step
- They work in 10 seconds, killing at least 99.999% of germs
- Great to keep close-by in your bag, car, home or office
- Dermatologically tested, containing aloe vera and moisturisers to help maintain healthy skin

CM1903

CLINELL UNIVERSAL WIPES PACK OF 200



clinell

- Patented antimicrobial formula they can be used as a skin friendly, disinfectant and detergent wipe - replacing the need for multiple wipes and surface cleaners
- Proven to kill at least 99.999% of germs
- This revolutionary formula contains a mix of different biocides
- Each biocide has a different mechanism of action

CM1902 (200)

CM1907 (100)

PRE-INJECTION WIPES



- Reduce bacteria preceding injections
- Individually wrapped wipes
- Impregnated with Isopropyl alcohol
- Bactericidal alcohol will kill 90% of bacteria on skin surface
- Ideal for pre-operative skin cleansing and preparing the skin prior to injections
- 70% Isopropyl alcohol

CM1718

DISINFECTANT SURFACE WIPES



- Compliant to EN1276 and EN13727 Pseudomonas aeruginosa, Staphylococcus aureus, MRSA, VRE, E.coli
- EN14476 Norovirus, HIV, Hepatitis C, MERS Coronavirus, Influenza A H1N1
- EN1650/EN13624 Candida albicans
- Fast contact times from 15 seconds
- Wipes are non-smearing

CM0817

SURGICAL MASK



- For use in all medical, hospital and working environments
- Dual non woven inner and outer layers, complete with non woven filter for combined three layered construction
- Earloop fastenings
- 50 masks to a pack, 40 packs to a carton, MOQ : 1 Carton(2000 face masks)
- Class 1 Medical Device, meeting the essential requirements of the MDD
- Tested and complaint to BS EN 14683 : 2019, Type IIR
- Filtration > 98%, with added fluid resistance
- Individually packed for added protection

CM1785 CM1785CT

PROTECTIVE FACE SHIELD



- One size fits all
- Soft foam inner padding ensures high wearing comfort even when worn for longer periods
- Minimal Risk
- Not suitable for protection against mechanical hazards, such as flying particles with higher energy
- Tested in conjunction with EN166:
- Optical Class:1
- Protection against droplets and splashes of liquids (3)
- Resistance to fogging (N)
- Self assembly required to add foam headband to visor

CMRXFS01

1 LTR AUTOMATIC DISPENSER C/W STAND



- Stand
- Adjustable free standing dispenser stand
 - Black powder coated finish
 - Steel construction
 - Strong base
 - Adjustable height
 - Drip tray
 - Dispenser clips on to stand

- Dispenser
- 1 litre automatic dispenser .
 - Automated touch-free dispenser
 - Easy to install and use
 - 1L refillable bottle
 - 1,000 dispenses per 1L bottle
 - Secure lockable cover with window design Low power indicator
 - 4 x C Batteries required (not supplied)

D15

DIGITAL THERMOMETER



BEE SWIFT
MEDICAL



- Model: T12
- Accuracy: 0.1°C/ 0.2°F
- Voice: Beeper alarm function
- Memory: last measuring reading
- 100% waterproof
- Auto Shut-off
- Product size: 12*1.8*1cm
- Display range: 32.0 to 42.0°C/89.6 to 107.6°F
- Measurement time: Fast reading 60 seconds
- Battery: 1.5V button (RL41) replaceable
- LCD size: 2.0*0.8cm

CM7040

HAND SANITISER



BEE SWIFT
MEDICAL



- Instant Hand Sanitiser with moisturisers and Vitamin D
- Gentle enough for everyday use
- Recommended for repeated use
- Kills 99.9% of germs
- 75% Active Alcohol content
- Kind to your skin
- No sticky residue
- Easy-to-use pump action bottle
- Fast drying

CM7037 (236ml)

CM7038 (500ml)

5LTR HAND SANITISER



BEE SWIFT
MEDICAL



- 70% Alcohol Sanitiser
- Alcohol hand sanitiser
- Use on hands and skin
- Dries in open air
- Product is Certified to
- EN1276 standard to kill 99.99% of all bacteria
- EN14476:2013 + A2 : 2019
- Protective Measures : Avoid contact with eyes,
- avoid inhalation of vapour or mist.
- Keep away from heat , hot surfaces ,sparks , open flame
- and other ignition sources.
- Take measure to prevent build up of electrostatic charge.

CM7055

K3 INFRARED FOREHEAD THERMOMETER



BEE SWIFT
MEDICAL



- Non-contact
- High accuracy +/- 0.2
- One week standby
- Quick measurement
- Alarm function
- °C/°F unit available
- Energy saving
- Can be connected to USB power source
- No need to hold, can be hung / double-sided adhesive tape / bracket fixed

CM1777P

HSE FIRST AID DRESSINGS PACK OF 10



- For all your bandage needs
- High stretch, lightweight bandage for holding dressings in place
- Nylon/viscose, fray resistant construction
- Individually wrapped for cleanliness
- Packaged in sterile flow wrap outers
- Available in three sizes (sold separately)
 - 1/ Eyepad
 - 2/ Medium
 - 3/ Large

CM0401 (Eyepad) CM0402 (Medium) CM0403 (Large)

TRAUMA DRESSING MEDIUM/LARGE



- Easy, ideal treatment of severe wounds
- Highly absorbent dressing pad absorbs 10 times its own weight
- Hook and loop-style fastening making it easy and convenient to secure in place
- Better absorption than ambulance dressings
- Dressings are sterile and individually packaged
- Available in two sizes (sold separately)
 - Medium 10cm x 18cms
 - Large 15cm x 18cms

CM0497 (Medium) CM0498 (Large)

AMBULANCE DRESSING NO 1/2/3/4 PACK OF 10



- Heavy duty dressings for professionals
- Individually wrapped and sterile
- For treatment of severe wounds with heavy blood loss
- Features a thicker wound pad than standard dressings
- Designed for burns, gunshot wounds and shrapnel wounds
- Available in different sizes
 - No 1 pad size 12.5cm x 10cms
 - No 2 pad size 17.5cm x 20cms
 - No 3 pad size 28cm x 18cms
 - No 4 pad size 33cm x 20cms

CM0445 (No 1) CM0446 (No 2) CM0447 (No 3) CM0448 (No 4)

SKIN CLOSURE STRIP PACK OF 3



- Reduces scarring when compared to staples or sutures
- Enhances patient comfort with less chance of infection
- Fast application
- Reduces likelihood of skin irritation
- 3 x 7.5cm wound closure strip supplied as five strips in each peel pouch, supplied in a pack of 3 peel pouches
- Available in two sizes (sold separately)
 - No 1 pad size 0.3cm x 7.5cm
 - No 2 pad size 0.6cm x 7.5cm

CM0442 (No 1) CM0443 (No 2)

DRESSING STRIP FABRIC PACK OF 10



- Durable textile plaster
- Extra flexible and breathable
- Strong adhesion
- Protect and cushions the wound
- Ideal for joints
- Can be cut to size as required
- Available in three sizes (sold separately)
 - 1/ 4cm x 1M
 - 2/ 6cm x 1M
 - 3/ 7.5cm x 1M

CM0436 (1) CM0437 (2) CM0438 (3)

DRESSING STRIP WASHPROOF PACK OF 10



- Durable waterproof plaster
- Extra flexible and breathable
- Strong adhesion
- Protect and cushions the wound
- Ideal for joints
- Can be cut to size as required
- Available in three sizes (sold separately)
 - 1/ 4cm x 1M
 - 2/ 6cm x 1M
 - 3/ 7.5cm x 1M

CM0439 (1) CM0440 (2) CM0441 (3)

FABRIC STRAPPING



- Traditional strong heavyweight stretch fabric
- Thick fabric cushions and protects
- Secures dressings and bandages
- Helps prevent and support strain injuries
- Secure and durable cushioned stretch tape
- Available in three sizes (sold separately)
 - 1/ 2.5cm x 4.5M
 - 2/ 5cm x 4.5M
 - 3/ 7.5cm x 4.5M

CM0433 (1) CM0434 (2) CM0435 (3)

LOW ADHERENT DRESSING BOX OF 25



- Helps draw exudates away from the wound
- The film surface of this dressing helps prevent the pad from sticking to the wound surface and minimises trauma upon removal
- Use dressing retention sheets or microporous tape to hold the dressing in place
- Low Adherent Absorbent Dressings are suitable for abrasions, superficial cuts and lightly exuding wounds
- Suitable for burns treatment
- Available in three sizes (sold separately)
 - 1/ 5cm x 5cm
 - 2/ 7.5cm x 7.5cm
 - 3/ 10cm x 10cm

CM0415 (1) CM0416 (2) CM0417 (3)

ADHESIVE WOUND DRESSING BOX OF 25



- These hypoallergenic adhesive dressings are highly absorbent
- The non-adherent film prevents reduces trauma when removed
- Sticks to awkward places
- Very comfortable
- Large low adherent pad
- Hypoallergenic and breathable
- Available in three sizes (sold separately)
 - 1/ 7cm x 6cm
 - 2/ 8.6cm x 6cm
 - 3/ 10cm x 8cm

CM0418 (1) CM0419 (2) CM0420 (3)

CONFORMING BANDAGE PACK OF 10



- For all your bandage needs
- High stretch, lightweight bandage for holding dressings in place
- Nylon/viscose, fray resistant construction
- Individually wrapped for cleanliness
- Available in four sizes (sold separately)
 - 1/ 5cm x 4.5M
 - 2/ 7.5cm x 4.5M
 - 3/ 10cm x 4.5M
 - 4/ 15cm x 4.5M

CM0406 (No 1) CM0407 (No 2) CM0408 (No 3) CM1171 (No 4)

NO. 7 SMALL DRESSING



- Sterile
- Low adherent pad
- Fast edged conforming dressing

CM1178

CREPE BANDAGE PACK OF 10



- Synthetic bandages
- Woven elasticated bandage
- Ideal for giving light support to sprains and strains
- Can also be used for dressing retention
- Available in three sizes (sold separately)
 - 1/ 5cm x 4.5M
 - 2/ 7.5cm x 4.5M
 - 3/ 10cm x 4.5M

CM0409 (1) CM0410 (2) CM0411 (3)

ELASTIC ADHESIVE BANDAGE PACK OF 10



- Support you can trust
- Quality porous adhesive for secure fixation
- Can be applied directly to the skin
- Smooth bevelled core for comfortable handling
- Individually wrapped for cleanliness
- Available in three sizes (sold separately)
 - 1/ 5cm x 4.5M
 - 2/ 7.5cm x 4.5M
 - 3/ 10cm x 4.5M

CM0412 (1) CM0413 (2) CM0414 (3)

BLUE DETECTABLE TAPE 2.5CMS X 5M



- Waterproof adhesive tape
- A must for catering environments
- Ideal for securing dressings in catering environments where blue products are mandatory

CM0428

ZINC OXIDE TAPE



- Premium quality zinc oxide tape
- Rigid support with high tensile strength
- Ideal for treating joint and ligament injuries
- Hypo-allergenic adhesive
- 100% latex free adhesive formulation
- Available in three sizes (sold separately)
 - 1/ 1.25cm x 10M
 - 2/ 5cm x 10M
 - 3/ 2.5cm x 10M

CM0426 (1) CM0427 (2) CM0549 (3)

MICROPOROUS TAPE



- Ideal for dressing retention on non-flexing areas
- Special adhesive holds dressings firmly in place yet provides minimal trauma for the casualty upon removal
- Quality tape, allows skin to breathe
- White, non-woven paper tape for dressing fixation
- Easy to tear by hand, 100% viscose
- Available in different sizes (sold separately)

CM0421 (1.25cm x 5cm) CM0422 (2.5cm x 5cm)

CM0423 (1.25cm x 10cm) CM0424 (2.5cm x 10cm)

CM0425 (5cm x 10cm)

PLASTIC PERFORATED TAPE BOX OF 12



- Ideal for securing dressings and bandages
- Perforated to provide easy and precise bi-directional tear
- Porous, breathable and translucent
- Excellent adhesion and easy to remove qualities
- Non-sterile and latex free
- Available in two sizes (sold separately)
 - 1/ 1.25cm x 10M
 - 2/ 2.5cm x 10M

CM0429 (1) CM0430 (2)

DRESSING RETENTION SHEET



- Self adhesive dressing retention
- Suitable dressing retention on wide areas
- Ideal for use with low adherent dressings
- Can be cut to size and shape required
- Stretches to conform well to body and moving parts
- Produced using non-woven fabric
- Available in two sizes (sold separately)
 - 1/ 5cm x 10M
 - 2/ 10cm x 10M

CM0431 (1) CM0432 (2)

TUBULAR BANDAGE SIZE 1M



- Relieves discomfort during rest and activity
- Washable cotton/elastic bandages for support of injured limbs
- Available in different width sizes (A - G)
A/ 10cm - 12cm B/ 13cm - 16cm C/ 16cm - 20cm
D/ 20cm - 24cm E/ 24cm - 28cm F/ 28cm - 36cm
G/ 36cm - 46cm

CM0580 (A) CM0581 (B) CM0582 (C) CM0583 (D)

CM0584 (E) CM0585 (F) CM0586 (G)

TUBULAR BANDAGE SIZE 10M



BLUE DOT

- Washable cotton/elastic bandages for support of injured limbs
- 10m bandages are not pre-cut, choose the size needed for your injury
- Available in different width sizes (A - G)
A/ 10cm - 12cm B/ 13cm - 16cm C/ 16cm - 20cm
D/ 20cm - 24cm E/ 24cm - 28cm F/ 28cm - 36cm
G/ 36cm - 46cm

CM0587 (A) CM0588 (B) CM0589 (C) CM0590 (D)

CM0591 (E) CM0592 (F) CM0593 (G)

GAUZE SWABS PACK OF 100 NON STERILE



- Cost effective way for wound treatment
- Cushions and protects wounds
- Allows blood and fluids to pass through and be absorbed
- Prevents dryness in an open wound
- Highly absorbent cotton gauze swabs have balanced combination of softness and abrasive texture
- Available in a pack of 100, non sterile
- Available in two sizes (sold separately)
1/ 5cm x 5cm
2/ 7.5cm x 7.5cm

CM0450 (1) CM0454 (2)

STERILE GAUZE SWABS PACK OF 5



- Cost effective way for wound treatment
- Cushions and protects wounds
- Allows blood and fluids to pass through and be absorbed
- Prevents dryness in an open wound
- Highly absorbent cotton gauze swabs have balanced combination of softness and abrasive texture
- Available in three sizes (sold separately)
1/ 5cm x 5cm 2/ 7.5cm x 7.5cm 3/ 10cm x 10cm

CM0451 (1) CM0453 (2) CM1174 (3)

FINGERSTALL BLUE



- A blue tie-on fingerstall
- Protects injured fingers
- Holds dressings in place
- Helps keep dressings dry
- Secure tie-on system
- Blue colour makes for easy identification when used in catering and kitchens

CM0459 (Medium) CM0460 (Large)

CLINELL SPILL WIPES



- Waterproof finger length protection
- Apply over plasters or dressings
- Pre-rolled ready to use
- Made from latex material

CM0362 (Medium) CM0363 (Large)

FINGER DRESSINGS PACK OF 10



- Easy to apply, no pin required
- Low adherent sterile dressing pad on elastic bandage
- Provides excellent protection and cushioning for the wound
- Held in place with an adhesive strip that is attached to one side of the dressing
- Available in two sizes
1/ 5cm x 5cm
2/ 3.5cm x 3.5cm

CM0352 (1) CM0449 (2)

FINGERBOB



- Tubular finger bandages
- Pre-rolled, elasticated finger bandages
- For holding dressings in place and protecting wounds on fingers
- Blue Fingerbobs are ideal for food handling environments
- Available in pack of 10

BLUE

WHITE

CM0458

CM0457

MEDICAL BAGS & CARRY CASES

We have a diverse range of hard and soft cases, bags and specialised kit bags to enable you to make standard or bespoke kits to your own specifications.

SMALL BUM BAG



BEESWIFT
MEDICAL



- Small Bumbag 22 x 14 x 6cm
- Highly portable with quick release clip and adjustable strap
- Zip closure

CM1100

BUM BAG WITH POCKETS



BEESWIFT
MEDICAL



- Deep central pocket and extra outside pocket
- Highly portable with quick release clip and adjustable strap
- Zip closure, adjustable strap

CM1101

HEAVY DUTY FIRST AID BAG



BEESWIFT
MEDICAL



- 8 internal compartments to organise the content
- Reflective strips
- Adjustable nylon shoulder strap

CM1102

MULTI-PURPOSE FIRST AID BAG



BEESWIFT
MEDICAL



- Five internal compartments and transparent zip pocket inside lid
- Carry handle with removable shoulder strap
- Green nylon waterproof material

CM1103

SMALL GREEN POUCH WITH INSIDE POCKET



BEESWIFT
MEDICAL



- With internal pocket and zip closure
- Ideal for personal and travel kits
- Green nylon waterproof material

CM1104

MEDIUM GREEN POUCH WITH INSIDE POCKET



BEESWIFT
MEDICAL



- Internal pocket and zip closure
- Ideal for personal, travel and smaller workplace first aid kits
- Green nylon waterproof material

CM1105

LARGE GREEN POUCH WITH INSIDE POCKET



- Internal pocket and zip closure
- Ideal for personal, travel kits and most workplace first aid kits
- Green nylon waterproof material

CM1106

HANDY FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1107

SMALL FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1108

MEDIUM FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1109

LARGE FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1110

MED ECLIPSE BSI FIRST AID BAG ONLY



- Heavy duty double zip with padlock loops
- Zipped compartment areas inside
- Dimensions: 24.5cm x 15.5cm x 10cm

CM1111

PARAMEDIC RUCKSACK



- With strong, adjustable shoulder straps, and quick release buckle
- Large Pocket at the front
- Includes several colour coded internal pouches

CM1116

AED DEFIBRILLATOR BACKPACK



- Manufactured from durable Cordura
- Fully lined, with internal pocket
- Complete with zippered Prep kit pouch on front of backpack

CM1117

DELUXE MULTI-PURPOSE TACTICAL BAG



- Complete with belt loop and zipped closure
- Ideal for personal first aid, tactical, trauma and AED Prep kits
- Can be screened/own branded to customer details

CM1118

RESPONDERS BAG



- Ideal for keeping first aid supplies on one person
- Excellent portability
- Easy to organise the contents

CM1712

GREEN ECLIPSE 300 SERIES BAG



- Reinforced carry handle with loops
- Popper fastener belt loop
- Dimensions: 16cm x 8cm x 8cm

CM1177

CUTEEZE QUICK RELEASE POUCH



- To contain a minimum of a CAT tourniquet and 6" Emergency Blanket
- It is designed to easily attach to a belt of climbing harness
- "Pull cord" release feature means it can be operated using one hand

CM0069

SITE SAFETY AND FIRST AID COMBINATION BAG



CM1925

BLUE TOUCHLINE SPORTS FIRST AID BAG



- Fold down large hook and loop pocket on the front
- Sturdy padded carry handles for comfort and longevity
- Studded feet on base to protect bottom of bag

CM1017

TRAUMA BAG



- With removable hard wearing base with stud protectors
- With five internal compartments and five external pockets
- Interior fully lined

CM1194

GREEN ECLIPSE BOX



- Ideal for HSE 1-10, 1-20, small Traders, small BSI, PSV and other travel kits

CM1018 no partition 275 x 275 x 100mm

CM1019 no partition 340 x 340 x 100mm

CM1006 3 partitions 275 x 275 x 100mm

CM1000 6 partitions 340 x 340 x 100mm

CLEAR ECLIPSE BOX



- Ideal for eyewash and body fluid spill kits

CM1002 no partition 275 x 275 x 100mm

CM1005 no partition 340 x 340 x 100mm

CM1004 3 partitions 275 x 275 x 100mm

BLUE ECLIPSE BOX



- Ideal for small kitchen and catering kits

CM1001 no partition 275 x 275 x 100mm

CM1007 no partition 340 x 340 x 100mm

CM1020 3 partitions 275 x 275 x 100mm

CM1021 6 partitions 340 x 340 x 100mm

RED ECLIPSE BOX 3 PARTIONS



- Size 275 x 275 x 100mm
- One large and two other compartments
- Ideal for burns kits

CM1003

EMPTY BOX WITH HANDLE AND WALL BRACKET



- Transparent cover plates, movable dividers in the bottom and upper part

CM1022 270 x 187 x 114mm

CM1023 428 x 304 x 146mm

CM1026 385 x 272 x 138mm

CM1028 321 x 218 x 122mm (First Aid Box)

PRIESTFIELD FIRST AID BOX GREEN



- Standard first aid case ideal for 1 person kits, PSV and travel kits

CM1012 225 x 170 x 60mm

CM1013 260 x 170 x 80mm

CM1014 355 x 275 x 90mm

EMPTY FIRST AID BOX WITH WALL BRACKET



- Dimension 250 x 170 x 90mm
- Handle, transparent cover plates, movable

CM1025

ABS GREEN FIRST AID BOX 270 X 190 X 120MM



- Comes complete with wall mounting bracket
- Internal compartments with perspex cover
- Ideal for warehouse and building sites etc

CM1027

FAST CHECK CABINET



- Wall fixing and carry handle
- Can hold accident or first aid book
- Security loop for security seal

CM1029

LARGE ALUMINIUM FIRST AID CASE



BEESWIFT
MEDICAL

Ideal for 1 person kits, PSV and travel kits
Green, with black clip fasteners
Dimensions: 34.5 x 23 x 17cm

CM1016

FIRST AID KIT WALL BRACKET



BEESWIFT
MEDICAL

- Sturdy plastic
- Wall mountable
- Holds a first aid kit for easy access

CM0400

SECURITY TAGS FOR FIRST AID KITS



BEESWIFT
MEDICAL

- Indicates the kit has not been previously opened or tampered with
- Can be used as tags on fire extinguishers

CM1011

DEFIBRILLATORS & RESUSCITATION KITS

Resuscitation Equipment

We have a range of resuscitation equipment to help deliver CPR and safely maintain a barrier between the casualty and the rescuer, minimising the risk of cross contamination and infection during mouth to mouth resuscitation.

NF1200 IPAD Defibrillator

Designed as a basic model for minimally trained operators, available in an automatic and semi automatic version and is designed so it cannot be operated incorrectly which makes it ideal for public areas where emergencies might require operation by someone untrained in defibrillator use.

CARDIAC SCIENCE G5 Defibrillator

A complete AED solution that gives confidence to both novices and trained emergency professionals to act in the event of a sudden cardiac arrest. This defibrillator has been tested to military standards.

First time users can successfully perform each critical step of a rescue with intuitive pad design, real time instruction and feedback via voice and text prompts.

Defibrillators and other resuscitation equipment are becoming essential parts of all first aid requirements as increased training and an increase in the general understanding that the availability of defibrillators in the workplace make a real difference to saving lives.

ZOLL AED PLUS

When sudden cardiac arrest occurs, the fact is that only half of the victims will need a shock. But all will require cardiopulmonary resuscitation (CPR).

You need an automated external defibrillator (AED) that helps you all the time. The ZOLL AED Plus can actually see when you are doing CPR and help you do it well.

The AED Plus features Real CPR Help, a unique CPR feedback tool that is able to monitor CPR quality and provide real-time feedback for depth and rate of chest compressions.

Audio and visual prompts help you to rescue with a confidence and clarity unmatched by any other AED.

LIFELINE AED

The original AED, solid, reliable with over 375,000 units sold worldwide. Easy to use, simple instructions, ideal for use by both trained and untrained operators.

NF DEFIBRILLATOR



- Metronome function and CPR instructions
- Cannot be incorrectly operated
- Daily self-tests
- Does not require expensive inspection supervision
- Highest IP 54 rating which means that iPAD is protected against dust and water
- Also suitable for ships
- CE approved and highest FDA approval
- Stores 1 rescue attempt - 40 min. recording of the entire rescue process as well as ECG data
- Software can be updated
- Can be used for children up to 25kg, or below
- 8 years of age using special pads to be purchased separately

CM0481 1200 SEMI-AUTOMATED

CM0480 1201 FULLY-AUTOMATED

NF 1200 BATTERY



CM0485

ELECTRODE PADS ADULT (1 PAIR)



CM0486

ELECTRODE PADS CHILD (1 PAIR)



CM0487

G5 STORAGE BRACKET



- Suitable for storing the Cardiac Science Powerheart G5 defibrillators
- Helps identify the correct storage location

CM1207

WALL BRACKET FOR I-PAD SAVER (NF1200)



CM0484

- Defibrillator remains fully visible
- Helps identify the correct storage location
- Protective and economical store solution

AED Defibrillator WALL BRACKET



CM1210

- Increases visibility of the defibrillator unit
- Keeps the AED easily accessible
- Ideal for our full range of AED units

CARDIAC SCIENCE G5 AED DEFIBRILLATOR



- Supplied with one set of adult electrode pads, battery and software + exclusive extras
- Resistance against dust and moisture
- LED indication that the defibrillator is fully functional
- Non-polarised adult pads helps save time in emergencies
- Can be used on young patients with the infant/child pads (sold separately)
- Available with CPR Device, provides real-time CPR feedback for correct compression rate and depth

Fully Automatic

CM1200 **CM1201** (with CPR Device)

Semi Automatic

CM1202 **CM1203** (with CPR Device)

CM1208 (Traing Unit with CPR Device)

G5 DEFIBRILLATOR REPLACEMENT BATTERY



CM1206

DEFIBRILLATOR PADS ADULT



CM1204

DEFIBRILLATOR PADS CHILD



CM1205

NEAREST AUTOMATED DEFIB SIGN



- Complies with BS 5499 Part 1, Part 4, Part 5 and The Health & Safety (Safety Signs & Signals) Regulations 1996

CM1326

NEAREST AUTOMATED DEFIB SIGN



- Complies with BS 5499 Part 1, Part 4, Part 5 and The Health & Safety (Safety Signs & Signals) Regulations 1996

CM1327

AED AUTOMATED EXT DEFIB SIGN



- Complies with BS 5499 Part 1, Part 4, Part 5 and The Health & Safety (Safety Signs & Signals) Regulations 1996

CM1328

LIFELINE AED FULLY AUTOMATIC DEFIBRILLATOR



- It features clear voice instructions to help with the entire process from how to position the pads to when to perform CPR between shocks.
- The standard Lifeline Defibrillator Battery (approx. 5 years) is capable of performing 125 defibrillator shocks or 8 hours of continuous operation
- One of the easiest AED's for use by untrained operators
- 8-year manufacturer's warranty including free software upgrades in line with resuscitation guidelines
- Tested to military standards, robust and durable
- Complete daily, weekly and monthly self-tests
- Clear voice instructions, including CPR coaching to further simplify the rescue for responders

Fully Automatic

CM1931

Semi-Automatic

CM1930

ADULT DEFIBRILLATOR PAD SET (DDP-100)



- Replacement adult defibrillation pads
- For use with the Lifeforce AED
- Pads should be stored connected to the AED
- Pad package has a two year shelf life

CM1737

ZOLL AED PLUS DEFIBRILLATOR



- Easy to place one piece electrode providing more time to focus on rescue
- Fixed escalating energy (120J, 150J, 200J)
- Metronome for CPR compression rate
- CPR help technology provides real time feedback on depth and rate of compressions
- Configurable automatic self tests from 1 to 7 days
- 50 mins of ECG and Rescue data
- Powered by 10 lithium batteries
- Carry case included
- 5-year warranty (plus 2 years if registered with Zoll)

Fully Automatic

CM0968

Semi-Automatic

CM0966

DEFIBRILLATOR WALL HANGER



- Universal wall hanger
- Suitable for all defibrillators
- Comes complete with all details required in case of an emergency
- Internal Locations only
- Ideal for office, warehouse or factory locations
- Can be own branded on 10 units or above

CM1223

DEFIBRILLATOR STAINLESS STEEL CABINET



- Protected with an outdoor yellow powder coat
- Salt spray tested for 10k hours
- Internal permanently illuminated LED light
- Thermostatically controlled heating in new 'plug and play' self-contained electrics unit
- Breather drain to prevent condensation
- Internal hook to hang/accommodate any defibrillator
- Comes as standard with a viewing window
- Cabinet dimensions are 500x400x250mm
- This item is shipped directly from the manufacturer, please allow 7 days for delivery.

CM1211 (With keypad Lock and Electrics)

CM1212

DEFIBRILLATOR MILD STEEL CABINET



- Protected with an outdoor yellow powder coat
- Includes a plastic wing handle for free opening
- Internal permanently illuminated LED light
- Thermostatically controlled heating in new 'plug and play' self-contained electrics unit
- Breather drain to prevent condensation
- Internal hook to hang/accommodate any defibrillator
- Comes as standard with a viewing window
- Cabinet dimensions are 500x400x250mm
- This item is shipped directly from the manufacturer, please allow 7 days for delivery

CM1213 (With keypad Lock and Electrics)

CM1214

DEFIBRILLATOR MILD STEEL CABINET



- Protected with an outdoor yellow powder coat
- Salt spray tested for 10k hours
- Internal LED magnetic light activates in darkness on motion sensor
- Thermostatically controlled heater
- Internal hook to accommodate any defibrillator without carry case
- Viewing window
- Cabinet dimensions are: 400 x 400 x 200
- This item is shipped directly from the manufacturer, please allow 7 days for delivery.

CM1215 (With keypad Lock and Electrics)

CM1216



DEFIBRILLATOR MILD STEEL CABINET INTERNAL



- Professional defibrillator cabinet for indoor use
- Made from powder coated steel with large Perspex viewing window
- Includes strobe light and alarm that can be set to activate on door opening -this is used to alert people that the cabinet has been opened for security purposes or to raise the alarm that a defibrillator is required
- External dimensions are 450 x 450 x 200mm
- This item is shipped directly from the manufacturer, please allow 7 days for delivery.

CM1217 (White)

CM1218 (Yellow)



INDOOR DEFIBRILLATOR CABINET



- Provides safe and visible storage for AEDs
- Clear door allows the visual inspection of the AED
- Incorporated shelf allows for storage of additional items
- Available with either a key lock or thumb lock
- Provided with a spare key

CM1224 (With key Lock)

CM1225 (With thumb Lock)



METAL FIRST AID CABINET



- Safe and secure storage for first aid contents
- Includes lockable storage compartments
- Flexible storage option with multiple compartments
- Sturdy design
- Supplied empty

CM1120 60 x 13 x 50cms (single door)

CM1121 46 x 30 x 14cms (double door)

AED RESCUE READY/PREP KIT



- P1 x CPR Facemask
- 2 x Sterile Saline Wipes
- 1 x Pack of 5 x 5 cm Sterile Gauze Swabs
- 1 x pair tuffcut scissors
- 1 x prep razor
- 1 x biohazard bag
- 1 x pair nitrile disposable gloves
- 1 x Foil blanket
- Supplied with either a deluxe bag or a standard bag
- Bag can be own branded with customer logo (min order 50 kits)

CM1113 (Deluxe Bag)

POCKET FACE MASK



CM0471

FACESHIELD



CM0472

RESUSCIADE



CM0473

RESUSCIADE IN POUCH



BEESWIFT
MEDICAL



CM0474

VENTAID



CM0475

SET OF GUEDAL AIRWAYS



BEESWIFT
MEDICAL



CM0476

SPORTS First Aid

Actually designed with the sportsman in mind, our range of three kits are full of product developed to treat injuries received in a wide range of sporting events and teams from the individual to the school team, to the large multi participant event.

Click Medical provides a wide range of sports related first aid products to deal with bruises, bumps, cuts and minor injuries that occur on the sporting field.

Hot and Cold Therapy

We have a wide range of instant ice packs of varying sizes, reusable hot and cold packs, an instant heat pack and freeze sprays to deal with bumps and bruises giving instant and long term relief for these sporting injuries.

— to instantly

We also supply a range of other products to help with dealing with sports field injuries including:

Blister plasters — for protection of feet and hands and protect against abrasion

Wound Wash — for quick cleansing of the wound

Spray plasters and bandage

create a barrier to prevent further injury and infection to the wound area.

TEAM FIRST AID KIT IN SPORTS BAG



- 1 x Guidance leaflet
- 10 x Alcohol free cleansing wipes
- 1 x Wound wash spray 70ml
- 1 x Cotton wool roll 15gm
- 1 x Crepe bandage 5cm x 4.5m
- 1 x Crepe bandage 7.5cm s 4.5m
- 5 x Eyewash pods 20ml
- 1 x Foil blanket
- 2 x Blister plasters
- 1 x Hand gel 50ml
- 1 x Petroleum jelly
- 20 x Waterproof plasters
- 1 x Resuscitation face shield
- 1 x Tuffcut scissors
- 2 x Self-seal waste bags
- 1 x Sport instant ice pack
- 1 x Freeze spray 150ml
- 1 x Resusciate
- 1 x Spray bottle 250ml
- 2 x Sterile dressing medium
- 2 x Sterile dressing large
- 1 x Sterile dressing XL
- 2 x Sterile eye pad
- 2 x Sterile low adherent dressing 5cm x 5cm
- 1 x Sterile low adherent dressing 10cm x 10cm
- 2 x Sterile low adherent adhesive dressing 8cm x 6cm
- 2 x Sterile low adherent adhesive dressing 10cm x 8cm
- 1 x Sterile skin closure strip 3mm x 75, pack of 3, 5 strips to a sheet (15 strips)
- 1 x Sterile Cut-Eeze wound seal dressing
- 1 x Sterile Cut-Eeze wound seal dressing (round)
- 2 x Triangular bandages
- 6 x Safety pins
- 4 x Pairs disposable vinyl gloves
- 1 x Zinc oxide tape 2.5cm x 5m
- 1 x Microporous tape 2.5cm x 5m
- 1 x Touchline bag
- Refill pack for kit sold separately (CM0063)

CM0062 (Kit) CM0063 (Refill Pack)

ADVANCED TEAM SPORTS KIT IN LARGE BAG



- 1 x Guidance leaflet
- 10 x Alcohol free cleansing wipes
- 1 x Wound wash spray 70ml
- 1 x Fabric dressing strip 60mm x 1m
- 1 x Cotton wool roll 15gm
- 1 x Crepe bandage 5cm x 4.5m
- 1 x Crepe bandage 7.5cm s 4.5m
- 1 x Crepe bandage 10cm x 4.5m
- 1 x Crepe bandage 15cm x 4.5m
- 2 x Conforming bandages 7.5cm x 4.5m
- 1 x Eyewash bottle 500ml
- 5 x Eyewash pods 20ml
- 2 x Foil blankets
- 4 x Blister plasters
- 1 x Hand gel 50ml
- 1 x Petroleum jelly
- 20 x Waterproof plasters
- 20 x Fabric plasters
- 1 x Resuscitation face shield
- 1 x Tuffcut scissors
- 2 x Self-seal waste bags
- 2 x Sport instant ice packs
- 1 x Freeze spray 150ml
- 1 x Resusciate
- 1 x Spray bottle 250ml
- 3 x Sterile dressing medium
- 3 x Sterile dressing large
- 2 x Sterile dressing XL
- 2 x Sterile eye pad
- 3 x Sterile low adherent dressing 5cm x 5cm
- 2 x Sterile low adherent dressing 10cm x 10cm
- 3 x Sterile low adherent adhesive dressing 8cm x 6cm
- 3 x Sterile low adherent adhesive dressing 10cm x 8cm
- 1 x Sterile skin closure strip 3mm x 75, pack of 3, 5 strips to a sheet (15 strips)
- 2 x Sterile Cut-Eeze wound seal dressing
- 2 x Sterile Cut-Eeze wound seal dressing (round)
- 4 x Triangular bandages
- 6 x Safety pins
- 8 x Disposable vinyl gloves
- 1 x Zinc oxide tape 2.5cm x 5m
- 1 x Zinc oxide tape 1.25cm x 5m
- 1 x Zinc oxide tape 5.0cm x 5m
- 1 x Microporous tape 2.5cm x 5m
- 1 x Touchline bag large
- Refill pack for kit sold separately (CM0066)

CM0065 (Kit) CM0066 (Refill Pack)

PERSONAL SPORTS FIRST AID KIT



- Alcohol Free Cleansing Wipes x 10
- Wound Wash Spray 70ml x 1
- Cotton Wool Roll 15gm x 1
- Crepe Bandage 5cm x 4.5m x 1
- Crepe Bandage 7.5cm s 4.5m x 1
- Eyewash Pods 20ml x 2
- Foil Blanket x 1
- Blister Plasters x 2
- Petroleum Jelly x 1
- Plasters Washproof x 20
- Resuscitation Face Shield x 1
- Scissors -Tuff Cut x 1
- Self-Seal Waste Bags x 1
- Sport Instant Ice Pack x 1
- Freeze Spray 150ml x 1
- Resusciate x 1
- Spray Bottle 500ml x 1
- Sterile Dressing Medium x 1
- Sterile Dressing Large x 1
- Sterile Eye Pad x 1
- Sterile X large Dressing x 1
- Sterile Low adherent Dressing 5 x 5cm x 1
- Sterile Low adherent Dressing 10 x 10cm x 1
- Sterile Low Adherent Adhesive Dressing 8 x 6cm x 1
- Sterile Low Adherent Adhesive Dressing 10 x 8cm x 1
- Sterile Skin Closure Strip 3mm x 75, pack of 3, 5 strips to a sheet x 1(15 strips)
- Sterile 'Cut-eeze' wound seal dressing x 1
- Sterile 'Cut-eeze' wound seal dressing(round) x 1
- Triangular Bandage x 1
- Safety Pins x 6
- Vinyl Gloves x 2
- Zinc Oxide Tape 2.5cm x 5m x 1
- Microporous Tape 2.5cm x 5m x 1
- Guidance leaflet x 1
- Bumbag

CM0060 (Kit) **CM0061** (Refill Pack)

FOOTBALL FIRST AID KIT



- Ideal for football teams as well as general sports first aid applications
- Contains all of the items needed to treat a minor injury on the playing field
- Includes bandages, sterile wound dressings, sterile eyewash & water spray bottles

Contents:

- Guidance leaflet x 1
- Touchline Bag (Large) x 1
- Gauze swabs x 5
- Eyepad dressing x 1
- Medium HSE dressing x 1
- Large HSE dressing x 1
- Non-woven triangular bandage x 2
- Conforming bandage 7.5cmx4.5m x 1
- Crepe bandage assorted x 3
- Elastic adhesive bandage x 1
- Low adherent dressing assorted x 3
- Microporous tape x 1
- Zinc oxide tape x 2
- Instant ice pack x 1
- Faceshield x 1
- scissors x 1
- Safety pins x 12
- Foil blanket x 1
- Disposable gloves x 2pair
- Sterile saline wipes x 10
- Trigger spray bottle x 1
- Self-seal waste bags x 2
- Assorted plasters x 20
- Eyewash pods x 2

CM0067 (Kit) **CM0068** (Refill Pack)

TREATMENT SPRAYS



1



2



3



4



Freeze Spray Skin Coolant - CM0377 / CM0378

A convenient spray which provides an instant cooling effect
Can help reduce the sensation of burns, sprains, cramp and inflammation
Suitable for sports, industrial and domestic applications

Wound Cleanser Skin Disinfectant - CM0379

An alcohol based skin and wound cleanser for use prior to:
Dressing injured or broken skin with minor cuts and grazes,
conducting simple medical procedures such as injections,
wound repair being performed on skin,
conducting podiatry procedures on feet and conducting non medical
procedures such as tattooing

Spray Plaster - CM0380

Click Medical Spray Plaster forms a transparent, breathable and flexible film
to protect the wound and promote natural healing
It is particularly useful for awkward places such as elbows and knees
Provides an invisible over skin coating which will protect all day or
until washed off with soap and water

(1) CM0377 (150ml) (2) CM0378 (400ml)

(3) CM0379 (70ml) (4) CM0380 (32.5ml)

INSTANT ICE PACK KOOL KIDS



KOOL
PAK

- Ideal for treating soft tissue injuries on children
- Extremely popular in schools
- Compact size is ideal for keeping in a hand bag or first aid kit
- Quickly relieves pain and swelling
- Ideal for soothing headaches
- Pack can remain cold for around 20 mins at room temperature
- Single use and easily disposable

CM0372

REUSABLE HOT AND COLD PACK



KOOL
PAK

- Ideal for use by therapists and medical professionals on patients
- Perfect for use on larger body areas
- Oversized pack moulds to the problem area
- Remains flexible when cold or hot
- Pack can remain cold for up to 2 hours at room temperature
- Reusable

CM0490

INSTANT COLD PACK RETAIL



RAPID RELIEF



- Activates instantly and provides up to 20 minutes of cold therapy, helping to begin the healing process faster
- Delivers approximately 1°C / 34°F of cold therapy when activated at room temperature
- FTP™ (fold-to-pop) technology, allowing the user to activate the cold pack simply by folding it in half
- Apply to bruises and swelling, muscle spasms and pain, headaches and minor injuries
- Available in 4 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm

RA35246 (1) RA35259 (2)

INSTANT COLD PACK WITH GENTLE TOUCH™ TECHNOLOGY



RAPID RELIEF



- Reduces swelling with immediate cold therapy without ice
- Features a soft touch material that can be placed directly against the skin
- Offers fast relief from pain and swelling caused by injury and inflammation
- Delivers approximately 2°C / 36°F of cold therapy when activated at room temperature
- FTP™ (fold-to-pop) technology, allowing the user to activate the cold pack simply by folding it in half
- Apply to bruises and swelling, muscle spasms and pain, headaches and minor injuries
- Available in 2 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm

RA35346 (1) RA35359 (2)

SINGLE BAG - INSTANT COLD PACK WITH SELF-ADHERING WRAP



RAPID RELIEF



- The patented technology delivers direct-to-skin cold therapy to reduce swelling and discomfort after an injury
- The built-in Self-Adhering Wrap applies an appropriate amount of compression directly, and comfortably, to the injured area
- Delivers approximately 2°C/36°F of cold therapy when activated at room temperature
- Gentle Touch technology delivers direct-to-skin cold therapy
- FTP™ (fold-to-pop) technology, allowing the user to activate the cold pack simply by folding it in half
- Apply to bruises and swelling, muscle spasms and pain, headaches and minor injuries
- Built-in compression wrap
- Available in 2 sizes:
1/ 5" x 9" / 13cm - 23cm
2/ 5" x 9" / 13cm - 23cm Retail Box

RA35759 (1) RA11357 (2)

INSTANT WARM PACK WITH GENTLE TOUCH™ TECHNOLOGY - SINGLE BAG



RAPID RELIEF



- Delivers soothing warmth directly to the skin for therapeutic healing
- Patented gel technology turns from liquid to a contouring gel when activated, allowing for the product to contour to each affected body part
- Tested to retain heat much longer compared to other traditional instant warm packs
- Delivers approximately 44°C/111°F of warm therapy when activated at room temperature
- Gentle Touch™ technology, which means this product can be applied directly to the skin
- FTP™ (fold-to-pop) technology, allowing the user to activate the warm pack simply by folding it in half
- Apply to pain associated with arthritis, to relax sore muscles and improves the flexibility of tendons and ligaments
- Direct-to-skin application with Gentle Touch™ technology
- Available in 2 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm

RA44346 (1) RA44359 (2)

INSTANT HOT PACK



RAPID RELIEF

- Instant Hot Pack delivers soothing heat right away to help promote therapeutic healing where needed
- Magnesium sulfate technology is a longstanding hot pack solution in the medical marketplace
- Delivers approximately 49°C/120°F of hot therapy when activated at room temperature
- FTP™ (fold-to-pop) technology, allowing the user to activate the hot pack simply by folding it in half
- Apply to sore and stiff joints, muscle aches and pain, muscle tension and cramps
- Available in 2 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm

RA43246 (1) RA43259 (2)

REUSABLE COLD & HOT GEL COMPRESS WITH CONTOUR-GEL - RETAIL BAG



RAPID RELIEF

- Contour-Gel molds to the body even when frozen, and is aesthetically recognized by patients as one of the industry standards for relieving pain from bumps and bruises
- It is freezable, microwaveable and non-toxic
- Delivers approximately 2°C/28°F of cold therapy when stored in freezer and 43.5°C/110°F of hot therapy when microwaved

Cold Therapy

- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain

Hot Therapy

- Apply to sore and stiff joints, muscle aches and pain, muscle tension and cramps
- Available in 3 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm
3/ 9" x 11" / 23cm - 28cm

RA12246 (1) RA12259 (2) RA12290 (3)

DELUXE COLD & HOT GEL COMPRESS WITH CONTOUR-GEL



RAPID RELIEF

- Quickly delivers comforting cold or hot therapy, and can be reused for either, as needed
- The high-end compress material is soft and effective, with a quality feel
- The Deluxe version is also filled with extra gel, to give it added weight, natural compression and extended dwell times
- Delivers approximately 2°C/28°F of cold therapy when stored in freezer and 43.5°C/110°F of hot therapy when microwaved

Cold Therapy

- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain

Hot Therapy

- Apply to sore and stiff joints, muscle aches and pain, muscle tension and cramps
- Available in 4 sizes:
1/ 6" x 5" / 15cm - 13cm 2/ 6" x 10" / 15cm - 25cm
3/ 6.75" x 8.5" / 17cm - 22cm 4/ 11" x 10" / 28cm - 25cm

RA401 (1) RA402 (2) RA403 (3) RA404 (4)

PREMIUM REUSABLE COLD COMPRESS



RAPID RELIEF

- Delivers quick cold therapy to reduce swelling and provide comfort after an injury
- Manufactured with premium fabric and form-fitting gel that remains flexible when frozen, this product is designed to be applied directly to the skin and provide comforting relief
- Delivers approximately 3°C/37°F of cold therapy when stored in freezer
- Contour-Gel technology allows the compress to contour to the body area being treated, yet remain flexible even when frozen
- Direct-to-skin application
- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain

- Available in 2 sizes:
1/ 5" x 11" / 13cm - 28cm
2/ 8" x 12" / 20cm - 30cm

RA11251 (1) RA11270 (2)

UNIVERSAL REUSABLE HOT/COLD COMPRESS WRAP



RAPID RELIEF

- A convenient, non-medicinal and economical way to treat pain relief
- Provides comforting cold or hot therapy in an effective reusable system
- Our Form-Fit non-toxic gel™ technology prevents gel from sagging; holds it shape and spreads evenly when gel is heated
- Self-adhering wrap compresses the area and holds the gel pack in place to target immediate relief
- Flexible when frozen, safe for microwaveable use
- Ideal for smaller body area such as: knee, ankle, elbow, wrist, hand, fingers, foot and toes
- Includes extra strap: Deluxe wrap with hook & loop closures and an added strap to fit larger areas
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimension: 5" x 10" / 13cm - 25cm

RA11250

DELUXE REUSABLE HOT/COLD COMPRESS WRAP



RAPID RELIEF

- A convenient, non-medicinal and economical way to treat pain relief
- Provides comforting cold or hot therapy in an effective reusable system
- Our Form-Fit non-toxic gel™ technology prevents gel from sagging; holds it shape and spreads evenly when gel is heated
- Self-adhering wrap compresses the area and holds the gel pack in place to target immediate relief
- Flexible when frozen, safe for microwaveable use
- Ideal to treat larger areas such as: back, shoulder, neck, abdominal area, lower back
- Includes extra strap: Deluxe wrap with hook & loop closures and an added strap to fit larger areas
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimension: 9" x 13" / 23cm - 33cm

RA11290

REUSABLE HOT/COLD GEL COMPRESS, DIRECT-TO-SKIN



RAPID RELIEF

- Non-woven material is soft and comfortable directly against the skin, and the size is ideal for most common injuries to smaller joints and targeted body areas, both hot or cold
- Non-toxic gel
- Flexible when frozen, safe for microwaveable use
- Ideal for targeted pain relief for areas such as face, arm, ankle, elbow, leg
- Direct-to-Skin: No need to wrap in a towel before use
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimension: 6" x 19" / 15cm - 23cm

RA11369

ICE BAG



RAPID RELIEF

- Designed to aid and comfort at home ailments such as headaches and fever
- Made from a premium soft and comfortable material, the ice bag is an economical and ideal way to treat inflammation, swelling, bruising and minor injuries
- Variety of applications; can be used on any body part
- Easy to open; extra large opening wide enough to take whole ice cubes
- No leakage or mess from melted ice cubes
- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain
- Dimension: 11" / 28cm

RA95530

NATURAL THERAPEUTIC OAT BAG WITH GEL PACK, SQUARE



RAPID RELIEF

- The patented Natural Therapeutic Oat Bag delivers the deep, penetrating moist heat that radiates from all-natural oats in a large, square format
- The versatile square bag has multiple application areas on the body, including the abdomen, back, leg and shoulder
- Features a pocket for the included cold gel pack to increase the intensity of the cold temperature therapy
- Ideal for abdomen, back, thigh, arm and menstrual cramps
- 100% natural oats can be used hot or cold
- Built-in pocket for included freezable gel pack for increased effectiveness and temperature span
- Square shape for versatility and broad application
- Direct-to-Skin, cosy material
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimensions:
9" x 10.5" / 23cm - 27cm Oat Bag
7" x 8" / 18cm - 21cm Gel Pack

RA11278

NATURAL THERAPEUTIC OAT BAG WITH GEL PACK, LONG



RAPID RELIEF

- The patented Natural Therapeutic Oat Bag delivers the deep, penetrating moist heat that radiates from all-natural oats in a long, rectangular wrap format
- The extended shape is ideal for the neck, head, lower back and more
- Features a pocket for the included cold gel pack to increase the intensity of the cold temperature therapy
- Ideal for neck, shoulders and back pain
- 100% natural oats can be used hot or cold
- Built-in pocket for included freezable gel pack for increased effectiveness and temperature span
- Long, rectangular shape for concentrated application to specific areas
- Direct-to-Skin, cosy material
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimensions:
5.5" x 19" / 14cm - 48cm Oat Bag
4" x 16.5" / 10cm - 42cm Gel Pack

RA11240

PREMIUM FOOT PAIN COLD PACK WITH BUILT-IN COMPRESSION STRAP



RAPID RELIEF

- Contour-Gel™ technology allows the compress to mold to multiple areas of the foot and remains flexible when frozen
- Manufactured with premium fabric, it is easy to use, and includes a built-in strap to hold the pack in place and add compression
- Flexible even when frozen
- Direct-to-skin application
- Provides relief from pain and swelling associated with various foot conditions and injuries, such as sprains, tears, achilles pain and more
- Dimension: 6" x 9" / 15cm - 23cm

RA11954

PREMIUM REUSABLE COLD SLIPPERS



RAPID RELIEF

- Delivers cold therapy to reduce swelling and relieve foot pain and discomfort. Contour-Gel™ technology allows the compress to mold to the foot, yet remain flexible even when frozen
- Flexible even when frozen
- Direct-to-skin application
- Bi-lingual packaging (English and French)

Cold Therapy Relief:

- Provides relief from pain and swelling due to pregnancy, over exertion, post-surgery care and side effects from medication
- Relieves soreness associated with long days on feet or uncomfortable footwear
- Relieves discomfort associated with poor circulation
- Relief from various foot and toe conditions such as gout, breaks or sprains
- Dimension: 5" x 12" / 13cm - 30cm

RA11550

HEALTH & SAFETY ROOM ITEMS

KITCHEN HYGIENE POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1300

ELECTRIC SHOCK TREATMENT GUIDE POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1301

WORKPLACE FIRST AID POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1302

FIRST AID FOR EYES POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1303

DEFIBRILLATER AED GUIDANCE POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1304

COSHH POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1305

SAFE MANUAL HANDLING POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1306

TRIPS AND FALLS POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1307

FIRE SAFETY POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1308

HEALTH AND SAFETY AT WORK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1309

PERSONAL PROTECTIVE EQUIPMENT POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1310

NOISE AT WORK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1311

FIRST AID FOR BURNS POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1312

WORK AT HEIGHT POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1313

ASBESTOS AT WORK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1314

WASH YOUR HANDS POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1315

FOOD ALLERGIES & ANAPHYLACTIC SHOCK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1329

NEAR MISS RECORD BOOK



- Prevent future incidents from occurring
- Space to record a total of 53 incidents
- Enables compliance with
- Data Protection Act 1998

CM1338

HEALTH & SAFETY LAW POSTER / ACCIDENT BOOK / FIRE SAFETY LOG BOOK



Health & Safety Law Poster

- Rigid PVC
- 420mm x 594mm
- Packed singularly

Accident Book

- To record all fire procedures
- Essential part of health & safety work policies

Fire Safety Log Book

- To record all employee accidents
- Essential part of health & safety work policies

(1) BSSHSE01 (2) CM1324 (3) CM1325

EMERGENCY FIRST AID AT WORK BOOK



- Resuscitation Council(uk) 2015 Guidelines compliant
- Easy to read and understand
- Compliments the Level 2 (Level 5 in Scotland) EFAW courses

CM1316

FIRST AID AT WORK BOOK



- Resuscitation Council(uk) 2015 Guidelines compliant
- Compliments the approved First Aid at Work courses
- Includes Paediatric Basic Life Support

CM1317

FIRST AID FOR CHILDREN BOOK



- 24 page illustrated A4 colour book, includes 'Mini Medics' certificate
- A unique syringe-style pen in red or blue
- 4 page worksheet with fun and educational activity

CM1322

FIRST AID FOR CHILDREN BOOK 2 PACK



- 24 page illustrated A4 colour book, includes 'Mini Medics' certificate
- Pencil set comprising 6 different coloured pencils and a sharpener
- 4 page worksheet with fun and educational activity

CM1323

FIRST AID ROOM COUCH



- Epoxy coated square steel frame
- Tilting head section
- Built in couch roll dispenser
- High quality padded vinyl upholstery
- Other colours available on request, surcharge will apply

CM1122

REST ROOM COUCH ADJUSTABLE HEADROOM



- Epoxy coated square steel frame
- Tilting head section
- Built in couch roll dispenser
- High quality padded vinyl upholstery
- Other colours available on request, surcharge will apply

CM1123

POLYESTER FILLED PILOW



- High quality polyester filled pillow

CM1700

HYPAGUARD CELLULAR BLANKET



- Provides warmth and comfort to patients
- For general use
- Washable

CM1701

COUCH STEP SINGLE TIER



- Stable and anti-tripping system
- Steel frame with rubber steps
- Single - 20 x 40.5cm

CM1763

GAS LIFT SADDLE STOOL



- Heavy duty five spoke chrome base with durable plastic castors
- Moulded and cushioned PVC saddle stool
- Gas lift height adjustment offering smooth ascent and descent

CM1127

THREE TIER TROLLEY



- White, epoxy coated, tubular metal frame
- Three shelves manufactured from melamine face, high-density board
- Ideal for first aid rooms

CM1703

TWO TIER STAINLESS STEEL MEDICAL TROLLEY



- Wheels with twin lock
- Tray surfaces of stainless steel, polished finish
- Height 90cms, width 60cms, depth 40cms

CM1716

STAINLESS STEEL PEDAL BIN



- Ideal for use in hospitals, kitchens/canteens, nursing homes, surgeries and emergency services
- Size: 40 x 26 x 25cm, 12 litre capacity

CM1762

AMBULANCE CARRYING CHAIR



- Lightweight foldable transit chair ideal for first aid rooms, ambulances, retail, industrial and general workplace environments
- Folds flat for ease of storage

CM1125

LIGHTWEIGHT TRANSIT WHEELCHAIR



- Ideal for general use on flat surface
- Lightweight wheelchair with puncture proof hard tyres
- Padded vinyl seat and half folding back canvas
- Quick release foot and arm rests
- Folds to 32cm width

CM1126

LIGHTWEIGHT TWO FOLD STRETCHER



- Cost effective casualty movement for minor accidents
- Lightweight folding stretchers manufactured from high-grade aluminium for maximum strength
- PVC coated, polyester bed is anti-bacterial, stain, chemical and crack resistant
- Rubber handles offer excellent grip
- Includes carry bag

CM1124

THREE CURTAIN PRIVACY SCREEN



- Powder coated steel construction
- Sturdy frame made from a powder coated tubular steel
- Wipe down non-laundry panel curtain, making it a hygienic option for use in hospitals and care homes
- 2 smooth running non-marking castors, making the frame incredibly sturdy
- Can be folded away, with the interlocking legs providing further stability when standing freely
- Quick and easy to assemble
- Length: 55 inches/139.7cm
- Height: 66.5 inches/168.9cm and panel height: 47 inches/119.4cm

CM1711



Emergency EVACUATION

All our evacuation equipment and kits are there to use at a moment's notice to aid in the event of a first aid emergency or evacuation.

For safe evacuation in the event of an emergency, if you have anybody with mobility impairments you need to be able evacuate the building safely.

We offer a full range of evacuation chairs to negotiate stairs to assist in an emergency and training in order to operate a chair competently.

EV-7000 EVACUATION CHAIR



SAFETY CHAIR

- Single person operation up to 200kg (441lbs)
- Easy to open, ready to operate in seconds
- Provides a rapid solution for safe emergency upstairs and downstairs evacuation
- Simple to operate
- Lightweight construction
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7000

EV-2000 EVACUATION CHAIR



SAFETY CHAIR

- Single person operation up to 159kg (350lbs)
- Easy to open, ready to operate in seconds
- Provides a rapid solution for safe emergency upstairs and downstairs evacuation
- Simple to operate
- Lightweight construction
- Minimal moving and handling required
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7002

EV-4000 EVACUATION CHAIR



SAFETY CHAIR

- Single person operation up to 200kg (441lbs)
- Easy to open, ready to operate in seconds
- Provides a rapid solution for safe emergency upstairs and downstairs evacuation
- Simple to operate
- Lightweight construction
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7004

EV-5000 EVACUATION CHAIR



SAFETY CHAIR

- Simple to operate
- Single person operation in descent
- Easy to open, ready to operate in seconds
- Robust and compact in size
- Lightweight construction
- Provides a rapid solution for safe emergency evacuation
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Wall mountable
- Low maintenance

CM7005

EV-8000 EVACUATION CHAIR



SAFETY CHAIR

- Weight carrying capacity up to 227kg (500lbs)
- Easy to open, ready to operate in seconds
- Simple to operate
- Single person operation up to 200kg (441lbs)
- Lightweight construction
- Provides a rapid solution for safe emergency evacuation
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7006

EVACUATION CHAIR STAND



SAFETY CHAIR

- A self-standing support suitable for mounting the safety chair
- Avoids the need for wall mounting brackets

CM7001

EVACUATION SAFETY MAT



SAFETY CHAIR

- Dual inner foam provides protection and comfort for patient
- Maximum carrying weight 300kg
- 2 Safety belts and foot pocket to hold the patient safely and securely in place
- Tough slippery coated underside to assist transfer over floor surfaces and stairs
- Complete with storage pouch which can be wall mounted for rapid deployment (fixings not included)
- Dimensions (L x W x D) - 1900 x 600 x 40mm
- Manufactured in the UK

CM7003

OPERATOR TRAINING



SAFETY CHAIR

- Your Operator Training course can include up to 4 people at your site to show you how to use your evacuation chair in an emergency
- Training and reference materials
- Supervised operation on your stairs
- Certification in the safe use of the chair
- Estimated course duration: 2 hrs

CM7007

'TRAIN THE TRAINER' COURSE



SAFETY CHAIR

- Your 'Train the Trainer' course can include up to 4 people at your site to show you how to use your evacuation chair in an emergency
- Training and reference materials
- Supervised operation on your stairs
- Explanations of latest legislation, approved codes of practice, reference to key manual handling principles
- Certification in the safe use of the chair
- Train the Trainer' certification
- Estimated course duration: 6 hrs

CM7008

EVAC+CHAIR 1-200 CARRY LITE CHAIR



EVAC+CHAIR

- The chair unfolds in one swift movement for immediate use
- Lightweight aluminium construction
- Quick & easy to use
- Lifting handles for effective grip
- Large wheels for stability over rough terrain
- Unique locking system
- Includes patient restraints
- Made in the UK
- Payload capacity 200kg
- Height 770mm (folded)
- Width 435mm (folded)
- Depth 270mm (folded)
- Weight 6.0kg (unladen)

CM1128

EVAC+CHAIR 1-300H-MK4 EVACUATION CHAIR



EVAC+CHAIR

- Lightweight
- One person operation
- Easy to use
- No heavy lifting required
- Includes patient restraints
- Made in the UK
- Payload capacity 182kg
- Height 1050mm (folded)
- Width 520mm (folded)
- Depth 200mm (folded)
- Weight 9.5kg

CM1129

EVAC+CHAIR 1-500 EVACUATION CHAIR



EVAC+CHAIR

- Bariatric capability
- Increased payload capacity 500lbs/227kg
- Large rear wheels fitted as standard for prolonged use
- Easy to use- one/two person operation
- Fold away grip handles
- Foot Rest/Restraint Strap
- Extension strap
- Enhanced patient restraints
- User guide
- Made in the UK
- Payload Capacity 227k
- Height 1150mm (folded)
- Width 520mm (folded)
- Depth 220mm (folded)
- Weight 13Kg (unladen)

CM1130

EVAC+CHAIR 1-600H EVACUATION CHAIR



EVAC+CHAIR

- Retractable rear and front grab handles
- Suitable for 2 to 4 operators to carry
- Easy to use
- Lightweight
- Two additional handles
- Patient restraints
- Made in the UK
- Payload capacity 182kg
- Height 1030mm (folded)
- Width 600mm (folded)
- Depth 270mm (folded)
- Weight 11kg (unladen)

CM1131

EVAC+CHAIR 1-700H EVACUATION CHAIR

EVAC+CHAIR



- Telescopic extendable handle
- Stainless steel frame construction
- Adjustable brake
- Quick and easy to open
- Compact storage
- Detachable seat and backrest
- Adjustable patient straps
- Wall securing brackets
- Made in the UK
- Payload capacity 159kg

- Height 1140mm (folded)
- Width 400mm (folded)
- Depth 360mm (folded)
- Weight 14.5kg

CM1132

FIRE HORN ALARM STATION



- Our Fire Horn Station can be portable or fixed with a wall hanger
- No need for batteries, electricity or external power
- Use as a temporary fire alarm or as a stand-alone fire alarm option

CM1760

SAFETY WHISTLE



- CE EN394 ISO12402 approved
- Capable to produce 100+ decibel sound
- Non-corrosive and buoyant in seawater

CM1738

HANDHELD COMPACT MEGAPHONE



- Folding handle and wrist strap for ultimate portability
- Voice or siren switch
- Sliding volume control

CM1754

120 DECIBEL AIR HORN



- On site alarm system
- Back-up alarm system for any company
- Primary alarm system for smaller companies
- Emergency signalling system for workers on manufacturing floors
- Confined space alarm system
- Personal protection

All of our gas horns are designed, manufactured and tested in the UK and guarantee to be loud enough, at 120Db, to be heard over working environments, machinery and other industrial noise.

CM1759

EMERGENCY BLANKET



- Protection from cold, wind and rain
- Effective aid in the prevention and treatment of hypothermia
- Seals with self-adhesive strip, re-opens to allow access

CM1735

RED/WHITE BARRIER TAPE



- Non-adhesive economy tape designed for marking out-of-bound and hazardous areas.
- Length: 500m

CM1753

100 PERSON EVACUATION KIT



- Emergency holdall
- Incident controller armband
- Compact megaphone 8 watt with batteries
- Wind-up LED torch
- 100 x Emergency foil blanket
- 10 x Safety whistle
- 2 x Hand sanitizer 60ML
- 10 x Safety light stick
- 1 x Hazard barrier tape 100M x 7.5cm

First response first aid kit, comprising:

- 1 x Microporous tape 2.5cm x 10m
- 1 x HSE guidance leaflet
- 4 x Sterile eye pad bandages
- 6 x Clinical waste bags
- 2 x Pair medium latex gloves
- 1 x First aid scissors
- 1 x Tuff cut paramedic scissors

- 10 x Alcohol-free wipes
- 3 x Large standard dressings
- 8 x Medium sterile dressings
- 5 x Sterile eye wash 20ml
- 1 x Foil blanket
- 20 x Stretch fabric plasters
- 20 x Washproof plasters
- 2 x Burn gel sachet
- 2 x Resuscitation face shield
- 6 x Triangular bandages
- 1 x Eye wash bottle 500ml
- 1 x Bag of safety pins
- 1 x Instant ice pack
- 1 x Shoulder carry bag

CM1758



SILVERLINE LED WIND UP TORCH 15 LUMENS



- Handy wind-up torch for foolproof lighting in all kinds of general and emergency situation
- Durable polypropylene body with soft-grip rubber pads and rubber on/off thumb switch for comfortable operation
- Features 2 x brightness options with use of either 1 or 3 bright LEDs, depending on individual requirements
- 60 seconds winding produces up to 10 minutes effective torch light
- Sturdy winding arm with soft rubber grip
- No batteries required
- Length 140mm

CM1756

CYALUME 12 HOUR 6" LIGHT



- 12 hours of 360 degree illumination per stick
- Guaranteed 4 year shelf life, no maintenance necessary
- Individually foiled for easy, safe storage
- Nontoxic, non-flammable and waterproof

- Red - danger
- Orange - cautionary
- Green - safe

| | | | |
|--------------|----------------|-----------------|-----------|
| CM0825 (Red) | CM0826 (Green) | CM0827 (Orange) | CHEMLIGHT |
| CM0828 (Red) | CM0829 (Green) | CM0830 (Orange) | SNAPLIGHT |

AIR FOR LIFE

PERSONAL EVACUATION KIT



- The AirForLife Evacuation Kits are designed to enable the evacuation from fire or other emergency situations including, high rise living and commercial buildings, tunnels, mining, rail or anywhere escape, or rescue might be a risk
- **The single person kit includes:**
 - 1 x Patented AirForLife emergency escape device
 - 1 x Universal Goggles - designed to improve visibility and protect the eyes from smoke and debris
 - 1 x Cyalume Lightstick - to help light up the evacuation path, or signal to potential rescuers
 - 1 x Cooling Towel - simply dampen and the unique towel formulation, retains water and can be used to keep head, neck and arms cool
 - 1 x Holster - the unique AirForLife holster is designed to quickly throw over your shoulder and hold the AirForLife cylinder close to your side, keeping your hands free



- **The two person kit includes:**
 - 1 x Patented AirForLife emergency escape device
 - 2 x Universal Goggles - designed to improve visibility and protect the eyes from smoke and debris
 - 2 x Cyalume Lightstick - to help light up the evacuation path, or signal to potential rescuers
 - 2 x Cooling Towel - simply dampen and the unique towel formulation, retains water and can be used to keep head, neck and arms cool
 - 2 x Holster - the unique AirForLife holster is designed to quickly throw over your shoulder and hold the AirForLife cylinder close to your side, keeping your hands free
- Use a combination of kits to cover family or work colleagues

CM1991 (1 Person) **CM1992** (2 Person)

EMERGENCY ESCAPE DEVICE



- AirForLife is a patented emergency escape device that provides the user with a self-contained oxygen supply (22 litres)
- It gives the user a valuable oxygen supply in a situation where their oxygen supply has been significantly reduced or has become contaminated, for example during a fire, gas leak or terrorist attack
- The AirForLife device enables the user to breathe for a more prolonged period of around 10 - 12 minutes, giving them time to escape or to be rescued and reducing any potential respiratory damage or failure, thus reducing the loss of life
- This product is for anybody who works or lives in a confined area, where access to the outside world in the event of an emergency may not be a quick process, for example, workers/residents who work/live in high rise blocks or staff or commuters working/traveling underground
- AirForLife would also benefit those less able or unable to evacuate themselves from an emergency situation

CM1990

AIRFORLIFE HOLSTER



- Holster used in conjunction with the AirForLife cylinder (shown above)
- Cylinder sold separately

CM1995

PRO2 OXYGEN

PRO2



- High-purity, breathable oxygen to aid in the recovery
- Revitalizes during periods of physical or mental lethargy
- Stimulates the body at times when peak performance is required
- The canister comes with a blue inhaler cup-adaptor for the user to place around the mouth, press down and inhale
- Specially designed to store a much larger volume of oxygen
- Delivers up to three times the quantity of similar container volume products
- PRO2 contains 20 litres of oxygen in a 650 ml canister

CM2000

PRO2 OXYGEN AND MASK

PRO2



- Holds more than 3 x more oxygen than can be contained in a similar pressure canister
- Canister is filled with 22 litres of high purity (99.5 %) oxygen and comes equipped with a high concentration, comfortable and lightweight oxygen mask and tubing designed for optimal flow, giving a more efficient and pleasurable experience
- Mask is designed to reduce environmental impact and the can's aluminium construction is lightweight and more durable for outside use
- Contains an adsorbent specially designed to store a much larger volume of oxygen than could be otherwise stored using compression alone
- Delivers up to three times the quantity of similar container volume products
- Owing to the new technology, the can may still feel full when all of the oxygen has been used
- Contains 22 litres of oxygen in a 750ml aluminium can (Dimensions: diameter 66 mm, height 218 mm).

CM2002 (2 Canisters) CM2003 (1 Canister)

PRO2 OXYGEN REFILLS X 2

PRO2



- PRO2 Oxygen is an unrivalled product which holds more than 3 x more oxygen than can be contained in a similar pressure canister
- The ALL NEW PRO2 canisters are filled with 22 litres each of high purity (99.5 %) oxygen
- What makes the PRO2 brand special is that it contains an adsorbent which is specially designed to store a much larger volume of oxygen than could be otherwise stored using compression alone
- For this reason the device contains and delivers up to three times the quantity of similar container volume products, offering by far and away the best value breathing oxygen on the market
- Owing to the new technology, the can may still feel full when all of the oxygen has been used
- Contains 22 litres of oxygen in a 750ml aluminium can (Dimensions: diameter 66 mm, height 218 mm).

CM2004

HEALTH & WELLBEING

100ML AFTER SUN

care PLUS



- For hands, face and body use at least twice a day after exposure to the sun
- Read the instructions carefully before using this product
- Refreshing
- Calming and restorative effect
- Suitable for sensitive skin
- Including children
- Hydrating care effect
- Helps rough or scaly skin
- Soothing effect (Canadian Willow Herb)
- Cardiospermum halicacabum
- Echium oil
- Elements of the sunflower
- Allantoin
- Panthenol and Bisabolol
- Anti-oxidant (vitamin E)

CM1707

CALCIUM GLUCONATE GEL 40G



- The National Poisons Information Service (NPIS) advise that for responsive patients, immediate decontamination is the priority for individuals exposed to hydrofluoric acid.
- Even relatively low strength hydrofluoric acid is toxic and has the potential to cause serious tissue damage and death when contaminated individuals are not treated swiftly
- High performance calcium gluconate gel
- Combines with and neutralises the fluoride ion present in HF acid. This helps to prevent pain and tissue damage caused by HF acid whilst a patient is in transit to hospital
- Easy to use cream, available as a 40g tube
- Some examples where Hydrofluoric acids may be encountered are industrial chemistry, mining, refining, glass finishing, silicon chip manufacturing, and sanitation

CM1708

SUN CREAM SACHET FACTOR 25 SPF



- Provide UVA and UVB sun protection
- The quick drying, non-greasy formula offers medium sun protection
- Perfect travel essential for days out, sporting events, festivals, golf days and school trips
- Suitable for all skin types, including sensitive skin
- Ideal solution for travel packs and vending machines
- Sachet size 60 x 80mm
- Liquid fill 4g
- Factor 25 SPF & UVA 8.8

CM1771

60ML DEET SPRAY

care PLUS



- Care Plus Anti-Insect DEET spray 40% is the strongest insect-repellent product for the skin
- Suitable for tropical destinations (malaria, dengue and yellow fever risks) and European regions
- The active substance DEET is effective against biting or stinging insects and against ticks
- DEET is most effective against (malaria) mosquitoes and horseflies, effective against ticks, and reasonably effective against large horseflies, gnats and midges
- Deet products must be applied to the uncovered skin
- Duration: up to 8 hours

CM1704

60ML CITRIDOLIOL SPRAY

care PLUS



- Based on natural lemon eucalyptus extracts
- This is the only natural ingredient currently available as an insect repellent and with proven effectiveness in scientific laboratory and field studies
- Natural offers up to 6 hours of protection against mosquitoes, ticks and midges
- Care Plus Natural can be used by people with sensitive skin and by children aged three months and older
- Duration: up to 6 hours
- Strong natural insect repellent based on Citridiolol: natural lemon-eucalyptus extracts
- Effective against mosquitoes, ticks and midges
- Suitable for children aged three months and older
- Suitable for sensitive skin
- Suitable for all destinations
- Offers up to six hours protection
- Does not damage plastics

CM1705

100ML SUN PROTECTION SPF50 OUTDOOR AND SEA

care PLUS



- Recommended for children or adults with a very sensitive skin
- Soothes the skin because of the ingredient Shea Butter
- The cream also soothes the skin with natural ingredients such as:
 - Canadian Willow Herb
 - Cardiospermum halicacabum
 - Echium oil, elements of the sunflower
 - Allantoin
 - Bisabolol
 - Panthenol
- Protects against most jelly fish stings, corals and sea anemones
- Water-resistant
- Panthenol nourishes and soothes the skin
- Suitable for children
- Contains the anti-oxidant vitamin E
- Contains no preservatives

CM1706

REUSABLE PREMIUM COOL & WARM GEL BREAST PADS



RAPID AID

- Temperature: Delivers approximately 42°C/108°F of warm therapy when heated in a microwave, and approximately 1.5°C/34°F of cool relief when stored in the freezer. Temperature adjustable based on user's preference
- Contour-Gel technology allows the pad to gently contour to the body area being treated and remain flexible when frozen
- Can be placed directly against the skin without the need for a wrap or towel, and can even be placed inside the bra
- Direct-to-skin application with Gentle Touch™ technology

Warm Therapy Relief:

- Relieve engorgement, plugged ducts, mastitis or to encourage let-down
- Use with breast pump to encourage let-down and reduce the time spent pumping
- Blocked ducts and mastitis

Cold Therapy Relief:

- Relieve pain and swelling due to engorgement
- Help alleviate blocked ducts and mastitis pain

- Dimension: 5" x 16" / 13cm - 41cm

RA1137

INFANT HEEL WARMER



RAPID AID

- Immediately upon activation, this product provides consistent temperature and contours to the baby's heel to increase blood flow, making it easier to find the infant's veins
- Temperature: Delivers approximately 39.5°C/103°F heat when activated at room temperature
- Adhesive strip that holds the product in place
- FTP™ (fold-to-pop) technology, allowing the user to activate the heel warmer simply by folding it in half
- Compact packaging allows them to be taken anywhere, for use at any time
- Direct-to-skin application

Instant Cold Therapy Relief:

- The heel warmer is designed to increase an infant's blood flow, so caregivers can get an accurate heel stick the first time

- Dimension: 3.75" x 5.5" / 9.5cm - 14cm

RA94235

INSTANT WARM PERINEAL COMPRESS



RAPID AID

- Quickly delivers soothing warmth, helping to encourage relaxation of tissues and increased blood circulation in the perineal area prior to childbirth, providing maximum patient comfort with minimal nursing intervention
- Temperature: Delivers approximately 45.6°C/114°F of warm therapy when activated at room temperature
- Extra absorbent compress comes with an adhesive strip to keep it firmly in place
- Longer front-to-back area provides greater coverage and protection from leakage
- FTP™ (fold-to-pop) technology, allowing activation of the cold compress simply by folding it in half
- Direct-to-skin application

Instant Warm Therapy Relief:

- Encourage relaxation of tissues prior to childbirth
- Start the healing process after childbirth and vasectomy procedures (usually 72 hours after the use of cold therapy)
- Muscle tension and menstrual cramps

- Dimension: 5" x 16" / 13cm - 41cm

RA94640

INSTANT COLD PERINEAL COMPRESS



RAPID AID

- Delivers cold therapy to ease pain and reduce swelling of the perineal area, providing maximum patient comfort with minimal nursing intervention
- Temperature: Delivers approximately 4.4°C/40°F of cold therapy when activated at room temperature
- Extra absorbent with an adhesive strip to keep it firmly in place
- Longer front-to-back area provides greater coverage and protection from leakage
- FTP™ (fold-to-pop) technology, allowing activation of the cold compress simply by folding it in half
- Tri-lingual packaging (English, Spanish and French)
- Direct-to-skin application

Instant Cold Therapy Relief:

- Pain and inflammation of the perineal area after childbirth and/or vasectomy procedures

- Dimension: 5" x 15" / 13cm - 38cm

RA95640

BLOOD PRESSURE MONITOR



A&D
A&D Medical

- The ideal home use monitor
- One button control with latest 3rd generation fully automatic measurement technology
- Unique A&D latex-free and metal-free SlimFit Cuff (22-32cm)
- Irregular Heart Beat (IHB) indicator
- World Health Organisation (WHO) Blood pressure classification indicator for easy and clear understanding of Blood Pressure readings
- 30 reading memory function for recording trending
- Average memory reading function
- Clinically validated to the world recognised European Hypertension Society (ESH) 2010 protocol
- Pack contains free batteries
- 5 year warranty for complete peace of mind (based on normal home usage)

CM1722

DIGITAL THERMOMETER



A&D
A&D Medical

- Water resistant sensor, it is robust and reliable
- 60 second reading, measurement time will vary by individual and method used
- For Oral, Underarm or Rectal use
- Beeps when measurement complete
- Last temperature reading memory
- Water-resistant sensor
- Auto power off
- °C / °F conversion

CM1727

MESH NEBULISER



A&D
A&D Medical

- Lightweight, compact design
- Simple one button operation
- A range of masks for both children and adults
- Handy carry bag
- Maximum nebuliser solution capacity 6ml
- Low sound level 55 dB (A)
- Operating humidity 10% RH to 90% RH
- small particle size approx. 3micrometres (MMAD)
- Nebulisation rate 0.25ml/min
- Aerosol output rate 0.06 ml/min (2ml, 1%NaF)
- 5 year warranty
- High respirable fraction-ideal drug delivery
- No need for breath co-ordination
- No small parts which can easily be lost or swallowed
- Clearly marked parts to avoid wrong assembly
- Easy readable medication level
- Easy to clean bio-compatible Polypropylene material
- Can be boiled and/or autoclaved
- Easily replaceable consumables
- Designed for use with A&D's range of mouth pieces

CM1728

GLASS TOP PERSONAL DIGITAL SCALE



A&D
A&D Medical

- Lightweight, compact design
- Durable and stylish glass plate scale
- Select between Kg/lb
- 180Kg/400lb capacity
- SENSE ON technology step on automatic activation to start weighing auto off 4 to 6 seconds after use
- Measures from 0.1Kg to 180Kg
- Increments 0.1Kg/0.2lb
- Drawing on A&D's industry leading measuring accuracy
- Uses 1 x CR2032 Button Cell battery
- 5 year warranty

CM1725

SAVLON ANTISEPTIC CREAM 30G



Savlon

- Gently soothes and helps prevent infection
- Aids the natural healing of cuts and grazes as well as insect bites and stings, blisters and minor sunburn
- Ideal application prior to the use of plasters or dressings

CM1400

EYE TEST CHART TR/917



- AOE eye test chart
- Glare reducing surfaces allow the chart to be highly illuminated without reflection
- Washable, wipe-clean surfaces
- 6 metres viewing distance

CM1941

STERILE SPLINTER PROBES PACK OF 100



- Painless, clean and safe removal of particles
- Disposable and sterile probes are hygienically clean
- Easy-to-open blister packaging protects probe
- For easy removal of foreign objects, glass or splinters, our splinter probes are the best clean and hygienic way of dealing with annoying, irritating splinters
- Sharp-angle point
- Easy-to-open blister pack
- Protective cover for easy grip
- No risk of cross contamination
- For single-use only
- Easy-to-use
- Each probe is 3.7cm long

CM1715

SMART HYDRATION 200G POUCH



- When mixed and diluted with water provides rapid hydration
- Includes a unique formula of electrolytes to replace essential salts lost in perspiration
- A cognition mix to help boost memory, attention and alertness
- B Vitamins to aid your body's normal energy-yielding metabolism and help reduce tiredness and fatigue
- It uses natural colourings and flavour, has zero sugar and low calories
- Provides a mental & physical boost
- Rapid hydration
- A Nut-free ingredient supply chain can't be guaranteed
- Gluten free, vegan, vegetarian

VM2005 (Pouch)

CM2007 (Sachets)

(Lemon & Lime flavour)

VM2006 (Pouch)

CM2008 (Sachets)

(Orange & Passion Fruit flavour)



100 sachet dispenser

20 x 10g (500ml) servings pouch

STANDARD DUAL HEAD STETHOSCOPE



CM1942

SP300 FINGER PULSE OXIMETER DE/228



- SpO2%, PR and Pleth waveforms are displayed on screen
- The display can be easily rotated to display in 4 directions
- Simple and convenient operation OLED display
- Extremely compact weighing only 50g including batteries
- Low power consumption, two AAA batteries can be continuously operated for 20 hours
- Adjustable background brightness
- Range: 30-235 BPM
- Accuracy: +/- 2 BP <
- Latex free



CM0967



BEESSWIFT[®]
FOCUSED ON SAFETY