



BEESSWIFT®

FOCUSED ON SAFETY



beeswift.com



CONTENTS

Technical information

About us	4 - 5
Ethics	6 - 7
Badging & Embroidery	8
High Visibility	13
Envirowear	15 - 17
Washing & Size Guides	73 - 75
ARC	120 - 126
Fire Retardant	141
All Weather Protection	154
Footwear	175 - 178
Point of Sale	202
PPE	
- Head Protection	208
- Eye Protection	213 - 214
- Hearing Protection	229 - 230
- Respiratory	238 - 239
Glovezilla	257 - 264
Hand Protection	295 - 296

Collections

Envirowear	14 - 19
Deltic	20 - 27
D2T	28 - 37
FLEX	76 - 81
Chefswear	112 - 116
Glovezilla	253 - 290

High Visibility

Envirowear	
Sustainable Hi-Visibility	14 - 19
Deltic Jacket & Trouser	20 - 27
D2T	28 - 37
Coveralls	38 - 39
Jackets	40 - 47
Bombers	48 - 50
Fleeces	51
Bodywarmers	51
Hoodies	52
Sweatshirts	52 - 53
Polos	54 - 56
T-shirts	56
Vests & Waistcoats	57 - 63
Trousers	64 - 67
Shorts	68

Workwear

FLEX	76 - 81
Freezerwear	82 - 83
Coveralls	84 - 87
Bib & Brace	87
Coats & Jackets	88 - 89
Soft shell	89 - 90
Fleeces	90 - 91
Bodywarmers	91 - 92
Hoodies	92
Sweatshirts	93 - 95
Polos	96 - 97
T-Shirts	97 - 98
Shirts	98 - 99
Tabards	100

Jogging Bottoms	100
Trousers	101 - 105
Shorts	106 - 107
Thermals	108
Hats & Balaclavas	109
Socks	110
Bags	111

Chefswear

Chefs Jacket	113
Chefs Apron	113 - 114
Chefs Trousers	115
Chefs Headgear	116

ARC

Coveralls	127 - 129
Fleeces	129
Jackets	130
Polos	131 - 132
Sweatshirts	133
Undergarments	134
Trousers	135 - 136
Helmets	137
Visors	137
Balaclava	138
Gloves	138

Fire Retardant

Coveralls	142 - 144
Vests	145
Trousers	146

All Weather Protection

Coveralls	149
Bib & Brace	150
Jackets	150 - 155
Trousers	156 - 157
Wellies	158

Disposables

Coveralls	161 - 163
Oversleeves	164
Aprons	164
Visitors Coat	165
Hats & Caps	165
Mob Caps & Hairnets	166 - 167
Beard Snoods	167
Gloves	168 - 169
Overshoes	170

Safety Footwear

Goodyear Welted	179
Chukka Boots	180 - 181
Dual Density PU	181 - 182
Metatarsal	183, 186
Micro Fibre Boots	183
Water Resistant	184 - 186
Trencher Boots	187
PUR Boots	188
Sherpa PU Rubber	189

Shoes & Trainers	190 - 196
Micro Fibre Shoes	196
Riggers	197 - 198
Wellingtons	199
Accessories	199

PPE

Head Protection	209 - 211
Safety Spectacles	215 - 222
Safety Goggles	223 - 227
Spectacle Accessories	227
Hearing Protection	231 - 236
Respiratory Protection	240 - 244
Knee Pads	246 - 247
Ice Grips	247
Lanyards	249 - 252

Hand Protection

Glovezilla	
- Arc	265
- Thermal	266
- Grip	267 - 272
- Impact	273
- Sandy Nitrile	274 - 275
- Cut Resistant Leather	276 - 277
- Food Safe	278
- Para-Aramid Sleeves	279
- Needlestick Protection	280
- Anti-Vibration	282
- Water Resistant	283
- Latex Thermal	284
- General Purpose	285
- Oil Resistant	286 - 287
- HPPE Cut	288 - 289
- Disposable	290

Riggers & Gauntlets	297 - 301
Cut Protection	302 - 306
General Purpose	307 - 312
Nitrile / PVC Coated	313 - 315
Chemical Protection	316 - 317
Disposable	318 - 319
Drivers	320 - 321
Minimal Risk	322 - 323
Thermal	324

First Aid

First Aid Kits	327
Biohazard Equipment	337
Haemostatic Dressings	342
International Kits	349
Burns Kits	352
Eye Wash Equipment	354
First Aid Essentials	356
Bags & Carry Cases	367
Defibrillators	373
Sports Kits & Rapid Relief	382
H&S Room Items	390
Emergency Evacuation	396
Air For Life	402
Health & Wellbeing	404

Who are Beeswift?

Beeswift is a manufacturer and wholesaler of Personal Protective Equipment/Clothing and workwear safety products encompassing a wide range of safety products and high quality workwear. At Beeswift we pride ourselves on providing high quality PPE from footwear to head protection, products that protect our customers with superior durability and improved comfort. Our 144,000 sqft Birmingham based HQ and Distribution Centre (NDC) has significant stockholding, serving the UK, Ireland and International territories along with an in-house embroidery and badging facility.



To support our European and Global account base and Partners, Beeswift operates a European Distribution Centre (EDC), based in the Netherlands. Our EDC not only operates on the same platform with a stock profile mirroring that of our NDC, it also forms part of our disaster recovery and contingency plans.

Buy with *confidence*

As a responsible purchaser/manufacturer we audit our production facilities at home and abroad using our internal department who have completed International Register of Certificated Auditors (IRCA) approved courses in ISO9001, lead auditor and Sedex Members Ethical Trade Audit (SMETA). To help with our global compliance challenges and carbon footprint we also use external auditors who are IRCA accredited and have staffed offices all over the world. All Auditors are dedicated to ensure that consistent compliance processes are carried out to firstly meet legislation and secondly to meet the requirements of Beeswift's company values, quality and ethical standards.

After a partner production facility is audited in accordance with SMETA, we address any potential problems proactively and work with our partner production facilities to resolve these. This is done using Corrective Action Plans (CAP) . We set dates to complete any CAP objectives, then these objectives are verified with either a follow up audit or a desktop verification, that can include images, video or training plans implemented where necessary.

Remember, Beeswift re-certificate all their manufactured products every 5 years to ensure the most stringent standards are upheld.





Member

**Ethical
Trading
Initiative**

**Respect
for workers
worldwide**

Beeswift is a full member of the Ethical Trading Initiative (ETI). We proactively work with suppliers, competitors and our peers to develop products made with ethical principles in mind. We strive to work with suppliers who share our ethical philosophy and adhere to the 9 pillars of the ETI Base Code.

We believe in transparency in the supply chain and are actively engaged with other organisations in similar markets to improve our combined supplier base and in doing so we are striving to improve the existing conditions with our suppliers. In doing this we can together collectively bring greater change and improvement across all stakeholders.



In addition to the ETI, we are also members of SEDEX. This means Beeswift has completed a comprehensive Self Assessment Questionnaire which is uploaded on the SEDEX Advance platform and available (permission given by Beeswift) for interested parties to view our ethical credentials. SEDEX is not a standard setting body but it is a platform for sharing ethical information and improving our supply chain.

Beeswift is also accredited to ISO 14001, 9001 and 45001 QMS registered. You can find UKCA and CE declarations of conformity and User Information Sheets (UIS)/Care Instructions for garments that require them at www.beeswift.com. This gives the user security and peace of mind that the Beeswift product they are using has the relevant DNA reference.



It is with great pleasure that we confirm that Beeswift continues to achieve Gold standard certification through the ecovadis platform.

The assessment that ecovadis uses covers a broad range of non-financial management systems including environmental, labour & human rights, ethics and sustainable procurement impacts.

Each company is rated on the material issues as they pertain to their company's size, location and industry. The ecovadis scorecard provides an independent assessment of your company's sustainability management system performance.

Beeswift received a gold rating which puts us in the Top 5% of all companies assessed by EcoVadis.

Currently running from July 2022 - July 2023.



Primary Authority trading standards and Beeswift, have entered into an agreement that guarantees legal advice and assistance. Beeswift are a manufacturer and wholesaler of Personal Protective Clothing and Equipment and entered the partnership to demonstrate our commitment to embed legal compliance into our business.

The Primary Authority scheme enables businesses to form a legal partnership with one local authority, which then provides assured and tailored advice on complying with relevant legislation that other local regulators must respect.

Businesses receive 'primary authority advice' tailored to their business needs, which will make it easier for businesses to comply with the law and reduce compliance costs. It also helps grow the business knowing the resources they have invested in compliance are recognised across the country.

ETHICS & COMPLIANCE

Beeswift follow a strict policy which allows us to track, monitor and analyse our efforts to ensure we maximise our positive environmental impact. We have the ISO 14001 Environmental Management certification which means we have implemented and maintained an approved environmental system; it also means that we have demonstrated compliance with our own environmental policy and with current laws and regulations.

We pro-actively monitor our waste generation, packaging responsibilities and ensure they align with our annual objectives.

Beeswift stands by the nine Ethical Trading Initiative Base Code Pillars:

1. Employment is freely chosen
2. Freedom of association and the right to collective bargaining are respected
3. Working conditions are safe and hygienic
4. Child labour shall not be used
5. Living wages are paid
6. Working hours are not excessive
7. No discrimination is practised
8. Regular employment is provided
9. No harsh or inhumane treatment allowed



CORPORATE SOCIAL RESPONSIBILITY

The impact on people, society, and the environment is the responsibility of every well run business. Here at Beeswift we take that very seriously. Over the years we have invested heavily in time and resources to ensure that we live up to this.

Beeswift believe that a products ethical DNA can only be produced by working with companies within the supply chain who have ethical and environmental credentials. One of the ways that we try to ensure this is through the auditing and inspecting of our supply base; this is carried out either by our own internal or external IRCA accredited auditors.



Beeswift certifies our garments with recognised test houses to make sure the products you buy meet the required standards. This means that you can be safe in the knowledge you are providing your customers with high quality hazard-protection workwear.

Beeswift carry out audits to the latest SMETA process and we do this consistently on our Beeswift Brands at agreed time-scales. Using the audit, we generate a Corrective Action Plan and use this with the suppliers to develop systems, better working practices and close off any non-compliances.

We believe that social auditing helps us work with suppliers better, it empowers workers and produces products which are ethically sourced with less environmental impact.

SCREEN PRINTING

We can print company logos directly onto certain garments. Set-up charges depend on the number of colours in the logo.

We can work from most file formats.
Prices available on application.
MOQ is 25.

EMBROIDERY SERVICE

We offer an in-house embroidery service. Our in-house digitiser can convert your company logo into a quality stitch pattern ready for embroidery.

The image you send needs to be of a high resolution, in either Jpeg, EPS or PDF format.

HEAT SEAL BADGES

On certain styles of garments, the option of having a heat seal badge is available.

Prices available on application.
MOQ is 25.

HI-VISIBILITY



HI-VISIBILITY

ENVIROWEAR
SWEATSHIRT



EWCSS

18 - 19

ENVIROWEAR
SHORT SLEEVE POLO SHIRT



EWCPKSS

18 - 19

ENVIROWEAR
LONG SLEEVE POLO SHIRT



EWCPKLS

18 - 19

ENVIROWEAR
T-SHIRT



EWCTS

18 - 19

ENVIROWEAR
TROUSERS



EWCTR

18 - 19

DELTA HI-VIS TWO TONE
JACKET



BSDJTT

22

DELTA HI-VIS ORANGE
JACKET



BSD210R

23

DELTA HI-VIS RAIL
JACKET



BSD250R

23

DELTA HI-VIS
GILET



BSD310R

24

DELTA HI-VIS TWO TONE
GILET



BSDBWTT

25

DELTA HI-VIS TWO TONE
TROUSERS



BSDTRTT

26 - 27

TWO TONE SWEATSHIRT



HVTT020

31

TWO TONE LONG SLEEVE
T-SHIRT



HVTT005

31

TWO TONE SHORT SLEEVE
T-SHIRT



HVTT001

32

TWO TONE LONG SLEEVE
POLO SHIRT



HVTT015

33

TWO TONE SHORT SLEEVE
POLO SHIRT



HVTT010SYN

33

TWO TONE TROUSERS



HVTT080

35

TWO TONE
SAFETY BASEBALL CAP



BBSBC

37

RAILSPEC RIS COVERALL



RSC

38

PU COVERALL



PUC

38

TWO-TONE THERMAL
WATER RESIST COVERALL



BD900SYN

39

ELSENER 7 IN 1 JACKET



7IN1

40

RAILSPEC RIS JACKET



RSJ

41

PU EN20471 JACKET



PUJ

41

CONSTRUCTOR TRAFFIC
JACKET



CTJENG

42

HI-VISIBILITY

LADIES EXECUTIVE JACKET



LBD35/LBD30

42

FLEECE LINED TRAFFIC JACKET



CTJFLSY

43

4 IN 1 TRAFFIC JACKET & BODYWARMER



TJFS

43

JUBILEE JACKET



JJ

44

TWO-TONE JACKET



TJSTTENG

44

HI-VIS FR AS PADDED JACKET



CFLR3456SY

45

CARNOUSTIE JACKET



CAR

45

ETON BREATHABLE JACKET



ET460R / ET45SY

46

SATURN YELLOW SOFT SHELL JACKET



SS20471

46

ETON SOFT SHELL JACKET



ET410R / ET40SY

47



LIGHTWEIGHT EN20471 SUIT



TS8 / TJ8

47



SUPER BOMBER JACKET



BD75SY

48

TWO TONE CONSTRUCTOR BOMBER JACKET



CBJTTSYN

49

EUROPA BOMBER JACKET



EBJ

49

FLEECE LINED BOMBER JACKET



CBJFL

50



CARNOUSTIE FLEECE



CARF

51



REVERSIBLE BODYWARMER



BWENG

51

HI-VISIBILITY PULL-ON HOODY



BSSSH25

52



HOODED SWEATSHIRT



BSHSSEN

52

HI-VISIBILITY SWEATSHIRT



BSSSEN

53

QUARTER ZIP SWEATSHIRT



BSZSSEN

53



HI-VISIBILITY POLO SHIRT



BPKLSSEN / BPKSEN

54

TWO-TONE POLYKNIT POLO SHIRT



CPKSTTEN

54

THREE QUARTER SLEEVE POLO SHIRT



BPK3Q

55

HI-VISIBILITY

EXECUTIVE LONG SLEEVE
POLO SHIRT



BPKEEXEC

55

LADIES POLO SHIRT
LONG / SHORT SLEEVES



LPK20 / 22 / 26 / 28

56



CREW NECK T-SHIRT



BSCNTSENSY

56



LONG SLEEVE JERKIN
RED BRACE



PKJENG (RT)

57

FR HI-VISIBILITY
JERKIN



CFRPKJ

57

STANDARD LONG
SLEEVED JERKIN



PKJENG

58

RAILSPEC VEST



RSV02P

58

SATURN YELLOW I.D. VEST



BD108SY

59



FR HI-VISIBILITY
WAISTCOAT



CFRWC

59

EXECUTIVE WAISTCOAT



WCENGEXEC

60

ZIP FASTENED WAISTCOAT



WCENGSYZ

60

HI-VISIBILITY WAISTCOAT



WCENG

61

SHORT WAISTCOAT



WCENGSH

61

TWO-TONE
EXECUTIVE WAISTCOAT



HVWCTT

62

TWO TONE EXECUTIVE
WAISTCOAT CLASS 2



HVWC2T

63

MESH WAISTCOAT



HVMWEXEC / HVMW

63



RAILSPEC RIS
TROUSERS



RST

64

LADIES RAILSPEC
TROUSERS



LRST

64

PUT EN ISO 20471
TROUSERS



PUT

65

HI-VISIBILITY POLYCOTTON
WORK TROUSERS



PCTENSY

65

BIRKDALE TROUSERS



BIT

66

BELFRY TROUSERS



BET

66

TRAFFIC TROUSERS



TEN

67

JOGGING BOTTOMS



BSJB

67

RAILSPEC SHORTS



RSSOR

68

POLYCOTTON WORK
SHORTS



PCSENSY

68

HI-VISIBILITY STANDARDS

High visibility garments issued to employees should conform to all relevant performance standards (EN ISO 20471, European Standard for High Visibility Clothing), and should be worn and maintained correctly for maximum protection.

In order to comply with all UK and European legislation, you need to ensure that the high visibility garments you buy comply with the following: High visibility clothing conforming to Class 1, 2, or 3, which must be worn at all times.

The colour of the background materials should normally be fluorescent yellow or fluorescent orange.

The retro-reflective material enhances your visibility in low light situations. This reflective material returns light to a light source – such as vehicle headlights – creating a bright image that motorists are more likely to see from a distance. As a result, motorists and pedestrians have more time to react.

RIS 3279-TOM

High-visibility clothing is an essential part of personal protective equipment. It makes people working within the railway boundary easily visible to drivers of approaching trains and helps staff in charge of work groups to account quickly for those working under their supervision.

RIS-3279-TOM applies to high-visibility clothing to be worn by persons when on the lineside or on or near the line on the Great Britain (GB) main-line railway. Transport operators may choose to exceed the minimum area requirements for their staff or contractors, but the colour and luminance requirements must be met for any high visibility clothing that exceeds the minimum area requirements.

This standard does not apply to staff on a station platform unless they are carrying out engineering or technical work within 1.25 m of the platform edge.

These requirements ensure that staff are sufficiently visible when on or near the line, allowing train drivers to give an early audible warning. They also assist staff such as look-outs and site wardens to determine if staff are moving to locations where they may not receive the necessary warning or if they are straying into places they should not be.

Hi-Vis garment types are grouped into three classes based on the conspicuity provided, with the classes dictating the minimum quantities of background and retro-reflective materials to be used.



CLASS 3

Highest Protection Level:
Band of retro-reflective material shall not be less than 50mm wide.

Minimum background material 0.80m².
Minimum retro-reflective material 0.20m².



CLASS 2

Intermediate Protection Level:
Band of retro-reflective material shall not be less than 50mm wide.

Minimum background material 0.50m².
Minimum retro-reflective material 0.13m².



CLASS 1

Lowest Protection Level:
Band of retro-reflective material shall not be less than 50mm wide.

Minimum background material 0.14m².
Minimum retro-reflective material 0.10m².
For limited risk/off road purposes only.

SUSTAINABLE HI-VISIBILITY



ENVIROWEAR®



ENVIROWEAR[®]

BRINGING CIRCULARITY TO THE WORKPLACE

SUSTAINABLE REVOLUTION

A clothing revolution is changing the way garments are made and how wearers want to interact with brands. Envirowear has been designed to be recycled.

THE CHALLENGES

Of the 40 million workwear garments provided to wearers annually in the UK over 90% end up in landfill or get incinerated.

Garments are often blended with other fibres rendering them almost impossible to recycle. Trims, accessories and finishes introduce further barriers to recycling.

CIRCULAR CLOTHING

Beeswift's Envirowear collection makes circular hi-visibility clothing achievable for the first time.

By transitioning to circular, recyclable clothing, you support:

- Clothing as a renewable resource
- Carbon footprint lowered by as much as 70%
- Zero high visibility clothing to landfill or incineration

DESIGNED TO BE RECYCLED

Envirowear uses only mono-fibre design principles, each fabric, trim and accessory is carefully selected to ensure recyclability.

HOW IT WORKS


When garments reach the end of their useful lives, they are returned for recycling. The rPET generated from this unique recycling process can be made into yarn and used for all kinds of polyester clothing and accessories.

TRACKING AND TRACEABILITY

The QR code in the label can be scanned to identify the garment and inform the holder where to send it for recycling if a garment capturing program is not in place, Beeswift would be happy to facilitate an introduction into a garment-capturing service provider if required.


BADGING & PERSONALISATION

Available with specific threads for embroidery or specialised heat transfers that are compatible with the recycling process. Contact your Beeswift Account Manager for further details.



ENVIROWEAR IS MANUFACTURED FROM 100% POST-CONSUMER PLASTICS WITH AN AVERAGE OF 11, 1 LITRE PLASTIC BOTTLES USED PER GARMENT ACROSS THE RANGE.

THE CIRCULAR PROCESS



MECHANICAL RECYCLING PROCESS



The mechanical recycling process is fully integrated and runs at a textile capacity of approximately 1000kg per hour (1000kg = 3000 EnviroWear garments)

The Circular Textiles Foundation (CTF) is a non-profit organisation that was created to increase the awareness and understanding of sustainable and circular clothing.

The CTF are aligned and affiliated with Waste & Resources Action Programme (WRAP) and Textiles 2030, which adds even greater weight to the sustainable credentials of the product.



Beeswift joined the CTF to ensure that their Envirowear range of garments are designed to be recycled.

All products carry the **Infinitee** label designating that the garment is certified by the CTF as recyclable through an approved recycling facility.

YOUR SUSTAINABILITY ICONS



Designed to be recycled



CTF "Infinitee" logo

RECYCLE YOUR GARMENT

Each Envirowear style carries its own QR code label that links to a live CTF hosted web page. This tells the wearer about the product and gives up to date instruction on options for recycling if a garment capturing programme is not in place.



100% RPET
100% RECYCLABLE

Did you know, 90% of workwear ends up in landfill or is incinerated?

HOW MUCH ENVIROWEAR SAVES ON CARBON EMISSIONS (CO₂e)

*Based on average weight across the Envirowear range of manufactured and recycled garments



Envirowear uses recycled fabrics and trims from post consumer plastic bottles heading to landfill (on average 11, 1L bottles per garment) and reduces the garments manufacturing carbon footprint by an estimated 70% or approximately 4 tonne of CO₂e per tonne of textile.

Recycling Envirowear and diverting it away from incineration saves an additional 1 tonne of CO₂e per tonne of polyester textile waste (WRAP analysis). By recycling Envirowear and re-using the r-PET generated, you are ensuring that carbon emission reductions are maintained by supporting the circular economy.

OUR PROPRIETARY UNIQUE HEX PATTERNED RETRO-REFLECTIVE TAPE ENHANCES COMFORT AND FLEXIBILITY



EWCSS



EWCTS



EWCTR



EWCPKSS



EWCPKLS

SWEATSHIRT

SIZES: S - 5XL

- 280gsm fleece pique fabric
- 100% polyester
- Anti-pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM Issue 2: 2019
Railway Use Tested (Orange only)



POLO SHIRT SHORT SLEEVE / LONG SLEEVE

SIZES: S - 5XL

- 100% polyester "Bird Eye" fabric
- 160gsm fabric weight
- 3 Button placket
- Grey trim to collar and cuffs
- Available in long and short sleeves



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM Issue 2: 2019
Railway Use Tested (Orange only)

Short Sleeve

Long Sleeve



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM Issue 2: 2019
Railway Use Tested (Orange only)



T-SHIRT

SIZES: S - 5XL

- 100% polyester "Bird Eye" fabric
- 160gsm fabric weight



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM Issue 2: 2019
Railway Use Tested (Orange only)



TROUSERS

SIZES: 28 - 46

- 240gsm 100% polyester twill fabric
- Durable hard wearing whilst remaining soft and comfortable
- Triple sewn seams for extra strength
- 7 Belt loop waistband
- 2 x cargo pockets



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM Issue 2: 2019
Railway Use Tested (Orange only)

All Envirowear garments also comply to the standards below



EU Regulation 2016/425 Personal Protective Equipment Annex II Health & Safety as brought into UK law and amended



EU Regulation 2016/425 Personal Protective Equipment Annex II Health & Safety







DELTIC™ OUTERWEAR

DELTIC™ is our premium EN343 Class 4:4 breathable and water penetration resistant, high visibility trouser and jacket.

Available in saturn yellow/navy, orange/black and plain orange, the garments cover you both for EN ISO 20471 and RIS 3279-TOM (orange only).

The unique ripstop fabric is the base for garments high class ratings but also gives the products higher levels of durability over its competitors.

To receive Class 4 water penetration resistance the fabric and seams must pass a hydrostatic head test of 20,000PA. The DELTIC™ range was independently tested and achieved 177,000PA, eight times greater than the minimum Class 4 requirement.

To compliment the range, there is an interactive body warmer in the same colour styles to support the wearer on those colder days.

RET - is the measurement of the resistance to evaporative heat loss.

The lower the RET value, the less resistance to moisture transfer and therefore higher breathability.

RET 0-6	Very good or Extremely breathable
RET 6-13	Good or Very breathable
RET 13-20	Satisfactory or Breathable
RET 20-30	Unsatisfactory or Slightly breathable
RET 30+	Unsatisfactory or Not breathable



Orange / Black Jacket

BSDJTTORBL
S - 6XL



- 75% Ripstop Polyester with a 25% PU Laminate
- 210gsm fabric weight
- Bird eye mesh liner enables the Level 4 breathability with an RET of 9.55
- Water penetration tested to hydrostatic pressure of 177,000Pa
- Fully taped seams
- 60mm segmented tape for greater visibility
- Segmented tape to shoulders for additional visibility
- Hi-vis accents for added styling
- Detachable concealed 3 panel fully adjustable hood

- Full length heavy duty YKK zip with stud sealed storm flap
- Internal wicking strip to reduce water ingress
- Double Studded snorkel with fleece lined neck
- Soft touch zip pulls on all zips
- Concealed right breast pocket
- Left breast pocket with laminated water resistance zip
- Concealed zip pocket to storm flap
- 2 x lower pockets with stud sealed flaps
- 2 x inside pockets
- One internal phone pocket
- Recessed internal knitted storm cuffs
- External stud adjusters to storm cuffs
- D-ring hook for security or ID pass
- Contrast colour in areas that soil most
- Generous sizing to interact with other garments



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM Issue 2: 2019
Railway Use Tested (Orange only)



EN 343: 2019
Class 4 Water Penetration
Class 4 Air Permeability

DELTIC TWO TONE JACKET



Saturn Yellow / Navy



BSDJTTSYN

S - 6XL



PU COATED
POLYESTER

BIRDS
EYE
MESH
LINER



CLASS 4
WATER
PENETRATION



CONCEALED
HOOD



TWO-WAY
HEAVY
DUTY YKK
ZIP FRONT

2 x INSIDE
POCKETS,
1 x INSIDE
PHONE
POCKET



INTERNAL
KNITTED
CUFFS

SEGMENTED
RETRO-
REFLECTIVE
TAPE



DELTIC ORANGE

DELTIC RAIL



Orange
BSD210R
S - 5XL



Orange
BSD250R
S - 5XL

DELTIC HI-VIS GILET

Orange

BSD310R

S - 6XL




- 100% Soft shell polyester bonded fabric
- 210gsm fabric weight
- Medium weight bodywarmer
- Garment fully fleece lined
- 60mm segmented tape for greater visibility
- Hi-vis accents for added styling
- Full length heavy duty YKK zip
- Snorkel with fleece lined neck
- Soft touch zip pulls on all zips
- Left breast pocket with zip
- 2 x hip pockets with zips
- 2 x internal pockets
- Elasticated hip drawstring with adjustable puller
- Contrast colour in areas that soil most
- Generous sizing to interact with other garments

Saturn Yellow / Navy
 BSDDBWTTSYN
 S - 6XL



Orange / Black
 BSDDBWTTORBL
 S - 6XL



EN ISO 20471
 Class 2 High Visibility
RIS-3279-TOM Issue 2: 2019
 Railway Use Tested (Orange only)



Saturn Yellow / Navy
BSDTRTTSYN
S - 6XL





Orange / Black
BSDTRTTORBL
 S - 6XL



Orange
BSDTOR
 S - 5XL



- 75% POLYESTER RIPSTOP, 25% PU LAMINATE, 210 GSM**
- CLASS 4 WATER PENETRATION & BREATHABILITY**
- FULLY ELASTICATED WAIST**
- 2 SIDE ACCESS VENTS TO ACCESS TROUSER POCKETS UNDERNEATH**
- 2 x HIP POCKETS WITH HOOK & LOOP CLOSURE**
- HOOK & LOOP CLOSED LEG BELLOWS**
- RETRO-REFLECTIVE DYNAMIC STRIPED TAPE**

- 75% Polyester Ripstop with a 25% PU laminate
- 210gsm weight fabric
- 2 x side access vents to access trouser pockets underneath
- 2 x Hip pockets with hook and loop closure
- Hook and loop closed leg bellows
- Fully elasticated waist
- Fully taped seams
- Segmented Retro-Reflective tape

DELTIC TROUSERS



EN ISO 20471
 Class 2 High Visibility
RIS-3279-TOM Issue 2: 2019
 Railway Use Tested (Orange only)



EN 343: 2019
 Class 4 Water Penetration
 Class 4 Air Permeability

D2T

DELTAIC TWO-TONE



Saturn Yellow / Navy
HVTT040SYN
S - 4XL



Orange / Black
HVTT040RBL
S - 4XL

TWO TONE SOFTSHELL JACKET

- Lightweight & comfortable
- Windproof
- Fleece backed, breathable fabric
- Full length front zip to neck
- 2 x Angled zipped hip pockets
- Zipped right breast pocket
- Retro-reflective segmented tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (Orange only)



MAKE YOUR STYLE VISIBLE.



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (Orange only)



TWO TONE HOODY

- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Handwarmer pockets
- Retro-reflective segmented tape
- 2 x bands around chest and arms with shoulder accents

Saturn Yellow / Navy

HVTT025SYN
S - 4XL



Orange / Black

HVTT025ORBL
S - 4XL

TWO TONE SWEATSHIRT

- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Retro-reflective segmented tape
- 2 x bands around chest and arms with shoulder accents



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



Saturn Yellow / Navy
HVTT020SYN
S - 4XL



Orange / Black
HVTT020ORBL
S - 4XL



Saturn Yellow / Navy
HVTT005SYN
S - 4XL



Orange / Black
HVTT005ORBL
S - 4XL

TWO TONE LONG SLEEVE T-SHIRT

- 100% Bird Eye polyester fabric
- Retro-reflective segmented tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



TWO TONES ARE BETTER THAN ONE.



TWO TONE SHORT SLEEVE T-SHIRT

- 100% Bird Eye polyester fabric
- Retro-reflective segmented tape

Saturn Yellow / Navy
HVTT001SYN
S - 4XL



Orange / Black
HVTT001ORB
S - 4XL



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



Saturn Yellow / Navy
 HVTT015SYN
 S - 4XL



Orange / Black
 HVTT015ORBL
 S - 4XL

TWO TONE LONG SLEEVE POLO SHIRT

- 100% Bird Eye polyester fabric
- 3 button placket
- Retro-reflective segmented tape



EN ISO 20471
 Class 3 High Visibility
RIS-3279-TOM ISSUE 1
 (orange only) Railway Use Tested



Saturn Yellow / Navy
 HVTT010SYN
 S - 4XL



Orange / Black
 HVTT010ORBL
 S - 4XL



TWO TONE SHORT SLEEVE POLO SHIRT

- 100% Bird Eye polyester fabric
- 3 button placket
- Retro-reflective segmented tape



EN ISO 20471
 Class 2 High Visibility
RIS-3279-TOM ISSUE 1
 (orange only) Railway Use Tested



MADE TO BE SEEN.

TWO TONE TROUSERS

- 80-20 polyester cotton
- Seven loop belt waistband
- 2 x hip pockets
- 1 x left leg cargo pocket
- 2 x rear pocket
- Knee pad pouch pockets
- Hard wearing and durable
- ID pocket
- Available in regular, short and tall leg fit



EN ISO 20471
Class 1 High Visibility
RIS-3279-TOM ISSUE 1
(orange only) Railway Use Tested



Saturn Yellow / Navy

HVTT080SYN

28" - 44"



Orange / Black

HVTT080ORBL

28" - 44"



GET AHEAD OF THE STYLE.

TWO TONE SAFETY BASEBALL CAP

- Stylish fashionable baseball cap with mesh side panels and ventilation holes
- Fitted over an ABS durable plastic shell, providing lightweight head protection
- 65/35% Polyester cotton hi viz cap with reflective tape
- Fits 54cm - 59cm circumference



EN812: 2012
Impact/Shock Absorption



Saturn Yellow
BBSBCSY



Orange
BBSBCOR

RAILSPEC RIS COVERALL

- 80-20 polyester cotton
- Teflon® treatment for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Double sewn seams for extra strength
- 2 x Cargo pockets
- Knee pad pockets
- 3M® retro-reflective tape
- Available in tall leg (T)



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified

OR RSC 36" - 54" / 91cm - 137cm



Garment
Features

Elasticated Waist

Breast Pockets

Knee Pad Pockets



PU COVERALL

- Breathable fabric
- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated storm cuffs
- Studded ankles
- Stitched and welded seams
- Retro-reflective tape



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

OR PUCOR S - 4XL

SY PUC471SY S - 4XL

Jacket

Lined Jacket


Trousers



Garment
Features



TWO TONE THERMAL WATER RESISTANT COVERALL



Garment
Features



- 300 Denier outer fabrics with sewn on tape
- Heavyweight 100% polyester with PU coating
- Two-way heavy-duty YKK zip, with storm flap
- 2 x Lower bellows pockets with flaps
- Knitted storm cuffs
- Concealed hood
- Retro-reflective tape



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN 342
Icler 0.474
Air Permeability Class 2

OR N BD9000RN S - 3XL

SY N BD9000SYN S - 3XL



ELSENER 7 IN 1 JACKET

- Highly versatile garment
- Suitable for "All Seasons" use
- Breathable outer shell
- Removable hood
- External phone pocket
- D-rings for attaching identity tags
- Fleece lined collar on outer garment
- Hook & loop adjustable cuffs
- Hand warmer pockets
- Inner jacket zipout sleeves
- 3M[®] Reflective tape



RETAIL
READY



Jacket & Bodywarmer

OR 7IN10R S - 4XL

SY 7IN1SY S - 4XL



Bodywarmer Reversed



Bodywarmer



Bodywarmer & Sleeves



Bodywarmer Reversed



Jacket Only



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

RAILSPEC RIS JACKET

- 280gsm 80-20 Polyester cotton
- Teflon® coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Retro-reflective tape
- 2 x Breast pockets with flaps
- 2 x Hip pockets



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested

OR **RSJ** 38" - 54" / 96cm - 137cm



PU JACKET



OR **PUJOR** S - 4XL

SY **PUJ471SY** S - 4XL

- Breathable fabric
- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated storm cuffs
- Stitched and welded seams
- Reflective tape



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

CONSTRUCTOR TRAFFIC JACKET

OR CTJENGOR S - 6XL

SY CTJENGSY S - 5XL



- PU coated polyester
- Quilted lining with heavyweight (160gsm) polyester filling
- Concealed hood
- Two-way heavy-duty zip front with storm flap and security pocket
- 2 x Lower pockets with flaps
- Inside breast pocket
- Knitted storm cuffs
- Internal 'wicking' strip
- Fully taped seams
- Retro-reflective material



LADIES EXECUTIVE JACKET



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

- Fully breathable with grey mesh lining
- Concealed hood in collar, hook & loop closure
- Heavy-duty two way front zip to neck with studded storm flap
- Zipped security pocket
- Part elasticated waist
- Angled hip pockets with stud closure flaps & reflective piping
- Internal right breast smartphone pocket
- Internal left breast pocket with pen holder
- Wicking strip
- Zipped access for badging
- Storm cuffs with hook & loop adjustment



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

OR LBD350R 8 - 18 / S - 2XL

SY LBD30SY 8 - 18 / S - 2XL





EN ISO 20471:2013
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

OR BL CTJFLTORB L S - 6XL

SY H CTJFLTTSYN S - 6XL



- PU coated polyester
- Fleece lined
- Concealed hood
- Two-way heavy-duty zip front, storm flap and security pocket
- 2 x Lower pockets with flaps
- Right hand chest pocket with flap
- Inside breast pocket
- Knitted storm cuffs
- Internal 'wicking' strip
- Fully taped seams
- Retro-reflective tape



OR CTJFLOR S - 5XL

SY CTJFLSY S - 6XL

FLEECE LINED TRAFFIC JACKET

4 IN 1 TRAFFIC JACKET & BODYWARMER



- Heavyweight PU coated polyester
- Nylon lining
- Concealed hood
- Two-way heavyweight zip with storm flap
- 2 x Lower hip pockets with flaps
- Knitted storm cuffs
- Fully taped seams
- Reversible bodywarmer 'zipout'
- 3M® retro-reflective tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



EN ISO 20471:2013
Class 2 High Visibility
(Bodywarmer only)



OR TJFSOR S - 4XL

SY TJFSSY S - 4XL





OR JJOR S - 4XL

SY JJSY S - 4XL



JUBILEE JACKET

- Detachable hood with drawcord
- Two-way heavy-duty zip front with storm flap
- 2 x Lower front patch pockets with hook & loop fastening flap
- I.D. card 'D' ring
- Drawcord at hip
- Internal mesh lining with mobile phone pocket
- 2 x Roomy 'Poachers' pockets at lower front
- Deep left breast zipped security pocket under front flap
- Knitted storm cuffs
- Internal wicking strip
- Fully taped seams



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability



TWO TONE JACKET



OR N TJSTTENGORN S - 4XL

SY N TJSTTENGSYN S - 4XL

- Heavyweight breathable PU coated polyester
- Quilted lining with polyester filling
- Concealed hood
- Two-way heavy-duty zip front
- 2 x Lower pockets, 1 inside pocket
- Fully taped seams
- Zip front closure to neck with knitted storm cuffs
- Hook & loop fastening storm flap
- Adjustable cuffs
- 6cm retro-reflective tape and retro-reflective piping
- 2 x Zip fastening front pockets
- Hip drawcord



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



HI-VIS FR AS PADDED JACKET



SY **CFRLR3456SY** S - 4XL

- 50% polyamide 50% polyurethane 170 g/m²
- FR quilted cotton lining with polyester padding
- Microflex flame retardant hi-vis winter rain jacket
- High frequency welded seams
- Zipper under storm flap with press studs
- Sleeves with adjustable press stud
- Hood with drawstring, hidden in collar
- Drawstring at waist with reflective tape
- 2 x Patch pockets
- Inside pocket



EN ISO 20471: 2013
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability



EN ISO 14116: 2008
Outer Index 1
Inner Index 3



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN ISO 20471: 2003 + A1 2007
Class 3 High Visibility



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

Related Garments



Saturn Yellow Jacket



Carnoustie Fleece



OR **CAROR** S - 4XL
SY **CARSY** S - 4XL

CARNOUSTIE JACKET

- Interactive breathable jacket with detachable hood
- 100% polyester with PU coating
- Concealed hood
- Mesh lining
- Two-way heavy-duty zip front, double storm flap
- 2 x Lower zipped hip pockets
- Zipped breast pockets with flap
- Hook & loop adjustable elasticated cuffs
- Drawcord at hip
- 3M® retro-reflective tape
- Compatible with Carnoustie Fleece, sold separately





- Breathable PU coated fabric
- Waterproof jacket fully taped seams
- Zip front closure to neck
- Hook & loop fastening storm flap
- Adjustable cuffs
- 6cm retro-reflective tape
- Retro-reflective piping
- 2 x Zip fastening front pockets
- Concealed hood
- Hip drawcord



OR **ET460R** S - 4XL

SY **ET45SY** S - 4XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability



ETON BREATHABLE JACKET SOFT SHELL JACKET



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

OR **SS20471OR** S - 4XL

SY **SS20471SY** S - 4XL



- Lightweight and comfortable
- Water resistant, windproof
- Fleece backed, breathable fabric
- Full length front zip to neck
- 2 x Angled zipped hip pockets
- Zipped right breast pocket
- Plain cuffs
- Plain hem
- Retro-reflective tape

ETON SOFT SHELL JACKET

- Hi-vis "Soft Shell" jacket
- Water resistant, windproof
- Fleece backed, breathable fabric
- 2 x Hand warmer front pockets
- Adjustable cuffs
- 6cm retro-reflective tape
- Retro-reflective piping
- Spiral wound front zip to neck
- Hip drawcord
- Lightweight
- Stylish and comfortable



EN ISO 20471
Class 3 High Visibility



OR BL ET41OR S - 4XL

SY N ET40SY S - 4XL



LIGHTWEIGHT EN ISO 20471 SUIT



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability



Jacket

OR TJ8OR S - 4XL

SY TJ8SY S - 4XL

Suit

OR TS8OR S - 4XL

SY TS8SY S - 4XL



- PVC coated 150D polyester
 - Concealed hood
 - Two-way heavy-duty zip front with studded storm flap
 - 2 x Lower pockets with flaps
 - Knitted storm cuffs
 - Fully taped seams
-
- PVC coated 150D polyester
 - Elasticated waist
 - 2 x Position stud adjustment to legs
 - 2 x Side pockets with storm flaps
 - Fully taped seams

SUPER BOMBER JACKET

- 300 Denier heavyweight polyester with PU coating
- Two-way heavy-duty zip front with storm flap
- Fleece lined collar
- 2 x Lower bellows pockets with flaps
- Security and phone pockets
- Rear hem access for ease of logo applications
- Knitted storm cuffs
- Concealed hood
- 3M® Retro-reflective tape



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

SY **BD75SY** S - 4XL





TWO TONE CONSTRUCTOR BOMBER JACKET

- Heavyweight polyester oxford outer shell with PU coating
- Press stud flap
- Fully taped seams
- 2 x Lower front pockets with flaps
- Internal breast pocket plus separate phone pocket
- Concealed hood/drawcord in collar
- External phone pocket



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

OR N CBJTTORN S - 4XL

SY N CBJTTSYN S - 4XL



EUROPA BOMBER JACKET

OR N EBJORN S - 4XL

SY N EBJSYN S - 4XL



EN ISO 20471
Class 3 High Visibility (with sleeves)
Class 2 High Visibility (without sleeves)



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

- 100% polyester with non-breathable coating
- Removable sleeves
- Detachable fleece liner
- Unlined hood with drawcord
- Plastic zip with internal storm flap
- Pen pocket to upper left sleeve
- Exposed ribbed cuffs and waist band
- Mobile phone pocket to right breast
- 2 x Lower front bellows pockets
- 2 x Hand warmer pockets
- Retro-reflective tape



FLEECE LINED BOMBER JACKET

- Heavyweight polyester oxford outer shell with PU coating
- Press stud flap
- Fleece lining
- Fully taped seams
- 2 x Lower front pockets with flaps
- Internal breast pocket
- Concealed hood/drawcord in collar



EN ISO 20471
Class 3 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

OR CBJFLOR S - 4XL

SY CBJFLSY S - 4XL

Related
Garments

Carnoustie Jacket



Saturn Yellow Fleece



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

- High density 300gm polyester fabric
- Angled hand warmer pocket
- Retro-reflective tape
- Drawcord at hip
- Compatible with Carnoustie Jacket, sold separately

CARNOUSTIE FLEECE



OR	CARFOR	M - 3XL
SY	CARFSY	M - 3XL



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

Orange Bodywarmer



Saturn Yellow Reversed



Orange Reversed



REVERSIBLE BODYWARMER

- Reversible hi-vis "interactive" bodywarmer
- PU coating to hi-vis side
- Polycotton lining on reverse
- Heavy duty zip
- 2 x Zipped pockets on both sides
- Mobile phone compartment on quilted side
- Retro-reflective tape

OR	BWENGOR	S - 4XL
SY	BWENGSY	S - 4XL

HI-VISIBILITY PULL-ON HOODY

- 280gsm fleece fabric
- 100% polyester
- Handwarmer pockets
- Retro-reflective tape

OR **BSSSH250R** S - 4XL

SY **BSSSH25SY** S - 4XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



HOODED SWEATSHIRT

OR **BSHSEENOR** S - 3XL

SY **BSHSENSY** S - 3XL



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

- 280gsm fleece fabric
- 100% polyester
- Full length front zip
- Handwarmer pockets
- Retro-reflective sew on tape
- 2 x Band & brace





- 280gsm fleece fabric
- 100% polyester
- Anti-pill
- Retro-reflective sew on tape
- 2 x Band & brace

HI-VISIBILITY SWEATSHIRT



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



OR	BSSENOR	S - 4XL
SY	BSSENY	S - 4XL

QUARTER ZIP SWEATSHIRT



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



OR	BSZSEENOR	S - 3XL
SY	BSZSENSY	S - 3XL



- Hi-vis quarter zip sweatshirt
- 280 gsm fleece fabric
- 100% polyester
- Anti-pill
- Retro-reflective sew on tape
- 2 x Band & brace





HI-VISIBILITY POLO SHIRT LONG SLEEVE / SHORT SLEEVE

- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar and cuffs
- Retro-reflective tape



EN ISO 20471: 2013
Class 3 High Visibility (long sleeves)
Class 2 High Visibility (short sleeves)
RIS-3279-TOM
Railway Use Tested (orange)

Long Sleeves Codes

OR	BPKSLENOR	S - 4XL
SY	BPKSLENSY	S - 4XL
RE	BPKSLENRE	S - 4XL

Short Sleeves Codes

OR	BPKSEHOR	S - 4XL
SY	BPKSEHSY	S - 4XL
RE	BPKSEHRE	S - 4XL



EN ISO 20471
Class 2 High Visibility

OR	N	CPKSTTENOR	M - 4XL
SY	N	CPKSTTENSY	M - 4XL
RE	GY	CPKSTTENREGY	M - 4XL



TWO-TONE POLYKNIT POLO SHIRT

- 100% polyester
- 3 button placket
- Retro-reflective tape
- Contrast collar shoulders and hem



THREE QUARTER SLEEVE POLO SHIRT



EN ISO 20471
Class 3 High Visibility

OR **BPK3QOR** XS - 6XL

SY **BPK3QSY** XS - 7XL



- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar
- Three quarter length sleeves
- Retro-reflective tape



EXECUTIVE LONG SLEEVE POLO SHIRT

OR **BPKEXECLSOR** S - 6XL

SY **BPKEXECLSSY** S - 6XL

RE **BPKEXECLSRE** S - 6XL



Underarm Ventilation



- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar and cuffs
- Retro-reflective dynamic stripe tape
- UV protection
- SCOTCHGARD moisture management
- Anti-bacterial
- Insect repellent



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 13758-2
40+ UV Protection



LADIES POLO SHIRT

- 100% polyester "Bird Eye" fabric
- 3 button placket
- Grey trim to collar and cuffs
- Retro-reflective tape



EN ISO 20471
Class 3 High Visibility
RIS-3279-TOM
Railway Use Tested



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested



OR LPK28OR S - 5XL

SY LPK22SY S - 5XL

OR LPK26OR S - 5XL

SY LPK20SY S - 5XL

CREW NECK T-SHIRT

- 100% Bird Eye polyester fabric
- Reflective tape
- Left breast pocket



EN ISO 20471
Class 2 High Visibility

OR BSCNTSEOR S - 5XL

SY BSCNTSENSY S - 5XL





LONG SLEEVE JERKIN RED TAPE

- Hook & loop fastening
- Reflective tape
- Red Reflexite tape over shoulders



EN ISO 20471
Class 3 High Visibility

SY PKJENG(RT) M - 2XL



FIRE RETARDANT JERKIN



- Flame retardent vest full sleeve
- Hook & loop fastening
- Reflective tape
- Do not wear next to skin
- Must be worn over Index 2 or 3 garments



EN ISO 14116
Protection Against Heat and Flame



EN ISO 20471: 2013
Class 3 High Visibility

OR CFRPKJOR M - 4XL

SY CFRPKJSY M - 4XL

STANDARD JERKIN LONG SLEEVE

- 100% polyester
- Hook & loop fastening
- Reflective tape



EN ISO 20471: 2013
Class 3 High Visibility

OR	PKJENGOR	S - 4XL
SY	PKJENGSY	S - 4XL



RAILSPEC VEST

- 100% polyester fabric
- Quick release to shoulders and sides
- Hook & loop closure
- Retro-reflective tape



EN ISO 20471: 2013
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested

OR	RSV02P	M - 3XL
----	--------	---------



I.D. VEST

- 100% polyester
- I.D. pocket to left breast (dimensions 12cm x 10.5cm)
- Hook & loop fastening
- Retro-reflective tape
- 2 x Band & brace



EN ISO 20471
Class 2 High Visibility (sizes M - 5XL)
Class 1 High Visibility (sizes XS - S)

SY **BD108SY** XS - 5XL



DR **CFRWCOR** S - 4XL

SY **CFRWCSY** S - 4XL

FIRE RETARDANT WAISTCOAT

- Flame retardant vest
- 100% polyester FR fabric
- Must be worn over index 2 or 3 garments
- Do not wear next to skin
- Zip fastening
- FR retro-reflective hi-vis tape
- FR threads



EN ISO 14116: 2015
Low Protection Against
Heat and Flame



EN ISO 20471
Class 2 High Visibility



EXECUTIVE WAISTCOAT

- 100% polyester
- Front zip fastening
- 2 x Large front pockets with flaps
- Mobile phone pocket with hook & loop fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent I.D. pouch pocket
- Retro-reflective tape
- Covered mesh back panel



EN ISO 20471
Class 2 High Visibility

OR	WCENGEXECOR	M - 4XL
SY	WCENGEXECSY	M - 4XL
RE	WCENGEXECE	M - 4XL



Covered mesh back panel
on Executive Waistcoat

ZIP FASTENED WAISTCOAT

- 100% polyester
- Zip fastening
- Retro-reflective tape
- 2 x Band & brace



EN ISO 20471: 2013
Class 2 High Visibility

SY	WCENGSYZ	M - 6XL
----	----------	---------



- 100% polyester
- Hook & loop fastening
- Retro-reflective tape
- 2 x Band & brace

HI-VISIBILITY WAISTCOAT

Bulk Pack: Box of 100

OR WCENGOR M - 7XL

OR BWCOR M - 4XL

SY WCENGSY M - 7XL

SY BWCSY M - 4XL

RE WCENGRE M - 7XL



EN ISO 20471
Class 2 High Visibility



SHORT WAISTCOAT

- 100% polyester
- Hook & loop fastening
- Retro-reflective tape
- 2 body bands
- 2 x Band & brace



EN ISO 20471
Class 1 High Visibility

SY WCENGSH L - 2XL





- 100% polyester
- Front zip fastening
- 2 x Large front pockets with flaps
- Mobile phone pocket with hook & loop fastening flap
- Radio loop, pen & pencil pockets
- Transparent I.D. pouch pocket
- Retro-reflective tape
- Covered mesh back panel



EN ISO 20471
Class 1 High Visibility



Orange & Navy



Saturn Yellow & Royal



Orange & Black



Saturn Yellow & Red

TWO TONE EXECUTIVE WAISTCOAT

SY BL HVWCTTSYBL S - 3XL

SY R HVWCTTSYR S - 3XL

OR BL HVWCTTORBL S - 3XL

RE BL HVWCTTREBL S - 3XL

SY GY HVWCTTSYGY S - 3XL

SY RE HVWCTTSYRE S - 3XL

OR GY HVWCTTORGY S - 3XL

RE GY HVWCTTREGY S - 3XL

SY N HVWCTTSYN S - 3XL

OR N HVWCTTORN S - 3XL

TWO TONE EXECUTIVE WAISTCOAT CLASS 2

OR SY HVWC2TORSY S - 3XL

SY OR HVWC2TSYOR S - 3XL



- 100% polyester
- Front zip fastening
- 2 x Large front pockets with flaps
- Mobile phone pocket with hook & loop fastening flap
- Radio loop, pen & pencil pockets
- Transparent I.D. pouch pocket
- Retro-reflective tape
- Covered mesh back panel




EN ISO 20471
Class 2 High Visibility



MESH WAISTCOAT

- 100% Polyester mesh
- Hook & loop fastening
- Retro-reflective tape
- 2 x Band & brace
- Also available as a standard version with no pockets



Saturn Yellow Mesh

Executive Codes

OR HVMWEXECOR S - 4XL

SY HVMWEXECSY S - 4XL

Standard Codes

OR HVMWOR S - 6XL

SY HVMWSY S - 6XL



EN ISO 20471: 2013
Class 2 High Visibility

RAILSPEC RIS TROUSERS

- 280gsm 80-20 polyester cotton
- Teflon® treatment coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Triple sewn seams for extra strength
- 7 Belt loop waistband
- 2 x Cargo pockets
- Knee pad pockets
- 3 x 3M® Scotchlite retro-reflective leg bands
- Tall leg (T) option available



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested

OR RST 30" - 46" / 76cm - 116cm



Cargo Pockets



Rear Pocket

LADIES RAILSPEC RIS TROUSERS

- 280gsm 80-20 Polyester cotton
- Teflon coated for improved soil release
- 7 belt loop waistband
- Limited inside leg length
- Cargo pockets
- Knee pad pockets
- Durable hard wearing whilst remaining soft and comfortable
- 3 x 3M® Scotchlite retro-reflective leg bands



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

OR LRST 8 - 16 / 26" - 34"

PU OVERTROUSERS

- Breathable fabric
- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles
- 3M® retro-reflective tape



EN ISO 20471: 2013
Class 2 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

OR	PUTOR	S - 4XL
SY	PUT471SY	S - 4XL



HI-VISIBILITY POLYCOTTON WORK TROUSERS

- 80-20 polyester cotton
- 7 loop belt waistband
- 2 x Hip pockets
- 1 x Left leg cargo pocket
- 1 x Rear jettted pocket
- Knee pad pouch pockets
- Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon® treatment to aid soil release when washing
- 3M® Scotchlite retro-reflective hi vis tape
- Available in regular and tall leg fit (T)



EN ISO 20471
Class 1 High Visibility

SY	PCTENSY	30" - 48" / 76cm - 121cm
----	---------	--------------------------



BIRKDALE TROUSERS

- Hi-visibility breathable overtrousers
- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook & loop closure
- 2 x Side pockets access
- Fully taped seams



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

OR BITOR S - 3XL

SY BITSY S - 3XL



OR BETORN S - 3XL

SY BETSYN S - 3XL



EN ISO 20471
Class 2 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)



EN 343
Class 3 Water Penetration Resistant
Class 3 Air Permeability

BELFRY TROUSERS

- Belfry two-tone breathable overtrousers
- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook & loop closure
- 2 x Side access pockets
- Fully taped seams
- Retro-reflective tape



TRAFFIC TROUSERS

- Heavyweight PVC coated polyester
- Elasticated waist
- 2 x Position stud adjustment to legs
- 2 x Side pockets with storm flaps
- Fully taped seams
- Retro-reflective tape



EN ISO 20471
Class 1 High Visibility



EN 343
Class 3 Water Penetration Resistant
Class 1 Air Permeability

OR **TENOR** S - 4XL

SY **TENSY** S - 4XL



RETAIL
READY



OR **BSJBOR** S - 4XL

SY **BSJBSY** S - 4XL



RETAIL
READY



Rear Patch Pocket

JOGGING BOTTOMS



EN ISO 20471
Class 1 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

- 280gsm anti-pill fleece fabric
- Fully elasticated waist, with drawcord
- 2 x Hip pockets with zip closure
- Cargo pocket with hook & loop flap on both legs
- 1 x Rear patch pocket with hook & loop flap
- Reinforced nylon knee patches
- 2 x Bands retro reflective tape to mid thigh
- Elasticated ankles
- Comfortable to wear allowing maximum movement without restriction
- RIS-3279-TOM compliant when worn with Class 2 upper

RAILSPEC SHORTS

- 280gsm 80-20 polyester cotton
- Teflon treatment coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Triple sewn seams for extra strength
- 7 Belt loop waistband
- 2 x Cargo pockets
- 3 x 3M® Scotchlite retro-reflective leg bands
- RIS-3279-TOM compliant when worn with Class 2 upper



EN ISO 20471
Class 1 High Visibility
RIS-3279-TOM
Railway Use Tested (orange)

OR RSS 30" - 46" / 76cm - 116cm



HI-VISIBILITY SHORTS



EN ISO 20471
Class 1 High Visibility

- 280gsm 80-20 polyester cotton
- Seven loop belt waistband
- 2 x Hip pockets
- 1 x Left leg cargo pocket
- 1 x Rear jetted pocket
- Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon treatment to aid soil release when washing
- 3M® Scotchlite retro-reflective hi-vis tape

SY PCSENSY 30" - 46" / 76cm - 116cm





ORIGINAL & PREMIUM WORKWEAR

FLEX
SOFTSHELL JACKET



SFSJ

77

FLEX
WORKWEAR BODYWARMER



SFBW

79

FLEX
WORKWEAR TROUSERS



SFT

81



'COLDSTAR' FREEZER
COVERALL



CCFCN

82

'COLDSTAR' FREEZER
JACKET



CCFJN

82

'COLDSTAR' FREEZER
BIB TROUSERS



CCFBTN

83

'COLDSTAR' FREEZER
ATTACHABLE HOOD



CCFH

83



QUILTED BOILERSUIT



QBSN

84

PREMIUM BOILERSUIT



CPC

84

HOODED BOILERSUIT



PCBSHCAR

85

SUPER BOILERSUIT



PCBSHW

85

POLYCOTTON BOILERSUIT



PCBS

86

COTTON BOILERSUIT



CDBS

86

REGULAR BOILERSUIT



RPCBS

87



COTTON DRILL
BIB & BRACE



CDBB

87



WAREHOUSE COAT



PCWC

88

HEAVYWEIGHT DRIVERS
JACKET



PCJ9

88

SUPER CLICK DRIVERS
JACKET



PCJHWN

89

SOFT SHELL JACKET
TWO-TONE



SSJTTLGY

89

SOFT SHELL JACKET



SSJ

90



ENDEAVOUR FLEECE



EN28 / 29 / 30

90

FLEECE JACKET



FLJ

91



QUEBEC BODYWARMER



QN

91

HUDSON BODYWARMER



HB

92

ORIGINAL & PREMIUM WORKWEAR

HOODED SWEATSHIRT



CLPCSH

92

QUARTER ZIP SWEATSHIRT



CLQZSS

93

PREMIUM SWEATSHIRT



CPPCS

93

POLYCOTTON SWEATSHIRT



CLPCS

94

V-NECK SWEATER



CLVPCS

94

ACRYLIC V-NECK SWEATER



ACSV

95

MILITARY STYLE SWEATER



AMODV / AMODC

95



PREMIUM PIQUE POLO SHIRT



CPPKS

96

CLICK POLO SHIRT



CLPKS

96

B-COOL POLO SHIRT



BCPKSN

97

B-COOL T-SHIRT



BCTSN

97

STANDARD / PREMIUM T-SHIRT



CLCTS / CLCTSHW

98



OXFORD SHIRT



OXSLS / OXSSS

98

PILOT SHIRT



PSLS / PSSS

99

CLASSIC SHIRT



CS / CSSS

99

POLYCOTTON TABARD



PCTAB

100



FLEECE JOGGING BOTTOMS



FLJBCG

100

KINGTON MULTI-POCKET TROUSERS



KMPTBL

101

SHAWBURY MULTI-POCKET TROUSERS



SMPT

101

PREMIUM MULTI-POCKET TROUSERS



CPMPT

102

TRADERS NEWARK TROUSERS



CTRANT

102

HEAVYWEIGHT DRIVERS TROUSERS



PCT9

103

SUPER CLICK DRIVERS TROUSERS



PCTHW

103

ACTION WORK TROUSERS



AWT

104

COMBAT TROUSERS



PCCT

104

LADIES POLYCOTTON TROUSERS



LPCTHWN

105

POLYCOTTON/NYLON PATCH TROUSERS




PCNT27N

105

ORIGINAL & PREMIUM WORKWEAR

CARGO POCKET SHORTS
NAVY



CLCPSN

106

CARGO POCKET SHORTS
BLACK



CLCPSBL

106

GRANTHAM MULTI-POCKET
SHORTS



GMPSN

107

THERMAL VEST
LONG / SHORT SLEEVES



THVLS / THVSS

108

THERMAL LONG JOHNS



THLJ

108

THINSULATE BALACLAVA
ORANGE



THB

109

THINSULATE HAT



THH / WH

109

THINSULATE BALACLAVA



B / THBBL

109

THERMAL SOCKS



TS / TSL

110

COMBAT SOCKS



MODS

110

SEA BOOT SOCKS



SBS

110

WORK SOCKS



CSK01

110

25 LITRE HI-VIS RUCKSACK



CHVR

111

32 LITRE HOLDALL



QD70

111

74 LITRE HOLDALL



QD80BL

111

DOUBLE BREASTED CHEFS
JACKET



CCCJLS / CCCJSS

113

CHEFS BIB APRON



CCCBA34X40

113

STRIPED BUTCHER'S
APRON



CCCBSBANW34X40

114

HALF APRON WITH POCKET



CCCHABL29X22

114

CHEF'S TROUSERS
SMALL CHECK



CCCTSCNW

115

CHEFS TROUSERS



CCCT

115

CHEF'S TALL HAT/
CHEF'S SKULL CAP



CCCTH / CCCSC

116

LAUNDRY INSTRUCTIONS

Bleaching



Bleaches can be safely used



Non-Chlorine bleach must be used



Do Not Bleach



Can be bleached using Chlorine

Washing



Machine Wash **NORMAL**



Machine Wash **COLD**



Machine Wash **WARM**



Machine Wash **HOT**



Machine Wash **NORMAL**
Permanent Press



Machine Wash **COLD**
Permanent Press



Machine Wash **WARM**
Permanent Press



Machine Wash **HOT**
Permanent Press



Machine Wash **NORMAL**
Delicate Cycle



Machine Wash **COLD**
Delicate Cycle



Machine Wash **WARM**
Delicate Cycle



Machine Wash **HOT**
Delicate Cycle



Wash at Indicated Temperature 40°C



Hand Wash Only



Do Not Wash

Drying



Dry in Shade



Should be Dried Flat



Line Dry or Hang to Dry



Should be Drip Dried



Do Not Wring



Can be Tumble Dried



Tumble Dry **NO HEAT**



Tumble Dry **LOW HEAT**



Tumble Dry **MEDIUM HEAT**



Tumble Dry **HIGH HEAT**



Do Not Tumble Dry



Tumble Dry Permanent Press



Tumble Dry **LOW HEAT**
Permanent Press



Tumble Dry **MEDIUM HEAT**
Delicate Cycle



Tumble Dry Delicate Cycle

Dry Cleaning



Can be Dry Cleaned



Dry Clean **REDUCED MOISTURE**



Dry Clean **LOW HEAT**



Dry Clean **SHORT CYCLE**



Do Not Dry Clean



Dry Clean, Any Solvent



Dry Clean, Petroleum Solvent Only



Dry Clean, Any Solvent except Trichloroethylene



Dry Clean **NO STEAM**

Ironing



Iron, Steam or Dry **LOW HEAT**



Iron, Steam or Dry **ANY HEAT**



Iron, Steam or Dry **HIGH HEAT**




Do Not Iron



Iron, Steam or Dry **MEDIUM HEAT**



Do Not Iron with Steam



A good fit is essential for a professional look and for wearer comfort. Follow these guidelines when choosing your Beeswift garments.

A: Chest or Bust - Measure over the fullest part of the chest under the arms and straight across the back.

B: Waist - Measure around the natural waistline with the tape snug but not too tight.

C: Hips - Measure the fullest part of the body, generally 20cm below the waist.

D: Inside Leg - Measure from crotch to floor to determine your normal leg measurement.

Do's and Dont's before you order

- Do not measure over clothing
- Do not pull the tape too tight
- Take the measurement from the fullest part of your body
- Ask someone else to measure you for greater accuracy
- Use the same unit of measurement when placing your order
- Check whether the garment is sized in inches (") or centimetres (cm)
- Always order the garment to accommodate the largest measurement

SIZING GUIDE

	LADIES SIZES	UK (INCHES)	EU	FR*	COLLAR (INCHES)
S	10	34	44	44	14
		36	46	46	14.5
M	12	38	48	48	15
		40	50	50	15.5
L	14	42	52	52	16
		44	54	54	16.5
XL	16	46	56	56	17
		48	58	58	17.5
2XL	18	50	60	60	18
		52	62	62	18.5
3XL	20	54	64	64	19
		56	66	66	19.5
4XL	22	58	68	68	20
		60	70	70	20.5
5XL	24	62	72	72	21
		64	74	74	21.5

*COVERS FR, ES AND BG

	UK (INCHES)	EU	FR*
S	28	44	38
	30	46	40
M	32	48	42
	34	50	44
L	36	52	46
	38	54	48
XL	40	56	50
	42	58	52
2XL	44	60	54
	46	62	56
3XL	48	64	58
	50	66	60
4XL	52	68	62
	54	70	64
5XL	56	72	66
	58	74	68

*COVERS FR, ES AND BG

	(INCHES)	LADIES SIZES
XS	24	8
S	28	10
M	30	12
L	32	14
XL	35	16

	(INCHES)	CM
SHORT	29	74
REGULAR	31	79
TALL	33	84
EXTRA TALL	35	89

The following details are a general guide to product sizing when garments are marked Small, Medium, Large and so on. Each type and style of garment, depending on which layer it is, will have an appropriate ease allowance built into it to enable it to be worn over/under other layers. This may vary from manufacturer to manufacturer but it is generally between 4 and 8 inches (10-20cm) and is referred to as 'over measure'.

*Please note that some countries adopt a different numbering system for their size ranges.

**DESIGNED FOR WORK
CHOSEN FOR LIFE**




FLEX® SOFT SHELL JACKET

CODE: **SFSJ**




FLEX®
STRETCH
SIDE PANELS

WATER
REPELLENT
AND
WINDPROOF



FLEECE
LINED
WITH 2 x
INTERNAL
POCKETS

SECONDARY
ACCENT COLOUR
PANELS ON
SHOULDERS



COLOURED
ZIPPED
RIGHT
BREAST
POCKET



2 ZIPPED
FRONT
HIP
POCKETS



ADJUSTABLE
CUFFS



HIP
DRAWCORD

- 96% Polyester, 4% Spandex
- 320gsm fabric weight
- High Stretch water repellent and windproof fabric
- Hard wearing fabric to elbows for great durability and garment life
- Flex stretchable fabric side panels to help fit and comfort
- Full front zip closure
- Warming fleece lined snorkel collar
- Fluorescent accents and tagging for style
- Soft touch zip pullers
- Two zipped front hip pockets
- One coloured zipped right breast pocket
- 2 x internal access pockets
- Adjustable cuff
- Hip drawcord



Sizes
XS - 5XL



BL
GY




**DESIGNED FOR WORK
CHOSEN FOR LIFE**

FLEX® WORKWEAR BODYWARMER

CODE: **SFBW**




- 65% Polyester with 35% Cotton canvas fabric torso
- 260gsm fabric weight
- Soft handle, robust polycotton bodywarmer fabric
- Flex stretchable fabric side panels to help fit and comfort
- 100% polyester diamond patterned lining and taffeta quilting
- Metal zip front with plastic teeth
- Fluorescent accents and tagging for style
- Soft touch zip pullers
- Left breast hook and loop closure phone pocket and pen holder
- Right breast hook and loop closure pocket with additional coloured zip pocket
- 2 x lower hip zipped pockets
- 2 x pockets with front and side access
- Internal hook and loop closure pocket




65%
POLYESTER
35%
COTTON
CANVAS
260 GSM

100%
POLYESTER
DIAMOND
PATTERNED
LINING AND
TAFFETA
QUILTING




METAL
ZIP FRONT
WITH
PLASTIC
TEETH

2 x BREAST
HOOK AND LOOP
POCKETS
WITH ZIP POCKET
ON THE RIGHT



INTERNAL
HOOK & LOOP
CLOSURE
POCKET

DETAILED ACCENTS
ON SHOULDERS
AND RIGHT
BREAST POCKET
FLAP



4 x LOWER
HIP POCKETS




Sizes
XS - 5XL



BL
GY

FLEX®
STRETCH
FABRIC
SIDE PANELS



**DESIGNED
FOR WORK
CHOSEN
FOR LIFE**



FLEX[®] WORKWEAR TROUSER

CODE: **SFT**




FLEX[™] Stretch fabric



FLEX[®]
STRETCH
FABRIC


CORDURA
HARD WEARING
KNEE & HEEL




HOOK & LOOP
KNEE PAD
POUCH
POCKETS



LEFT LEG
POCKET



RIGHT LEG
HOOK & LOOP
CARGO
POCKET, AND
PEN POCKETS



2 x REAR
POCKETS



D-RING



BUTTON
FASTENING
WITH
HEAVY DUTY
YKK ZIP
FRONT



- 89% Nylon with 11% Spandex outer fabric
- 225gsm Fabric weight
- Four way stretch fabric
- Flex stretch fabric allows for a comfortable and functional fit
- Cordura fabric to knee pads and base of heel for enhanced longevity of garment
- Knee pad pouch pockets
- YKK heavy duty zip
- Heavy duty button fastener
- Elasticated waist for added comfort
- Five loop belt waistband
- D-ring for security or ID tag
- Fluorescent accents and bar tacks for added styling
- Tapered leg for comfort and styling
- 2 x angled hip pockets
- Multipurpose pocket to right thigh
- Ruler pocket to left thigh
- 2 x rear pockets
- Available in short, regular, and tall leg fit
- Stretch work belt available separately

Sizes
28 - 52

GY BL



BL GY

STRETCH WORK BELT



CODE: **BT1000**

'COLDSTAR' FREEZER COVERALL

- Robust Oxford nylon outer fabric
- 3M® Thinsulate lining
- Knee pad pouch pockets
- 3 x Patch pockets
- Heavy-duty zip & fly front
- 2" Reflective body band
- 2" Reflective leg bands

EN Standards



EN 342
Icer 0.355
X
AP3
X
X
X

N CCFCN S - 3XL



Associated Items



'COLDSTAR' FREEZER JACKET

- Robust Oxford nylon outer fabric
- 3M® Thinsulate lining
- 3 x Patch pockets
- Heavy-duty zip and fly front
- Hook & loop throat tab collar closure
- Zipped sleeve pocket
- 2" reflective body band
- Attachable hood sold separately

EN Standards



EN 342
Icer 0.364
X
AP3
X
X
X

N CCFJN S - 3XL



Associated Items





Coldstar Coverall



Rear of Garment



'COLDSTAR' FREEZER BIB TROUSERS

- Robust Oxford nylon outer fabric
- 3M® Thinsulate lining
- Knee pad pouch pockets
- 3 x Patch pockets
- Heavy-duty zip front
- Zip and stud legs for ease of fitting
- 2" Reflective leg bands

EN Standards



EN 342
Icer 0.364
X
AP3
X
X

N CCFBTN S - 3XL



WORKWEAR



'COLDSTAR' FREEZER ATTACHABLE HOOD

- Used in conjunction with 'Coldstar' Jacket or Coverall
- 3M® Thinsulate lining
- Hook & loop fastening

EN Standards



EN 342
Icer 0.364
X
AP3
X
X

N CCFH One Size

Coldstar Coverall



Associated Items



Coldstar Jacket



QUILTED BOILERSUIT

- 65% polyester 35% cotton
- Quilt lined
- Concealed two way zip front
- 2 x Breast pockets
- Reinforced elasticated waist
- 2 x Swing pockets with side access
- 2 x Rear pockets, one with hook & loop flap
- 1 x Rule pocket

N QBSN 36" - 62" / 91cm - 157cm



Rear of Garment

Other Images



Rear of Garment

Garment Features



Unique Design Breast Pocket

PREMIUM BOILERSUIT

- Unique Stretch-plus design for enhanced comfort
- Elasticated back design allows garment to move with you as you work
- Hardwearing 250gsm 65/35 polycotton fabric
- Internal kneepad pockets
- 2 x Breast pockets with unique design
- 2 x Hook & loop hip pockets
- 2 x Thigh pockets
- 2 x Rear pockets
- 1 x Left sleeve pocket
- Under arm ventilation system

N	CPCN	36" - 54" / 91cm - 137cm
BL	CPCBL	36" - 54" / 91cm - 137cm
RE	CPCRE	36" - 54" / 91cm - 137cm

HOODED BOILERSUIT

- 65% polyester 35% cotton
- Concealed zip front
- Hood with drawcord
- 2 x Zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 x Swing hip pockets with side access
- 2 x Rear pockets, one with hook & loop flap
- 1 x Rule pocket
- 1 x Hammer pocket
- Elasticated cuffs and ankles

R **PCBSHCAR** 36" - 54" / 91cm - 137cm



Hood Down



Rear of Garment

Other Images



WORKWEAR



Reinforced Elasticated Waist

Garment Features



Zip Breast Pockets

SUPER BOILERSUIT

- 65% polyester 35% cotton
- Concealed two-way zip
- 2 x Zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 x Swing hip pockets with side access
- 2 x Rear pockets, one with hook & loop fastening
- 1 x Rule pocket, 1 hammer loop

N **PCBSHWN** 36" - 54" / 91cm - 137cm
BL **PCBSHWBL** 36" - 54" / 91cm - 137cm

R **PCBSHWR** 36" - 54" / 91cm - 137cm
OR **PCBSHWOR** 36" - 54" / 91cm - 137cm
RE **PCBSHWRE** 36" - 54" / 91cm - 137cm

POLYCOTTON BOILERSUIT

- 65% polyester 35% cotton
- Lay down collar
- Yoke back
- Concealed stud front
- 2 x Breast pockets with stud flap
- 2 x Lower welted pockets
- 2" (5cm) waistband with side elasticsation

N	PCBSN	34" - 54" / 86cm - 137cm
R	PCBSR	34" - 54" / 86cm - 137cm
RE	PCBSRE	34" - 54" / 86cm - 137cm
W	PCBSW	34" - 54" / 86cm - 137cm
OR	PCBSOR	34" - 54" / 86cm - 137cm
S	PCBSS	34" - 54" / 86cm - 137cm



5cm Waistband



Garment Features

Stud Flap Breast Pockets

COTTON BOILERSUIT

- Pre-shrunk 100% cotton (250gsm)
- Concealed stud front
- 1 x Breast pocket with stud flap
- Reinforced elasticated waist
- 2 x Swing hip pockets with side access
- 1 x Rear pocket
- 1 x Rule pocket

N	CDBSN	34" - 54" / 86cm - 137cm
W	CDBSW	34" - 54" / 86cm - 137cm



Other Images



Rear of Garment



Rear of Garment

REGULAR POLYCOTTON BOILERSUIT

- 65% polyester 35% cotton
- Concealed stud front
- 2 x Breast pockets
- Elasticated waist
- 2 x Swing hip pockets with side access
- 1 x Rear pocket
- 1 x Rule pocket

N	RPCBSN	36" - 54" / 91cm - 137cm
R	RPCBSR	36" - 54" / 91cm - 137cm
BL	RPCBSBL	36" - 54" / 91cm - 137cm



Elasticated Waist

Other Images



Concealed Stud Front

WORKWEAR

COTTON DRILL BIB & BRACE

- Pre-shrunk cotton drill fabric
- Concealed button fly
- Bib pocket
- 2 x Swing hip pockets with side access
- 1 x Rear pocket
- 1 x Rule pocket
- Braces with clips

N	CDBBN	32" - 48" / 81cm - 121cm
w	CDBBW	32" - 48" / 81cm - 121cm



Rear of Braces



Other Images



Rear of Braces Navy

WAREHOUSE COAT

- 65% polyester 35% cotton
- Concealed stud front
- 1 x Breast pocket with pen divide
- 2 x Lower pockets
- Rear vents

N	PCWCN	32" - 54" / 81cm - 137cm
R	PCWCR	32" - 54" / 81cm - 137cm
S	PCWCS	32" - 54" / 81cm - 137cm
W	PCWCW	32" - 54" / 81cm - 137cm



HEAVYWEIGHT DRIVERS JACKET

- 9oz 65% polyester 35% cotton
- Lay down collar
- Yoke back
- No. 5 plastic zip closure with 3 stud flap fastening
- 2 x Breast pockets with stud flap
- 2 x Lower welted pockets
- 2" (5cm) waistband with side elastication

N	PCJ9N	36" - 52" / 91cm - 132cm
---	-------	--------------------------





SUPER DRIVERS JACKET

- Polycotton
- Zip front with stud flap
- Cuffs with double two position press stud adjustment
- Elasticised waist band
- 2 x Breast pockets with stud flap
- One breast pocket has pen divide
- 2 x Lower angled pockets

N PCJHWN 34" - 54" / 86cm - 137cm



WORKWEAR

Other Images



Zipped Breast Pocket



SOFT SHELL TWO TONE JACKET

- High stretch water resistant, windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 2 x Zipped front hip pockets
- Right zipped breast pocket
- Adjustable cuffs
- Warm lined collar
- Hip drawcord



Rear of Garment



BL BY S5JTTBLGY XS - 5XL

SOFT SHELL JACKET

- High stretch water resistant, windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 3 x Zipped front pockets
- Adjustable cuffs
- Warm fleece lined collar
- Cordura® tear resistant trim
- Hip drawcord

N	SSJN	XS - 4XL
BL	SSJBL	XS - 4XL



Fleece Lined Collar

Alternative Colours



Navy Jacket



WORKWEAR



ENDEAVOUR FLEECE

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- 2 x Lower pockets with zip closure
- Fully lined

N	EN28NR	XS - 4XL
BL	EN29BL	XS - 5XL
GY	EN30GY	S - 3XL

Alternative Colours



Navy/Royal Fleece



Black Fleece





FLEECE JACKET

- 280gsm polyester
- Chunky zip front fastening
- Drawcord waist
- 2 x Zipped side pockets

BL	FLJBL	S - 4XL
N	FLJN	S - 4XL



WORKWEAR

QUEBEC BODYWARMER

- Quilted polycotton bodywarmer
- Stud and zip front
- Stand-up collar
- Elasticated armholes
- 2 x Patch pockets with hook & loop fastening flaps and side access
- Attractive brushed check cotton flannel lining
- 1 x Inside patch pocket with flap

N	QN	S - 4XL
---	----	---------



HUDSON BODYWARMER

- Polycotton outer
- Stand up collar
- Polyester padding
- Zip front with studded storm flap
- 2 x Stud top pockets
- 2 x Lower slanted pockets
- Shoulder cuffs
- Elasticated hem

BL	HBBL	S - 2XL
N	HBN	S - 2XL



Alternative Colours



Navy Bodywarmer



HOODED SWEATSHIRT

- 300g 65/35% polycotton fleece inner
- Hood with draw cord
- Front pouch pocket with hidden mobile phone pocket
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband

N	CLPCSHN	S - 3XL
---	---------	---------

BL	CLPCSHBL	S - 3XL
----	----------	---------



Front Pouch

Other Images

Alternative Colours



Black Sweatshirt



QUARTER ZIP SWEATSHIRT

- 280gsm 70% cotton 30% polyester fleece
- Brushed on the inside
- Quarter length zip
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband

N	CLQZSSN	XS - 6XL
BL	CLQZSSBL	XS - 3XL
GY	CLQZSSGY	XS - 3XL



Navy Sweatshirt

Alternative Colours

PREMIUM SWEATSHIRT

- 65% cotton 35% polyester
- Heavy 365gsm fabric
- Fashionable drop shoulder style
- Cover seamed neck, shoulders armholes and waistband
- High quality ribbed cuffs and waistband

N	CPPCSN	S - 3XL
BL	CPPCSBL	S - 3XL



POLYCOTTON SWEATSHIRT

- 300g polycotton fleece inner
- 65% polyester 35% cotton
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband

N	CLPCSN	S - 4XL
R	CLPCSR	S - 4XL
BL	CLPCSBL	S - 4XL
BG	CLPCSBG	S - 4XL
RE	CLPCSRE	S - 4XL
GY	CLPCSGY	S - 4XL



Red Sweatshirt



Bottle Green Sweatshirt

Alternative Colours

WORKWEAR

V-NECK SWEATSHIRT

- 300gms 65/35% polycotton fleece inner
- V-Neck collar
- Ribbed cuffs
- Ribbed waistband

N	CLVPCSN	S - 3XL
---	---------	---------



ACRYLIC V-NECK SWEATER

- 100% acrylic material
- V-Neck collar
- Military style security sweater
- Thick material for added warmth

N	ACSVN	S - 3XL
BL	ACSVBL	S - 2XL



Alternative Colours

Navy Sweater

WORKWEAR



V-Neck Black

Alternative Colours



V-Neck Navy

MILITARY STYLE SWEATER

- Military style security sweater
- Shoulder and elbow patches
- Epaulettes on shoulder
- 100% ribknit acrylic
- Thick material for added warmth

V-Neck Codes

N	AMODVN	S - 3XL
BL	AMODVBL	S - 3XL

Crew Neck Code

N	AMODCN	S - 3XL
---	--------	---------



PREMIUM PIQUE POLO SHIRT

- 50% cotton 50% polyester
- 260gsm heavy knit pique polo shirt
- High natural cotton content for wearer comfort
- 3 matching button placket
- Cuffed sleeves
- Taped neck

N	CPPKSN	S - 3XL
R	CPPKSR	S - 3XL
BL	CPPKSBL	S - 3XL



Alternate Colours



Black Polo



Navy Polo



WORKWEAR



Alternate Colours



N	CLPKSN	XS - 5XL
R	CLPKSR	XS - 5XL
BL	CLPKSBL	XS - 5XL
W	CLPKSW	S - 3XL
RE	CLPKSRE	S - 5XL
BG	CLPKSBG	S - 3XL
GY	CLPKSGY	S - 4XL



POLO SHIRT

- 200gms 65/35% polycotton
- 3 button placket
- Cuffed sleeves
- Side vents

B-COOL POLO SHIRT

- 150gsm polyester
- Wicking treatment
- Moisture absorbing
- Anti-perspiring

N	BCPKSN	S - 4XL
R	BCPKSR	S - 4XL
GY	BCPKSGY	S - 4XL
BL	BCPKSBL	S - 4XL



Garment Features

Black Polo



WORKWEAR



Rear of Garment

B-COOL T-SHIRT

- 150gsm polyester lightweight fabric
- Wicking treatment
- Moisture absorbing
- Anti-perspiring

N	BCTSN	S - 4XL
BL	BCTSBL	S - 4XL





Alternative Colours

T-SHIRT
PREMIUM & STANDARD WEIGHT

- 100% cotton
- Twin needle stitching
- Generous sizing
- 180gms premium weight
- 150gms standard weight

Premium Weight Codes

N	CLCTSHWN	M - 3XL
R	CLCTSHWR	M - 3XL
RE	CLCTSHWRE	M - 3XL
BG	CLCTSHWBG	M - 3XL
BL	CLCTSHWBL	M - 3XL
W	CLCTSHWW	M - 3XL

Standard Weight Codes

N	CLCTSN	M - 3XL
R	CLCTSR	M - 3XL
W	CLCTSW	M - 3XL

OXFORD SHIRT
LONG SLEEVE / SHORT SLEEVE

- 70% cotton 30% polyester
- Easy care fabric
- Semi-fitted styling
- Button down collar
- Left breast mitred pocket
- Button fastened cuffs that also fit cufflinks
- Back yoke with two side pleats
- Curved hem

Long Sleeve Codes / Neck Sizes

W	OXSLSW	14.5" - 19" / 37cm - 48cm
LB	OXSLSB	14.5" - 19" / 37cm - 48cm

Short Sleeve Codes / Neck Sizes

W	OXSSSW	14.5" - 19" / 37cm - 48cm
LB	OXSSSB	14.5" - 19" / 37cm - 48cm



Long Sleeve Light Blue



Short Sleeve White



Short Sleeve Light Blue





PILOT SHIRT

LONG SLEEVE / SHORT SLEEVE

- 65/35% polycotton
- Shoulder epaulettes
- 2 x Breast pockets with button fasteners
- Stiffened collar

Long Sleeve Codes / Neck Sizes

W	PSLSW	14.5" - 19" / 37cm - 48cm
LB	PSLSB	14.5" - 19" / 37cm - 48cm

Short Sleeve Codes / Neck Sizes

W	PSSSW	14.5" - 19" / 37cm - 48cm
LB	PSSSB	14.5" - 19" / 37cm - 48cm



WORKWEAR

CLASSIC SHIRT

- 65/35% polycotton
- Stiffened collar
- Left breast pocket
- Button cuffs

Long Sleeve Codes / Neck Sizes

W	CSW	14.5" - 19" / 37cm - 48cm
LB	CSB	14.5" - 19" / 37cm - 48cm

Short Sleeve Codes / Neck Sizes

W	CSSSW	14.5" - 19" / 37cm - 48cm
LB	CSSSB	14.5" - 19" / 37cm - 48cm



POLYCOTTON TABARD

- 65% polyester 35% cotton
- Front pouch pocket
- Tab side fastening

N	PCTABN	S - 2XL
R	PCTABR	S - 2XL
BL	PCTABBL	S - 2XL



Alternative Colours



Garment Features



FLEECE JOGGING BOTTOMS

- Fleece jogging bottom
- 50% polyester
- 50% cotton fleece to inside - 320gsm
- Elasticated waist and ankles
- 2 x Side hip pockets with zip fastening
- 1 x Rear pocket and 1 tool pocket
- Knee pad pocket

GY	FLJBC	S - 3XL
----	-------	---------



KINGTON MULTI-POCKET TROUSERS

- 98% cotton / 2% lycra stretch fabric
- YKK zip fastening with metal button waistband attachment
- 7 belt loops
- Triple stitching to main seams
- 2 x Front hip pockets, 2 detachable tool (nail) pouches
- 1 x Multi cargo pocket to thigh, hook & loop fastening, including mobile phone pocket
- 2 x Rear patch pockets with hook & loop fastening
- Cordura knee pad pockets
- 1 x Cordura rule pocket
- Cordura heel reinforcement
- Available in regular and tall (T) sizes

BL **KMPTBL** 28" - 48" / 71cm - 121cm



Garment Features



WORKWEAR

SHAWBURY MULTI-POCKET TROUSERS

- Polycotton twill fabric
- Multi-pocket design with tool pouches
- Tuck away holster pockets
- 1 x Rear pocket with hook & loop flap
- Hammer loop
- External knee pad pockets
- Reinforced knees
- Side elastic on waist for comfort and ease of fitting
- 30cm gusset at ankles with zip closure
- Available in regular and tall fit (T)

N	SMPTN	30" - 50" / 76cm - 127cm
BL	SMPTBL	30" - 50" / 76cm - 127cm



Garment Features





PREMIUM MULTI-POCKET TROUSERS

- Rugged heavyweight polyester cotton fabric
- Multi-feature design
- Holster pockets
- Large pockets, tool holder, fasteners
- Hard wearing `Duratex` kneepad pockets and hip linings
- All main seams are triple stitched for maximum strength
- Available in regular and tall fit (T)
- Also available in Navy regular and tall fit

N	CPMPTN	30" - 46" / 76cm - 116cm
BL	CPMPTBL	30" - 46" / 76cm - 116cm



Garment Features

Rear of Trousers

Holster Pockets

TRADERS NEWARK TROUSERS

- 320gsm 65% polyester 35% cotton
- Cargo trousers with triple stitched seams
- 2 x Side pockets and ticket pocket
- Metal zip fly
- Reinforced back pockets with flaps, hook & loop fastening
- 2 x Large thigh pockets with flaps and special pockets
- Internal knee pad pockets
- Can be used in conjunction with Beeswift folding knee pads (sold separately)
- Available in regular and tall (T) sizes

N	CTRANTN	30" - 48" / 76cm - 121cm
BL	CTRANTBL	30" - 48" / 76cm - 121cm



Thigh Pockets



Garment Features

Folding Knee Pads
BBKP08
(sold separately)



HEAVYWEIGHT DRIVERS TROUSERS

- 9oz 65% polyester 35% cotton
- 7 belt loops
- Metal button waist fastening
- No. 5 YKK brass zip
- 2 x Front pleats
- 2 x Hip pockets with flap and press stud closure
- Pleated leg pockets with stud flap
- Knee pad pockets



N	PCT9N	26" - 50" / 66cm - 127cm
BL	PCT9BL	26" - 50" / 66cm - 127cm
GY	PCT9GY	26" - 50" / 66cm - 127cm



SUPER DRIVERS TROUSERS

- 235gsm polycotton
- Zip fly with hook/bar and button fastening
- Belt loops
- 2 x Swing hip pockets
- 2 x Cargo pockets
- 2 x Rear pockets with stud flap
- Sewn in crease
- Knee pad pockets

N	PCTHWN	28" - 52" / 71cm - 132cm
R	PCTHWR	30" - 48" / 76cm - 121cm
BL	PCTHWBL	30" - 52" / 76cm - 132cm
BG	PCTHWBG	30" - 48" / 76cm - 121cm



Alternative Colours





ACTION WORK TROUSERS

- Polycotton
- Zip fly
- 7 x Zipped, multi-sized pockets
- Double seat and knee patches
- Available in regular, short (S) and tall fit (T)

Garment Features



Zipped Multi Pockets

N	AWTN	30" - 48" / 76cm - 121cm
BL	AWTBL	30" - 48" / 76cm - 121cm



Drawcord Ankles



COMBAT TROUSERS

- Polycotton
- Zip fly and belt loops
- Adjustable clips
- 2 x Front pockets with button flap
- 2 x Lower pleated pockets with button flap
- 2 x Rear pockets with button flap
- Drawcord ankles

Garment Features



Rear Pockets with Button Flaps

N	PCCTN	28" - 50" / 71cm - 127cm
BL	PCCTBL	28" - 50" / 71cm - 127cm
O	PCCTO	30" - 48" / 76cm - 121cm



LADIES POLYCOTTON TROUSERS

- Polycotton
- Zip fly with hook/bar and button fastening
- Belt loops
- Part elastic waist band
- 2 x Swing hip pockets
- 2 x Cargo pockets
- 1 x Rear pockets with hook & loop flap
- Internal knee pad pockets



Part Elastic Waist



Cargo Pockets

Garment Features



RETAIL READY

N LPCTHWN 24" - 48" / 60cm - 121cm



WORKWEAR



POLYCOTTON / NYLON PATCH TROUSERS

- 250gsm 65/35 polyester cotton trouser
- 7 belt loops
- Sewn front seams
- Heavy-duty outer leg reinforcement fabric from thigh to bottom leg
- 2 x Hip pockets
- Available in regular and tall fit (T)
- 100% Polyester cordura patch

THESE GARMENTS ARE NOT HI-VISIBILITY
They meet no recognised standards

N PCNT27N 30" - 46" / 76cm - 116cm




RETAIL READY

CARGO POCKET SHORTS NAVY

- 100% cotton twill 260gsm
- Zip fastening with button closure
- 2 x Hip pockets and side mobile phone pocket
- 1 x Patch pockets on leg with button fastening
- 2 x Rear pockets

N CLCPSN 30" - 46" / 76cm - 116cm



Garment Features

Rear Pockets

Garment Features



Rear Pockets with Stud Flap

CARGO POCKET SHORTS BLACK

- 230gsm polyester cotton industrial work shorts
- Zip fly
- 7 belt loop waistband with double button fastening
- Sewn in crease
- 2 x Swing hip pockets
- 2 x Cargo pockets
- 2 x Rear pockets with stud flap
- Tax tag

BL CLCPSBL 30" - 50" / 76cm - 127cm





Rear Patch Pocket



RETAIL
READY



Cargo Pocket to Thigh

Garment
Features

GRANTHAM MULTI-POCKET SHORTS

- 98% cotton 2% lycra stretch fabric
- YKK zip fastening with metal button
- 7 x Belt loops
- Triple stitching to main seams
- 2 x Front hip pockets
- 2 x Front detachable tool (nail) pouches
- 1 x Multi cargo pocket to thigh, metal stud fastening, including mobile phone pocket
- 1 x Rear patch pocket with hook & loop fastening
- 1 x Cordura rule pocket

N GMPSN 30" - 48" / 76cm - 121cm

THERMAL VEST
LONG SLEEVE / SHORT SLEEVE

- Long sleeve thermal vest
- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material
- Black available Sept/Oct 2023

Long Sleeve Codes

W	THVLSW	S - 3XL
R	THVLS	S - 3XL
BL	THVLSBL	S - 3XL

Short Sleeve Codes

W	THVSSW	S - 3XL
R	THVSS	S - 3XL
BL	THVSSBL	S - 3XL



THERMAL LONG JOHNS

- Soft polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material
- Heat seal labelling for irritation-free fit
- Essential layer for cold temperatures
- Black available Sept/Oct 2023

W	THLJW	S - 3XL
R	THLJ	S - 3XL
BL	THLJBL	S - 3XL





THINSULATE BALACLAVA

- 100% acrylic material
- Offers excellent insulation
- 3M® C40 premium Thinsulate
- Ideal for winter use

OR	THBOR	One Size
BL	THBBL	One Size

Thinsulate
INSULATION
3M



WORKWEAR

BALACLAVA

- Acrylic material
- Offers good insulation
- Ideal for winter use

BL	B	One Size
----	---	----------

BL	THBBL	One Size
----	-------	----------

Thinsulate
INSULATION
3M



THINSULATE HAT

- Microfibre technology traps air to keep user warm
- Effective when wet and dries quickly
- Ideal for winter use
- Made from 3M® Thinsulate
- Available as a non-Thinsulate watch hat version

Thinsulate Hat Codes

N	THHN	One Size
BL	THHBL	One Size

Watch Hat Codes

BL	WHBL	One Size
OR	WHOR	One Size

THERMAL SOCKS

- 80% cotton
- 20% polyester
- Gentle welt for comfort
- Offers protection against cold conditions
- Looped terry for extra warmth and comfort
- Available in a pack of three colours
- Also available in longer length (TSLL)

BL	TS	One Size
BL	TSLL	One Size



COMBAT SOCKS

- Warm and durable
- Rib knit construction
- Manufactured to a high quality
- 60% Wool, 40% Nylon

MODS	One Size
------	----------



WORK SOCKS

- 70% cotton
- 17% nylon
- 10% silica gel
- 3% lycra
- Machine washable
- Stretch fit for extra comfort and to prevent socks from slipping

CSK01	S - L
-------	-------



N	SBSN	UK Size
W	SBSW	UK Size

SEA BOOT SOCKS

- Good insulation
- Heavyweight material
- 60% Wool
- 40% Nylon
- UK Size 6-8



25 LITRE HI-VIS RUCKSACK

- 600d polyester with padded back panel
- Quick release buckle fastening straps
- Internal black lining with mesh pocket
- Two way nylon zips
- Multiple pockets
- Mobile phone pocket and MP3,
- mobile phone outlet

SY	CHVRSY	25 Ltr
----	--------	--------

32 LITRE HOLDALL

- Material 420D
- Webbing Handles and detachable/adjustable
- Padded shoulder strap
- Pocket with zip at each end
- Capacity 32 litres
- Dimensions: 53 x 32 x 26cm

N	QD70N	32 Ltr
BG	QD70G	32 Ltr



74 LITRE HOLDALL

- 420D Polyester
- Detachable adjustable shoulder strap with pad
- Zippered end pockets
- 74 Litre
- Wet Pocket
- Dimensions 75 x 35 x 30cm

BL	QD80BL	74 Ltr
----	--------	--------



CHEFSWEAR





DOUBLE BREASTED CHEFS JACKET

LONG SLEEVE / SHORT SLEEVE

- 65% polyester 35% cotton
- Long sleeves or short sleeves
- Stud fastening

Long Sleeve Codes

BL	CCCJLSBL	XS - 2XL
W	CCCJLSW	XS - 2XL

Short Sleeve Codes

BL	CCCJSSBL	XS - 2XL
W	CCCJSSW	XS - 2XL



CHEFS BIB APRON

- 65% polyester 35% cotton
- Anti-Tangle ties
- 34" Wide x 40" High

BL	CCCBABL34X40	34" wide x 40" High / 86cm wide x 101cm High
W	CCCBABW34X40	34" wide x 40" High / 86cm wide x 101cm High
	CCCBAW34X40	34" wide x 40" High / 86cm wide x 101cm High



Alternative Colours

Black Apron

STRIPED BUTCHER'S APRON

- 100% cotton
- Anti-tangle ties
- Universal sizing

CCCBSBANW34X40 34" Wide x 40" High / 86cm Wide x 101cm High



Garment Features

HALF APRON WITH POCKET

- 65% polyester 35% cotton
- Anti-tangle ties
- 29" wide x 22" high
- Front pocket

BL. CCCHABL29X22 29" Wide x 22" High / 73cm Wide x 55cm High



CHEFS TROUSERS SMALL CHECK

- 65% polyester 35% cotton
- Elasticated waist with drawcord

 CCCTSCNW XS - 2XL

WORKWEAR




Alternate
Colours



Check Trousers

CHEFS TROUSERS

- 65% polyester 35% cotton
- Elasticated waist with drawcord

BL	CCCT	XS - 2XL
	CCCTBLW	XS - 2XL

**CHEFS TALL HAT /
CHEFS SKULL CAP**

- 100% cotton
- Chef's tall hat has traditional floret design
- Comfortable fit

w	CCCTH	One Size
---	-------	----------



Alternative Colours for Skull Cap



White Skull Cap

BL	CCCSCBL	One Size
w	CCCSCW	One Size
	CCCSCBLW	One Size

ARC FLASH PROTECTION



ARC FLASH PROTECTION

ARC SATURN YELLOW
COVERALL



CARC7SY

127

ARC TWO TONE COVERALL



CARC7SYN

128

ARC RIS COVERALL



CARC153OR

128



ARC NAVY COVERALL



CARC6N

129



ARC COMPLIANT FLEECE
JACKET



CARC910N

129

ARC NAVY WOVEN
JACKET



CARC920N

130



ARC TWO TONE JACKET



CARC925SYN

130



ARC LONG SLEEVE
SINGLE JERSEY



CARC12

131



ARC RIS 3279-TOM
LONG SLEEVE POLO SHIRT



CARC51OR

131



ARC POLO SHIRT



CARC1N

132



ARC SWEATHIRT



CARC3N

133



ARC RIS 3279-TOM LONG
SLEEVE SWEATSHIRT



CARC56OR

133



ARC LONG SLEEVE
T-SHIRT



CARC22

134



ARC LONG JOHNS



CARC24

134



ARC TROUSERS



CARC4N

135



ARC RIS HI-VIS TROUSERS



CARC152OR

135

ARC TWO-TONE CARGO
STYLE TROUSERS



CARC5SYN

136

ARC CARGO STYLE
TROUSERS



CARC5SY

136

ARC FLASH PROTECTION

V-GARD 950
SAFETY HELMET



MSAGVF1A

137

ZENITH SAFETY HELMET



KAWHE00024

137

KASK ARC FLASH VISORS



KAWV100014 / 15

137

NEXUS CORE
SAFETY HELMET



CNS16EWA

137

CONTOUR FACE
PROTECTION VISOR



CNS840

137

CONTOUR CARRIER



CNS55

137

ARC COMPLIANT
BALACLAVA



CARC28

138

DRIVERS ARC FLASH
GLOVES



GZ80BR

138



Personal Protective Equipment Regulation (EU) 2016/425

Quality Assurance Certificate

Module D

Manufacturer:

REDACTED INFORMATION
CONFIDENTIAL BEESWIFT SUPPLIER INFORMATION

Scope:

Heat and Flame Resistant, Welding, Anti-static, High Visibility, Waterproof and Arc Flash Protective Clothing

Certificate Number: 54133

Issued by: BTTG™ (Notified Body No. 0338 for Regulation (EU) 2016/425)

Details for this certificate can be obtained through request on our website

Authorised by

C A Butcher
Certification Manager

*Subject to continued compliance and audit.

The attached schedule of approval forms part of this certificate.

Note: The validity of this certificate can be confirmed by contacting the Issuing Office:
BTTG™, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom.

Tel: +44 (0)161 876 4211 email: ppe@btg.co.uk website: www.bttg.co.uk

IEC/EN 61482 SERIES-1-1:2009

This incorporates the “open arc” test method which is used in the US, and it measures the Arc Thermal Performance Value (ATPV) of the fabric in cal/cm².

The end user can select the correct clothing systems by ensuring the ATP value of the fabric is greater than the incident heat energy of the arc.

IEC/EN 61482 SERIES-1-2:2007

The “box arc” test method is based on the European method described in ENV 50354, with a heat transfer measurement. Materials are classified as Class 1 (4kA) or Class 2 (7kA).

IEC/EN 61482 SERIES-2:2009

Performance requirements for materials, and design requirements for garments.

BUYERS CHECKLIST

WHAT SHOULD YOU BE LOOKING FOR?

1. Where is my garment made? Has the production facility been fully audited to the highest standards?

Is the production facility certified to Article 11B?

Module C2/D of the PPE Regulation 2016/425:-

Requires the manufacturer to evidence using their quality system that consistent production of the certified CAT 3 product is maintained.

Module C2 is a yearly audit where the product is tested by the notified body denoted by the 4 numbers by the CE/UKCA mark. This allows for the notified body to ensure that the product itself still achieves the level of protection it is required to.

Module D is a yearly audit of the entire manufacturing process which is inspected to ensure that no changes have been made to the production of the product, which means that if everything is the same then the product itself should still achieve the same level of protection.

2. What tests have been carried out on the garments, and not just the fabric?

All Beeswift ARC garment styles have been tested individually to the following standards where appropriate:-

Ask for a copy of all current certificates to support the level of protection being offered.

3. Is the garment / item fit for purpose?

Over the past 15 months the Beeswift ARC developers have worked not only on the 3c's - COMPLIANCE, CONFORMITY, CERTIFICATION, but have also added a fourth which is COMFORT. User satisfaction in all areas of the 4c's is paramount to the correct and proper usage of the items provided. Every feature has been thought through from the pocket arrangements to the triple stitching in key stress areas. The fabric has been developed to allow soft flexible comfort without compromising the PROTECTION.

4. Is the item in STOCK?

Absolutely, in many cases up to size 58” chest and short, regular and long leg lengths in some styles.

5. What about waterproof garments?

Testing is virtually complete and the CLICK ARC Team expect salopettes and jackets in solid yellow and orange to all the above standards when applicable plus EN 343 to be available soon.

Head/Face/Eyes/Ears

EN 397	Safety Helmets
EN 1731	Face Protectors
EN 166	Eye Protection includes BS 2092
EN 352	Ear Protection

Hand Protection

EN 511	Cold
EN 388	Mechanical Risk
EN 407	Thermal Risk
EN 420	General
EN 374	Chemicals and Micro-Organisms
EN 659	For Firefighting

Footwear

EN ISO 20345	Shoes, Boots and Riggers
---------------------	--------------------------

Fall Arrest

EN 361	Working at height
---------------	-------------------

Clothing

EN 342	Cold
EN 343	Waterproof Clothing
EN 13034	Chemical Use
ISO 11611	Welding and allied processes
EN ISO 20471	High Visibility
EN ISO 11612	Industrial Heat
EN ISO 14116	Heat and Flame Spread
RIS-3279-TOM Issue 1	Railway Use

EUROPEAN STANDARDS SYMBOLS



Protection against low visibility



Mechanical hazards



Mechanical entanglement hazards



Heat and fire hazards



Static electricity protection



Radioactive particle hazards



Foul weather conditions



Protection for welding and allied processes



Protection against cold



Impact cut protection



Machinery hazards



Limited chemical spray



Chemical hazards



Limited chemical splash



Noxious dust hazards



Protection against micro-organisms



EN ISO 11612: 2015

EN ISO 13688: 2013

General
Performance
Requirements



EN ISO 11611: 2015



EN ISO 1149-3: 2004



EN ISO 1149 5 2008



IEC 61482-2: 2009



EN 61482-1-2: 2007



EN 61482-1-1: 2009



EN ISO 20471



RIS-3279-TOM

ARC WORKWEAR RATINGS LAYERING OPTIONS

When you begin to start using combinations of ARC protective garments on top of each other you can gain a new protection factor that can sometimes achieve a greater protective factor than the individual garments.

These combination scores are not as simple as adding each garment's scores together, There are many factors to take into account including factors like layers of insulating air between the garments.

Working with reputable notified bodies, we have tested combinations of Arc garments to give you more knowledge of what combinations of Beeswift ARC are more appropriate for your needs.

All combination testing results are representative of the minimum protection achieved by the upper torso, unless the test is carried out solely on below the waist combinations.



CARC22 5.9 CAL/cm ²	CARC24 5.9 CAL/cm ²	CARC51 6.2 CAL/cm ²	CARC53 16 CAL/cm ²	ARC RATING EQUALS 66.6 CAL/cm ²
--	--	--	---	--



CARC22 5.9 CAL/cm ²	CARC24 5.9 CAL/cm ²	CARC56 12.8 CAL/cm ²	CARC53 16 CAL/cm ²	ARC RATING EQUALS 62.1 CAL/cm ²
--	--	---	---	--



CARC22 5.9 CAL/cm ²	CARC24 5.9 CAL/cm ²	CARC3 12.6 CAL/cm ²	CARC6 10.8 CAL/cm ²	ARC RATING EQUALS 52.5 CAL/cm ²
--	--	--	--	--



ARC RATING
EQUALS

44.1

CAL/cm²

CARC22

5.9 CAL/cm²

CARC1

5.0 CAL/cm²

CARC3

12.6 CAL/cm²



CARC24

5.9 CAL/cm²



CARC52

16 CAL/cm²

ARC RATING
EQUALS

43.6

CAL/cm²



CARC22

5.9 CAL/cm²



CARC3

12.6 CAL/cm²

ARC RATING
EQUALS

36.2

CAL/cm²



CARC22

5.9 CAL/cm²

CARC24

5.9 CAL/cm²

CARC1

5.0 CAL/cm²



CARC6

10.8 CAL/cm²

ARC RATING
EQUALS

37.4

CAL/cm²



CARC24

5.9 CAL/cm²



CARC4

10.8 CAL/cm²

ARC RATING
EQUALS

25.1

CAL/cm²



CARC22

5.9 CAL/cm²



CARC56

12.8 CAL/cm²

ARC RATING
EQUALS

22.1

CAL/cm²



CARC22

5.9 CAL/cm²



CARC51

6.2 CAL/cm²

ARC RATING
EQUALS

18.2

CAL/cm²



CARC22

5.9 CAL/cm²



CARC1

5.0 CAL/cm²

ARC RATING
EQUALS

16.6

CAL/cm²

WHAT IS AN ARC FLASH?

An arc flash refers to the light and heat that occur during an arc fault, which is typically a type of electrical explosion that results from a connection through air to ground or another voltage point (phase) in an electrical system.

Where the fault occurs, current flows across instantaneously raising the temperature high enough to vaporize anything that gets in between the fault.

When hit by an arc flash you are hit by “waves”. However these happen so quickly it feels like just one singular incident.

First you are hit by the first wave which is concentrated with convection heat, UV light, IR light and visible light. The incident energy can be anything from 4-100cal/cm².

Secondly you will be confronted with the radiant heat which can move up to 1200km/h.

Finally, you will be struck by debris and vaporised copper. Copper expands 67000 times as it is vaporised creating a pressure wave.

During all of this the temperature can reach up to 20,000°C which means there is a significantly high risk of severe body burns.

PPE should always be a last line of defence when there is no other choice but to send someone into the risk environment.



ARC SATURN YELLOW COVERALL



- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 x Hip pockets
- Large bellows pocket to each leg with hook & loop closure flap
- Right leg mobile phone pocket with hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket

SY **CARC7SY** 38" - 54" / 96cm - 137cm



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
ATPV = 17 Cal/cm²
Elim = 14 Cal/cm²
- Open Arc Testing



EN ISO 20471
Class 3 High Visibility



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against
Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

ARC TWO TONE COVERALL

SY N CARC7SYN 38" - 54" / 96cm - 137cm



EN ISO 13688: 2013 - General requirements for protective clothing

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 x Hip pockets
- Large bellows pocket to each leg, hook & loop closure flap
- Right leg mobile phone pocket, hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
ATPV = 17 Cal/cm²
Elim = 14 Cal/cm²
- Open Arc Testing



EN ISO 20471
Class 3 High Visibility



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

- RIS-3279-TOM issue 1 for use on or around railway lines
- 300gsm 60% Modacrylic, 40% Cotton
- 2 x Hip pockets
- Large bellows pocket to each leg, hook and loop closure flap
- Right leg mobile phone pocket, hook and loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket
- Mandarin collar



EN ISO 13688: 2013 - General requirements for protective clothing



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
ATPV = 9.3 Cal/cm²
Elim = 8.3 Cal/cm²
- Open Arc Testing



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

ARC RIS COVERALL

OR CARC1530R 36" - 54" / 92cm - 137cm



ARC NAVY COVERALL



- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 x Hip pockets
- Rear patch pocket, hook & loop closure flap
- Large bellows pocket to each leg, hook & loop closure flap
- Right leg mobile phone pocket, hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket



N CARC6N 38" - 54" / 96cm - 137cm



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
ATPV = 17 Cal/cm²
Elim = 14 Cal/cm²
- Open Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for Use in Welding



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

EN ISO 13688: 2013 -
General requirements for protective clothing



- 300gsm 60/40 Modacrylic/cotton with anti-static grid
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- Front full length zip closure with storm flap
- Ribbed cuffs
- Robust yet soft and comfortable to wear

ARC COMPLIANT FLEECE JACKET



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 61482-1-1: 2009
(ATPV = 38.3 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

N CARC910N S - 4XL

EN ISO 13688: 2013 -
General requirements for protective clothing



ARC NAVY WOVEN JACKET

EN ISO 13688: 2013 -
General requirements
for protective clothing



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
ATPV = 17 Cal/cm²
Elim = 14 Cal/cm²
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 x Breast pockets
- 2 x Lower pockets
- Large qualifying icons on left arm

N CARC920N S - 4XL



BEESWIFT

ARC TWO TONE JACKET

- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 2 x Lower pockets
- Large qualifying icons on left arm

SY N CARC925SYN S - 3XL



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 61482-1-1: 2009
ATPV = 17 Cal/cm²
Elim = 14 Cal/cm²
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against
Heat and Flame



EN ISO 13688: 2013 -
General requirements
for protective clothing



ARC LONG SLEEVE SINGLE JERSEY



SY **CARC12SY** S - 6XL

- 210gsm single jersey 60/40 modacrylic/cotton
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- 3 button placket
- Ribbed cuffs
- Independently tested to both box and open ARC standards
- ARC production is covered by module D certification



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 20471: 2013 + A1: 2016
Class 3 High Visibility



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-1: 2009
ATPV = 5.9 Cal/cm²
Elim = 5.3 Cal/cm²
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN ISO 13688: 2013 - General requirements for protective clothing

ARC RIS 3279-TOM LONG SLEEVE POLO SHIRT



OR **CARC510R** S - 6XL

- 220gsm 66% modacrylic, 32% polyester, 2% carbon
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- 3 button placket
- Ribbed cuffs
- Very robust yet soft and comfortable to wear



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 61482-1-1: 2009
(ATPV = 7.7 Cal/cm²)
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN ISO 20471: 2013
Class 3 High Visibility
GO/RT 3279: 2013 Issue 8
Railway Use Certified



ARC POLO SHIRT

EN ISO 13688: 2013 -
General requirements
for protective clothing



N CARC1N S - 6XL

- 210gsm 60/40 modacrylic/cotton blend pique fabric
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- For industrial workers exposed to heat
- Not suitable for fire fighters
- 3 button placket
- Ribbed cuffs
- Robust yet soft and comfortable to wear



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
EBT50 = 5.2 Cal/cm²
Elim = 4.4 Cal/cm²
- Open Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



ARC SWEATSHIRT

- 300gsm 60/40 modacrylic/cotton blend fabric
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- Ribbed cuffs
- Ribbed waistband
- For industrial workers exposed to heat
- Not suitable for fire fighters



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 61482-1-1: 2009
ATPV = 10 Cal/cm²
Elim = 8.8 Cal/cm²
- Open Arc Testing



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements

N CARC3N S - 6XL

EN ISO 13688: 2013 -
General requirements for protective clothing

ARC RIS 3279-TOM LONG SLEEVE SWEATSHIRT

- 260 - 280gsm 41% modacrylic,
- 30% polyester, 27% cotton, 2% carbon
- Inherently flame retardant
- FR properties will not diminish with repeated laundering
- Ribbed cuffs
- Ribbed waistband
- For industrial workers exposed to heat
- Not suitable for fire fighters



EN 61482-2: 2009
Performance Requirements and Design Requirements



EN 1149-3: 2004
Anti Static - Test Methods for Measurements of Charge Decay



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-5: 2008
Anti Static - Material Performance and Design Requirements



EN 61482-1-1: 2009
(ATPV = 12.8 Cal/cm²)
- Open Arc Testing



EN ISO 20471: 2013
Class 3 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified (Orange only)



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame

OR CARC560R S - 6XL

EN ISO 13688: 2013 -
General requirements for protective clothing



ARC LONG SLEEVE T-SHIRT



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 61482-1-1: 2009
EBT50 = 6.8 Cal/cm²
Elim = 5.6 Cal/cm²
- Open Arc Testing



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against
Heat and Flame



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

N CARC22 S - 4XL



BEESWIFT®



ARC LONG JOHNS

N CARC24 S - 4XL

- 210gsm 60/40 Modacrylic/ cotton with anti static
- Inherently flame retardant fabric
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread
- Each garment style is independantly tested to both box and open ARC standards
- Beeswift ARC production is covered by module D certification
- To be worn as under garments

EN ISO 13688: 2013 - General requirements for protective clothing

ARC TROUSERS



- 300gsm 60/40 modacrylic/cotton blend
- Inherently flame retardant
- Triple stitch construction
- 7 belt loop part elastic waistband, double button closure
- 2 x Hip pockets and rear patch pocket
- Large bellows pocket to each leg, right leg phone pocket
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
ATPV = 17 Cal/cm²
Elim = 14 Cal/cm²
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



N CARC4N 28" - 50" / 71cm - 127cm

EN ISO 13688: 2013 -
General requirements for protective clothing



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against
Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
EBT50 = 9.3 Cal/cm²
Elim = 8.3 Cal/cm²
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN ISO 20471: 2013 + A1: 2016
Class 2 High Visibility
RIS-3279-TOM Issue 1
Railway Use Certified



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements

- RIS-3279-TOM issue 1 for use on or around railway lines
- 300gsm 60% Modacrylic, 40% Cotton
- 7 belt loop part elastic waistband, double button closure
- 2 x Hip pockets
- Rear patch pocket with hook and loop closure flap
- Large bellows pocket to each leg, hook and loop closure flap
- Right leg mobile phone pocket, hook and loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket

OR

CARC152OR 30" - 50" / 76cm - 127cm

ARC RIS HI-VIS TROUSERS





ARC TWO TONE CARGO STYLE TROUSERS

SY N CARC5SYN 28" - 50" / 71cm - 127cm



- 300gsm 60/40 modacrylic/cotton blend
- Triple stitch construction
- 7 belt loop part elastic waistband, double button closure
- 2 x Hip pockets
- Rear patch pocket with hook & loop closure flap
- Large bellows pocket to each leg, hook & loop closure flap
- Right leg mobile phone pocket, hook & loop closure flap
- All pocket flaps with retro-reflective tape feature
- Internal knee pad pouches
- Large qualifying icons on left leg pocket

SY CARC5SY 30" - 50" / 76cm - 127cm

ARC CARGO STYLE TROUSERS



EN ISO 13688: 2013 - General requirements for protective clothing



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 20471: 2013 + A1: 2016
Class 2 High Visibility



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN ISO 11611: 2015
(Class 1 A1 A2)
Protective Clothing for
Use in Welding



EN 61482-1-1: 2009
ATPV = 17 Cal/cm²
Elim = 14 Cal/cm²
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay



EN ISO 11612: 2015
(A1 A2 B1 C1 F1)
Protection Against
Heat and Flame



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements





MSA
The Safety Company

V-GARD® 950 CLASS 2 SAFETY HELMET

- Balanced, lightweight and low-profile electrician helmet
- Integrated visor protects against impact, chemical splash, UV radiation, molten metal splash and electrical arc to GS-ET-29 class 1 (4kA)
- Premium anti-fog and anti-scratch coating visor fits over all corrective or safety glasses
- Lift the visor with a simple one handed movement - easy even when wearing gloves
- Delivered with a 4-point chinstrap
- Optional micro-prism stickers available (silver or red)
- Optional ear flaps to protect the ears from arc flash
- Certified according to EN 397: MM, LD, -30°C, 440V AC, EN 50365: 1000V AC, EN 166: 2C-1,2 1 B 3 8-1-0 9 KN, Anti-static

W	MSAGVF1A-80AW
W GY	MSAGVF1A-80AWGY
W RE	MSAGVF1A-80AWRE

ZENITH SAFETY HELMET

- Washable removable soft padding
- Antibacterial treatment
- Ratchet system with triple adjustment
- Dielectric design
- Universal-adjustable
- Multilateral hit protection ensured
- EPS inner shell
- EN50365, EN12492, EN397

W	KAWHE00024-201	B	KAWHE00024-208
OR	KAWHE00024-203	BL	KAWHE00024-210



KASK ARC FLASH VISORS



KAWVI00014

- Arc Protection GS-ET-29: Class 1
- Luminous transmittance NA: 88%

- Arc Protection GS-ET-29: Class 2
- Luminous transmittance NA: 42%



KAWVI00015

NEXUS CORE SAFETY HELMET



Stickers shown are an optional extra

- Modern recreational styling with multi-standard protection
- Optimised 'micro' peak providing maximum upward visibility without compromising safety
- Approved to EN 397, LD, MM, 1000V a.c. (Non-Vented shell only), CSP V10 -40°C, EN 50365 Class 0, ANSI/ISEA Z89.1, Class C (Vented), Class E (Non-vented), LT,-40°C,AS/NZS 1801

CNS16EWA

CONTOUR FACE PROTECTION VISOR

Helmet sold separately



CNS840



CNS55

CONTOUR CARRIER

- Provides specialised Arc protection and additionally also provides reduced COVID-19 transmission due to maximum facial coverage
- Approved to EN 166, EN170 and Arc Class 2 GS-ET-29
- Using Active Smart Technology - using the Arc energy to provide maximum protection to the wearer during an arc incident
- With anti-fog and anti-scratch protection
- Easy fit moulded polycarbonate face screen with transparent, compact chinguard
- Contour Carrier compatible with Centurion Nexus and Concept helmets

ARC COMPLIANT BALACLAVA

- 210gsm 60/40 modacrylic/cotton with anti-static
- Inherently flame retardant fabric
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread
- Each garment style is independantly tested to both box and open ARC standards
- Beeswift ARC production is covered by module D certification



EN 61482-2: 2009
Performance Requirements
and Design Requirements



EN ISO 11612: 2015
(A1 A2 B1 C1)
Protection Against Heat and Flame



EN 61482-1-2: 2007
(Class 1 = 4kA)
- Box Arc Testing



EN 1149-5: 2008
Anti Static - Material
Performance and
Design Requirements



EN 61482-1-1: 2009
EBT50 = 6.8 Cal/cm²
Elim = 5.6 Cal/cm²
- Open Arc Testing



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements
of Charge Decay

N CARC28 One Size



EN ISO 13688: 2013 - General requirements for protective clothing



ARC FLASH HAND PROTECTION



EN 388: 2016+A1: 2018 // 3.X.3.3.D



EN 407: 2004 // 4.1.2.2.X.X



BR GZ80BR M (8) - XXL (11)



ARC FLASH RESISTANT ELIM 44.4CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 94.5%



FIRE RETARDANT



FIRE RETARDANT CLOTHING

TESLA FR ANTI-STATIC
HI-VISIBILITY BOILERSUIT



CFRASTEBSSY

142



FR BOILERSUIT
NORDIC DESIGN



CFRBSND

143


FR ANTI-STATIC BURGAN
BOILERSUIT



CFRASBBS

143

FR REGULAR BOILERSUIT



CFRBS

144



FR HI-VISIBILITY
WAISTCOAT



CFRWC

145



FR JERKIN



CFRPKJ

145



TESLA FR ANTI-STATIC
HI-VISIBILITY TROUSERS



CFRASTETSY

146



FR TROUSERS



CFRT

146



EN ISO 11611



PROTECTIVE CLOTHING FOR USE IN WELDING AND ALLIED PROCESSES

General requirements.
Does not cover clothing worn for special welding jobs.

EN1149-1



PROTECTIVE CLOTHING - ELECTROSTATIC PROPERTIES

Surface resistivity
(test methods and requirements).

EN ISO 14116



PROTECTION AGAINST HEAT AND FLAME:

Limited flame spread materials and material assemblies.

This standard refers only to the materials or material assemblies from which garments with limited flame spread properties are made.

Such information may appear in the manufacturer's literature.

Markings in the form: EN ISO 14116
Flame spread index/Durability.

Flame Spread Index - 1, 2 or 3 -
Limited flame spread index
(3 is best). If index 1 materials are present:

Use only over EN ISO 14116 Index 2 or 3 material and DO NOT use next to the skin.

EN ISO 11612



PROTECTIVE CLOTHING FOR INDUSTRIAL WORKERS EXPOSED TO HEAT: EXCLUDING FIREFIGHTERS AND WELDERS CLOTHING

A - Limited flame spread, and at least one of:
B# - Convective heat resistance (# = 1 to 5)
C# - Radiant heat resistance (# = 1 to 4)
D# - Molten aluminium splash (# = 1 to 3)
E# - Molten iron splash (# = 1 to 3)
F# - Contact Heat (# = 1 to 3)

In all cases, higher number denotes better performance.
If no number is given, no protection is claimed.



Example Marking

TESLA FR ANTI-STATIC HI-VISIBILITY BOILERSUIT



- Multi purpose utilities boilersuit
- 320gsm fabric, 80% Cotton, 19% Polyester, 1% anti-static
- 2 x Vertical side access hip pockets
- 1 x Left breast pocket with sewn down flap
- Concealed stud fly front to neck
- Plain back
- Internal knee pouch pockets
- Elasticated waist
- Plain cuffs and ankles
- Retro-reflective tape
- FR/AS embroidery to right sleeve



Rear of Garment

SY CFRASTEBSY 36" - 58" / 91cm - 147cm



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN ISO 20471: 2013
Class 3 High Visibility

FR BOILERSUIT NORDIC DESIGN



- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape (Nordic Pattern)
- Concealed stud front to neck
- 1 x Left breast pocket with flap
- 2 x Front hip pockets
- Knee pad pockets
- Plain back and hips



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1)
Protective Clothing for use in Welding



Plain Back & Hips

N	CFRBSNDN	36" - 56" / 91cm - 142cm
R	CFRBSNDR	36" - 56" / 91cm - 142cm
RE	CFRBSNDRE	36" - 56" / 91cm - 142cm
OR	CFRBSNDOR	36" - 56" / 91cm - 142cm

- 220 gsm 100% lightweight cotton drill fabric
- Flame retardant anti-static
- FR retro-reflective tape (Nordic Design)
- Concealed zip front to neck
- 2 x Breast pockets, brass zip closure
- 2 x Hip pockets, vertical access
- 1 x Rear hip patch pocket with flap
- 1 x Plain patch hip pocket
- Rule pocket
- Half elasticated waist
- Plain cuffs and ankles



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1)
Protective Clothing for use in Welding



EN 1149-3: 2004
Anti Static - Test Methods
for Measurements of Charge Decay



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements

FR ANTI-STATIC BURGAN BOILERSUIT



N	CFRASBBSN	36" - 56" / 91cm - 142cm
OR	CFRASBBSOR	36" - 54" / 91cm - 137cm



FR REGULAR BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- 1 x Left breast pocket with flap
- 2 x Front hip pockets
- Plain back and hips
- Embroidered 'FR' logo to upper left sleeve



EN ISO 11612: 2015
(A1 B1 C1)
Protection Against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1)
Protective Clothing for use in Welding



N	CFRBSN	36" - 60" / 91cm - 152cm
R	CFRBSR	36" - 60" / 91cm - 152cm
RE	CFRBSRE	36" - 60" / 91cm - 152cm
OR	CFRBSOR	36" - 60" / 91cm - 152cm

FR HI-VISIBILITY WAISTCOAT



- Flame retardant vest
- Hook and Loop front closure
- 100% polyester FR fabric
- Must be worn over EN ISO 14116 index 2 or 3 garments
- Do not wear next to skin
- FR retro-reflective hi-vis tape
- FR threads



Orange

OR CFRWCOR S - 4XL

SY CFRWCSY S - 4XL



EN ISO 14116: 2015 INDEX 1
Low protection against
Heat and Flame



EN ISO 20471: 2103
Class 2 High Visibility

FR JERKIN



- Fire Retardant / Hi-Vis
- Retro-reflective tape
- Do not wear next to skin
- Must be worn over Index 2 or 3 garments



EN ISO 14116: 2015 INDEX 1
Low protection against
Heat and Flame



EN ISO 20471: 2103
Class 3 High Visibility



Orange

OR CFRPKJOR M - 4XL

SY CFRPKJSY M - 4XL

- 320gsm Hi Vis FR treated fabric with anti static grid
- YKK Brass zip fly
- Brass hook and bar waistband fastening
- 7 Belt loops
- 2 x Vertical side seam access pockets
- 2 x Bands retro reflective tape to legs
- FR & AS logos embroidered to left hip
- Plain ankles
- Available in tall leg (T) option



EN ISO 20471: 2013
Class 1 High Visibility



EN ISO 11612: 2015
(A1 B1 C1)
Protection against Heat and Flame



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements

SY **CFRASETYSY** 28" - 48" / 71cm - 121cm

TESLA FR ANTI-STATIC HI-VISIBILITY TROUSERS



FR TROUSERS

- 300gram cotton drill fabric with flame retardent treatment
- Brass zip fly
- Button waistband fastening
- 7 Belt loops
- 2 x Vertical side seam access pockets
- Plain back and hips
- FR logo embroidered to left hip



EN ISO 11612: 2015
(A1 B1 C1)
Protection against Heat and Flame



EN ISO 11611: 2015
(Class 1 A1)
Protective Clothing for
Use in Welding

N	CFRTN	30" - 48" / 76cm - 121cm
OR	CFRTOR	30" - 48" / 76cm - 121cm

WEATHERPROOF



WEATHERPROOF

SUPER B-DRI COVERALL



SBDC

149

NYLON B-DRI COVERALL



NBDC

149

SUPER B-DRI BIB & BRACE



SBDBB

150

MOWBRAY 3 IN 1 JACKET
DETACHABLE FLEECE



MBN

150

SPRINGFIELD JACKET



SJ

151

GUARDIAN JACKET



GU88PN

152

MERCURY JACKET



MUJ

152

MERCURY BOMBER JACKET



MUBJ

153

NYLON B-DRI SUIT PACK



NBDS

153

SUPER B-DRI JACKET



SBDJ

155

NYLON B-DRI JACKET



NBDJ

155

SPRINGFIELD TROUSERS



ST

156

NYLON B-DRI TROUSERS



NBDT

157

SUPER B-DRI TROUSERS



SBDTN

157

PVC SAFETY BOOT WHITE



BBSW

158

PVC SAFETY BOOT BLACK



BBSSB

158



SUPER B-DRI COVERALL

- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated wind cuffs
- Studded ankles
- Stitched and welded seams

N SBDCN S - 2XL 0 SBDCO S - 2XL SY SBDCSY S - 2XL



Saturn Yellow



NYLON B-DRI COVERALL

- Lightweight with PVC coating to reverse
- Concealed hood
- Plastic front zip with storm flap
- Studded cuffs and ankles
- Fully taped seams



OR NBDCOR S - 3XL SY NBDCSY S - 3XL



N	SBDBBN	S - 3XL
O	SBDBBO	S - 3XL
SY	SBDBBSY	S - 3XL

SUPER B-DRI BIB & BRACE

- Polyester with PU coating
- Adjustable elasticated braces with quick release buckles
- Internal bib pocket with zipped entry
- Side waist expansion for easy "on-off"
- 25cm zips at ankles with hook & loop tab closure
- Stitched and welded seams



MOWBRAY 3 IN 1 JACKET WITH DETACHABLE FLEECE

- Polyester with PU coating on the reverse side
- Detachable heavyweight anti-pill fleece zipped into outer garment
- Concealed hood
- Two-way heavy-duty zip with storm flap
- Zipped breast pocket and internal safety pocket
- Lower pockets with zip fastening and storm flap
- Hook & loop adjustable cuffs
- Drawstring waist with cord lock
- Fully taped seams
- Made with AZO free dyes

Detachable Fleece



N	MBN	S - 3XL
---	-----	---------



Jacket & Fleece



Black
Jacket



SPRINGFIELD JACKET

- Breathable fabric
- Tasoft soft feel fabric
- Robust tensile strength
- Excellent water shedding characteristics
- Hi-vis piping
- Concealed hood
- Lightweight

N SJN S - 3XL

BL SJBL S - 3XL



GUARDIAN JACKET

- 100% polyester shell fabric
- PU water resistant coating to inside surface
- Polyester quilt lining
- Two-way zip front with double front storm flap
- Zip access for corporate logo printing
- 2 x Lower zipped pockets with flap
- 1 x Upper zipped inset pocket
- Internal security and mobile phone pocket
- Drawstring at waist and hip
- Semi-elasticated cuffs with hook & loop adjustment
- Zipped vents under each arm
- Fleece lined collar
- Concealed hood
- Fully taped seams

N GU88PN S - 3XL



MERCURY JACKET

- Polyester/Pongee fabric
- 2 x Zipped side pockets
- 1 x Zipped security pocket
- Adjustable hook & loop cuffs
- Drawcord waist
- Half fleece lined
- Zipped logo access
- 2 x Internal zipped pockets
- Internal mobile phone pocket
- Taped seams
- Zip away hood



N MUJN S - 3XL BL MUJBL S - 3XL



MERCURY BOMBER JACKET

- Polyester/Pongee fabric
- 2 zipped side pockets with reflective edge
- 1 zipped security pocket
- Adjustable hook & loop cuffs
- Elasticated waist
- Polar fleece lined
- Zipped logo access
- 2 internal zipped pockets
- Internal mobile phone pocket
- Taped seams
- Zip away hood

N	MUBJN	S - 3XL	BL	MUBJBL	S - 3XL
---	-------	---------	----	--------	---------



NYLON SUIT PACK

Jacket:

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- Lower front pocket with flaps
- Studed cuffs
- Hip drawcord
- Fully taped seams

Trousers:

- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams



N	NBDSN	S - 5XL	OR	NBDSOR	S - 5XL	SY	NBDSSY	S - 5XL
---	-------	---------	----	--------	---------	----	--------	---------

EN 343

PROTECTION AGAINST RAIN

Protective clothing is certified to the EN343 standard to withstand precipitation, fog and ground humidity and is tested accordingly. It also accounts for the breathability of the garment in such conditions.

Please note EN 343 certified garments will protect the wearer against these conditions provided that:

- The garment is fully closed before use to ensure maximum protection.
- The fabric is clean. (If it is dirty its performance may be impaired)
- The protective clothing is stored in a dry and well-ventilated space.
- The garment is cared for according to the washing instructions to ensure maximum protective performance.


Resistance to Water Penetration is split into 4 levels:

Water penetration resistance WP	Class			
	1	2	3	4
Specimen to be tested				
- material before pre-treatment;	WP ≥ 8000 Pa	-	-	-
- material after each pre-treatment;	-	WP ≥ 8000 Pa	WP ≥ 13000 Pa	WP ≥ 20000 Pa
- seams before pre-treatment	WP ≥ 8000 Pa	WP ≥ 8000 Pa	WP ≥ 13000 Pa	-
- seams after pre-treatment by cleaning	-	-	-	WP ≥ 20000 Pa

Note - 1000 Pa approximately 102 (mmH O)

Breathability is also split into 4 levels:

Water penetration resistance WP	Class			
	1	2	3	4
$\frac{m^2 \cdot Pa}{W}$	40 < Ret	25 < R ≤ 40	15 < R ≤ 25	15 ≥ Ret



SUPER B-DRI JACKET

- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated wind cuffs
- Stitched and welded seams

N SBDJN S - 3XL O SBDJO S - 3XL SY SBDJSY S - 3XL



NYLON B-DRI JACKET

- Lightweight nylon with PVC coating on inside
- Zip front
- Concealed hood
- Lower front pockets with flap
- Studded cuffs
- Hip drawcord
- Fully taped seams



RETAIL
READY

N NBDJN S - 3XL O NBDJO S - 3XL SY NBDJSY S - 3XL



RETAIL
READY

Elasticated
Waist

SPRINGFIELD TROUSERS

- Tasoft PU breathable nylon
- Elasticated waist
- Lightweight
- Flexible
- Gusset at ankles with zip closure

N	STN	S - 3XL	BL	STBL	S - 3XL
---	-----	---------	----	------	---------



NYLON B-DRI TROUSERS

- Lightweight nylon
- PVC coating to the inside
- Elasticated waist
- Access to side pockets
- Stud fastening to ankles
- Fully taped seams



N	NBDTN	S - 3XL	O	NBDTO	S - 3XL	SY	NBDTSY	S - 3XL
---	-------	---------	---	-------	---------	----	--------	---------

SUPER B-DRI TROUSERS

- Polyester with PU coating
- Overtrowsers with elasticated waist
- Studded ankles

N	SBDTN	S - 3XL	O	SBDTO	S - 3XL
SY	SBDTSY	S - 3XL			



PVC SAFETY BOOT WHITE

- PVC / Nitrile
- Steel toe cap
- Various chemical resistant
- Oil resistant outsole
- 100% waterproof

CE EN ISO 20345 S4 SRC

w BBSW 03 - 13 / 36 - 48



PVC SAFETY BOOT BLACK

- Full Safety
- Steel midsole
- Various chemical resistant
- Oil resistant outsole
- 100% waterproof

CE EN ISO 20345 S5 SRC

BL BBSSB 03 - 13 / 36 - 48



DISPOSABLE WORKWEAR & P.P.E.

DISPOSABLE COVERALL
TYPE 5/6



COCN4013EW

161

MICROPOROUS TYPE
3/4/5/6 DISP. COVERALL



COC40

162

MICROPOROUS TYPE 4/5/6
DISPOSABLE COVERALL



COC30W

162

DISPOSABLE POLYPROP
BOILERSUIT



PDBSHW

163


TYPE 5/6 DISPOSABLE
COVERALL



COC10W

163

14 INCH (35CM)
OVERSLEEVES



D014

164

DISPOSABLE APRON
PACKS



DA42DP

164

DISPOSABLE POLYPROP
VISITORS COAT



PDVC

165

DISPOSABLE WHITE
TRILBY HAT



TW

165

DISPOSABLE SNOOD CAP



DSCW500

165

DISPOSABLE MOB CAP



DMC

166

DISPOSABLE HAIRNET



DH

167

DISPOSABLE BEARD SNOOD



DBS

167

LATEX DISPOSABLE
GLOVES



LEG

168

NITRILE DISPOSABLE
GLOVES POWDER FREE



NDGPFPU

168

VINYL DISPOSABLE
GLOVES



VDG / VDGPF

169

NITRILE DISPOSABLE
GLOVES POWDER FREE



NDGPF50

169

CPE/PP
DISPOSABLE OVERSHOES



DOSCFE


170

16 INCH (40CM)
DISPOSABLE OVERSHOES



DOSB16

170



DISPOSABLE



VIRA-CHEM

DISPOSABLE COVERALL

PROTECTS AGAINST:

- **CHEMICAL & VIRAL AGENTS**
- **BLOODBORNE PATHOGENS**
- **SULPHURIC ACID**
- **CONTAMINATED LIQUIDS**
- **RADIOACTIVE CONTAMINATION**

- For fine dust particles, reduced spray and limited splash
- Anti-static
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
- Microporous fabric 54% polypropylene + 46% polyethylene
- Individually packaged

EN ISO 13688: 2013 - General requirements for protective clothing
EN ISO 14325 : 2004



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010



EN 1073-2: 2002
Protective Clothing Against
Radioactive Contamination (no rays)



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN 14126: 2003 + AC:2004
Protective Clothing Against
Infective Agents (Type 4B, 5B, 6B)

w **COCN4013EW** M - 2XL

MICROPOROUS TYPE 3/4/5/6 DISPOSABLE COVERALL

- 90gm 56% SMS polypropylene, 44% polyethylene
- Polyethylene laminated +3 layers of polypropylene
- Ultrasonic taped seams
- Elasticated hood, wrists, ankles and waist
- Zip front with storm flap
- Elasticated thumb loops

EN ISO 13688: 2013 - General requirements for protective clothing



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010
EN14605: 2005 + A1: 2009



EN 1149-5: 2008
Anti Static - Material Performance
and Design Requirements



EN 1073-2: 2002
Protective Clothing Against
Radioactive Contamination (no rays)



EN 14126: 2003 + AC:2004
Protective Clothing Against
Infective Agents (Type 4B, 5B, 6B)

Y COC40 S - 3XL



DISPOSABLE

MICROPOROUS TYPE 4/5/6 DISPOSABLE COVERALL

- 60G microporous fabric
- Laminated finish
- Light spray and limited splash protection
- 2 way zip front with flap
- Elasticated cuffs, ankles, waist and hood
- Fully taped seams
- Individually packaged
- CE Type 4, 5 and 6

EN ISO 13688: 2013 - General requirements for protective clothing



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010
EN14605: 2005 + A1: 2009



EN 1149-5: 2008
Electrostatic charges



EN 1073-2: 2003
Protective Clothing Against
Radioactive Contamination (no rays)



EN 14126: 2003 + AC:2004
Protective Clothing Against
Infective Agents (Type 4B, 5B, 6B)

w COC30W S - 3XL





DISPOSABLE POLYPROP BOILERSUIT

- Fabric disposable boilersuit
- Non-woven fabric
- 33gsm SMS (spunbond + meltblown + spunbond nonwovens)
- Elasticated hood
- Elasticated waistband and ankles
- No.3 nylon spiral one-way zip front opening
- Zip colour matches garment shell fabric

w PP45BSW S - 2XL



DISPOSABLE



TYPE 5/6 DISPOSABLE COVERALL

- Protective coverall CE Type 5 & 6
- For fine dust particles
- Reduced spray and limited splash
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
- Breathable fabric
- Individually packaged
- Very economical

EN ISO 13688: 2013 - General requirements for protective clothing



EN 13034: 2005 + A1: 2009
EN13982-1: 2005 + A1: 2010



EN 1149-5: 2008
Electrostatic charges



EN 1073-2: 2002
Protective Clothing Against
Radioactive Contamination (no rays)

w COC10W S - 3XL

N COC10N S - 3XL

RE COC10RE S - 3XL



14 INCH (35CM) OVERSLEEVES

- Elasticated cuffs and upper arm
- Offers secure comfortable fitting
- Ideal for use in the food industry
- Non-compliant to any EN standard

w	D014W2	One Size
---	--------	----------

B	D014B2	One Size
---	--------	----------



DISPOSABLE



DISPOSABLE APRON PACKS

- Halter neck and ties around the waist
- Bacteria and fluid penetration resistant
- Aprons measure 42" x 27" (107 x 69mm) approx.



White
Apron

w	DA42DP	One Size
---	--------	----------

B	DAB42DP	One Size
---	---------	----------



DISPOSABLE POLYPROP VISITORS COAT

- Non-woven polypropylene
- Disposable visitors coat with collar
- Hook & loop fastening

w PDVC M - XL

DISPOSABLE



DISPOSABLE WHITE TRILBY HAT

- Smart lightweight nylon mesh
- Offers good head coverage
- Good for achieving hygiene standards
- Washable

w TW S - XL



DISPOSABLE SNOOD CAP

- Styled with peak and snood to ensure total head cover
- Ideal for use in the food processing industry
- Standard size

w DSCW500 One Size

DISPOSABLE



DISPOSABLE MOB CAP

- Soft and lightweight
- Fully elasticated cap
- Made from non-woven fabric
- Standard size fits all

B	DMCB	One Size
G	DMCG	One Size
RE	DMCR	One Size
w	DMCW	One Size
Y	DMCY	One Size



DISPOSABLE HAIRNET

Standard Hairnet

- 5mm polypropylene mesh
- Standard size
- Pack size 144 (3 rings of 48)

Detectable Hairnet

- 5mm polypropylene mesh
- Certified to give a reading of at least 4mm ferrous
- 100 hairnets per pack


Standard Codes

W	DHWN	One Size
B	DHBN	One Size

Metal Detectable Code

B	DHBDET	One Size
---	--------	----------

DISPOSABLE



DISPOSABLE BEARD SNOOD

- This product is metal free
- Complete lower face cover
- Lightweight mesh encloses beards and moustaches
- Ideal method for eliminating loose hair contamination
- Fits comfortably and snugly around the face
- Standard size
- Pack size of 12

B	DBSBL	One Size
---	-------	----------

BR	DBSBR	One Size
----	-------	----------



LATEX DISPOSABLE GLOVES

- Allows touch sensitive work to be carried out with ease
- Ambidextrous
- Easy to pull on beaded cuff
- Available in pre-powdered or powder free

Pre-Powdered

w	LEG	S(7) - XL(10)
---	-----	---------------

Powder Free

w	LEGP	S(7) - XL(10)
---	------	---------------



MINIMAL RISK



NITRILE DISPOSABLE GLOVES POWDER FREE

- High quality disposable product
- Liquid proof
- Ideal for general lightweight handling including foodstuffs



MINIMAL RISK

PU	NDGPFP	S(7) - XL(10)
----	--------	---------------





VINYL DISPOSABLE GLOVES

- 100% synthetic PVC
- Contains no latex or protein
- Ambidextrous
- Easy to pull on beaded cuff



Pre-Powdered

VDG S(7) - XL(10)

B VDGB S(7) - XL(10)

Powder Free

VDGPF S(7) - XL(10)

B VDGBPF S(7) - XL(10)

DISPOSABLE

NITRILE DISPOSABLE GLOVES POWDER FREE

- CE category III
- CE class I examination glove
- Suitable for catering, beauty and body art sectors
- Fulfilling medical requirements for tattoos and piercing
- Free from phthalates/softeners, allergenic latex proteins
- Tested and certified according to 1935/2004

Chemical - Breakthrough Time

Formaldehyde 37% (T) - More than 480 Mins (Level 6)

Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)

Hydrogen Peroxide 30% (P) - More than 30 Mins (Level 2)



Suitable for food contact



EN 374-5



EN 374-1

B NDGPF50NB S(7) - XL(10)

BL NDGPF50BL S(7) - XL(10)



CPE/PP DISPOSABLE OVERSHOES

- Deluxe overshoe
- Polypropylene upper
- Compressed PE embossed sole for extra grip
- Elasticated opening
- 16" overshoes

w	b	DOSCPPE	16" / 40cm
---	---	---------	------------

16 INCH (40CM) DISPOSABLE OVERSHOES

- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring
- Available as an economy version also

b	DOSB16	One Size
w	DOSW16	One Size

b	DOSECB	One Size
---	--------	----------



SAFETY FOOTWEAR



BOOTS, SHOES & RIGGERS

6 INCH BOOT HONEY



GWBNB

179

6 INCH BOOT BLACK



GWBMSBL

179

6 INCH BOOT BROWN



GWBBR

179

SCUFF CAP BOOT



GWBMSSCBL

179



TRADERS CHUKKA BOOT



CTF32BL / CTF33NB

180



LADIES CHUKKA BOOT



CF14BL

180

4 D-RING CHUKKA BOOT
MIDSOLE



CDDCMSBL

180

4 D-RING CHUKKA BOOT



CF55BL

181

NON-METALLIC CHUKKA
BOOT



CF50BL

181



6 INCH BOOT



CF2BL

181

MID-CUT BOOT



CF4BL

181



TRADERS 6 INCH BOOT



CTF20BL

182

SITE BOOT



CF11BL

182

TRAINER BOOT



CDDTBBL

182

DEALER BOOT



CF16BL

182

METATARSAL BOOT



CF9MBL

183

MICRO FIBRE BOOT



CF852

183

ANKLE BOOT



TRAXION BOOT



TBBL / TBBR

184

HIKERS BOOT



CTF30BL

184

TRADERS THINSULATE
BOOT



CTF24BL / CTF25NB

184

HIKER BOOT



CF38GY

185

ANKLE BOOT



CF56BL

185

WATERPROOF SIDE ZIP
BOOT



CF68NB

186

TRADERS PUR DEALER
BOOT



CTF42BR

186

BOOTS, SHOES & RIGGERS



TRENCH BOOT



CF66BL

187

TRENCH PLUS BOOT



CF67BL

187



PUR METATARSAL BOOT



CF5BL

188

6 EYELET PUR BOOT



CF60BL

188

PUR BOOT



CF62BL

188

NON-METALLIC PUR BOOT



CF65BL

188



SHERPA 6 INCH BOOT



SBBL

189

SHERPA DEALER BOOT



SDB

189

SHERPA MID-CUT BOOT



SCBBL

189



MANAGERS SHOE



SW2010

190

MANAGERS BROGUE SHOE



SW2011

190



SMOOTH LEATHER TIE SHOE



CDDSTS

191

BLACK SHOE



CF53BL

191



BLACK SHOW MIDSOLE PROTECTION



CDDSMS

191

LADIES TIE SHOE



CF13BL

191

LADIES SLIP-ON SHOE



CF12BL

192



TRAINER SHOE



CDDTB

192

TRAINER SHOE BLACK / BLUE



CF17

192

SNEAKER TRAINER



CF18

192

ACTION TRAINER SHOE



CF19

193

BLACK SHOE



CF52BL

193

TRAINER SHOE



CTF59

193



BOOTS, SHOES & RIGGERS

	<p>NON-METALLIC TRAINER</p>  <p>CF27 194</p>	<p>TRAINER SHOE BLACK / GREY</p>  <p>CF7BL 194</p>	<p>NON-METALLIC TRAINER</p>  <p>CF26 194</p>	<p>NON-METALLIC TRAINER</p>  <p>CF29 / CF26B 195</p>
<p>COMPOSITE HIKER</p>  <p>CF35 / CF35B 195</p>	<p>LADIES TRAINER</p>  <p>CF862 196</p>		<p>TIE SHOE</p>  <p>CF822 / CF823 196</p>	<p>SLIP-ON SHOE</p>  <p>CF832 / CF833 196</p>
	<p>UNLINED / FUR LINED RIGGER BOOT</p>  <p>RBUS / RBLS 197</p>	<p>LINED SCUFF CAP RIGGER BOOT</p>  <p>RBLSSC 197</p>	<p>PREMIUM HEEL SUPPORT RIGGER BOOT</p>  <p>CF8 197</p>	<p>TRADERS PUR RIGGER BOOT</p>  <p>CTF48BR 198</p>
<p>SHERPA RIGGER BOOT</p>  <p>SRB 198</p>		<p>PVC SAFETY WELLINGTONS WHITE</p>  <p>BBSW 199</p>	<p>PVC SAFETY WELLINGTONS BLACK</p>  <p>BBSSB 199</p>	
	<p>GEL INSOLE 'FOOTSOCK'</p>  <p>CF1000 199</p>	<p>BOOTLACES</p>  <p>CFL / CRL 199</p>		

It is important that you choose the correct industrial footwear for your specific working environment. We would therefore recommend that in the first instance a risk assessment is carried out to ensure that the correct protection level and style of footwear is selected.

Risk Assessment

Assess the risks within the working environment to either remove or protect against the hazards. This must involve defining the job or work area, recognising the risks, and identifying the correct method of reducing them i.e. by removing, controlling, or by choosing suitable safety footwear. Safety features include:

- Impact resistant toe caps
- Sole resistant to heat
- Resistance to fuel / oils
- Pierce resistant midsoles
- Resistance to cold
- Resistance to chemicals
- Anti-static soles
- Water resistance
- Slip resistant sole properties



Materials and Construction

There are various methods of attaching the sole of the footwear to the upper material; this has some considerable influence on product selection depending on the environment in which the footwear will be used.

Direct Injection Moulding

A strong construction method used with either one density of polyurethane (known as single density) or two densities, either polyurethane or an inner density of polyurethane and an outer density of nitrile rubber (known as dual density).

Both types provide reduced weight with improved comfort and flexibility, without any compromise in performance.

Cemented

This is exactly what it suggests; the sole unit is preformed and cemented (glued) onto the upper material creating a strong bond.

Goodyear Welted

A traditional form of construction where the sole is stitched to the upper material. This is a very strong method, which would generally be slightly heavier in use than the above. Suitable for most dry environments.

Wellington Boot

The vast majority of wellingtons in use are direct injection moulded from either raw PVC with varying quantities of nitrile rubber or Polyurethane. Both types provide excellent flexibility and resistance to chemicals.

MARKING CODES ON CE CERTIFIED FOOTWEAR



Additional protection may be provided and is identified on the product by its marking as below:









Footwear that feature slip resistance, are tested according to a set of European standards written into EN ISO 20345: 2011. Footwear which has passed this test will be marked with one of the codes below.

A ANTI-STATIC	AN ANKLE PROTECTION	C CONDUCTIVE	CI INSULATION AGAINST COLD	CR CUT RESISTANT UPPER	E ENERGY ABSORPTION OF THE SEAL REGION
FO FUEL OIL RESISTANT OUTSOLE	HI INSULATION AGAINST HEAT	HRO HEAT RESISTANT OUTSOLE COMPOUND SHALL WITHSTAND 300°C FOR 60S	I INSULATING	M METATARSAL PROTECTION: 100 JOULE IMPACT ENERGY	P PENETRATION RESISTANT OUTSOLE
WR WATER RESISTANT FOOTWEAR	WRU WATER RESISTANT UPPER LEATHER	SRA SLIP RESISTANCE ON STEEL FLOOR WITH GLYCEROL	SRB SLIP RESISTANCE ON CERMAIC TILE FLOOR WITH DILUTE SOAP SOLUTION	SRC SLIP RESISTANCE ON CERAMIC TILE FLOOR WITH DILUTE SOAP SOLUTION AND ON STEEL FLOOR WITH GLYCEROL	

FOOTWEAR SYMBOLS

 200 JOULE STEEL TOE CAP	 200 JOULE COMPOSITE TOE CAP	 STEEL MIDSOLE PROTECTION	 COMPOSITE MIDSOLE PROTECTION	 METATARSAL PROTECTION	 ANTI-STATIC
 SHOCK ABSORBER HEEL	 RESISTANT TO ACIDS & ALKALIS	 ENERGY ABSORBANT	 WASHABLE TO 40°C	 RESISTANT TO OILS	 BREATHABLE MEMBRANE LINING
 HEAT RESISTANT SOLE TO 300°C	 WATER RESISTANT LEATHER UPPER	 SLIP RESISTANT	 3M® THINSULATE LINING	 LEATHER UPPER	 CONTAINS EUROPEAN SIZES 40 & 45

FOOTWEAR MARKINGS CHECKLIST

	NS	SB	SBP	S1	S1P	S2	S3	S4	S5	S6	S7
		●	●	●	●	●	●	●	●	●	●
											
			●		●		●		●		●
											
				●	●	●	●	●	●	●	●
				●	●	●	●	●	●	●	●
				●	●	●	●	●	●	●	●
						●	●			●	●
EN ISO 20345		●	●	●	●	●	●	●	●	●	●
WATERPROOF SEAL								●	●		

Material Recommendation

Nitrile rubber sole - For higher temperatures, oil and solvent resistant.

PVC, PVC nitrile, rubber and polyurethane uppers - Where there is long term exposure to water and certain chemical applications.

Polyurethane soles - For general purpose use, oil and solvent resistant.

Water repellent leather uppers - Where there is an occasional exposure to water.

Selecting the correct materials is critical, especially when contaminants are present. By choosing the correct material the maximum lifespan of footwear can be achieved.

Shoes	
UK	EU
3	36
4	37
5	38
6	39
6.5	40
7	41
8	42
9	43
10	44
10.5	45
11	46
12	47
13	48
14	49
15	50





GOODYEAR WELTED

BEESWIFT

6 INCH BOOT



GWBNB

UK 4 - 12 // EU 37 - 47

SBP HRO SRC

SCUFF CAP BOOT



GWBMSBL



GWBBR



GWBMSSCBL



Kick off heel





TRADERS CHUKKA BOOT



**DUAL DENSITY
EVA/RUBBER**

SBP SRA

Black

Tan

UK 6 - 12 // EU 39 - 47



CTF32BL

CTF33NB

CHUKKA BOOTS



LADIES CHUKKA BOOT



DUAL DENSITY PU

UK 2 - 7 // EU 35 - 41

S1 SRC

Black

CF14BL



4 D-RING CHUKKA BOOT MIDSOLE



UK 3 - 13 // EU 36 - 48

Black

CDDCMSBL



CHUKKA BOOTS

DUAL DENSITY PU

4 D-RING CHUKKA BOOT



S3 SRC

Black

CF55BL

UK 3 - 13 // EU 36 - 48



NON-METALLIC CHUKKA BOOT



Black

UK 3 - 13 // EU 36 - 48

S3 SRC



CF50BL

SMOOTH LEATHER

DUAL DENSITY PU

6 INCH BOOT



TPU heel support



Black

CF2BL



MID-CUT BOOT

UK 6 - 13 // EU 39 - 48

S1P SRC

Black

CF4BL



DUAL DENSITY PU



TRADERS 6 INCH BOOT

Black

UK 6 - 13 // EU 39 - 48

S3 SRC

CTF20BL



SITE BOOT

UK 3 - 13 // EU 36 - 48



Black

S3 SRC

CF11BL

TRAINER BOOT

Black

UK 3 - 13 // EU 36 - 48

S1P SRC

CDDTBLL



DEALER BOOT

UK 3 - 13 // EU 36 - 48

S1P SRC

Black

CF16BL



METATARSAL BOOT



Black

UK 3 - 13 // EU 36 - 48

CF9MBL

S3 M SRC



Poron XRD internal M-Guard metatarsal impact protection (inside the tongue)



MICRO FIBRE BOOT



White

UK 3 - 13 // EU 36 - 48

S2 SRC

CF852

**TRAXION
BOOT**



**DUAL DENSITY
PU - TPU
WATER RESISTANT**



Black

TBBL



Brown

TBBR

UK 6 - 12 // EU 39 - 47

S3 SRC

HIKER BOOT



Black

CTF30BL

S3 WR SRC



UK 6 - 13 // EU 39 - 48



TRADERS THINSULATE BOOT



Black

CTF24BL



Tan

CTF25NB



UK 6 - 13 // EU 39 - 48

S3 WR SRC

HIKER BOOT

Grey
CF38GY

Action Nubuck leather and Cordura upper

EVA/Rubber

TPU Scuff cap protection

Lightweight and comfortable



S7S CI SR SC FO

UK 3 - 13 // EU 36 - 48

ANKLE BOOT

Black action waxy leather upper

Dual Density PU black/grey sole

UK 3 - 13 // EU 36 - 48

S3 SRC



Black
CF56BL



WATERPROOF SIDE ZIP BOOT



Tan

CF68NB

Metatarsal guard (inside tongue)



Poron XRD internal metatarsal guard

TPU protective scuff cap

YKK heavy duty side zip

Waterproof membrane lining



S3 WR M CI HRO SRC

UK 6 - 12 // EU 39 - 45



PU/RUBBER

TRADERS PUR DEALER BOOT



Brown

CTF42BR

UK 5 - 13 // EU 38 - 48

S3 HRO SRC

TRENCHER BOOT PU/RUBBER



UK 3 - 13 // EU 36 - 48

Black
CF66BL



S3 WR M HRO SRC

**extreme
impact
protection**

TRENCHER PLUS BOOT PU/RUBBER



- YKK heavy duty side zip
- TPU protective scuff cap
- Ankle protection

Poron XRD internal M-Guard metatarsal impact protection

Winter grip compound within the outsole for enhanced slip resistance

Black
CF67BL

UK 3 - 13 // EU 36 - 48



S3 WR M HRO SRC



PUR METATARSAL BOOT



Black

CF5BL

UK 6 - 13 // EU 39 - 48



S3 M SRC



Black

CF60BL



6 EYELET PUR BOOT



UK 3 - 13 // EU 36 - 48

S3 HRO SRC



PUR BOOT




Black

CF62BL

UK 4 - 13 // EU 40 - 48

S3 WR HRO SRC



PUR FOOTWEAR PROTECTION

NON-METALLIC PUR BOOT

Black

CF65BL



UK 3 - 13 // EU 36 - 48

S3 HRO SRC

SHERPA PU RUBBER

S3 HRO SRC

UK 6 - 12 // EU 39 - 47



Black
SBBL



6 INCH BOOT

DEALER BOOT

Brown
SDB



MID-CUT BOOT



Black
SCBBL



**MONO
DENSITY
PU**

Black
SW2010



MANAGERS SHOE



UK 5 - 12 // EU 38 - 47

S1 SRC



Black
SW2011

MANAGERS BROGUE SHOE

DUAL DENSITY PU SHOES



S1P SRC

SMOOTH LEATHER TIE SHOE

UK 3 - 13 // EU 36 - 48

Black
CDDSTS



Black
CF53BL

BLACK SHOE



UK 3 - 13 // EU 36 - 48

S3 SRC



BLACK SHOE MIDSOLE PROTECTION



UK 3 - 13 // EU 36 - 48

S1P SRC



Black
CDDSMS



Black
CF13BL

LADIES TIE SHOE



UK 2 - 7 // EU 35 - 41

S1P SRC





Black

CF12BL



LADIES SLIP-ON SHOE



UK 2 - 7 // EU 35 - 41

S1P SRC

TRAINER SHOE



UK 3 - 13 // EU 36 - 48

Black

CDDTB



S1P SRC



Grey

Blue

CF17



TRAINER SHOE DARK GREY/BLUE



UK 3 - 13 // EU 36 - 48

S1P SRC



SNEAKER TRAINER



UK 3 - 13 // EU 36 - 48

S1P SRC



Black

CF18





Black
CF19



ACTION TRAINER SHOE



UK 3 - 13 // EU 36 - 48

S1P SRC

BLACK SHOE



UK 3 - 13 // EU 36 - 48

S1P SRC



Black
CF52BL
RETAIL READY

TRAINER SHOE



Black
CTF59



UK 3 - 13 // EU 36 - 48

S1P SRC



Black
CF27



UK 4 - 12 // EU 37 - 47

pu rubber

TRAINER SHOE BLACK/GREY



UK 3 - 12 // EU 36 - 47

S1P SRC

Black
CF7BL
RETAIL READY

**eva
rUBBER**



Black
CF26

UK 3 - 13 // EU 36 - 48

S3 SRC



NON-METALLIC TRAINERS



Black
Blue
CF29B



Black
Orange
CF29



UK 3 - 13 // EU 36 - 48



S3 SRC

Lightweight

eva
TPU
RUBBER



UK 3 - 13 // EU 36 - 48

COMPOSITE HIKER

Black
Orange
CF35

S3 SRC



Lightweight



Black
Blue
CF35B



LADIES COMPOSITE TRAINER



UK 3 - 8 // EU 36 - 42

Black
CF862

S1P SRC



TIE SHOE



MICRO FIBRE



White
CF822



Black
CF823

SLIP-ON SHOE



White
CF832



Black
CF833

UK 3 - 13 // EU 36 - 48

S2 SRC

**UNLINED
FUR LINED**

UK 4 - 13 // EU 37 - 48



RBUS



RBLS



DUAL DENSITY PU RIGGERS

S1P SRC



**LINED
SCUFF CAP**

UK 3 - 13 // EU 36 - 48



RBLSSC



**PREMIUM
HEEL SUPPORT**

UK 4 - 13 // EU 37 - 48



CF8



TRADERS PUR BOOT

UK 3 - 13 // EU 36 - 48

S3 HRO SRC



CTF48BR



PU RUBBER



SHERPA PU RUBBER

UK 6 - 12 // EU 39 - 47

S3 CI HRO SRC



SRB



PVC SAFETY WELLINGTONS



UK 3 - 13 // EU 36 - 48

White
BBSW
S4 SRC



Black
BBSSB
S5 SRC

FOOTWEAR ACCESSORIES



GEL INSOLE 'FOOTSOCK'

CF1000



- High elastic EVA, soft latex
- Shock absorption honeycomb heel
- Excellent comfort
- Offers cushioning and support
- Honeycomb gel heel for extra cushioning
- Help prevent injury
- Anti-static stitching



FLAT LACES


70cm // CFL70 90cm // CFL90
100cm // CFL100

ROUNDED LACES

140cm // CRL140

BOOTLACES

LETS BE SOCIAL



**FOLLOW TO KEEP UP TO DATE
WITH EVERYTHING**



BEESWIFT®
FOCUSED ON SAFETY

 **@BeeswiftLimited**

 **@BeeswiftLTD**

 **@BeeswiftLimited**

 **@beeswiftlimited**

www.beeswift.com

PERSONAL PROTECTIVE EQUIPMENT



POINT OF SALE STANDS

Beeswift are pleased to offer point of sale to aid the promotion and placement of our product ranges.

We hold in stock, 1M wide by 2M high display stands, and 1M wide by 1.4M high gondolas.

If you are interested in point of sale, please do not hesitate to contact us with your requirements.

sales@beeswift.com

0121 524 2323



PERSONAL PROTECTIVE EQUIPMENT

HEAD GEAR/ FACE GUARDS



BBHG

209

FORESTRY KIT



BBFK

209

REDUCED PEAK SAFETY HELMET



BBSHRPW

209

VENTED SAFETY HELMET PREMIUM



BBVSH

210

VENTED SAFETY HELMET RATCHET HARNESS



BBVSHRH

210

VENTED SAFETY HELMET ECONOMY



BBEVSH

210

SAFETY BASEBALL CAP



BBSBC

211

SAFETY BASEBALL CAP STANDARD/ SHORT PEAK



BBSBC / BBSPSBC

211

VENTED HELMET REPLACEMENT HARNESS



BBVHRH / PH / TH

211

VENTED HELMET ACCESSORIES



BBVHSBN / BBVHCSN

211



BBH50 SAFETY SPECTACLES



BBH50

215

BBH60 SAFETY SPECTACLES



BBH60

215

KANSAS SAFETY SPECTACLES



BBKS

215

UTAH SAFETY SPECTACLES



BBUTSBF

216

PORTLAND SAFETY SPECTACLES



BBPS

216

YALE SAFETY SPECTACLES



BBYS

216

DIEGO SAFETY SPECTACLES



BBDS

217

EVERSON SAFETY SPECTACLES



BBES

217

COLORADO SAFETY SPECTACLES



BBCS

217

ROMA SAFETY SPECTACLES



CTRS

218

BOSTON SAFETY SPECTACLES



BBBS

218

MILANO SAFETY SPECTACLES



CTMS

218

SEATTLE SAFETY SPECTACLES



BBSS

218

TEXAS SAFETY SPECTACLES



BBTXS

219

VEGAS SAFETY SPECTACLES



BBVS

219

SAFETY SPECTACLE CLEAR



ZZ0010

220

HIGH PERFORMANCE LENS SAFETY SPECTACLE



ZZ0020

220

SPORTS STYLE SAFETY SPECTACLE



ZZ0040

220

HIGH PERFORMANCE SPORTSTYLE SPECTACLE



ZZ0050

221

PERSONAL PROTECTIVE EQUIPMENT

WRAP AROUND SPECTACLE



ZZ0080

221

SAFETY SPECTACLES



ZZ0060

221

PERFORMANCE WRAP AROUND SPECTACLE



ZZ0090

221

ANCONA SAFETY SPECTACLES



CTAS

222

VERONA SAFETY SPECTACLES



CTVS

222

HAMILTON GOGGLES/ DETACHABLE VISOR



BBHAM / CV1 / V1

223

SG31 GOGGLES



BBSG31

224

CHEMICAL GOGGLES



BBCG

224

COMFORT FIT GOGGLES



BBCFG

224

WIDE VISION GOGGLES



BBWVG

225

PREMIUM GOGGLES



BBPGBF / BBPGAF

225

GENERAL PURPOSE GOGGLES



BBGPG

226

ANTI-MIST GOGGLES



BBAMG

226

FLIP FRONT WELDING GOGGLES



BBFFWG

226

SG-604 VENTED / NON VENTED GOGGLES



BBSG604 / BBNVSG604N

227

SAFETY SPECTACLE ACCESSORIES



BBSC / BBNC / BBLC

227

LENS CLEANING STATION



BBLCS

227

QED27 EAR DEFENDERS 187G



QED27

231

QED31 EAR DEFENDERS 218G



QED31

231

QED33 EAR DEFENDERS 227G



QED33

231

QED CORDED EAR PLUGS



QED301C

232

QED EAR PLUGS



QED301

232

QED CORDED DETECTABLE EAR PLUGS



QED301CD

233

QED EAR PLUGS BULK PACK



QED301BP

233

QED ECONOMY EAR DEFENDER



QED504 / 506

233

PERSONAL PROTECTIVE EQUIPMENT

EAR PLUG DISPENSER & ACCESSORIES



QED301DP / DB / BP

234

QED CORDED DETECTABLE TREE EAR PLUGS



QED001CD

235

QED CORDED FOAM EAR PLUGS



QED602C

235

QED FOAM EAR PLUGS



QED602

235

QED CORDED TREE EAR PLUGS



QED601C

235



ECONOMY EAR DEFENDERS



BBED

236

SUPERIOR EAR DEFENDERS



BBSER

236

FOLDING EAR DEFENDERS



BBFED

236



TWIN FILTER MASK/FILTERS



BB3000 / FILTERS

240

P3 PREMIUM MASK VALVED



BBP3VDN

241

P3 MASK VALVED



BBP3VN

241



P3 PREMIUM FOLD FLAT MASK VALVED



BBFFP3VDN

242



P3 FOLD FLAT MASK VALVED



BBFFP3VN

242

FOLD FLAT P3 MASK WITH VALVE



3FF3V

242



P3 PREMIUM MESH MASK VALVED



BBMMP3VDN

243

P2 PREMIUM MESH MASK VALVED



BBMMP2VDN

243



P2 CHARCOAL PREMIUM MESH MASK VALVED



BBMMP2CVDN

243



FOLD FLAT P2 MASK WITH VALVE



2FF2V

244

P2 FOLD FLAT MASK NON-VALVED/VALVED



BBFFP2N / BBFFP2VN

244



P2 MASK NON-VALVED/VALVED



BBP2N / BBP2VN

244



CE APPROVED ANTI-SLIP KNEE PAD



BBKP05

246

PERSONAL PROTECTIVE EQUIPMENT

RIVETED CAP KNEE PAD



BBKP02

246

POLY RIDGED KNEE PAD



BBKP03

246

STANDARD KNEE PAD



BBKP01

247

FOLDING KNEE PAD



BBKP08

247

SNOW & ICE FOOTWEAR GRIPS/HEEL GRIPS



BBICT / BBICHG

247


1 POINT RESCUE HARNESS



HSFA10102

249

LUXURY HARNESS



HSFA10101

249

2 POINT RESCUE HARNESS



HSFA10106

250

1 POINT COMFORT HARNESS



HSFA10108

250

1.8 METRE LANYARD & SCAFF HOOK



HSFA3030418

251

1.5 METRE LANYARD & SCAFF HOOK



HSFA30303

251

STEEL KARABINER



HSFA50101

251

1 METRE RESTRAINT KERNMANTLE LANYARD



HSFA40503

251

2.5 METRE FALL ARREST BLOCK



HSFA20301

252

FALL ARRESTER ON KERNMANTLE ROPE 10M



HSFA2010210

252

1.5 METRE LANYARD Y-SHOCK ABSORB



HSFA3080015

252

1 METRE RESTRAINT LANYARD



HSFA40303

252

HEAD PROTECTION



Identifying Hazards

A safety helmet is required where there is a risk of being injured by falling objects. Bump caps are not a substitute for safety helmets and must not be used to protect the head from falling objects.

Identifying Materials

Shells are primarily made using UV stabilised high density polyethylene (HDPE) or ABS (Acrylonitrile Butadiene Styrene). Harnesses are made using low density polyethylene or terylene webbing.

Shelf Life

All helmets are marked with the quarter or month and year of manufacture. Helmets stored in boxes in which they were supplied and do not experience environmental extremes, the shelf life of a helmet is not limited. However, it is not recommended that a helmet should be in use 5 years after date of manufacture.

Accessories

Some helmets have sweatbands and chinstrap already fitted. Either can be purchased separately. Safety helmets can be fitted with hearing protection through clip on ear defenders.

Care and Maintenance

Helmets may be cleaned with soap and water, drying with a soft cloth. Do not use abrasive substances or solvents and do not store in direct sunlight or in contact with chemicals. Inspect a helmet regularly. Replace if the shell shows more than superficial abrasions/scuffing.



EN 397 specifies physical and performance requirements of industrial safety helmets. Certain tests are mandatory if the product is to receive EN 397 approval.

These cover: • Shock Absorption • Resistance to penetration • Flame resistance • Chinstrap anchorage

A manufacturer can choose to submit his products to additional optional tests. Such tests could lead to one or more of these markings appearing on a helmet.

-20°/-30°C

The helmet will provide some protection when worn in an environment at or above this temperature.

440V a.c.

Protects against short term, accidental contact with live electrical conductors up to this voltage.

LD

The helmet will provide some protection from lateral compressive loads.

MM

Molten Metal splash test.

HEAD GEAR/FACE GUARDS

Head Gear

- Fully adjustable
- Ratchet fastening
- Soft nylon brow guard
- Face guards sold separately (listed)

Face Guards

- Standard face visor
- Mesh visor
- Metal edged face visor

CE UK EN 166 EN 1731

1 BBHG 2 BBFV7

3 BBMV7 4 BBMEFV8



FORESTRY KIT

- 1 x Safety helmet
- 1 x Set of clip-on ear defenders
- 1 x Chin strap
- 1 x Mesh face shield with mount
- Suitable for forestry, strimming, agricultural and chainsaw use

CE UK EN 397 EN 352-3 EN 1731

OR BBFK



REDUCED PEAK SAFETY HELMET

- Reduced peak industrial safety helmet
- ABS vented shell to improve long period wear
- Comfort fit sweatband
- 6-point webbing harness
- Ratchet adjustment
- Complete with 4-point chinstrap
- 30mm slot fixing point for attachments

CE UK EN 397

w BBSHRPW BL BBSHRPBL



HEAD PROTECTION



VENTED SAFETY HELMET PREMIUM

- Modern stylish design
- Lightweight ABS shell
- Vents to crown
- Lightweight
- 6-point webbing harness
- Slip-ratchet headband adjustment
- Slots for attachments
- Comes with terry towelling sweatband

CE UK EN 397

B	BBVSHB	OR	BBVSHO
RE	BBVSHR	G	BBVSHG
Y	BBVSHY	BL	BBVSHBL
SY	BBVSHSY	W	BBVSHW

VENTED SAFETY HELMET WHEEL RATCHET HARNESS

- Modern Stylish Design
- ABS shell
- Vents to crown
- Lightweight
- Wheel ratchet adjustment harness
- Slots for attachments
- Complete with terry towelling sweatband



CE UK EN 397

B	BBVSHRHB	BL	BBVSHRHBL	Y	BBVSHRHY
RE	BBVSHRHR	W	BBVSHRHW		



VENTED SAFETY HELMET ECONOMY

- Modern stylish design
- ABS shell
- Vents to crown
- Lightweight
- Plastic harness c/w sweatband
- Slots for attachments

CE UK EN 397

B	BBEVSHB	OR	BBEVSHO	BL	BBEVSHBL
RE	BBEVSHRE	G	BBEVSHG	W	BBEVSHW
				Y	BBEVSHY





SAFETY BASEBALL CAP

- Stylish fashionable baseball cap
- Mesh side panels
- Ventilation holes
- Fitted over an ABS durable plastic shell
- Provides lightweight head protection
- 65/35% polyester cotton hi-vis cap with reflective tape

CE EN 812

OR BBSBCOR

SY BBSBCY

HEAD PROTECTION



SAFETY BASEBALL CAP STANDARD PEAK

N	BBSBCN	BL	BBSBCBL
B	BBSBCR	G	BBSBCG
RE	BBSBCRE		

- Stylish fashionable 100% cotton baseball cap with ventilation holes
- Fitted over a plastic shell providing lightweight head protection
- Standard or short peak

CE UK EN 812



SAFETY BASEBALL CAP SHORT PEAK

N	BBSPSBCN
BL	BBSPSBCBL

VENTED HELMET REPLACEMENT HARNESS

- Use in conjunction with Beeswift Vented Safety Helmets
- Ratchet harness
- Plastic harness
- Terylene harness
- Sold separately

1	BBVHRH	2	BBVHPH	3	BBVHTH
---	--------	---	--------	---	--------



VENTED HELMET ACCESSORIES

- Use in conjunction with B-Brand Vented Safety Helmets
- Sold separately


1	BBVHSBN	2	BBVHCSN
---	---------	---	---------

EYE PROTECTION



LENS AND FRAME MARKINGS

EXAMPLE OF FRAME MARKING






1 OPTICAL CLARITY	 MARK OF THE MANUFACTURER	 CE MARK OF CONFORMITY	F IMPACT STRENGTH
-----------------------------	---	--	-----------------------------



EXAMPLE OF LENS MARKING

EN166 EN SAFETY STANDARD	 MARK OF THE MANUFACTURER	 CE MARK OF CONFORMITY	F IMPACT STRENGTH
-----------------------------	---	--	-----------------------------

Understanding frame markings

 MANUFACTURER'S IDENTIFICATION CODE	166 NUMBER OF EN STANDARD	34 FIELD(S) OF USE (OPTIONAL)	NO SYMBOL - BASIC USE	3 - LIQUIDS
0196 CERTIFICATION MARK, NUMBER OF CERTIFIED BODY	 SYMBOL OF CONFORMITY TO EC REGULATION 2016/425		4 - LARGE DUST PARTICLES	5 - GAS & FINE DUST PARTICLES
			8 - SHORT CIRCUIT ELECTRIC ARC	9 - MOLTEN METALS & HOT SOLIDS
B SYMBOL OF RESISTANCE TO HIGH SPEED PARTICLES (OPTIONAL)	 SYMBOL OF CONFORMITY TO EC REGULATION 2016/425	NON - INCREASED ROBUSTNESS	F - LOW ENERGY IMPACT (45 m/s)	
		B - MEDIUM ENERGY IMPACT (120 m/s)	A - HIGH ENERGY IMPACT (190 m/s)	

Understanding lens markings

 MANUFACTURER'S IDENTIFICATION CODE	1 1 - BEST CLASS 2 - MEDIUM CLASS 3 - LOW QUALITY* *not for continuous use 1 OPTICAL CLASS	9 SYMBOL OF NON-ADHERENCE OF MOLTEN METAL	K MANUFACTURER'S IDENTIFICATION CODE	
N SYMBOL OF RESISTANCE TO FOGGING (optional)	 SYMBOL OF CONFORMITY TO EC REGULATION 2016/425	F SYMBOL OF MECHANICAL STRENGTH (OPTIONAL)	F - LOW ENERGY IMPACT (45 m/s)	B - MEDIUM ENERGY IMPACT (120 m/s)
			A - HIGH ENERGY IMPACT (190 m/s)	T - IMPACTS AT EXTREME TEMPERATURE

SAFETY EYEWEAR INFORMATION

CHOOSING SAFETY EYEWEAR

To help choose safety eyewear best suited to your needs, the following information may be useful. Whilst every effort should be made to remove hazards as the result of a Workplace Risk Assessment, if Safety Eyewear is necessary as a last resort, the following selection criteria should be considered:

Type of protection

Both employee and employer have a responsibility to keep all eye protection in good order. User instructions are provided and give cleaning and maintenance information. We provide a full range of products to help keep eyewear in optimum condition.

1. Goggles -

Can provide protection for many types of hazards. May be worn over spectacles.

2. Spectacles -

Comfortable and available in a variety of styles. Will not keep out dust, gas or molten metal.

Type of lens

1. Clear -

Suitable for general use.

2. Anti-Glare -

Suitable for use in high glare situations such as finished concrete slabs in bright sun light.

3. Yellow -

Suitable for those moving from light to dark environments.

Type of hazard

Hazards fall into 4 main categories:

1. Mechanical -

Flying Debris, Dust or Molten Metal.

2. Chemical -

Fumes, Gases or Liquid Splash.

3. Radiation -

Heat (Infrared), Ultraviolet light or Glare.

4. Laser Light -

Over a wide spectrum of wavelengths from Ultraviolet to Infrared.

EN169 - Welding Filters • EN170 - Ultraviolet Filters • EN171 - Infrared Filters • EN172 - Solar Protection Filters for Industrial Use
EN175 - Welding Work Equipment • EN207 - Laser Protection Eyewear • EN208 - Laser Adjustment Eyewear

IDENTIFYING EYEWEAR MARKINGS

To assist you in your understanding of markings on eye protection products covered by this standard, this chart should be of help. You should note:

OPTICAL STANDARD:	FRAME	LENS	MECHANICAL PROPERTIES:	FRAME	LENS
Class 1: For continuous work	-	1	High energy impact (190m/sec)	A	A
Class 2: For intermittent work	-	2	Medium impact energy (120m/sec) Grade 1	B	B
Class 3: For occasional work, but must not be worn continuously	-	3	Low energy impact (45m/sec) Grade 2	F	F
			Increased robustness - General purpose impact - Performance at extreme temperature	-	S
			Tested to extreme temperatures	T	T
AREAS OF USE:	FRAME	LENS	OPTIONAL:	FRAME	LENS
Liquids (chemical)	3	3	Resistance to misting/fogging	-	N
Large dust particles	4	4	Resistance to mechanical damage (Anti-Scratch)	-	K
Gas and fine dust particles	5	5	*NB: The "A", "B", "F" and "S" markings on frame and lens represent tests carried out on each component and therefore may be different - in which case the lower level must be assigned to the complete unit when making an assessment.		
Short circuit electrical arc	8	8			
Molten metals and hot solids	9	9			

BBH50 SAFETY SPECTACLES

- Ergonomic temple for comfort fit
- Temple tip locking catch
- Temple ratchet adjustment
- Hard coated polycarbonate lens
- Anti-fog and anti-scratch
- Soft nose pad



CE UK EN 166

CL	BBH50	Y	BBH50Y
S	BBH50S		



EYE PROTECTION

BBH60 SAFETY SPECTACLES

- Over the glasses lenses gives good fit for prescription spectacle wearers



CE UK EN 166

CL BBH60

S BBH60S



KANSAS SAFETY SPECTACLES

- Wraparound spectacle
- Anti-fog polycarbonate lens
- Anti-scratch
- Adjustable side arms
- Nylon frame



CE UK EN 166 1F

CL BBKS

UTAH SAFETY SPECTACLES

- 8-curve optically correct lens
- Anti-static and anti-scratch
- Super tough nylon frame
- Anti-fog single lens and side shields
- Fully adjustable side arms with temple ratchet
- Complete with unique neck clip and cord
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F

1 CL BBUTSBF

2 CL BBUTSGYF

3 SH.2 BBUTSS2GY



PORTLAND SAFETY SPECTACLES

- Wraparound spectacle
- Anti-scratch lens
- Adjustable side arms
- Nylon frame

CE UK EN 166

CL BBPS



YALE SAFETY SPECTACLES

- Ultra-lightweight
- Wraparound design
- Contoured shape
- Polycarbonate anti-fog lens (PC lens)
- Soft nose bridge
- Non slip coloured rubber tips
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F

CL BBYS

SH.2 BBYSS2Y

SH.2 BBYSS2GY



DIEGO SAFETY SPECTACLES

- Ultra lightweight
- Polycarbonate curved lens and side shield
- Anti-scratch lens
- Fully adjustable nylon side arms
- 5 position temple ratchets
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F

CL BBDS



EVERSON SAFETY SPECTACLES

- Ultra lightweight
- Polycarbonate wraparound lens
- Anti-mist clear lens
- Low impact energy

CE UK EN 166 Optical Class 1 F

CL BBES



EYE PROTECTION



COLORADO SAFETY SPECTACLES

- Wraparound single lens
- Anti-scratch
- Nylon frame
- Anti-scratch and anti-fog polycarbonate lens
- Adjustable side arms
- Low impact energy

CE UK EN 166 Optical Class 1 F

CL BBCS

SH. 2 Y BBCSS2Y

SH. 2 GY BBCSS2GY





ROMA SAFETY SPECTACLES

- Wrap around protective eyewear
- Anti-fog clear lens
- Black frame
- Rubber nose bridge and temple tips for added comfort
- Orange ratchet inclination system (allows lens angle modification)
- Individually packaged with Euro slot
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F T

CL CTRS SH. 2 GY CTRSS3GY



BOSTON SAFETY SPECTACLES

- Wraparound clear visitors spectacle
- Polycarbonate lens
- Ventilated side arms
- Width 157mm
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F

CL BBBS



MILANO SAFETY SPECTACLES

- Wrap around protective eyewear
- Stylish design
- Metal frame and spring hinges
- Anti-fog clear lens
- Soft, comfortable nose bridge
- Individually packaged with Euro slot
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F T

CL CTMS



SEATTLE SAFETY SPECTACLES

- Wraparound clear cover spectacle
- Polycarbonate lens
- Ventilated side arms
- Width 165mm
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F

CL BBSS



TEXAS SAFETY SPECTACLES

- Lightweight spectacles with ultra soft nose bridge
- 10 Curve single polycarbonate lens
- Fully adjustable side arms with temple ratchet
- Adjustable neck cord
- FT - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter

EYE PROTECTION



 RETAIL READY

CE UK EN 166 Optical Class 1 F T

CL BBTXS

Y BBTXS2Y

GY BBTXS2GY



 RETAIL READY

CE UK EN 166 Optical Class 1 F

CL BBVS

SH. 2 Y BBVSS2Y

SH. 2 GY BBVSS2GY



VEGAS SAFETY SPECTACLES

- Ultra lightweight
- Polycarbonate wraparound lens
- Anti-scratch
- One-piece side arm
- Low impact energy at extreme temperatures



SAFETY SPECTACLES CLEAR

- Lightweight
- Adjustable arms
- Polycarbonate lens
- Soft nose bridge
- Complete with spec cord

CE UK EN 166 Optical Class 1 F T

CL ZZ0010 SH. 2 ZZ0010Y SH. 2 ZZ0010GY



HIGH PERFORMANCE LENS SAFETY SPECTACLES

- Lightweight
- Adjustable arms
- Polycarbonate lens
- Soft nose bridge
- Complete with spec cord



CE UK EN 166 Optical Class 1 F T K N

CL ZZ0020 SH. 2 ZZ0020Y SH. 2 ZZ0020GY



SPORTS STYLE SAFETY SPECTACLES

- Lightweight
- Polycarbonate lens
- Soft nose bridge
- Complete with spec cord

CE UK EN 166 Optical Class 1 F T

CL ZZ0040 SH. 2 ZZ0040Y SH. 2 ZZ0040GY

HIGH PERFORMANCE SPORTSTYLE SPECTACLES

- Lightweight
- Polycarbonate lens
- Soft nose bridge
- Complete with spec cord

CE UK EN	EN 166	Optical Class 1	F	T	K	N
----------	--------	-----------------	---	---	---	---

CL	ZZ0050	SH. 2 Y	ZZ0050Y	SH. 2 GY	ZZ0050GY
----	--------	---------	---------	----------	----------



EYE PROTECTION

WRAP AROUND SPECTACLES

- Lightweight
- Polycarbonate lens with intergrated nose bridge
- Complete with spec cord

CE UK EN	EN 166	Optical Class 1	F	T
----------	--------	-----------------	---	---

CL	ZZ0080	SH. 2 Y	ZZ0080Y	SH. 2 GY	ZZ0080GY
----	--------	---------	---------	----------	----------



SAFETY SPECTACLES

- Lightweight
- Adjustable/Flexible arms
- Polycarbonate lens with intergrated nose bridge
- Complete with spec cord

CE UK EN	EN 166	Optical Class 1	F	T
----------	--------	-----------------	---	---

CL	ZZ0060	SH. 2 Y	ZZ0060Y	SH. 2 GY	ZZ0060GY
----	--------	---------	---------	----------	----------



PERFORMANCE WRAP AROUND SPECTACLES

- Lightweight
- Polycarbonate lens with intergrated nose bridge
- Complete with spec cord

CE UK EN	EN 166	Optical Class 1	F	T	K	N
----------	--------	-----------------	---	---	---	---

CL	ZZ0090	SH. 2 Y	ZZ0090Y	SH. 2 GY	ZZ0090GY
----	--------	---------	---------	----------	----------





ANCONA SAFETY SPECTACLES

- Ultra-lightweight
- Polycarbonate wraparound lens
- Anti-scratch
- One-piece side arm
- Low impact energy at extreme temperatures



CE UK EN 166 Optical Class 1 F T

CL CTAS SH. 2 Y CTASS2Y SH. 2 GY CTASS2GY

VERONA SAFETY SPECTACLES

- Lightweight frameless design protective eyewear
- Single piece lens
- Straight temple
- Rubber nose pad and temple tips for added comfort
- Individually packaged with Euro slot
- Low impact energy at extreme temperatures



CE UK EN 166 Optical Class 1 F T

CL CTVS SH. 2 B CTVSSB





EYE PROTECTION



HAMILTON GOGGLES/ DETACHABLE VISOR

- Protective safety goggles
- Indirect ventilation
- Comfortable face seal and nose bridge
- Wide adjustable elastic
- Excellent field of vision
- Limited protection against chemicals
- Goggle lens and face visor both polycarbonate
- Excellent protection against impacts and dust
- High impact energy at extreme temperatures

CE UKCA EN 166 Optical Class 1 B T


CL BBHAMCV1

SG31 GOGGLES

- Polycarbonate lens
- Ideal for wearing over spectacles
- Complete contoured face seal
- Indirect four point ventilation

CE UK EN 166 Optical Class 1 B

CL BBSG31



CHEMICAL GOGGLES

- Polycarbonate lens
- PVC frame
- Comfortable and lightweight
- Indirect vents
- Medium impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 B

CL BBCG

COMFORT FIT GOGGLES

- Wide vision goggle
- Anti-fog clear lens
- Blue tint PVC frame
- Indirect vent
- Wraparound style provides excellent panoramic vision
- Foam surround for extra comfort and improved seal
- Adjustable strap
- Medium impact energy at extreme temperatures



CE UK EN 166 Optical Class 1 B T

CL BBCFG





WIDE VISION GOGGLES



- 1mm acetate anti-fog lens
- Wide vision anti-scratch lens
- Comfortable soft PVC frame
- All round ventilation
- Wide contoured face seal
- Fits over spectacles
- Comfortable wide headband
- Low impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 F N

CL BBWVG



1



2



PREMIUM GOGGLES

- Wide vision anti-scratch, anti-mist lens
- Unvented
- Soft and flexible for extra comfort
- Adjustable wide headband
- Available in two frame colours
- Medium impact energy at extreme temperatures


CE UK EN 166 Optical Class 1 B

1 BBPGBF

2 BBPGAF



EYE PROTECTION



GENERAL PURPOSE GOGGLES

- Polycarbonate lens with PVC frame
- Comfortable
- Lightweight
- Direct vent
- Optical class 1
- Impact B (medium energy)
Medium impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 B

cl BBGPG



ANTI-MIST GOGGLES

- Anti-mist safety goggle
- Polycarbonate lens
- Direct vent
- Soft PVC frame
- Fits over most prescription glasses
- Adjustable strap
- Medium impact energy at extreme temperatures

CE UK EN 166 Optical Class 1 B T

cl BBAMG



FLIP FRONT WELDING GOGGLES

- Green soft PVC frame
- Green polycarbonate lens shade 5
- 4 indirect vents
- Black ABS lens holder

CE UK EN 166 EN 175

SH. 5 GY BBFFWG



- Polycarbonate lens
- PVC frame
- Comfortable and lightweight
- CAT II
- Conform to EN166
- Optical Class:1
- BT - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Fields of use: 3 Liquid splash (Non Vented version only)

SG-604 GOGGLES NON-VENTED



BBNVSG604N



BBSG604

SG-604 GOGGLES VENTED

These goggles are treated with Crystal Coat (TM), C-380M is a polysiloxane based thermal cure hardcoat that combines anti-fog performance with abrasion and chemical resistance.

EYE PROTECTION

SAFETY SPECTACLES ACCESSORIES

Spectacle Case

- Wide opening PVC pouch with easy access
- Large ABS hook

Neck Cord

- Use in conjunction with Beeswift safety
- spectacle ranges

Lens Cloth

- Super soft
- Double sided

1 BBSC

2 BBNC

3 BBLC



Spectacle Case

Lens Cloth

LENS CLEANING STATION



- Contains 600 tissues
- 250ml bottle of lens cleaning fluid in pump dispenser
- Tissues dispense from left and right sides
- Stands freely or wall mountable
- Not to be used with contact lenses

BBLCS



Levels of Protection Physical Agents (Noise) Directive - 2003/10/ECA

This Directive is now in place and became law in early 2006. It requires that persons working in noise levels between 80dBA (Lower Action Level) & 85dBA must be provided with suitable hearing protection on request. Where noise levels are at or above 85dBA (Upper Action Level, suitable hearing protection **MUST BE SUPPLIED AND WORN**. In addition, the new "Exposure Limit Value" requires that no worker may be exposed to more than "87dBA 8 Hour Equivalent" under any circumstances, taking into account any hearing protection worn, (the 87dBA level is that **INSIDE** the Hearing Protector). There are also new "Action Values" for IMPACT NOISE and the requirement for Risk Assessments in the workplace is reinforced by Article 4 of the new Directive.

Noise Meters

As part of risk assessment, noise meter readings should be taken by a competent person to monitor sound level.

Electronic Hearing Protection

The latest in sound technology - hearing protectors which amplify weak sounds while attenuating loud noises.

Ear Muffs

A traditional method of ear protection. Today's range of muffs cope with a very wide spectrum of industrial hazards. It is important to study the attenuation characteristics of each model as they do vary in performance across the range of sound frequency.

Helmet Mounted Ear Muffs

Popular with safety officers, head and ear protection in one. Today's models are styled to be sensibly 'parked' when not in use.

SNR (Standard Noise Reduction)

SNR (Standard Noise Reduction) is only a general means of comparing different ear muffs. Generally the higher the SNR number, the better the performance of the ear muff across a range of noise frequencies. Example: a SNR of 30 may not give a 30 decibel attenuation at all frequencies. The figures associated with H, M and L indicate the level of protection within the range of High, Medium or Low frequency noise. Examples: For the wearer of an ear muff where H=35 a high frequency noise of 100 decibels will drop to 65 decibels. Wearing the same ear muff, where M=25, a medium frequency noise of 100 decibels will drop to 75 decibels.

Communication head sets

For people covering large areas within a noisy environment, ear muffs that incorporate communication systems.



Plugs

Can be worn conveniently with all other PPE items. Easy to use, with attenuation provided often exceeding that of ear muffs, whilst disposable they provide excellent protection with long term comfort.



Flex and Corded Plugs

These versions are favoured for carrying around the neck when not in use. Most plugs are also available in a corded version.

European Standards

Ear muffs and plugs are tested to the relevant European Standards and are CE marked

EN352 Part 1	Ear Muffs
EN352 Part 2	Ear Plugs
EN352 Part 3	Helmet Mounted Ear Muffs
EN352 Part 4	Level Dependent Ear Muffs
EN352 Part 5	Active Noise Reduction Ear Muffs
EN352 Part 6	Ear Muffs with Electrical Input
EN352 Part 7	Level Dependent Ear Plugs

QED27 EAR DEFENDERS 187G

CE UK	EN 352	SNR 27dB	H=33dB	M=25dB	L=16dB
-------	--------	----------	--------	--------	--------

QED27



RETAIL
READY

QED31 EAR DEFENDERS 218G

CE UK	EN 352	SNR 31dB	H=35dB	M=28dB	L=20dB
-------	--------	----------	--------	--------	--------

QED31

- Padded headband
- Soft foam ear cushions for wearer comfort
- Ease of headband adjustment

HEARING PROTECTION

QED33 EAR DEFENDERS 227G

CE UK	EN 352
-------	--------

SNR 33dB	H=33dB	M=30dB	L=23dB
----------	--------	--------	--------

QED33



RETAIL
READY



RETAIL
READY



QED CORDED EAR PLUGS

HEARING PROTECTION



- Corded foam earplugs, disposable
- Found to be in conformity with Council Regulation (EU) 2016/425 relating to Personal Protective Equipment (P.P.E)

Y QED301C

CE UK EN 352-2 SNR 39dB H=38dB M=37dB L=34dB



QED EAR PLUGS

- Foam earplugs, disposable
- Found to be in conformity with Council Regulation (EU) 2016/425 relating to Personal Protective Equipment (P.P.E)



Y QED301



CE UK EN 352-2 SNR 39dB H=38dB M=37dB L=34dB

- Corded foam earplugs, disposable
- Metal detectable
- Found to be in conformity with Council Regulation (EU) 2016/425 relating to Personal Protective Equipment (P.P.E)

CE UK EN 352-2

SNR 39dB H=38dB M=37dB L=34dB



B QED301CD



QED CORDED DETECTABLE EAR PLUGS



QED EAR PLUGS BULK PACK

Y QED301BP



QED ECONOMY EAR DEFENDER SNR 31

OR QED504

SNR 31dB H=36dB M=28dB L=21dB

- Premium economy quality hearing protection with over the head ear defenders
- Padded headband for user comfort over extended periods
- Soft foam ear cushions for wearer comfort
- Ease of headband adjustment
- Can be folded for easy storage
- Use where the user is exposed to high levels of noise, such as industrial zones, construction sites and other noise hazard settings



CE UK EN 352-2



QED ECONOMY EAR DEFENDER SNR 37

RE QED506

SNR 37dB H=38dB M=34dB L=32dB



HEARING PROTECTION

1



2



EAR PLUG DISPENSER / REFILL PACK / REPLACEMENT BOTTLE

- Free standing or wall mounted
- Robust design
- Easy twist action dispenser
- Bottle rotates and unscrews easily for refilling
- Contains 500 pairs of hi-vis foam disposable ear plugs
- Refill pack contains 500 pairs of ear plugs (sold separately)
- Replacement bottle available (sold separately)

CE UK EN 352-2

SNR 39dB

H=38dB

M=37dB

L=34dB

1 QED301DP

2 QED301DB

3 QED301BP



3



QED CORDED DETECTABLE TRI-FLANGE REUSABLE EAR PLUGS

- TPR disposable ear plugs
- Conforms to EN352-2: 2002

CE UKCA	EN 352-2	SNR 30dB	H=31dB	M=26dB	L=24dB
---------	----------	----------	--------	--------	--------

B QED001CD



QED CORDED TRI-FLANGE REUSABLE EAR PLUGS

OR QED602C



- Foam disposable ear plugs
- Conforms to EN352-2: 2002

CE UKCA	EN 352-2	SNR 34dB	H=35dB	M=31dB	L=28dB
---------	----------	----------	--------	--------	--------



QED TRI-FLANGE REUSABLE EAR PLUGS

OR QED602



QED CORDED FOAM EAR PLUGS

G QED601C



QED FOAM EAR PLUGS

G QED601

- TPR disposable ear plugs
- Conforms to EN352-2: 2002

CE UKCA	EN 352-2	SNR 36dB	H=36dB	M=34dB	L=32dB
---------	----------	----------	--------	--------	--------


ECONOMY EAR DEFENDERS

- Economy ear defender
- Lightweight robust design
- Adjustable headband

CE UK	EN 352-2
-------	----------

SNR 27.6dB	H=29.2dB	M=25.4dB	L=17.9dB
------------	----------	----------	----------

BBED

SUPERIOR EAR DEFENDERS

- Superior ear defender
- Padded adjustable headband

CE UK	EN 352-1
-------	----------

SNR 27.6dB	H=30.4dB	M=24.9dB	L=17.7dB
------------	----------	----------	----------

BBSSE


FOLDING EAR DEFENDERS

- Premium quality ear defender
- Adjustable fold away headband
- Self aligned earcups

CE UK	EN 352-1
-------	----------

SNR 30.4dB	H=33dB	M=27.8dB	L=21.3dB
------------	--------	----------	----------

BBFED



RESPIRATORY PROTECTION



Assigned Protection Factors: The higher the factor, the greater the protection

Selecting a Respirator

Workplace conditions such as temperature, humidity and work rate affect wearer comfort and the relevance of the different respirator features that are available. A respirator must allow you the freedom to communicate easily with colleagues and fit well with the rest of your safety equipment.

Achieving a good fit is essential to the level of protection. A leaking respirator could be perceived as comfortable, but is not much better than using no respirator at all.

Always select a respirator that meets the European Standard, is CE Marked and offers you the right level of comfort and protection and ensure that you fit it correctly.

Nuisance Dust Masks

Many types of masks and respirators seem similar but there are significant differences in the use of materials, design technology and protection levels. Make sure you always use an approved respirator to protect your health.

Nuisance Dust Masks vs. Disposable Respirators

Nuisance Dust Masks and Gauze Pads do NOT meet the European Standard (EN149:2001) for respirators and are not CE marked so they don't have any of this information printed on the mask. They do not provide protection against fine lung damaging dusts and cannot be used as personal protective equipment.

Disposable Respirators are typically white face masks with two straps and often an exhalation valve for improved comfort. They are also printed with 'EN149:2001', the 'CE' mark and they are designed to provide effective protection against fine respirable dusts, mists and metal fumes.

Fit Testing

Checking that a respirator with a tight fitting facepiece provides an adequate seal to the wearer's face has long been considered best practice as part of a general Respiratory Protective Equipment (RPE) programme. Fit testing has been a mandatory requirement under the UK Asbestos Regulations and now, with the introduction of the Control of Substances Hazardous to Health Regulations 2002 (COSHH) and the supporting Approved Codes of Practice, fit testing is an industry wide requirement. Respirators with tight fitting facepieces include disposable respirators, half masks and full face masks.

Fit testing should be carried out:

- On all wearers of RPE with fitting facepieces where fit testing has previously not been performed
- During initial selection RPE

Fit testing should be repeated at appropriate times such as:

- If the RPE wearer significantly loses or gains weight, has major dental work or sustains a major facial injury
- If a different size or model of RPE is specified
- If specified by the company policy eg. repeated with annual health surveillance check

Fit testing is an addition to the requirement to perform a pre-use fit check

Two main methods of fit testing are available:

Quantitative fit testing

Quantitative fit tests give an objective measure of the quality of the seal between the wearer's face and the facepiece. A fit factor number is produced. These tests will usually be carried out by a consultant.

For more information or advice contact your safety advisor.

Qualitative fit testing

Qualitative fit tests provide a pass or fail result based upon the wearer detecting a test agent. They provide a subjective measure of the quality of the seal of the facepiece to the wearer's face. These tests may be carried out by a suitably trained company Safety Advisor.

<i>Mask selection buyers guide</i>							
Application	Face masks			Application	Face masks		
Construction	FFP1	FFP2	FFP3	Wood Working	FFP1	FFP2	FFP3
Asbestos: low level / small amounts			●	Hard wood: Sanding and cutting			●
Cement work, plastering, tiling and roofing		●	●	Soft wood: Sanding and cutting		●	●
Demolition		●	●	Sanding / Brushing off colour		●	●
Groundwork		●	●	Sanding / Brushing off paint containing chrome			●
Masonry: cutting, drilling and demolition		●	●	Water soluble paint containing copper / chrome / arsenic			●
Putty / Filter: sanding		●	●	Disposable / Cleaning Work			
Roof insulation, glass and mineral fibres		●	●	Disposal of medical waste			●
Scabbling			●	Radioactive dust			●
Shot creting			●	Sweeping floors	●		●
Boiler maintenance		●	●	Waste sorting and disposal		●	●
Metal Working				Agriculture			
High alloy steel: Drilling, grinding and milling			●	Animal diseases & sickness			●
Metal: Drilling, grinding and milling		●	●	Handling mould spores			●
Molten metal handling			●	Handling hay, cereal and flour	●		●
Linishing	●	●	●	Medicine / Care / Health			
Polishing	●	●	●	Allergies, pollen, house dust and pet hair		●	●
Stainless steel: Drilling, grinding and milling			●	Bacteria, viruses, infections and legionella			●
Welding				<p>Legal notice: Beeswift assumes no liability for any damage that may result from the use of this mask selection buyers guide, especially any health-related damage as a result of using this guide. This guide cannot replace a risk assessment or purchase advice. For free advice you can contact us at sales@beeswift.com</p>			
Stainless steel and aluminium welding			●				
Hard soldering			●				

SELECTION GUIDE FOR GAS/VAPOUR/HAZARDOUS PARTICULATES

Gas Filters	Hazard Type	Examples	Colour
A1	Organic Vapour	Solvents such as White Spirit Toluene, Carbon Tetrachloride (CCl ₄)	Brown
B1	Inorganic Gases	Chlorine (Cl ₂), Hydrogen Sulphide (H ₂ S)	Grey
E1	Acid Gases	Sulphur Dioxide (SO ₂)	Yellow
K1	Ammonia	Ammonia (NH ₃) and certain Amines	Green
ABEK1	OV/IG/AG/AM	Combine Filter ABEK1	Striped
Hg	Mercury	Mercury Vapour	Red & White
NO	Oxides of Nitrogen	Nitrogen Oxide	Blue & White
AX	Organic Vapour	Solvents such as White Spirit Toluene, Carbon Tetrachloride (CCl ₄)	Brown
SX	As specified by manufacture		Violet

SHELF LIFE: 5 years from the date of manufacture (if stored between -5 °C and +50 °C and humidity not over 80%).



Medium



Large

1 A1 Filters

2 B1 Filters

3 K1 Filters

4 ABEK Filters

5 A1P2 Filters

6 P3R Filters

7 Pre-Filters

8 Retainer

TWIN FILTER MASK/FILTERS

- Facepiece produced from soft non-allergenic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters

EN Standards - Half Mask

CE UK EN 140

EN Standards - Particulate Filters

CE UK EN 143

EN Standards - Gas Filters and Combination Filters

CE UK EN 14387

Mask Codes / Sizes

GY BB3000M Medium

B BB3000L Large

Filter Codes

1 BB3000A1 5 BB3000A1P2

2 BB3000B1 6 BB3000P3

3 BB3000K1 7 BB3000PF

4 BB3000ABEK 8 BB3000RET

Mask Pack Codes

BB3020 Mask c/w A1P2 Filters

BB3030 Mask c/w ABEK Filters





RESPIRATORY

P3 PREMIUM MASK VALVED

- Soft foam nose seal for added comfort
- Adjustable elastic straps
- High quality construction
- Dolomite clogging tested, gives better breathing resistance and for a longer time period
- Comfortable face fit
- Easy breathe exhale valve

CE UK EN 149: 2001 + A1: 2009 FFP3 NR D

w BBP3VDN



P3 MASK VALVED

- Unique 'Big Eye' design provides very low breathing resistance due to increased filtration area
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Compatible with glasses/goggles
- Full facial close-cell foam and adjustable nose piece ensures increased worker comfort and acceptance
- Adjustable head strap ensures the best facial seal with minimum leakage

CE UK EN 149: 2001 + A1: 2009 FFP3 NR

w BBP3VN





P3 PREMIUM FOLD FLAT MASK VALVED

- Adjustable nose bridge
- Space saving design
- Adjustable elastic straps
- Dolomite clogging tested, gives better breathing resistance and for a longer time period
- Easy breathe exhale valve
- Individually packed
- Fits neatly into a breast pocket



CE UK EN 149: 2001 + A1: 2009 FFP3 NR D

w BBFFP3VDN



P3 FOLD FLAT MASK VALVED

- Maintenance free particulate respirator
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Latex free synthetic rubber head strap
- Contour design ensures the compatibility of glasses/goggles and reduces fogging
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance
- Soft inner face-seal ring

CE UK EN 149: 2001 + A1: 2009 FFP3 NR

w BBFFP3VN



FOLD FLAT P3 MASK WITH VALVE

- Maintenance free particulate respirator
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Contour design ensures the compatibility of glasses / goggles and reduces fogging
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance

CE UK EN 149: 2001 + A1: 2009 FFP3 NR V

w 3FF3V





CE UK EN 149: 2001 + A1: 2009 FFP3 NR D

Y BBMMP3VDN



RESPIRATORY

PREMIUM MESH MASK VALVED

- Soft foam nose seal for added comfort
- Mesh shell for more durability and resists collapsing
- Adjustable clip strap for simple and quick release
- Dolomite clogging tested, gives better breathing resistance and for a longer time period
- Easy breathe exhale valve



CE UK EN 149: 2001 + A1: 2009 FFP2 NR D

8 BBMMP2VDN



CHARCOAL

- All carbon (charcoal) helps absorb smell and odours



CE UK EN 149: 2001 + A1: 2009 FFP2 NR D

GY BBMMP2CVDN



FOLD FLAT P2 MASK WITH VALVE

- Vertical fold flat design
- Comfortable face fit
- Low breathing resistance



CE UK EN 149: 2001 +A1: 2009 FFP2 NR V

w 2FF2V



RESPIRATORY



P2 FOLD FLAT MASK NON-VALVED/VALVED

- Vertical fold flat design
- Low pressure exhale valve
- Latex free synthetic rubber head strap
- Comfortable face fit
- Low breathing resistance

CE UK EN 149: 2001 +A1: 2009 FFP2 NR



w BBFFP2N

w BBFFP2VN

P2 MASK NON-VALVED/VALVED

CE UK EN 149: 2001 +A1: 2009 FFP2 NR



Non-Valved Code

Valved Code

w BBP2N

w BBP2VN

- Polypropylene (PP) outer layer provides smooth lining and avoids loose fibres
- Embossed fringe seal avoids fluffy open layers around the edges
- Latex free synthetic rubber head strap
- Contour design ensures the compatibility of glasses / goggles and reduces fogging
- Soft close-cell nose foam and adjustable nosepiece ensures custom shape and increases the worker comfort and acceptance



P.P.E. ACCESSORIES



CE APPROVED ANTI-SLIP KNEE PAD



- Heavy duty nylon construction to resist abrasion and tear
- Adjustable clip buckle with hook and loop closure
- Hard shell cap to aid swivelling
- Gel foam centre to cap for even weight distribution when worn for long periods
- An all round superior knee pad
- Fully CE approved

CE UK EN14404: 2004 Type Level 1

BBKP05



P.P.E. ACCESSORIES



RIVETED CAP KNEE PAD

- Heavy duty protection
- Protects knees against injuries often sustained in rigorous working conditions when kneeling for long periods
- Lightweight pads with hard riveted caps produced from abrasion resistant plastic
- Soft foam padding and adjustable straps ensure hours of comfortable productive work

BBKP02



POLY RIDGED KNEE PAD

- Deluxe model offers excellent knee protection
- Made using non-marking material
- Rubber-like surface and grip ridges help prevent against sliding and slipping
- Hook and loop adjustable straps

BBKP03



STANDARD KNEE PAD

- Our most economical knee pads
- Protects knees against the rigours inherent in kneeling on hard or rough surfaces
- Impact resistant
- Adjustable knee straps

BBKP01


FOLDING KNEE PAD

- Universal sizing
- Ergonomic design
- Easily moulds around knee and can be trimmed to size
- For use with all knee pad type work trousers (sold separately)

BBKP08


LETZ-U-GRIP SNOW & ICE FOOTWEAR GRIPS

- Improves traction in slippery conditions
- Increased stability
- Reduces slipping or falling

BBICT 03 - 13 / 36 - 48


LETZ-U-GRIP SNOW & ICE HEEL GRIPS

- TPE material
- Tungsten spikes
- Cold resistant to -40°C

BBICHG S - 2XL


FALL ARREST



1 POINT RESCUE HARNESS

- Body harness with one attachment point
- Attachment Elements -
- Dorsal attachment D-ring for fall arrest
- Adapatability -
- Adjustable shoulder and thigh straps
- Convenience -
- Shoulder and thigh straps differentiated by a dual colour scheme
- Ergonomics -
- Ideally positioned sit straps for extended comfort

CE EN 361

HSFA10102



FALL ARREST

LUXURY HARNESS

- Attached Elements - Two ideally positioned chest attachment textile loops and a dorsal attachment D-Ring for fall arrest
- Adaptability - Fully adjustable shoulder straps, chest strap and thigh straps
- Convenience - Shoulder straps have combination buckles and thigh straps are provided with automatic buckles for easy adjustment
- Web keepers on shoulder straps have been provided for easy placement of free lanyards
- Ergonomics - Specially cushioned mesh net has been used for better shock absorption and comfort of the user

CE EN 361

HSFA10101

1 POINT COMFORT HARNESS

- Body harness with one attachment point
- Attachment Elements - Dorsal attachment D-ring for fall arrest
- Adapatability - Adjustable shoulder and thigh straps
- Convenience - Shoulder and thigh straps differentiated by a dual colour scheme
- Ergonomics - Ideally positioned sit straps for extended comfort

CE UK EN 361

HSFA10108



2 POINT RESCUE HARNESS

- Body harness with two attachment points and one extension rescue strap
- Attachment elements - One sternal attachment D-ring and a dorsal attachment D-ring for fall arrest
- Extension rescue strap with top D-ring for rescue
- Adapatability - Adjustable shoulder and thigh straps
- Convenience - Shoulder and thigh straps differentiated by a dual colour scheme
- Ergonomics - Ideally positioned sit strap for extended comfort

CE UK EN 361 EN 1497

HSFA10106



1.8 METRE LANYARD & SCAFF HOOK

CE UK

EN 355

HSFA3030418

- Shock absorbing webbing lanyard
- 1.8m (Model: FA 30 304 18)
- 30mm wide webbing lanyard
- 35mm webbing shock absorber
- Karabiner at one end and scaffold hook at the other end
- Loops protected by abrasion resistant tubular webbing
- Conforms to EN 355: 2002 and tested as per VG 11 of P.P.E Directive 89/686/EEC



1.5 METRE LANYARD & SCAFF HOOK

CE UK

EN 355

HSFA30303

- Energy absorbing lanyard with scaff hook
- Length - 1.5 metres
- 44mm wide polyester webbing which reduces the impact of fall to less than 6kN
- Loops protected by an abrasion resistant tubular webbing
- Conforms to EN355: 2002 and tested per VG11 of P.P.E Directive 89/686/EEC



STEEL KARABINER

- Steel screw-locking karabiner
- Material/Composition: alloy steel
- Gate opening: 17mm
- Minimum breaking strength: 25kN

CE UK

EN 362: 2004 Class B

HSFA50101



1 METRE RESTRAINT KERNMANTLE ROPE LANYARD

- 12mm kernmantle rope with snap hook at one end and scaffold hook at the other end
- Loops protected by abrasion resistant thimbles
- Stitching protected by strong transparent sleeve
- Minimum breaking strength 22kN as per EN 354: 2002

CE UK

EN 354

HSFA40503

FALL ARREST

2.5 METRE FALL ARREST BLOCK



- Fall arrester
- Retractable fall arrest with 50mm webbing
- Maximum length: 2.5 metres
- Incorporating a protective casing and Energy Absorber (45mm)
- Minimum breaking strength > 15kN

CE UK EN 360

HSFA20301



FALL ARRESTER ON KERNMANTLE ROPE 10 METRE

- Fall Arrester on kernmantle rope 10 metre with energy absorber
- Material: Rope grab Stainless Steel; Anchorage line: Polyester kernmantle rope
- Length of the rope: 10 metres
- Breaking strength: > 15 kN
- Connector: 1 steel screw-locking karabiner FA 50 101 17

CE UK EN 353-2: 2002

HSFA2010210

1.5 METRE LANYARD Y-SHOCK ABSORB



HSFA3080015

- 44mm wide elastic webbing
- 35mm wide shock absorber
- Karabiner at one end and scaffold hook at the other
- Loops protected by an abrasion resistant tubular webbing
- Energy absorber in 35mm wide webbing which reduces the impact of the fall less than 6kN
- 44mm wide polyester expandable elasticated webbing lanyard
- Expanded length: 1.5m
- Relaxed length: 1m

1 METRE RESTRAINT LANYARD



- 1 Metre restraint webbing lanyard
- Made from 30mm wide polyester webbing
- Loops protected by an abrasion resistant tubular webbing
- Break strength is 22kN

CE UK EN 354

HSFA40303

HAND PROTECTION



LIST OF CONTENTS

ARC FLASH GLOVE



GZ80

265

THERMAL LEATHER GLOVE



GZ50

266

PU PALM COATED GLOVE



GZ03

267

LATEX PALM COATED GLOVE



GZ09

268

NITRILE PALM COATED GLOVE



GZ04

269

NITRILE PALM COATED GLOVE



GZ01

270

NITRILE PALM COATED GLOVE



GZ06

270

HI-VIS NITRILE PALM COATED GLOVE



GZ02

271

FOAM NITRILE PALM COATED PROTECTIVE GLOVE



GZ64/65

272

**FULLY COATED
IMPACT
GLOVE**



GZ61

273

**FULLY COATED
IMPACT
GLOVE**



GZ62

274

**SANDY
NITRILE PALM
COATED GLOVE**



GZ60

275

**SANDY
NITRILE PALM
COATED GLOVE**



GZ63

275

**CUT RESISTANT
RIGGER
GLOVE**



GZ70

276

**CUT RESISTANT
DRIVER
GLOVE**



GZ71

277

**CUT RESISTANT
FOOD SAFE
GLOVE**



GZ10

278

**10" PARA
ARAMID
SLEEVE**



GZ14

279

**12" PARA
ARAMID SLEEVE
W/ THUMBHOLES**



GZ13

279

**18" PARA
ARAMID
SLEEVE**



GZ15

279

**22" PARA
ARAMID SLEEVE
W/ THUMBHOLES**



GZ16

279

**TITAN ARMOUR
NEEDLESTICK
GLOVE**



GZ67B

280

**ANTI
VIBRATION
GLOVE**



GZAVG 282

**WATER
RESISTANT
GLOVE**



GZ102 283

**LATEX
THERMAL
GLOVE**



GZ105 284

**NITRILE
FOAM NYLON
GLOVE**



GZ104 285

**NITRILE
NYLON
GLOVE**



GZ103 286

**NITRILE
OIL RESISTANT
GLOVE**



GZ107 287

**NITRILE
CUT/OIL RESISTANT
GLOVE**



GZ109 287

**HPPE 18G
CUT E GLOVE**



GZ112 288

**HPPE 18G
CUT F GLOVE**



GZ113 289

**DISPOSABLE
GRIPPER
GLOVE**



GZNDG10 290



EN ISO 21420: 2020 GENERAL REQUIREMENTS FOR GLOVES

This standard defines the general requirements for all protective gloves in terms of construction, fitness of purpose, safety, etc.


- The gloves themselves should not impose a risk or cause injury
- The pH of the gloves should be as close as possible to neutral
- Leather gloves should have a pH value between 3.5 - 9.5
- The highest permitted value for chromium is 3 mg/kg (Chrome VI)
- Specific details of any substance used in the glove which is known to cause allergies must be listed
- Sized by reference to an agreed common European hand size, for example, minimum length
- AZO colourants which release carcinogenic chemicals should not be detectable in any glove

Size Chart for EN ISO 21420: 2020		
Hand Size*	Hand Circumference (mm)	Hand Length (mm)
4	101	< 160
5	127	< 160
6	152	160
7	178	171
8	203	182
9	229	192
10	254	204
11	279	215
12	304	> 215
13	329	> 215

* This code is a conventional designation of hand size corresponding to the hand circumference expressed in inches.

EN 511: 2006

PROTECTIVE GLOVES AGAINST THERMAL COLD



Resistance to Convective Cold:

This is measured based on the transfer of cold through the glove via convection. A model hand heated to body temperature is subjected to a cold room; the resistance to the room's climatic temperature and also the energy required by the hand to maintain a constant temperature are both measured to arrive at a final score.

Resistance to Contact Cold:

This measures the how protective the garment is when put into direct contact with a cold object or source. The sample is placed between a warm plate and a cold plate before an extractor fan is used to cool both plates further, the results are then compared to a reference standard and a final level decided.



Resistance to Water Permeability:

These tests ensure that your hands will be completely safe from water seeping in and is simply a pass (1) or fail (0) (X= not been tested) - if the glove cannot withstand water permeating its fabric after 30 minutes of exposure it will fail. Receiving a Level 0 on this test does not necessarily mean these gloves do not perform highly in the other two areas and can still earn them accreditation. All gloves that achieve this standard must also pass at least level 1 of the EN 388 abrasion tests.

EN 388: 2016


PROTECTIVE GLOVES AGAINST MECHANICAL RISKS (1)

After EN ISO 21420:2020, this standard is the most common found amongst protective gloves. It is tested to multiple different risks, these include Abrasion, Cut, Tear, Puncture and Impact. Gloves, once tested, are given either a marking or a label which has the standards it has been tested to on, including the scores it achieved.

The below is an example of the markings you will find either printed onto the glove or sewn inside, but what does it all mean?



For each standard there are pictograms and scores, the pictogram for EN388 is:



EN 388: 2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS (2)

Abrasion Resistance:

Samples are cut from the palm of the glove and rubbed against a 180 grit abrasive paper using a “Martindale” type abrasion machine. The number of cycles for the samples to hole is measured.

Number of Cycles	100	500	2000	8000
Level	1	2	3	4

Cut Resistance (Coup Test):

Samples are taken from the palm of a glove and the number of cycles to cut through the full thickness of the test sample by a circular rotating blade, with 5 Newtons of pressure, is recorded. Blade sharpness will vary and is assessed by using the cut test machine to cut through a standard reference fabric. This test is known as the ‘Coup Test’. The cut resistance of the glove is based on a relative index that compares the number of cycles to cut through the glove when compared with the standard fabric.

Cut Index	1.2	2.5	5	10	20
Level	1	2	3	4	5

Tear Resistance:

Samples are taken from the palm of a glove and are torn apart using a standard tensile test machine. The score is based off the Newtons of force required to tear the sample apart.

Newtons of Force	10	25	50	75
Level	1	2	3	4

Puncture Resistance:

Samples are taken from the palm of a glove and the force required to penetrate the sample with a defined stylus using a tensile test machine is measured. The score based off the Newtons of force required to penetrate through the sample.

Newton's of Force	20	60	100	150
Level	1	2	3	4

Cut Resistance (ISO 13997 Test):

The ISO 13997 test runs a straight blade over the sample, replacing the blade after each cut, the Newtons of force applied to the blade is adjustable so that it can give a more accurate level of cut resistance for gloves that naturally blunt blades.

Newton's of Force	≥ 2	≥ 5	≥ 10	≥ 15	≥ 22	≥ 30
Level	A	B	C	D	E	F

Impact Resistance:


Other than the fingers, each area where impact protection is claimed shall be tested for impact attenuation by measuring the peak transmitted force. To test the glove, the area of protection is secured over a domed anvil and is impacted at an energy of 5J.

	Pass	Fail	Not Tested
Level	P	X	No Marking



EN 407: 2004

PROTECTIVE GLOVES AGAINST THERMAL HAZARDS



Resistance of Flammability:

The gloves material is stretched and lit with a gas flame. The flame is held against the material for 15 seconds. After the flame is extinguished, the length of time it takes for the material to stop burning or glowing is measured.

Test	Measured in:	Level 1	Level 2	Level 3	Level 4
After-burn time	Seconds	≤20	≤10	≤3	≤2
After-glow time	Seconds	Infinity	≤120	≤25	≤5

Resistance to Contact Heat:

The gloves material is exposed to temperatures between +100°C and +500°C. The length of time it takes the material on the inside of the glove to increase by 10°C from the starting temperature (25°C approx), is then measured. The minimal amount of time accepted is 15 seconds.

Test	Measured in:	Level 1	Level 2	Level 3	Level 4
Contact Heat	Temp in °C after 15 seconds	100°C	250°C	350°C	500°C

Resistance to Convective Heat:

The length of time is measured for the heat from a gas flame to increase the temperature of the gloves inside material by 24°C.

Test	Measured in:	Level 1	Level 2	Level 3	Level 4
Convective Heat	Seconds	≤4	≤7	≤10	≤18

Resistance to Radiant Heat:

The gloves material is stretched in front of a heat source with an effect of 20-40 kw/kvm. The average time is measured for the heat penetration of 2.5 kw/kvm.

Test	Measured in:	Level 1	Level 2	Level 3	Level 4
Radiant Heat	Seconds	≤5	≤30	≤90	≤150

Resistance to small splashes of molten metal:

The test is based on the total number of drops of molten metal required to increase the temperature by 40°C between the inside of the glove and the skin.

Test	Measured in:	Level 1	Level 2	Level 3	Level 4
Drops of Molten Metal	Number of Drops	≥5	≥15	≥25	≥35

Resistance to Large splashes of molten metal:

Simulated skin is attached to the inside of the glove material. Molten metal is then poured over the glove material. The total number of grams is measured of how much molten metal is required to damage the simulated skin.

Test	Measured in:	Level 1	Level 2	Level 3	Level 4
Molten Metal	Gram	30	60	120	200



EN 374

PROTECTIVE GLOVES AGAINST CHEMICALS AND MICRO-ORGANISMS

For a glove to be resistant to micro-organisms, it must successfully undergo the penetration test under EN 374-2:2014. The penetration test consists of the air leak test and the water leak test. For the Air leak test the glove is immersed in water and the interior of the glove is filled with pressured air. Leaks are detected if air bubbled emit from the glove. For the water leak test, the glove is filled with a minimum of 1L of water and hung with the fingers facing down. Leaks are detected by any water droplets appearing on the outside of the glove. For a glove to be resistant to viruses, an additional test (ISO16604:2004) is conducted to ensure no detectable transfer of the challenge bacteriophage. The word "VIRUS" is to be displayed beneath the symbol to indicate resistance to virus.

EN ISO 374-5:2016



EN ISO 374-5:2016



Resistance to permeation is assessed by measuring the length of time it takes for a chemical to permeate the glove's material. There are 18 chemicals which are each given a corresponding letter. Depending on whether the glove material can resist permeation for a single chemical level 1, or 3 or 6 chemicals on the list to at least Level 2. It is awarded either the type A,B or C pictogram and the corresponding letters for the chemicals are placed beneath. Other chemicals can be tested but will not have a corresponding letter.

Measured Brekathrough Time	Performance Level
>10 Minutes	Level 1
>30 Minutes	Level 2
>60 Minutes	Level 3
>120 Minutes	Level 4
>240 Minutes	Level 5
>480 Minutes	Level 6

Code	Chemical
A	Methanol
B	Acetone
C	Acetonitrile
D	Dichloromethane
E	Carbon Disulphide
F	Toluene
G	Diethylamine
H	Tetrahydrofuran
I	Ethyl Acetate
J	n-Heptane
K	Sodium Hydroxide 40%
L	Sulfuric Acid 96%
M	Nitric Acid 65%
N	Acetic Acid 99%
O	Ammonium Hydroxide 25%
P	Hydrogen Peroxide 30%
S	Hydrofluoric Acid 40%
T	Formaldehyde 37%

EN374-1: 2016+A1:
2018/type C



X

EN374-1: 2016+A1:
2018/type B



X.X.X

EN374-1: 2016+A1:
2018/type A



X X X.X.X.X . .

ARC FLASH

ADVANCED HAND PROTECTION



- Premium goatskin leather

- Reinforced stitching

- Reinforced para-aramid lining

- Thinsulate® lined layer



ARC FLASH RESISTANT ELIM 41.0CAL/CM²



ARC FLASH HEAT ATTENUATION FACTOR 94.5%



EN 388: 2016+A1: 2018 // 3.X.3.3.D



EN 407: 2004 // 4.1.2.2.X.X

Brown

GZ80BR

M (8) - XXL (11)



THERMAL LEATHER HAND PROTECTION

Brown
GZ50BR

XL (10)



- Premium cowhide split leather
- G-150 gram Thinsulate® and micro fleece
- Nylon cuff



EN 388: 2016+A1: 2018 // 4.X.3.4.B



EN 511 // 1.3.X



RETAIL
READY



- 100% PU coating
- Ventilated back
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

PU PALM COATED HAND PROTECTION



EN 388: 2016+A1: 2018 // 4.X.4.2.C

Grey

GZ03GY

S (7) - XXL (11)



**RETAIL
READY**

HPPE 40.9%
Nylon 14.1%
Polyester 15.9%
Glass Fibre 21.3%
Spandex Liner 7.8%



LATEX PALM COATED



EN 388: 2016+A1: 2018 // 3.X.4.2.D



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

- Ventilated back
- Lightweight
- Maximum dexterity
- Comfort with sensitivity

Green
GZ09G

S (7) - XXL (11)

RETAIL
READY



Palm Area

Para-Aramid 25.5%
Steel 11%
Polyester 16.6%
Polycotton 46% Liner



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 4.X.4.2.D

- 100% nitrile rubber coating
- 100% PVC TPR back of hand protection
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



NITRILE PALM COATED



Grey

M (8) - XXL (11)



RETAIL
READY

GZ04GY

HPPE 40.9%
Nylon 14.1%
Polyester 15.9%
Glass Fibre 21.3%
Spandex Liner 7.8%

NITRILE PALM COATED



EN 388: 2016+A1: 2018 // 4.X.4.2.C



Grey
GZ01GY

S (7) - XXL (11)



RETAIL
READY



EN 388: 2016+A1: 2018 // 4.X.4.1.D



Yellow
GZ06Y

S (7) - XXL (11)



RETAIL
READY

HPPE 40.9%
Nylon 14.1%
Polyester 15.9%
Glass Fibre 21.3%
Spandex 7.8%

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS

- 100% Nitrile rubber coating
- Ventilated back
- Lightweight for maximum dexterity
- Comfort with sensitivity

Para-Aramid 71.2%
Steel 13.5%
Polyester 10.5%
Polycotton 8% Liner



HI-VIS NITRILE PALM COATED

- 100% nitrile rubber coating
- 100% PVC TPR back of hand protection
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 4.X.4.2

HPPE 49%
Polyester 25%
Glass Fibre 12%
Steel 8%
Spandex Liner 6%

Green

GZ02G

M (8) - XXL (11)



FOAM NITRILE PALM COATED PROTECTOR

- 100% foam nitrile coating
- 100% TPR back of hand protection
- Lightweight
- Maximum dexterity
- Comfort with sensitivity



EN 388: 2016+A1: 2018 // 3.X.4.3.B.P

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



Green

M (8) - XXL (11)

GZ64LG

Orange

M (8) - XXL (11)

GZ650R

13 Gauge HPPE
Polyester
Glass Fibre Green or Orange Liner

FULLY COATED IMPACT HAND PROTECTION



- 13 Gauge, HPPE liner
- 100% TPE Fully injection coating
- Lightweight
- Maximum dexterity
- Comfort with sensitivity

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 3.X.4.2.C.P



Orange
GZ610R

S (7) - XXL (11)





GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



EN 388: 2016+A1: 2018 // 3.X.4.2.D.P



- 13 Gauge, HPPE liner
- 100% TPE Fully injection coating
- Lightweight
- Maximum dexterity
- Comfort with sensitivity

Green

GZ62G

XS (6) - XXL (11)

RETAIL
READY

GENERAL ASSEMBLY HANDLING

ENGINEERING APPLICATIONS



Green

GZ60LG

M (8) - XXL (11)



RETAIL
READY



EN 388: 2016+A1: 2018 // 4.X.4.3.C.P



Orange

GZ630R

M (8) - XXL (11)



RETAIL
READY

SANDY NITRILE PALM COATED

- 100% Sandy Nitrile coating
- 100% TPR back of hand protection
- Lightweight for maximum dexterity
- Comfort with sensitivity

CUT RESISTANT RIGGER



EN 388: 2016+A1: 2018 // 4.X.4.4.E



White

M (8) - XXL (11)

RETAIL
READY

GZ70W

- Premium grey split leather
- Heavyweight cotton backing and safety cuff
- Para-aramid lining



EN 388: 2016+A1: 2018 // 3.X.4.4.D



White



M (8) - XXL (11)



RETAIL
READY

GZ71W



- Premium soft grain leather
- Natural coloured backing
- Half elasticsation to back of cuff
- Para-aramid lining

CUT RESISTANT DRIVERS GLOVE



CUT RESISTANT FOOD SAFE

CUTTING EDGE HAND PROTECTION

- Food safe
- Washable
- Extremely high cut protection

GENERAL FOOD PREPARATION

WHERE HIGH CUT PROTECTION IS NEEDED



EN 388: 2016+A1: 2018 // 4.X.4.2.F



Blue

GZ10B



S (7) - XXL (11)



RETAIL
READY

HPPE 47.4%
Polyester 20.1%
Glass Fibre 17.2%
Steel 14%
Spandex 1.3%



10 INCHES

12 INCHES

18 INCHES

22 INCHES



Yellow

GZ14



Yellow

GZ13



Yellow

GZ15



Yellow

GZ16

PARA-ARAMID SLEEVES

WITH / WITHOUT THUMBHOLES



- 100% Para-aramid liner

- Lightweight

- Maximum dexterity

- Comfort with sensitivity



EN 388: 2016+A1: 2018 // 1.X.2.3.B



EN ISO 11612: 2015 // A1 F2

TITAN ARMOUR NEEDLESTICK CUT PROTECTION

- Dependable grip, excellent flexibility
- Comfortable ergonomic shape
- Lined with two layers of Titan Armour
- Makes a great general-purpose work glove
- Comfort with sensitivity



Green
GZ67B

S (7) - XL (10)



EN 388: 2016+A1: 2018 // 2.X.4.4.F



EN 407: 2004 // X.2.X.X.X.X

Glovezilla Titan armour comprises of 2 finely threaded layers of steel mesh, with a further 2 layers of tightly woven high cut resistant para-aramid liner.

Thanks to the technology allowing these layers to be so thin we are able to retain a high level of flexibility and dexterity without compromising on protection.

These protective layers are then attached to a high comfort liner and then palm dipped into a highly visible green latex coating which acts as the first line of defence against all external dangers.

ASTM F2878 14.4 NEWTONS OF PUNCTURE PROTECTION (HYPODERMIC NEEDLE)

Please note:

There is no European standard for needle resistance.

Current industry practice is to utilise the

American Standard ASTM F2878

as a guide, and to allow comparisons between different products.

These products are not needle proof.

Your own risk assessment therefore needs to be undertaken to decide the suitability of this product.





EN 388: 2016+A1: 2018 // 4.X.4.2.B



EN 10819 // Medium Frequency // 0.865



EN 10819 // Large Frequency // 0.598



ANTI VIBRATION

FOREMOST HAND PROTECTION

• High performance

• Nylon/Cotton knit

• Natural vulcanised palm and fingertips

Black

L (9) - XL (10)

RETAIL
READY

GZAVGBL

PREMIUM WATER RESISTANCE

Blue
GZ102B

S (7) - XXL (11)

RETAIL
READY



- 13-gauge nylon liner
- Fully coated with latex
- Water resistant
- Dry/wet grip



EN 388: 2016+A1: 2018 // 2.X.4.1.A



EN 388: 2016+A1: 2018 // 1.X.4.1.B



EN 407: 2004 // X.2.X.X.X.X



EN 511 // 0.1.1

- Double coated latex
- 13-gauge napped acrylic
- Extra cold resistance
- Dry/wet grip

Orange

S (7) - XXL (11)



RETAIL
READY

GZ105

LATEX THERMAL

NITRILE FOAM NYLON

Purple
GZ104

S (7) - XXL (11)

RETAIL
READY



EN 388: 2016+A1: 2018 // 4.X.3.1.A

- Nitrile foam coating
- 15-gauge nylon and polyester
- Comfortable and breathable
- Good for prolonged periods of work
- Useful for performing precision tasks

NITRILE NYLON HAND PROTECTION

- Microfibre knitting
- Single nitrile coating
- 18-gauge nylon
- Breathable
- Mixed spandex
- Oil and wet resistance
- High level abrasion resistance



EN 388: 2016+A1: 2018 // 3.X.2.1.A



Red

GZ103

S (7) - XXL (11)

RETAIL
READY

NITRILE THERMAL OIL RESISTANT GLOVES

- Double coated nitrile
- Offers water and oil resistance
- Dry/wet grip
- Washable and can be tumble dried



EN 388: 2016+A1: 2018 // 4.X.2.1.B



EN 511 // X.2.X



Blue

GZ107B

S (7) - XXL (11)

RETAIL
READY

NITRILE CUT & OIL RESISTANT GLOVES

- Double coated nitrile
- 13-gauge HPPE/Glass Fiber/Spandex liner
- Dry/wet grip
- Offers fantastic oil and water resistance
- Washable and can be tumble dried



EN 388: 2016+A1: 2018 // 4.X.4.3.D

Red

GZ109RE

S (7) - XXL (11)

RETAIL
READY



HPPE 18G CUT E

Blue

GZ112

S (7) - XXL (11)

RETAIL
READY



EN 388: 2016+A1: 2018 // 4.X.4.2.E

- 18 Gauge knit
- Grey PU palm coating
- UHMWPE liner
- Comfortable ergonomic fit
- Foodsafe (Except for fatty foods)

- 18 Gauge knit
- Grey nitrile palm coating
- HPPE liner
- Comfortable ergonomic fit
- Foodsafe (Except for fatty foods)

HPPE 18G CUT F



EN 388: 2016+A1: 2018 // 4.X.4.2.F

Blue
GZ113

S (7) - XXL (11)

RETAIL
READY

DISPOSABLE GRIPPER

Chemical - Breakthrough Time
n-Heptane(J) - More than 30 Mins (level 2)
Sodium Hydroxide 40%(K) - More than 480 Mins (level 6)



Additional Chemical Test
Ammonia 25% - More than 10 Mins (level 1)
Formaldehyde 37%- More than 480 Mins (level 6)
Hydrogen Peroxide 30% - More than 480 Mins (level 6)

- Powder free
- CE category III
- Excellent elasticity
- High dexterity
- Textured for added grip

Black

S (7) - XXL (11)



GZNDG10BL




EN ISO 374-5: 2016



EN ISO 374-1: 2016

HAND PROTECTION



HAND PROTECTION

RIGGERS & GAUNTLETS



CANADIAN DOUBLE PALM HIGH QUALITY RIGGER



CANDPPN

297

CANADIAN HIGH QUALITY RIGGER



CANCSP

298

CANADIAN RED HIGH QUALITY RIGGER



CANCHQPN

298

HIGH QUALITY CHROME RIGGER



CANCHQN

298

CANADIAN HIGH QUALITY RIGGER HI-VISIBILITY



CANCHQHVN

298

CANADIAN YELLOW HIDE RIGGER



CANYHSPN

298

CAT II BLUE / GOLD WELDERS GAUNTLET



BFHQWN

299

PREMIUM GOLD / BLACK WELDERS GAUNTLET



BFPQWN

300

HIGH QUALITY HEAT RESISTANT GAUNTLET



HRG2N

300

CAT II WELDERS GAUNTLET



C2WN

301

CAT II WELDERS GAUNTLET PATCH PALM



C2WRPN

301

CUT PROTECTION



MICRO FOAM NITRILE CUT B GLOVES



KS13

302

MICRO FOAM NITRILE CUT B GLOVES



KS3

302

MICRO FOAM NITRILE CUT C GLOVES



KS15

303

MICRO FOAM NITRILE CUT D GLOVES



KS5

303

MEDIUMWEIGHT DOTTED GLOVES



KGMWD

304

FINGERLESS DOTTED GLOVE



KFLGMWD

304

LIGHTWEIGHT GLOVES



KGLW

304

LATEX FULLY COATED GLOVE



KLGFC

305

LATEX PALM COATED GLOVES



KLG

305

MEDIUMWEIGHT GLOVES



KGMW

305

PU COATED CUT RESISTANT



KSPU5

306

REINFORCED SLEEVE



KS14 / KS18

306

GENERAL PURPOSE



PU COATED "PUGGIES" GLOVES



PUGBL / PUGGY / PUGW

307

PU COATED BLACK GLOVES



EC9NBL

307

MULTI-PURPOSE LATEX GLOVES



MP1BL / MP1G / MP10R

308

MULTI-PURPOSE BLACK LATEX GLOVES



MP4

309

HAND PROTECTION

ECONOMY GRIP GLOVES



EC8NG / EC8NOR

309

LATEX FULLY COATED GRIPPER GLOVES



LFCGGB

309

CRISS CROSS GLOVES



XXN

310

TRONIX BLUE DOT GLOVES



TBDN

310

NITRILE FOAM NYLON GLOVES



NFNG

310

TOUCH SCREEN KNITTED GLOVES



BF10

311

NITE STAR DIPPED GLOVES



NSGBL

311

NITRILE PU MIX COATED GLOVES



BF1

312

NITRILE PALM COATED POLYESTER GLOVES



EC7NGY

312

NITRILE FOAM POLYESTER SHELL GLOVES



EC6NGY

312

NITRILE / PVC COATED



NITRILE SAFETY CUFF HW FULLY COATED GLOVES



NSCFCHWN

313

KNITWRIST HW FULLY COATED GLOVES



NKWFCHWN

313

KNITWRIST LIGHTWEIGHT FULLY COATED GLOVES



NKWFLWN

313

KNITWRIST LIGHTWEIGHT PALM COATED



NKWPLWN

313

NITRILE FULLY COATED POLYESTER GLOVES



NDGFCBL

314

PVC FULLY COATED KNITWRIST GLOVES



PVCFCKWNR

314

PVC OPEN CUFF GAUNTLETS 11 INCH / 28CM



PVCNR11

315

PVC OPEN CUFF GAUNTLETS 14 INCH / 35CM



PVCNR14

315

PVC OPEN CUFF GAUNTLETS 16 INCH / 40CM



PVCNR16

315

PVC OPEN CUFF GAUNTLETS 18 INCH / 45CM



PVCNR18

315

CHEMICAL PROTECTION



HEAVYWEIGHT HOUSEHOLD GLOVES



HBBHW

316

MEDIUMWEIGHT HOUSEHOLD GLOVES



HMMW

316

NITRILE GAUNTLET FLOCK LINED 18 INCH / 45CM



NG18

317

NITRILE GAUNTLET FLOCK LINED 12 INCH/30CM



NG

317

BI-COLOUR NEOPRENE HOUSEHOLD GLOVES



BCYB

317

DISPOSABLES



NITRILE DISPOSABLE GLOVES POWDER FREE



NDGPF50BL / NDGPF50B

318

GLOVEZILLA DISPOSABLE GRIPPER GLOVES



GZNDG10BL

318

HAND PROTECTION

NITRILE DISPOSABLE GLOVES POWDER FREE



NDGPFPU

319

VINYL DISPOSABLE GLOVES POWDERED / POWDER FREE



VDG / VDGPF

319

LATEX DISPOSABLE GLOVES POWDERED / POWDER FREE



LEG / LEGP

319

DRIVERS GLOVES



HOOK & LOOP CUFF DRIVERS GLOVES



DGVC

320

ONE PIECE BACK FREEZER GLOVES



FGIMP

320

QUALITY LINED DRIVERS GLOVES



QLDGN

321

PEARL LINED DRIVERS GLOVES



QLDGPHN / QUDGPHN

321

MINIMAL RISK



MIXED FIBRE GLOVES GREY



MFGNGY

322

MIXED FIBRE GLOVES WHITE



MFGNW

322

STOCKINETTE KNITWRIST SUPER



SKWSNM / SKWSNL

322

ACRYLIC GLOVES



ACG

323

FINGERLESS MITTS



FLM

323

THERMAL



THERMO-STAR FULLY-DIPPED LATEX



BF30R / BF3SY

324

THINSULATE FLEECE GLOVES



THFLGBL

324

THINSULATE KNITTED ACRYLIC GLOVES



THGBL

324

HAND PROTECTION INFORMATION

CE Implies that the gloves comply with the basic requirements laid down by the EU Regulation 2016/425: Personal Protective Equipment.

Simple Design

For areas of 'minimal risk' where the effects of not wearing a glove are easily reversible or superficial. Such products are self-certified.

Intermediate Design Category 2 (CAT II)

For areas of specific risk, i.e. mechanical risks. Such products will have been EC type tested against European test methods and certified by a notified body.

Complex Design Category 3 (Cat III)

For areas/applications that can seriously or irreversibly harm the health. In addition to the CE type test, products will also have to be either produced under an approved quality system OR be type tested annually.

GLOVE MARKINGS



EN 388 - This standard applies to all kinds of protective gloves giving protection from mechanical risks, in respect of physical problems caused by abrasion, blade cut, puncture or tearing.



Mechanical Hazards EN 388

Performance Level

(a) Abrasion Resistance	0 - 4
(b) (COUP)-Cut Resistance	0 - 5
(c) Tear Resistance	0 - 4
(d) Puncture Resistance	0 - 4
(e) (TDM)-Cut Resistance	A - F



EN 374 - This standard specifies the capability of gloves to protect the user against chemicals and/or micro-organisms.



EN 511 - This standard applies to gloves which protect the hands against convective and contact cold.



Cold Hazards EN 511

Performance Level

(a) Convective Cold	0 - 4
(b) Contact Cold	0 - 4
(c) Water Penetration	0 - 1



EN 407 - This standard specifies thermal performance for protective gloves against heat and/or fire.



Thermal Hazards EN 407

Performance Level

(a) Burning Behaviour	0 - 4
(b) Contact Heat	0 - 4
(c) Convective Heat	0 - 4
(d) Radiant Heat	0 - 4
(e) Small splashes of Molten Metal	0 - 4
(f) Large splashes of Molten Metal	0 - 4



EN 659 - This standard defines performance requirements for gloves designed to protect fire fighters against heat and flames.




EN 421 - This standard lays down test methods and performance criteria for gloves offering protection against ionising radiation and radioactive contamination.



If a glove is to be used for food handling, it is required to carry either the words: 'For Food Use' or this symbol.

FIND YOUR GLOVE SIZE

Depending on which colour you can see between your thumb and index finger, gives you an approximate size.



With your right hand, line up the side of your hand with the dotted line as shown.

11/XXL

10/XL

9/L

8/M

7/S

- Heavy duty double palm rigger style glove
- Generous hand size
- Robust yet supple
- Part fleece lined
- Cotton drill back
- Knuckle strap
- Pasted cuff with vein patch



EN 388: 2016+A1: 2018 // 4.X.4.4.C

**CANADIAN
DOUBLE PALM
HIGH QUALITY
RIGGER**



ONE SIZE - XL (10)

CANDPPN



CANDPP 10 XL



ONE SIZE - XL (10)

CANCSP



EN 388: 2016+A1: 2018 // 4.X.4.4.B

**CANADIAN
HIGH QUALITY
RIGGER**

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance
- Safety cuff fabric
- Superior performance and durability
- Generously sized
- Comfortable fleece lined palm and thumb face



CANADIAN HIGH QUALITY RIGGER

ONE SIZE - XL (10)



EN 388: 2016+A1: 2018 // 4.X.4.4.A

CANCHQPN

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance
- Heavyweight red cotton backing and safety cuff
- Vein patch
- Good fitting large size with fleecy lined palm and thumb-face for added comfort

ONE SIZE - XL (10)

CANCHQN

HIGH QUALITY RIGGER



MINIMAL RISK

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance
- Leather thumb & first finger
- Cotton drill back
- Leather knuckle strip
- Rubberized cuff
- Lined palm & fingers



CANADIAN HIGH QUALITY RIGGER HI-VISIBILITY

ONE SIZE - XL (10)



EN 388: 2016+A1: 2018 // 4.X.4.4.A

CANCHQHVN

- Natural grey heavy tanned leather
- Saturn yellow polyester backing and safety cuff
- Retro-reflective tape to knuckle strip
- Generous hand size
- Fleece lining for warmth and comfort

CANADIAN HIDE RIGGER

ONE SIZE - XL (10)

CANYHSPN



EN 388: 2016+A1: 2018 // 3.X.4.4.B

- Natural colour promotes REACH and SVHC compliance
- Canadian pattern yellow grain leather glove
- Striped cotton drill back and pasted safety cuff
- Large hand size with fleece lining



- 16" shoulder split leather
- Fully lined
- Gold leather welts
- Leather reinforced thumb and part palm
- Reinforced stitching

ONE SIZE - XL (10)

BFHQWN



UK CA CE
TYPE A
EN 12477:2001
+ A1:2008
430X4X
EN 407:2004
+ A1:2018
EN 388:2016
EN 407:2004
BFHQWN 09 L

 EN 388: 2016+A1: 2018 // 4.X.4.4.C

 EN 407 // 4.3.3.X.4.X

 EN 12477 Type A

CAT II

BLUE / GOLD

WELDERS

PREMIUM GOLD / BLACK WELDERS

- Cow split leather
- Fully lined
- Reinforced stitching
- Hand lining 100% cotton
- Outer in split leather



EN 388: 2016+A1: 2018 // 4.X.4.4.C



EN 407 // 4.3.3.X.4.X



EN 12477 Type A



ONE SIZE - XL (10)

BFPGW



HIGH QUALITY HEAT RESISTANT GAUNTLET



EN 388: 2016+A1: 2018 // 4.X.4.4.B



EN 407 // 4.1.3.2.X.2

- Brown/silver split leather
- Heat resistant leather palm and back
- Vein patch
- Wool & canvas lined
- 20cm cuff
- Textile edge binding
- Reinforced stitching



ONE SIZE - XL (10)

HRG2N

CAT II WELDERS



EN 388: 2016+A1: 2018 // 3.X.2.3.B



EN 407 // 4.2.3.X.4.X



EN 12477 Type A



ONE SIZE - XL (10)

C2WN

- Red welders gauntlet 14"
- Finger welts
- Fully lined hand and cuff



EN 388: 2016+A1: 2018 // 4.X.4.4.C



EN 407 // 4.3.3.X.4.X



EN 12477 Type A



- Welders gauntlet 14"
- Reinforced palm (two layers of leather)
- Finger welts
- Fully lined including cuff



ONE SIZE - XL (10)

C2WRPN

CAT II WELDERS PATCH PALM

CUT PROTECTION



MICRO FOAM NITRILE CUT B

- Amber intermediate cut protection
- 13g HPPE plus nylon liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Construction industry, automotive industry, electrical industry and handling materials with sharp edges



EN 388: 2016+A1: 2018 // 4.X.4.2.B

S (7) - XXL (11)

KS13



MICRO FOAM NITRILE CUT B

- Cut resistant
- Nitrile micro foam palm coating
- Dexterity with comfort



EN 388: 2016+A1: 2018 // 4.X.4.3.B

S (7) - XL (10)

KS3



MICRO FOAM NITRILE CUT C



CUT PROTECTION



EN 388: 2016+A1: 2018 // 4.X.4.4.C

S (7) - XXL (11)

KS15



- Kutstop system
- 15g HPPE plus glass fibre and spandex liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Ideal for the construction industry, automotive industry, electrical industry and handling glass or sheet metal

MICRO FOAM NITRILE CUT D



EN 388: 2016+A1: 2018 // 4.X.4.3.D

S(7) - XL (10)

KS5



- High cut resistance
- Nitrile micro foam palm coating
- Dexterity with comfort

MEDIUMWEIGHT DOTTED

- Extra density blended yarn knit
- Latex dotted both sides providing excellent grip
- Dexterity & comfort
- Ideal to handle both large and small hazardous components



EN 388: 2016+A1: 2018 // 1.X.4.X.B

M (8) - XL (10)

KGMWD

FINGERLESS DOTTED



EN 388: 2016+A1: 2018 // 1.X.4.X.B

- Medium weight
- Extra density blended yarn
- Offers exceptional cut protection
- Good dexterity and comfort to the user
- Ideal to handle both large and small hazardous components
- Dotted both sides



M (8) - XL (10)

KFLGMWD

- Lightweight cut resistant glove
- Exceptional dexterity for safe handling of the smallest components
- Extremely successful used as a glove liner in conjunction with traditional work gloves
- Used this way it can provide additional protection should the outer glove incur laceration



LIGHTWEIGHT GLOVES



EN 388: 2016+A1: 2018 // 1.X.4.X.A

M (8) - XL (10)

KGLW

LATEX FULLY COATED



EN 388: 2016+A1: 2018 // 3.X.4.4.D



S (7) - XL (10)

KLGFC



CUT PROTECTION

- Reinforced knitted glove fully latex coated
- Excellent all-round protection
- High cut resistance
- Offers excellent grip



LATEX COATED PALM

- Reinforced knitted glove latex coated palm
- High cut resistency
- Comfortable, allows hand to breath through back
- Excellent grip

S (7) - XL (10)

KLG



EN 388: 2016+A1: 2018 // 3.X.4.4.D



MEDIUMWEIGHT GLOVES

- Extra density yarn
- High level cut protection without the loss of dexterity
- Comfortable for the wearer
- Ideal where there is a requirement to handle both large and small hazardous components



EN 388: 2016+A1: 2018 // 1.X.4.X.B

M (8) - XL (10)

KGMW

PU COATED CUT RESISTANT

- High engineered nylon/spandex yarn
- Seamless liner
- PU coating, palm coated
- High quality cut resistance
- Excellent dexterity



EN 388: 2016+A1: 2018 // 4.X.4.3.C

S (7) - XXL (11)



RETAIL
READY

KSPU5



cut resistant protection

REINFORCED SLEEVE



EN 388: 2016+A1: 2018 // 1.X.4.X.B



ISO 13997 Cut Resistance Level B



RETAIL
READY

- Reinforced sleeve with thumb slot
- Excellent cut resistance
- Extremely lightweight elasticated style allows the sleeve to remain in place during the most rigorous tasks
- Soft and comfortable
- Ideal in industries where laceration risks to the arms are prominent

UNIVERSAL SIZING

14 KS14

18 KS18

PU COATED "PUGGIES"

- Nylon glove
- Polyurethane palm coated
- Machine knitted
- Integral elasticated wrist
- Ideal for handling light components

S (7) - XXL (11)



EN 388: 2016+A1: 2018 // 4.X.3.1.A

BL **PUGBL**

GY **PUGGY**

W **PUGW**



PU COATED BLACK

- Polyester glove
- Polyurethane palm coated
- Machine knitted
- Integrated elasticated wrist



EN 388: 2016+A1: 2018 // 3.X.2.1.A


XS (6) - XXL (11)

EC9NBL

GENERAL PURPOSE

MULTI-PURPOSE LATEX

- Multi-purpose glove
- Latex rubber coated palm
- Knitted base construction to allow air passage and aid comfort



XS (6) - XXL (11)

- BL **MP1BL**
- G **MP1G**
- OR **MP1OR**



EN 388: 2016+A1: 2018 // 2.X.4.3.A



MULTI-PURPOSE BLACK LATEX

- Multi-purpose glove
- Polyester knitted base for comfort
- Natural latex rubber coating to palm and fingers
- Open back to help hand breath and limit moisture



EN 388: 2016+A1: 2018 // 2.X.2.1.A



S (7) - XL (10)

MP4



GENERAL PURPOSE

ECONOMY GRIP

- Economy multi-purpose glove
- Natural rubber coated palm
- Knitted area on back of glove aids breathability and comfort



EN 388: 2016+A1: 2018 // 1.X.2.1.A

S (7) - XXL (11)

G **EC8NG**

OR **EC8NOR**



Crinkle Finish



LATEX FULLY COATED GRIPPER

- Fully coated gripper glove
- 100% interlock cotton liner
- Natural rubber latex coating - crinkle finish

L (9) - XL (10)

LFCGGB



EN 388: 2016+A1: 2018 // 3.X.2.1.B





CRISS CROSS

ONE SIZE - XL (10)

XXN



EN 388: 2016+A1: 2018 // 2.X.3.1.B

- Yellow/Gold knitted base
- PVC criss cross coating
- Multi purpose glove offering excellent grip

TRONIX BLUE DOT

- Nylon fibre knitted glove
- Comfort fit
- Offering excellent dexterity
- PVC dots to palm area for added grip



S (7) - XL (10)

TBDN



EN 388: 2016+A1: 2018 // 1.X.4.1.B

NITRILE FOAM NYLON

- 100% nylon seamless shell with nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and light engineering
- Ideal for dry or slightly oily applications



EN 388: 2016+A1: 2018 // 4.X.2.1.A



S (7) - XXL (11)

NFNG



TOUCH SCREEN KNITTED

XS (6) - XXL (11)

BF10




EN 388: 2016+A1: 2018 // 2.X.4.X.A



EN 511 // X.1.0

- Blue knitted polyester/cotton seamless liner
- Thermal yarns for additional warmth
- Comfort fit
- PVC dots on palm and fingers for added grip



GENERAL PURPOSE



NITE STAR DIPPED



EN 388: 2016+A1: 2018 // 3.X.2.1.A

- 100% Nylon seamless shell
- Nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and engineering applications

NSGBL

S(7) - XL(10)



NITRILE PU MIX COATED



- Knitted nylon/lycra glove
- Nitrile/water based PU palm and finger coating
- Breathable, Soft and tactile finish



EN 388: 2016+A1: 2018 // 3.X.3.1.A

XS (6) - XXL (11)

BF1



NITRILE PALM COATED POLYESTER

- 100% Polyester seamless shell
- Nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and engineering applications

S(7) - XL(10)

EC7NGY



EN 388: 2016+A1: 2018 // 4.X.2.1.A

NITRILE FOAM POLYESTER SHELL

- 100% polyester shell with nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and light engineering
- Ideal for dry or slightly oily applications

S(7) - XL(10)

EC6NGY



EN 388: 2016+A1: 2018 // 4.X.2.1.A



EN 388: 2016+A1: 2018 // 4.X.2.1.B

**NITRILE
SAFETY CUFF
HEAVYWEIGHT
FULLY COATED**



ONE SIZE - XL (10)

NSCFCHWN

- Excellent protection for heavy duty applications
- Soft jersey liner for wearer comfort
- Nitrile coating resists puncture cuts and abrasions



**KNITWRIST
HEAVYWEIGHT
FULLY COATED**



EN 388: 2016+A1: 2018 // 4.X.1.1.B

L (9) - XL (10)

NKWFCHWN

**KNITWRIST
LIGHTWEIGHT
FULLY COATED**

M (8) - XL (10)

NKWPCLWN



EN 388: 2016+A1: 2018 // 3.X.1.1.B

- Good flexibility and comfort
- Resists abrasion, cuts and punctures
- General purpose handling in many industrial sectors



ONE SIZE - XL (10)

NKWFLWN

**KNITWRIST
LIGHTWEIGHT
PALM COATED**

NITRILE / PVC COATED



NITRILE FULLY COATED POLYESTER

- Polyester seamless shell with full nitrile coating
- Lightweight for maximum dexterity and comfort with sensitivity
- Liquid proof
- Suitable for general assembly handling and engineering applications



EN 388: 2016+A1: 2018 // 4.X.2.1.A



S (7) - XL (10)

NDGFCBL

PVC FULLY COATED KNITWRIST

- Fully coated PVC glove
- Stockinette liner
- Elasticated cuff



EN 388: 2016+A1: 2018 // 3.X.1.1.A

S (7) - XL (10)

PVCFCWNR

PVC OPEN CUFF GAUNTLETS

- Liquid proof
- Available in overall sizes:
 - 11 Inch / 28cm
 - 14 Inch / 35cm
 - 16 Inch / 40cm
 - 18 Inch / 45cm



11 INCH / 28cm

1 PVCNR11

14 INCH / 35cm

2 PVCNR14

16 INCH / 40cm

3 PVCNR16

18 INCH / 45cm

4 PVCNR18



EN 388: 2016+A1: 2018 // 3.X.1.1.A

ONE SIZE - XL (10)

CHEMICAL PROTECTION



S (7) - XXL (11)

HHBHW



EN 388: 2016+A1: 2018 // 2.X.1.1.0



EN 374-1 Type C



EN 374-5

- Heavyweight rubber glove
- Manufactured from neoprene blended natural latex
- Cotton flock lining
- Resistant to selected chemicals and acids

HEAVYWEIGHT HOUSEHOLD



B HHMWB



P HHMWP



Y HHMWY

MEDIUMWEIGHT HOUSEHOLD

- Manufactured from natural rubber latex
- Cotton flock lined
- Flexible and comfortable to wear
- Offers a high degree of sensitivity



MINIMAL RISK

S (7) - XL (10)



NITRILE GAUNTLET FLOCK LINED



 EN 388: 2016+A1: 2018 // 4.X.0.2.B

 EN ISO 374-5

 EN ISO 374-1 Type B // A F J K L

18 INCH // 45cm

XL (10) - XXL (11)

NG18



- Unsupported nitrile glove
- A high level of resistance to abrasion, solvents and animal fats
- Pebble finish to palm
- Food safe
- Silicon and wax free



12 INCH // 30cm

S (7) - XXL (11)

NG

 EN 388: 2016+A1: 2018 // 4.X.X.1.X

 EN ISO 374-5

 EN ISO 374-1 Type B // J K L

BI-COLOUR NEOPRENE HOUSEHOLD

- Heavyweight rubber glove
- Withstands repeated rubbing and scuffing
- Neoprene blended natural latex
- Cotton flock lining
- Offers sensitivity and comfort
- Remain flexible and wearer friendly throughout the life of the product
- Resistant to some chemicals and acids




S (7) - XL (10)

BCYB

 EN 388: 2016+A1: 2018 // 1.X.2.0.0

 EN ISO 374-5



 EN ISO 374-1 Type B // A K L

S (7) - XL (10)

BL NDGPF50NBL

B NDGPF50NB



NITRILE DISPOSABLE POWDER FREE



EN 374-5



EN 374-1 Type B // K P T

- CE category III
- CE class I examination glove
- Suitable for catering, beauty and body art sectors
- Fulfilling medical requirements for tattoos and piercing
- Free from phthalates/softeners, allergenic latex proteins
- Tested and certified according to 1935/2004
- Suitable for food use


- Powder free
- CE category III
- Excellent elasticity
- Textured for added grip

- Chemical - Breakthrough Time
n-Heptane(J) - More than 30 Mins (level 2)
Sodium Hydroxide 40%(K) - More than 480 Mins (level 6)

- Additional Chemical Test
Ammonia 25% - More than 10 Mins (level 1)
Formaldehyde 37% - More than 480 Mins (level 6)
Hydrogen Peroxide 30% - More than 480 Mins (level 6)



DISPOSABLE GRIPPER



S (7) - XXL (11)

BL GZNDG10BL



EN ISO 374-5: 2016



EN ISO 374-1: 2016

- High quality disposable product
- Liquid proof
- Ideal for general lightweight handling

S (7) - XL (10)



PU **NDGPFPU**

NITRILE DISPOSABLE POWDER FREE



- 100% synthetic PVC
- Contains no latex or protein
- Ambidextrous
- Easy to pull on beaded cuff
- Suitable for general food handling

S (7) - XL (10)

VINYL DISPOSABLE

Pre-Powdered

Powder Free

W **VDG**

W **VDGPF**

B **VDGB**

B **VDGBPF**



LATEX DISPOSABLE

- Allows touch sensitive work to be carried out with ease
- Ambidextrous
- Easy to pull on beaded cuff
- Available in pre-powdered or powder free

S (7) - XL (10)



Pre-Powdered

Powder Free

W **LEG**

W **LEGP**

HOOK & LOOP CUFF DRIVERS



- High quality soft grain leather
- Cotton back
- Hook and loop cuff fastening



EN 388: 2016+A1: 2018 // 3.X.2.1.A

S (7) - XL (10)

DGVC



- Full grain cowhide leather
- Gun pattern
- Elasticated cuff with integral vein patch
- Fully cotton fleece lined
- Robust hard wearing, multi purpose glove ideal for low temperature working



EN 388: 2016+A1: 2018 // 3.X.3.3.B

ONE SIZE - XL (10)

FGIMP

ONE PIECE BACK FREEZER GLOVES

QUALITY LINED DRIVERS



- Soft grain leather
- Gun pattern design
- Half elastication to back of cuff
- Fleece lined
- Colour co-ordinated sized cuffs
L - Green Cuff
XL - Blue Cuff



EN 388: 2016+A1: 2018 // 3.X.3.3.B

L (9) - XL (10)

QLDGN

PEARL LINED DRIVERS

- Soft grain leather
- Gun pattern design
- Half elastication to back of cuff
- Colour co-ordinated sized cuffs
L - Green cuff
XL - Blue cuff
- Available as fleece lined or unlined



EN 388: 2016+A1: 2018 // 3.X.3.3.B

L (9) - XL (10)

QLDGPHN

QUDGPHN



- Mixed fibre non specific glove
- 60/40 cotton/polyester blend
- Can be used as heavyweight liner

ONE SIZE - XL (10)

GY **MFGNGY**

W **MFGNW**



MINIMAL RISK

MIXED FIBRE GLOVES



STOCKINETTE KNITWRIST SUPER

- Knitted stockinette glove
- Lightweight
- Many and varied uses, light handling of dry product
- Makes an excellent liner

MENS // LADIES

♂ **SKWSNM**

♀ **SKWSNL**

MENS ♂
LADIES ♀

ACRYLIC GLOVES

- Acrylic fibre knit
- One size
- Generous fit

ONE SIZE - XL (10)

ACG



MINIMAL RISK

FINGERLESS MITTS

- Acrylic fibre knit
- One size fits all

ONE SIZE - XL (10)

FLM





THERMO-STAR FULLY DIPPED LATEX



EN 388: 2016+A1: 2018 // 2.X.4.1.B



EN 407 // X.2.X.X.X



EN 511 // 1.4.X

- 7G Brushed polyester heavyweight knitted liner
- Latex coated to palm area
- Double dip to fingers for added protection
- Vented back
- Highly visible fleece liner
- Ideal for refrigeration, coldstore, and winter conditions
- Thick latex coating for durability and grip

M (8) - XXL (11)

OR **BF30R**

SY **BF3SY**



MINIMAL RISK

THINSULATE FLEECE GLOVES

- Fleece glove with 3M® Thinsulate underlayer
- Microfibre technology to keep the hands warm
- Generously sized
- One size fits all
- Ideal for winter use



ONE SIZE - XL (10)

THFLGBL



THINSULATE KNITTED ACRYLIC

ONE SIZE - XL (10)

THGBL



- Knitted acrylic with 3M® Thinsulate underlayer
- Microfibre technology to keep the hands warm
- Effective when wet and dries quickly
- Ideal for winter use

MEDICAL



MEDICAL

FIRST AID KITS



327

BIOHAZARD KITS



337

HAEMOSTATIC DRESSINGS



342

INTERNATIONAL KITS



349

BURNS KITS




352

EYE WASH EQUIPMENT



354

FIRST AID ESSENTIALS



356

MEDICAL BAGS, CASES & CABINETS



367

DEFIBRILLATORS & RESUSCITATION KITS



373

SPORTS FIRST AID & RAPID RELIEF



382

HEALTH AND SAFETY ROOM ITEMS



390

EMERGENCY EVACUATION



396

AIR FOR LIFE



402

HEALTH AND WELLBEING



404

Kits

FIRST RESPONSE

Solution

Click Medical provides a wide range of quality and innovative medical and first aid products.

We supply a range of first aid kits and products to HSE and British Standard requirements, more specialist equipment

such as burn and body fluid spill kits, eyewash stations, pods and bottles, specialised travel and overseas travel kits and a complete range of individual medical items.

All are from Quality Assured suppliers with many covered by our own Medical Devices CE mark, certified and authorised by the BSI.

The Delta range of first aid kits in our new style box, meets all required specifications at a competitive price.

SITE SAFETY AND FIRST AID COMBINATION BAG



Note: Extra contents shown are for example only and not included with the Site Safety kit

The Site Safety and First Aid kit is a combination bag and kit is ideal for everyone from the lone worker to site offices in changing locations and has the following features:

- Highly transportable and transferable from site to site or vehicle
- Large individual compartments for all your safety essentials
- Match the safety essentials to your precise requirements
- Roll out compartments allowing you to carry more important safety or first aid items
- Helmet lanyard for attaching your safety helmet to the bag
- Refills available for each individual kit
- Excellent cover for all your first aid needs

Individual items:

- EY3155 - Hard hat lanyard

CM1926 - Burns first aid kit refill:

- 1 x Hydrogel dressing 10 x 10cms
- 1 x Hydrogel dressing 20 x 20cms
- 5 x Low adherent dressing 5 x 5cms
- 5 x 20ml eyewash pods
- 1 x 59ml bottle hydrogel
- 1 x tough cut scissors
- 1 x microporous tape 2.5cms x 5m
- 2 x Pairs of nitrile gloves
- 3 x 3.5gm sachets, pain relieving gel
- Bag not included

CM1927 - Biohazard and sharps kit refill:

- 1 x Body Fluid spill kit
- 1 x 0.6 litre sharps bin
- 1 x Yellow plastic tweezers
- 2 x Pairs of nitrile gloves

CM1928 - Personal issue First Aid refill:

- 10 x Sterile saline wipes
- 2 x Eye pad dressings
- 1 x HSE large dressing
- 2 x Triangular bandage
- 5 x Eyewash 20ml pods
- 1 x Set of 6 safety pins
- 2 x Pairs of nitrile gloves
- 1 x Pair scissors
- 20 x Assorted plasters
- 1 x Resusciate
- 3 x Sterile Low Adherent Adhesive Dressing 8 x 6cm
- 1 x Sterile Skin Closure Strip 3mm x 75, pack of 3,
- 1 x finger dressing
- 2 x Conforming bandage (75cm x 4m)

CM1929 - Critical injury pack refill:

- 2 x Foil blankets
- 1 x 5x5cm Cuteeze haemostatic dressing
- 1 x 10x10cm Cuteeze haemostatic dressing
- 1 x 10cm x 1M Cuteeze haemostatic dressing
- 1 x Medium trauma dressing
- 1 x STAT tourniquet
- 2 x Pairs Nitrile gloves
- 1 x Russell chest seal
- 2 x Conforming bandage 7.5cm x 4M
- 1 x Scissors

HSE FIRST AID KIT



	1 Person	10 People	20 People	50 People
Guidance leaflet	1	1	1	1
Non woven triangular bandages	2	4	6	8
Large sterile dressing 18cm x 18cm	1	2	3	4
Medium sterile dressing 12cm x 12cm	-	6	9	12
Sterile eye pad dressing	-	2	4	6
Assorted sterile waterproof plasters	6	20	40	60
Alcohol free cleansing wipes	2	6	10	20
Pairs disposable vinyl gloves	1	1	2	3
Safety pins	-	6	12	12

Refill pack for kit sold separately

CM0001 (Kit)	CM0003 (Refill Kit)	1 Person
CM0010 (Kit)	CM0011 (Refill Kit)	10 People
CM0020 (Kit)	CM0021 (Refill Kit)	20 People
CM0050 (Kit)	CM0051 (Refill Kit)	50 People

BS 8599-1 COMPLIANT FIRST AID KIT



	Small	Medium	Large
Guidance leaflet	1	1	1
Burn relief dressing 10cm x 10cm	1	2	2
Assorted waterproof plasters	40	60	100
Eyepad dressing with sterile bandages	2	3	4
Foil blankets	1	2	3
Large HSE dressing 18cm x 18cm	2	3	4
Medium HSE dressing 12cm x 12cm	2	4	6
Pairs disposable nitrile gloves	6	9	12
Resuscitation device with valve	1	1	2
Finger dressing / adhesive fixing 3.5cm	2	3	4
Conforming bandages 7.5cm x 4m	1	2	2
Microporous tape 2.5cm x 5m	1	2	3
Sterile cleansing wipes	20	30	40
Single use triangular bandage 90cm x 127cm	2	3	4
Universal shears small	1	1	1

Small size kits for use in:
Low risk areas up to 20 employees
Medium risk areas up to 10 employees

Large size kits for use in:
Low risk areas per 100 employees
Medium risk areas per 50 employees
High risk areas per 25 employees

Medium size kits for use in:
Low risk areas up to 100 employees
Medium risk areas up to 50 employees
High risk areas up to 20 employees

CM0100 (Small) **CM0005 (Refill Kit)**

CM0110 (Medium) **CM0115 (Refill Kit)**

CM0120 (Large) **CM0125 (Refill Kit)**

HSE FIRST AID KIT IN FEVA BAG



	1-10	1-20	1-50
Guidance leaflet	1	1	1
Non woven triangular bandages	4	6	8
Large sterile dressing 18cm x 18cm	2	3	4
Medium sterile dressing 12cm x 12cm	6	9	12
Sterile eyepad dressing	2	4	6
Assorted sterile waterproof plasters	20	40	60
Alcohol free cleansing wipes	6	10	20
Pair disposable vinyl glove	1	2	3
Safety pins	6	12	12



CM0262 (10) CM0263 (20) CM0264 (50)

TRADERS FIRST AID KIT - 10 PERSON / 50 PERSON



	1-10	1-50
Guidance leaflet	1	1
Non woven triangular bandages	4	8
Large sterile dressing 18cm x 18cm	2	4
Medium sterile dressing 12cm x 12cm	6	12
Sterile eye pad dressing	2	6
Assorted sterile waterproof plasters	20	60
Alcohol free cleansing wipes	6	20
Pairs disposable vinyl gloves	1	3
Safety pins	6	12
Scissors	1	1
Tweezers	1	1
Resusciate	1	1
Foil blanket	1	1
20ml eye wash pods	2	5
100ml aerosol eyewash	1	-
Ice pack	-	1
Fingerstalls	-	2
Fingerbobs	-	2
Finger dressing	-	2
Microporous tape 2.5cm x 10m	-	1
Conforming bandage 5cm x 4m	-	2

CM0210 (10) CM0250 (50)

DELTA HSE FIRST AID KITS



CM1803 shown here

	1-10	1-20	1-50
Guidance leaflet	1	1	1
Non woven triangular bandages	4	6	8
Large sterile dressing 18cm x 18cm	2	3	4
Medium sterile dressing 12cm x 12cm	6	9	12
Sterile eyepad dressing	2	4	6
Assorted sterile waterproof plasters	20	40	60
Alcohol free cleansing wipes	6	10	20
Pair disposable vinyl gloves	1	2	3
Safety pins	6	12	12

CM1801 (10) **CM0017 (Refill Pack)**

CM1802 (20) **CM0027 (Refill Pack)**

CM1803 (50) **CM0057 (Refill Pack)**

DELTA BSI FIRST AID KITS



	Small	Medium	Large
Guidance leaflet	1	1	1
Burn relief dressing 10cm x 10cm	1	2	2
Assorted waterproof plasters	40	60	100
Eyepad dressing with sterile bandages	2	3	4
Foil blankets	1	2	3
Large HSE dressing 18cm x 18cm	2	3	4
Medium HSE dressing 12cm x 12cm	2	4	6
Pairs disposable nitrile gloves	6	9	12
Resuscitation device with valve	1	1	2
Finger dressing with adhesive fixing 3.5cm	2	3	4
Conforming bandages 7.5cm x 4m	1	2	2
Microporous tape 2.5cm x 5m	1	2	3
Sterile cleansing wipes point	20	30	40
Single use triangular bandage 90cm x 127cm	2	3	4
Universal shears small	1	1	1

CM1804 (Small) **CM0106 (Refill Pack)**

CM1805 (Medium) **CM0116 (Refill Pack)**

CM1806 (Large) **CM0126 (Refill Pack)**

Medium and large kits also available in a first aid cabinet (see page 331)



DELTA 1 PERSON FIRST AID KIT



- 1 x Guidance leaflet
- 2 x Non woven triangular bandages
- 1 x Large sterile dressing 18cm x 18cm
- 6 x Assorted sterile transparent plasters
- 2 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves

CM1800

DELTA BS 8599-1 : 2019 FIRST AID KIT IN A CABINET



- Cabinet supplied with BSI refill kit, available in medium or large (see page 330 for relevant contents)
- Safe and secure storage for first aid contents
- Sturdy lockable design
- Supplied with two keys
- Durable shelves

CM2201 (Medium Kit) CM2202 (Large Kit)

BS 8599-1 WORKPLACE FIRST AID KIT IN FEVA BAG



NOTE:

* A burn dressing cools the burn injury without any pre-cooling with water or any other medium. The dressing does not dry out within one hour of application

** A shield that can be used to protect a first aider from infection from a casualty during mouth-to-mouth resuscitation

	Small	Medium	Large
Guidance leaflet	1	1	1
Burn relief dressing 10cm x 10cm*	1	2	2
Assorted waterproof plasters	40	60	100
Eyepad dressing with sterile bandages	2	3	4
Foil blanket	1	2	3
Large HSE dressing 18cm x 18cm sterile	1	2	2
Medium HSE dressing 12cm x 12cm sterile	4	6	8
Pair disposable nitrile gloves	6	9	12
Resuscitation device with valve**	1	1	2
Finger dressing with adhesive fixing 3.5cm	2	3	4
Conforming bandage 7.5cm x 4m	1	2	2
Microporous tape 2.5cm x 5m	1	1	1
Sterile cleansing wipes	20	30	40
Single use triangular bandages 90cm x 127cm	2	3	4
Universal shears small	1	1	1

CM0267 (Small) CM0268 (Medium) CM0269 (Large)

1 PERSON FIRST AID KIT POUCH



- 1 x Guidance leaflet
- 2 x Non woven triangular bandages
- 1 x Large sterile dressing 18cm x 18cm
- 6 x Assorted sterile transparent plasters
- 2 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves

CM0002 (Kit) CM0003 (Refill Pack)

PSV FIRST AID KIT



- 1 x Guidance leaflet
- 3 x Large sterile dressing 18cm x 18cm
- 2 x Conforming bandages 5cm x 4.5cm
- 1 x Conforming bandage 7.5cm x 4.5cm
- 2 x Sterile eye pad dressing
- 30 x Assorted sterile waterproof plasters
- 10 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 12 x Safety pins
- 1 x Tuffcut scissors

CM0150 (Kit) CM0151 (Refill Pack)

BS 8599-1: 2019 PERSONAL ISSUE PACK IN BAG



- 1 x First aid guidelines
- 1 x Triangular bandage
- 10 x Assorted washproof plasters
- 4 x Sterile saline wipes
- 2 x Nitrile gloves in pairs
- 1 x Tuff cut scissors
- 1 x Foil blanket
- 1 x Large dressing
- 1 x bag

CM0008

BS 8599-1: 2019 PERSONAL ISSUE PACK IN BOX



- 1 x First aid guidelines
- 1 x Triangular bandage
- 10 x Assorted washproof plasters
- 4 x Sterile saline wipes
- 2 x Nitrile gloves in pairs
- 1 x Resuscitator
- 1 x Tuff cut scissors
- 1 x Foil blanket
- 1 x Large dressing
- 1 x box

CM0009

MEDICAL TRAVEL KIT



	BAG			BOX		
	Small	Medium	Large	Small	Medium	Large
Guidance Notes	1	1	1	1	1	1
Guidance Notes Adherent Dressing	-	1	2	-	1	2
Medium Dressing 12 x 12cm	-	1	2	-	1	2
Medium Trauma Dressing 10 x 18cm	1	1	2	1	1	2
Large Trauma Dressing 15 x 18cm	-	-	1	-	-	1
Burn Dressings 10 x 10cm	1	2	4	1	2	4
Triangular Bandage	-	1	2	-	1	2
Cleansing Wipes	5	10	20	5	10	20
Assorted Washproof Plasters	10	10	20	10	10	20
Nitrile Disposable Gloves (Pairs)	1	2	5	1	2	5
Resuscitation Device	1	1	2	1	1	2
Foil Blankets	-	1	3	-	1	3
Universal Shears	1	1	1	1	1	1

SMALL VEHICLE FIRST AID KIT BS8599-2 COMPLIANT

For moped, motorcycle, motor tricycle, and quadricycle (maximum 3 passengers)

MEDIUM VEHICLE FIRST AID KIT BS8599-2 COMPLIANT

For car, taxi, van, and truck (maximum 8 passengers)

LARGE VEHICLE FIRST AID KIT BS8599-2 COMPLIANT

For minibus, bus and coach (maximum 16 passengers, larger passenger vehicles will require multiple kits to suit)

The size of the first aid kits required for motor vehicles is determined by the size of the vehicle, category of hazard, and passenger numbers



Bag	CM0143 (Small)	CM0141 (Medium)	CM0144 (Large)
Box	CM0135 (Small)	CM0140 (Medium)	CM0148 (Large)

WINTER DRIVING KIT



- 2 x Hypaguard vinyl gloves (pair)
 - 1 x Hypaguard foil blanket
 - 1 x De-icer aerosol 300ml
 - 1 x Anti-mist pad
 - 1 x Ice scraper
 - 1 x All seasons screen wash 500ml
 - 1 x Dynamo torch
 - Dynamo torch stores energy in a flywheel so you will never be caught without a working torch
- Essential supplies for motoring in winter conditions

CM0142

PSV KIT IN SMALL FEVA BAG



- 1 x Guidance leaflet
- 2 x Conforming bandages 5cm x 4.5cm
- 1 x Conforming bandage 7.5cm x 4.5cm
- 3 x Large sterile dressing 18cm x 18cm
- 2 x Sterile eyepad dressing
- 30 x Assorted sterile waterproof plasters
- 10 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 12 x Safety pins
- 1 x Tuffcut scissors

CM0265

BS 8599-2 TRAVEL KIT IN FEVA BAG



	Small	Medium	Large
Medium trauma dressing	1	1	2
Large trauma dressing	-	-	1
Triangular dressing	-	1	2
Adhesive plasters	10	10	20
Low adherent dressing	-	1	2
Sterile wet wipes	5	10	20
Sterile dressing 12cm x 12cm	-	1	2
Pairs disposable nitrile gloves	1	2	5
Face shields	1	1	2
Foil blankets	-	1	3
Burn relief dressing 10cm x 10cm	1	2	4
Universal shears 6"	1	1	1

CM0270 (Small) CM0271 (Medium) CM0272 (Large)

BS 8599-1: 2012 COMPLIANT FIRST AID TRAVEL KIT



	CM0130	CM0266
Guidance leaflet	1	1
Burn relief dressing 10cm x 10cm	1	1
Assorted waterproof plasters	10	10
Foil blanket	1	1
Large HSE dressing 18cm x 18cm sterile unboxed	1	1
Medium HSE dressing 12cm x 12cm sterile unboxed	1	1
Pair disposable nitrile gloves	1	1
Resuscitation device with valve	1	1
Conforming bandage 7.5cm x 4m	1	1
Microporous tape 2.5cm x 10m	1	1
Cleansing wipes	4	4
Single use triangular bandage 90cm x 127cm	1	1
Universal shears small	1	1
Eye wash 250ml	1	1
Eye pad HSE	1	-

CM0130 - Appropriate for 1 Person

CM0266 - In Feva Bag



ACID ATTACK KIT



- 1 x Chemical Goggle
 - 1 x Premium fold flat P2CV mask
 - 1 x Eyewash bottle 500ml
 - 1 x Nitrile gloves 6 pairs in a carton
 - 3 x Foil blanket
 - 2 x Burns dressing 20 x 20cm
 - 1 x Tuffcut scissors 6"
 - 1 x Mckinnon economy face shield
 - 1 x Gauze swabs 7.5 x 7.5cm - pack of 5
 - 1 x Black heavy weight rubber gloves
 - 1 x Bottle shower 2L
 - 10 x Single eyewash pod 20ML
 - 6 x bottle water 500ML
 - The kit contains items for washing chemicals from the skin
 - It contains a bottle shower which allows for longer decontamination
 - Also included are items for treating burns and irrigating the eyes
 - In addition the kit contains safety equipment to protect the rescuer such as goggles, face mask and glove
- Supplied in a heavy duty first aid bags

CM1770

HYDROFLUORIC ACID ANTIDOTE KIT

- The National Poisons Information Service (NPIS) advise that for responsive patients, immediate decontamination is the priority for individuals exposed to hydrofluoric acid
- Even relatively low strength hydrofluoric acid is toxic and has the potential to cause serious tissue damage and death when contaminated individuals are not treated swiftly
- C-Gel is a high performance calcium gluconate gel
- C-Gel combines with and neutralises the fluoride ion present in HF acid. This helps to prevent pain and tissue damage caused by HF acid whilst a patient is in transit to hospital.
- C-Gel is an easy to use cream, which can be self-administered or applied by a suitable first aider, available as a 40g tube

Some examples where Hydrofluoric acids may be encountered are industrial chemistry, mining, refining, glass finishing, silicon chip manufacturing, and sanitation.

CM0209



PLAYGROUP / CHILDMINDERS FIRST AID KIT



This Playgroup/childminder first aid kit has contents approved for local authority use, meets the requirements for HSE 1-10 person kit, with significant added extras and includes:

- Guidance Note
- 6 x medium Dressing
- 2 x large dressing
- 2 x eyepad dressing
- 4 x triangular bandages
- 6 x sterile saline wipes
- 12 x safety pins
- 4 x 20ml eyewash pods
- 1 x resuscitation faceshield
- 1 x roll 2.5cm x 5m microporous tape
- 5 x assorted low adherent dressings
- 20 x assorted plasters
- 1 x pack of 5 sterile gauze swabs
- 2 x pairs of disposable gloves
- 1 x 7.5cm conforming bandage

CM1825

HSE KITCHEN FIRST AID KIT



	1-10	11-20	21-50
Guidance leaflet	1	1	1
Non woven triangular bandages	4	6	8
Large sterile dressing 18cm x 18cm	2	3	4
Medium sterile dressing 12cm x 12cm	6	9	12
Sterile eyepads	2	4	6
Assorted blue detectable plasters	20	40	60
Alcohol free cleansing wipes	6	10	20
Safety pins	6	12	12
Pair disposable blue nitrile gloves	1	2	3

CM0305 (10) CM0306 (20) CM0307 (50)

BSI CATERING FIRST AID KIT



	Small	Medium	Large
Guidance leaflet	1	1	1
Burn relief dressing (10cm x 10cm)	1	2	2
Assorted blue detectable plasters	40	60	100
Eyepad dressing with sterile bandages	2	3	4
Foil blankets	1	2	3
Large HSE dressing (18cm x 18cm)	1	2	2
Medium HSE dressing (12cm x 12cm)	4	6	8
Blue nitrile gloves (pair)	6	9	12
Resuscitation device with valve	1	1	2
Finger dressing with adhesive fixing 3.5cm	2	3	4
Conforming bandages 7.5cm x 4m	1	2	2
Microporous tape 2.5cm x 5m	1	1	1
Sterile cleansing wipes	20	30	40
Triangular bandage 90cm x 127cm	2	3	4
Universal shears 6"	1	1	1



**CM0308 (Small)
CM0309 (Medium)
CM0310 (Large)**

BIOHAZARD Kits

Our range of Body Fluid Spill kits and Sharps handling kits are designed to enable any worker to deal with the problems of body fluids such as blood and vomit and the problem of discarded needles and syringes.

These kits are easy to use and address all the issues that are caused by cross contamination and infections caused by Bio Hazards.

The HSE give guidance on 'Blood – borne viruses in the workplace' (leaflet INDG342) and there is a provision under COSHH that employers have a legal duty to assess the risk of cross infection for employees and others affected by your work.

Carrying a Click Medical spill or sharps handling kit, will help meet these requirements and increase the confidence of employees, knowing that you as the employer are dealing with the risk attached to biohazards and their control.

All our body fluid spill kits are multiples of either the single application kit, which includes all the items to deal effectively with one incident of biohazard, either vomit or blood, all you have to do decide how many you may require, one, two, five, ten or above, remembering we also stock the replacement kits as and when required.

We also have a full range of sharps handling kits and sharps bins for dealing with needles and a range of combination kits for handling all types of biohazard.

BODY FLUID BULK SPILL KIT



- Supplied in a large protective carrying case
- 5 x Single Application Clean UP Pack (CM0620)
- 1 x Trigger Disinfectant Spray (CM0625)
- 1 x 100gms Super Absorbent Powder (CM0630)
- This larger kit designed for medium risk areas for body fluid spills, with extra powder and disinfectant to help with a major clean up

CM0635

RESPONSE BIOHAZARD COMBINATION KIT



- Supplied in a large protective carrying case
- 2 x Single Application Sharps Disposal Kit (CM0610)
- 5 x Single Application Clean UP Pack (CM0620)
- 1 x Trigger Disinfectant Spray (CM0625)
- 1 x 100gms Super Absorbent Powder (CM0630)
- For use anywhere that you have a reasonable risk of having to deal with Body Fluid Spill and/or incidents where you may come across used syringes and needles

CM0640

SMALL SHARPS & BODY FLUID SPILL KIT



- 1 x Single Application Body Fluid Spill Kit (**CM0615**)
- 1 x Sharps disposal container, 0.1ltr
- 1 x Pair soft vinyl gloves
- 1 x Biohazard bag
- 1 x Disinfectant wipe
- 1 x Sharps handling forceps
- Ideal for small businesses, offices, shops, pubs, restaurants and lone workers where occasional risk may be encountered

CM0610

2 APPLICATION BODY FLUID SPILL KIT



- 2 x Single Application Body Fluid Spill Kit (**CM0615**)
- 1 x Clean Up pack (**CM0620**)
- 1 x 50ml disinfectant spray
- 1 x Super absorbent powder sachet (10g)
- Ideal for small businesses, offices, shops, pubs, restaurants and lone workers where occasional risk may be encountered

CM0605

ONE APPLICATION BODY FLUID SPILL KIT

This one application kit is designed to deal with any single application to handle body fluids and can be bought singularly or in bulk as a refill for your kits or as a backup for large, multiple or continuing risks.



- 1 x Clean Up pack (**CM0620**)
- 1 x Instructions
- 1 x Pair soft vinyl gloves
- 1 x Pair polythene oversleeves
- 1 x Polythene apron
- 1 x Polypropylene scoop and scrape
- 1 x Biohazard bag
- 1 x Non woven wipe
- 1 x 50ml disinfectant spray
- 1 x Super absorbent powder sachet (10g)

CM0615

ONE APPLICATION BODY FLUID SPILL KIT



- 1 x Instructions
- 1 x Pair soft vinyl gloves
- 1 x Pair polythene over sleeves
- 1 x Polythene apron
- 1 x Polypropylene scoop and scrape
- 1 x Biohazard bag
- 1 x Non woven wipe
- 1 x Disinfectant wipe
- 1 x 30ml disinfectant spray
- 1 x Super absorbent powder sachet (10gms)

CM0660



**BEESWIFT
MEDICAL**

SHARPS DISPOSAL KIT IN GRIP SEAL BAG



- 1 x Sharps disposal container
- 1 x 50ml disinfectant spray
- 1 x pair large vinyl gloves
- 1 x Biohazard bag
- 1 x Disinfectant wipe
- 1 x pair polypropylene forceps

CM0611

DISINFECTANT TRIGGER SPRAY



- Easy to use and addresses all the issues that are caused by cross contamination and infections caused by Bio Hazards
- Designed to enable any worker to deal with the problems of body fluids such as blood and vomit and the problem of discarded needles and syringes
- 500ml Trigger Disinfectant Spray, scientifically proven biocidal formula kills viruses, bacteria, fungi, yeasts and spores
- Offers powerful residual effect for up to hours after application

CM0625

100GMS SUPER ABSORBANT POWDER



- Deodorising effect can be up to five times more effective than other brands
- Can absorb up to 300 times its own weight in water
- Significantly reduces unpleasant odours
- Makes body fluids easy to clean up, unlike others which can leave a nasty sludge which is difficult to clear up, especially carpets

CM0630

SINGLE APPLICATION CLEAN UP KIT



- Supplied in grip seal bag
- 1 x Instructions
- 1 x Pair soft vinyl gloves
- 1 x Pair polythene oversleeves
- 1 x Polythene apron
- 1 x Polypropylene scoop and scrape
- 1 x Biohazard bag
- 1 x Non woven wipe
- 1 x Disinfectant wipe
- This is the basic clean up pack that should be used in conjunction with disinfectant spray and our super absorbent powder

CM0620



- Welded construction for added strength
- In-mould label - offers permanent audit trail which cannot be removed
- Flip top lid for temporary and final closure
- Choice of openings - Non-return 'petal opening'
- Scalpel blade remover opening
- Insulin pen needle removal feature and unobstructed opening for large syringes and blood collection holders
- Puncture resistance base for added safety
- Class leading leak resistance

(1) CM0641	(2) CM0642	(3) CM0643
(4) CM0644	(5) CM0645	(6) CM0646
(7) CM0647	(8) CM0648	(9) CM0649

SHARPS DISPOSAL KIT

- 1 x Disposable gloves
- 1 x Self seal yellow waste bag large
- 1 x Bioguard disinfectant wipe
- 1 x Yellow tweezers
- 1 x 0.25 ltr sharps bin
- 1 x instruction card



CM0667

SHARP SAFE NPSD TRAY FOR 2/3 LITRE BIN

*Bin not included



- The Sharpsafe Tray forms an important part of the Sharpsafe Near Patient Sharps Disposal System (NPSD) and has been designed to provide a large, easy to clean procedure tray

CM0651

YELLOW SHARPS FORCEPS



- Ideal for holding and disposing of all small needles and syringes

CM0662

DISPOSABLE PAPER KIDNEY DISH 700ML



- General purpose receptacle
- Ideal for holding a variety of medical items including dressings, wipes or surgical instruments

CM1717

DISPOSABLE PAPER GENERAL PURPOSE BOWL



- Ergonomically shaped, graduations for measuring liquid
- Can be used as a vomit bowl
- Also used as a child's potty when used together with a plastic support

CM1719

SELF SEAL WASTE BAG



- Highly visible printed bags for disposal of medical and clinical waste
- Heavy duty bags in 205mm x 305mm size
- Compact self-seal bags are an ideal supplement to first aid kits

CM1710

VOMIT BAGS



- Strong, lined paper bags are compact
- Highly recommended to be provided in mini-buses, coaches, or any passenger carrying vehicle

CM1769

EMESIS VOMIT BAG 1500ML CAPACITY



- 'Hard to miss', rigid plastic wide opening
- Twist 'n' seal lock - avoid spills and contain odours
- Made from recycled plastic

CM1923

CLINELL SPILL WIPES



- Including one super absorbent spill pad and two disinfectant wipes
- Patented revolutionary new product
- It is proven to kill all known micro-organisms associated with blood, vomit, urine and faecal spills
- This includes hepatitis B & C, HIV, Clostridium difficile and Norovirus

CM1904

CUT-EEZE HAEMOSTATIC DRESSINGS and Kits

First aid training and regulations now include the use of haemostatic dressings and tourniquets for workers who are in high risk environments where serious trauma injuries and bleeding are a possibility.

Our haemostatic (or wound clotting) dressings comprise of a white knitted fabric which is made primarily from sodium carboxymethyl cellulose.

The new 8599-1 : 2019 standard from the BSI also includes a new critical injury pack designed to meet industry's need for a first aid kit designed specifically to deal with major trauma injuries and other bleeding problems faced in the workplace. Every working environment is different, so we have introduced a low, medium and high risk version of this kit, to deal with the office, small business or high risk industry.

When Cuteeze gauze comes in contact with the bleeding area it quickly absorbs the water contents in the exudates to form a viscous gel which fills the wound and stops the bleeding. This process includes joining with the bloods platelets and the clot to plug the wound and close off the blood vessels.

Being a natural product the gauze converts into a gel then dissolves to saline and glucose. We have developed a range of products from our island dressings to large Z-fold gauze rolls which can deal with a range of injuries from serious finger cuts and nose bleeds right up to major lacerations and trauma wounds.

We also have a mini gauze kit ideal for small wound areas, especially for dental applications.

Includes a range of tourniquets and kits to cover a wide variety of needs and injuries.


We also supply the full range of Celox haemostatic products, developed for high risk trauma environments.



CUT EEZE®

What are the advantages of Cut-eeze?

- Instant reaction with blood, stops bleeding fast
- No residue in the wound site
- No secondary bleeding
- No adverse reactions
- Ease of use and application with no pain on removal
- Safe, with no side effects
- Works with people using blood thinning medications or bleeding disorders, including haemophiliacs



HAEMOSTATIC PLASTERS X 10



- 10 x Washproof plasters 1.9 x 7.5cms
- Haemostatic island dressing
- Dressings that stop bleeding quickly, safely and effectively
- Instant reaction with blood, stops bleeding fast
- Avoids adhesion, reducing secondary trauma, dissolves naturally
- Ideal for haemophiliacs and users of 'blood thinning' and 'anti-coagulant' agents
- Natural, PH Neutral, gentle, no burning sensation
- Safe and easy to use, no side effects

CM1900 (Washproof) CM1901 (Fabric)

HAEMOSTATIC SPRAY 70ML



- Our Cut-Eeze Haemostatic spray is a wound congealant which is ideal for small cuts and grazes
- Spray on to a bandage or dressing, and apply to the wound
- Can also be sprayed direct to the wound area
- When the wound heals, remove residual powder and dress with plaster or bandage as usual

CM0565

HAEMOSTATIC DRESSING Z FOLD



- This is a 10cm x 1m haemostatic gauze dressing used to stop the bleeding of larger cuts and lacerations
- Used to pack and seal larger wound areas
- Can be cut to size to use on smaller wounds
- Supplied in vacuum sealed foil pouch

CM0562

SOLUBLE DRESSING



- A gauze dressing used to stop surface bleeding and to pack smaller wounds and lacerations
- Can be cut to size
- Supplied in individual peel pouch
- Supplied in a box of 20 dressings

CM0568 (10cm x 10cm) CM0569 (5cm x 5cm)

HAEMOSTATIC DRESSING Z FOLD GAUZE ROLL



- This is a 7.5cm x 3.7m Z fold gauze roll used to stop bleeding in the most severe of wounds and lacerations
- Used to pack and seal larger wound areas
- Can be cut to size to use on smaller wounds
- Supplied in vacuum sealed foil pouch

CM0563

HAEMOSTATIC DRESSING KIT (QUICK KIT)



- 1 x Quick release tourniquet
- 1 x Cut-Eeze dressing 10cm x 10cm
- 1 x Z fold dressing 1m x 10cm
- 2 x Cut-Eeze island dressing 2cm x 4cm
- 2 x Cut-Eeze island dressing 1.8cm x 10cm
- 1 x Conforming bandage 7.5cm
- 1 x Tuffcut scissors
- 1 x Bag

CM0566

BLEED CONTROL CABINET



- Highly impact resistant polycarbonate cabinet suitable for indoors or outdoors
- Double skin clamshell design with full IP66 EN60529 rating (dust and water tight)
- UV stabilised; will not be affected by sunlight
- Fire retardant to UL94 V0 standard
- Plastic wing handle for ease of opening
- Lightweight construction; only 10kg
- Fully recyclable material
- External Dimensions 465mm (H) x 435mm (W) x 240mm (D)
- Manufactured in the UK

CM1240

4 IN 1 BLOODSTOPPER



- Pressure pad for heavy bleeding
- Protective dressing for superficial wounds
- Burn dressing with special wound protecting surface
- Temporary support dressing
- 1 x Special pad (14x23cm)
- 2 x Disposable elastic bandages (10x3cm)
- 1 x Set of instructions

Mini version contains:

- 1 x Pad (8 x 12 cm)
- 1 x Elastic bandage (6 cm x 3 m)

CM0735 (Standard) CM0736 (Mini)

EMERGENCY TRAUMA BANDAGE



- Israeli style trauma wound dressing
- Designed for a fast response to severe bleeding
- It combines a thick – non adherent dressing, elastic bandage, pressure applicator and closure clip in one sterile unit
- Pressure applying bar
- Quick and easy to apply without the need for tape, safety pins, or other bandages.

CM0558 (4") CM0559 (6")

HAEMOCAP MULTISITE / MINIVAC PUMP



- Rapid application - simple and easy to use
- Can be applied by a single person and non - trained medical staff to various sites, Head, Neck, Limbs, Axilla.
- Semi- transparent so that the wound is visible
- Unlike fabric bandages, it does not draw blood from the wound
- Simple to remove and reapply after wound inspection
- Will not exceed 50mmHg of pressure - reducing the risk of necrosis
- Compatible with all suction devices

- Minivac pump is a suction device to be used with the Haemocap multisite
- Easy to use hand pump
- Capable of achieving 250mmHG to evacuate air from the device until it constricts

CM1864 (Multisite) CM1865 (Pump) CM1866 (Kit)

BLAST BANDAGE



- Large non-adherent wound pad and integral elastic bandage
- Quick and simple
- Large, removable occlusive dressing
- Multipurpose e.g. to cover eviscerated bowel; as a robust burns dressing; as an occlusive dressing for multi-penetrating chest wounds
- Velcro® 'Control' strips to help prevent accidental unrolling of the elastic wrap during application, especially helpful during the dressing of amputations

CM0387

OLAES MODULAR BANDAGE



- Latex free
- Elastic wrap with built in 'Control Strips' to prevent inadvertent unraveling
- 3 meters of sterile 4 ply gauze
- Plastic occlusive sheet included in dressing pocket
- Transparent pressure cup that focuses pressure on the wound site and allows for visual inspection of uncontrolled hemorrhage

CM0385 (4") CM0386 (6")

BLEED CONTROL KIT - KNIFE CRIME



- 2 x large Trauma Dressing first aid dressing
- Cuteeze 3.7m x 10cms haemostatic dressing for the external, temporary control of severely bleeding wounds
- Russell Chest Seal™ Designed for the immediate management of an open chest wound and to minimise the risk of developing tension pneumothorax
- SOF Tactical tourniquet wide for control of severe bleeding
- Nitrile gloves
- Tuffcut scissors
- Foil blanket
- Red, portable first aid bag

CM0072

CELOX BLEED CONTROL KIT - KNIFE CRIME



CELOX



- 2 x large trauma dressing first aid dressing
- Celox rapid haemstatic
- Russell Chest Seal™ Designed for the immediate management of an open chest wound and to minimise the risk of developing tension pneumothorax
- SOF Tactical Tourniquet Wide For control of severe bleeding
- Nitrile gloves
- Tuffcut scissors
- Foil blanket
- Red, portable first aid bag

CM0073

PUBLIC ACCESS TRAUMA KIT



- 4 x pairs of Nitrile gloves
- 2 x disposable face mask
- 2 x Disposable glasses
- 2 x Tuff cut scissors
- 2 x Non-woven triangular bandage
- 4 x Large trauma dressing
- 2 x Combat Application Tourniquet
- 2 x faceshield
- 2 x Indelible marker pen
- 2 x PAC T first aid kit Aide Memoire
- 2 X Foil blanket

CM0180 (Box) CM0181 (Bag)

CM0182 (Haversack) CM0183 (Refil Pack)

TACTICAL MILITARY FIRST AID KIT



- Celox Rapid Z fold haemostatic dressing
- Nasopharyngeal Airway(17cms)
- 10cms emergency bandage
- C-A-T Gen7 tourniquet
- Resuscitation faceshield
- Pair of nitrile gloves
- 11cms Tuffcut scissors
- Russell Chest Seal
- Allows you to deal with all trauma injuries including stab wounds, body and limb injuries and breathing difficulties, all held in neat, compact, accessible pouch
- Pouch can be purchased separately

CM3001 (Kit c/w Pouch) CM3000 (Pouch)

HAEMOSTATIC DRESSING KIT



Quick release tourniquet	2	1	Cut-Eeze island dressing 1.8cm x 10cm	5	2
Tactical tourniquet	2	1	Conforming bandage 7.5cm	2	2
Cut-Eeze dressing 10cm x 10cm	5	2	Large trauma dressing	2	2
Cut-Eeze dressing 5cm x 5cm	5	2	Tough cut scissors	1	1
Z fold dressing 10cm x 1m	1	1	Medium trauma dressing	1	-
Cut-Eeze island dressing 2cm x 4cm	1	2	Foil blanket	2	1
			Pairs disposable nitrile gloves	2	2

CM0567 (Hazardous Industry) CM0572 (All Industry)

TOURNIQUET WITH BUCKLE



- Easy to use tourniquets provide maximum comfort for the patient
- Perfect for use during routines such as drawing blood and insertion of cannula
- Simply tighten the tourniquet around the patient's upper arm and use the quick release buckle for rapid removal
- Contains latex

CM0570

SPECIAL OPERATION FORCES TOURNIQUET (S.O.F)



- A true constricting band for increased constricting pressure and patient comfort
- Quick-connect, snap-lock buckle design, allowing rapid re-routing of the band around trapped limbs without re-threading
- Lower-profile, lighter weight alloy components, providing the required strength and durability only metal can offer
- Single application method regardless of location
- Controls life-threatening extremity haemorrhage

CM0571

COMBAT APPLICATION TOURNIQUET (C.A.T)



- True one-handed tourniquet that completely occludes arterial and venous blood flow of an extremity in the event of a traumatic wound with significant haemorrhage
- The C-A-T uses a windlass system with a free moving internal band to provide true circumferential pressure to the extremity
- Once tightened and bleeding has stopped, the windlass is locked in place
- A hook and loop strap is then applied for further securing of the windlass during casualty evacuation
- Small and lightweight

CM0574

HAEMOSTATIC GRANULES 15G



- Works independently of normal blood clotting factors
- Simple and safe to use
- Not Exothermic; will not burn the victim or caregiver
- Works in hypothermic conditions and clots Heparinized blood
- Safe to use for the entire body including, head, neck and chest wounds
- Suitable for the military, first responders, hospitals, industrial first aid, emergency services, wilderness medicine, adventure pursuits, professional and amateur sports

CM1910

HAEMOSTATIC GAUZE ROLL 56G



- Highly effective Celox granules bonded on to the surface of a stable gauze which will not compact under pressure
- The unique, patented and natural formula, works independently of the body's normal clotting mechanisms to clot blood even where normal clotting is slow or impaired
- Made with chitosan. Chitosan is broken down by lysozyme, a human enzyme, to leave glucosamine, a sugar which is normally found in the body
- It is suitable for severe high pressure bleeding, arterial & venous bleeding, bullet, blast, knife & shrapnel wounds, wound packing

CM1911

SMART TACTICAL APPLICATION TOURNIQUET (S.T.A.T)



Timestrip

- Can be used on adults, children and dogs
- Fine tune application in millimeter increments
- Waterproof built-in-timer (no battery required)
- Automatic self-locking mechanism
- Compact design & Molle compatible
- Latex free, single use
- Pull hole assists application and can be used to hook multiple devices for mass casualty incidents
- Use to make splints, hold dressings in place, bind patient's limbs during transport, or carry equipment

CM1924

TRAINING GAUZE



CELOX

- Gauze strip 3in x 5ft trainer for Celox rapid gauze 5ft z-fold and Celox gauze 5ft z-fold

CM1917

HAEMOSTATIC GAUZE Z-FOLD VERSION 5 FOOT



CELOX

- Gauze has proved itself in the most challenging environments when rapid control of severe bleeding is required
- The new compact design for Celox Z-Fold (14mm thick, 34g weight) allows multiple packs to be carried, makes for easier handling and reduces application time
- Celox Gauze Z-Fold is available as a 10 foot z-fold, ideal for the medic or vehicle kit
- The gauze is especially useful in challenging conditions, in wind, rain or poor visibility

CM1913

RAPID HAEMOSTATIC GAUZE Z-FOLD



CELOX

- Celox RAPID Gauze removes the delay by speeding up packing time and reducing compression time to just 60 seconds while using the proven haemostat technology of Celox.
- Saves valuable time in an emergency as well as reducing blood loss
- Independent testing showed 100% success in achieving haemostasis and reduced blood loss compared to other treatments
- The key users of CELOX RAPID are professionals exposed to situations where traumatic blood loss can occur, including Military, special forces, tactical units, law enforcement, first responders and emergency services personnel

CM1914

HAEMOSTATIC APPLICATOR 6G PLUNGER

CELOX

- Specifically designed delivery system that gives you an easy, safe and effective way to stop life-threatening bleeding from difficult to treat penetrating trauma
- The instinctive applicator allows you to get the Celox granules through a small entry wound, directly to the bleeding site in just a few seconds
- The applicator is vacuum packed, sterile and lightweight, and can be easily stored within your existing trauma pouch
- For knife, bullet and any other penetrating wound

CM1915



CRITICAL INJURY QUICK RELEASE EMERGENCY KIT



- 1 x pair of 17.5cm Tuffcut clothing shearsB
- 1 x Rescue Whistle
- 1 x PHC cutter for safely releasing webbing or clothing
- 1 x SOF Military Tourniquet (CAT Tourniquet available as an option)
- 1 x 15cm Emergency Bandage which can apply significant pressure to the wound to prevent excessive bleeding
- Designed for single person operation when facing a major trauma injury when working on their own or in a difficult working position
- The kit can fit on belt, a bag or other form of webbing
- Quick release cord, which when pulled brings the contents to the top

CM0070

CRITICAL INJURY QUICK RELEASE HAEMOSTATIC KIT



- 1 x Pair of 17.5cm Tuffcut clothing shears
- 1 x Rescue Whistle
- 1 x PHC cutter for safely releasing webbing or clothing
- 1 x SOF Military Tourniquet (CAT Tourniquet available as an option)
- 1 x Cuteeze 3.7m x 7.5cm Haemostatic Dressing, for those trained in the use of Haemostatic dressings, ideal for all major trauma injuries
- Designed for single person operation when facing a major trauma injury when working on their own or in a difficult working position
- The kit can fit on belt, a bag or other form of webbing
- Quick release cord, which when pulled brings the contents to the top

CM0071

BS 8599-1: 2019 CRITICAL INJURY PACK

	Low	Medium	High
Guidance note	1	1	1
Large Trauma dressings	2	2	2
Strap tourniquet	1	1	1
Foil blanket	1	1	1
Tuff cut scissors	1	1	1
Haemostatic gauze dressing 5 x 5cm	1	1	1
Haemostatic gauze dressing 10 x 10cm	1	1	1
Haemostatic adhesive dressings 7 x 4cm	2	2	2
Haemostatic adhesive dressings 10 x 1.8cm	2	2	2
Box haemostatic plasters	1	1	1
Haemostatic dressing 10cm x 1M	-	1	1
Tourniquet (SOF)	-	1	1
Haemostatic dressing 7.5cm x 3.7M	-	-	1

The new BS8599-1: 2019 standard requires that any industry that has the potential risk of a critical injury should have a Critical Injury pack to supplement their normal workplace first aid kits

The main areas for major trauma injuries would be: dangerous equipment or machinery, sharp instruments, cutting equipment, power tools, construction, agriculture, forestry etc.

Kit with Box

CM0080 (Low Risk)

CM0082 (Medium Risk)

CM0084 (Large Risk)

Kit with Bag

CM0081 (Low Risk)

CM0083 (Medium Risk)

CM0085 (High Risk)



INTERNATIONAL KITS

HSA IRISH FIRST AID KIT



	1-10	11-25	26-50
Assorted adhesive plasters	20	20	40
Triangular bandages	2	6	6
No 8 dressing	2	2	4
No 9 dressing	6	6	8
No 3 dressing - Extra large	2	3	4
Eye pad dressing	2	2	4
Disinfectant cleansing wipes	10	20	40
Crepe bandage 7cm	1	2	3
Safety pins	6	6	6
Pocket face mask	1	1	1
Paramedic shears	1	1	1
Gloves - Pair	5	10	10

CM0013 (1-10) **CM0012** (Refill Pack)

CM0023 (11-25) **CM0022** (Refill Pack)

CM0053 (26-50) **CM0052** (Refill Pack)

HSA IRISH FIRST AID KIT WITH ADDITIONAL REQUIREMENTS



	1-10	11-20	21-50
Assorted adhesive plasters	20	20	40
Triangular bandages	2	6	6
No 8 dressing	2	2	4
No 9 dressing	6	6	8
No 3 dressing - Extra large	2	3	4
Eye pad dressing	2	2	4
Disinfectant cleansing wipes	10	20	40
Crepe bandage 7cm	1	2	3
Safety pins	6	6	6
Pocket face mask	1	1	1
Paramedic shears	1	1	1
Gloves - Pair	5	10	10

Additional Requirements:

Sterile water 500ml - **CM0710**

Small burn dressing (10 x 10cm) - **CM0351**

Large burn dressing (20 x 20cm) - **CM0353**

Kit with Eyewash & Burn Dressings	Kit with Burn Dressing	Kit with Eyewash
CM0014 (1-10)	CM0015 (1-10)	CM0016 (1-10)
CM0024 (11-25)	CM0025 (11-25)	CM0026 (11-25)
CM0054 (26-50)	CM0055 (26-50)	CM0056 (26-50)



CM0710



CM0351



CM0353

To include the additional requirements, just add the codes listed

GERMAN WORKPLACE FIRST AID KIT DIN 13157 UP TO 50 EMPLOYEES



- Designed to meet DIN 13157-2009, which details the requirements for the contents and box for a workplace of up to 50 employees
- All contents supplied with multilingual descriptions
- Kit supplied in Orange ABS box complete with integral handle and supplied with wall bracket
- Adhesive plaster tape. A 5 x 2.5. 1pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 1 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 4pc.
- Finger plaster. 120 x 20mm. 4pc.
- Finger plaster. 7.2cm x 1.9cm. 4pc.
- Finger plaster. 25 x 72mm. 8pc.
- First aid dressings bandages, sterile. Compress 6 x 8 cm. 1pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 3 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 1 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 1pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 3 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 2pc.
- Instant cold compress. Min.200cm². 1pc.
- First aid blanket. 160cm x 210cm 12 um. 1pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 2 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 2 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 2pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 2pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m². 5pc.
- Disposable gloves PVC. 4's L-AQL1.5. 1 Set of 4pcs. DIN EN 455-1.
- Brochure
- Dimensions: 28 x 20 x 11.5cms

CM1831

GERMAN FIRST AID KIT DIN STANDARD 13169



- Designed to meet DIN 13169-2009, which details the requirements for the contents and box for a workplace of up to 100 employees
- All contents supplied with multilingual descriptions
- Kit supplied in Orange ABS box complete with integral handle and supplied with wall bracket
- Adhesive plaster tape. A 5 x 2.5. 2pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 2 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 8pc.
- Finger plaster. 120 x 20mm. 8pc.
- Finger plaster. 7.2cm x 1.9cm. 8pc.
- Finger plaster. 25 x 72mm. 16pc.
- First aid dressings bandages, sterile. Compress 6 x 8 cm. 2pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 6 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 2 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 2pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 6 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 4pc.
- Instant cold compress. Min.200cm². 2pc.
- First aid blanket. 160cm x 210cm 12 um. 2pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 4 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 4 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 4pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 4pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m². 10pc.
- Disposable gloves PVC. 4's L-AQL1.5. 2 Set of 4pcs. DIN EN 455-1.
- Brochure
- Dimensions: 32 x 22 x 13cms

CM1832

GERMAN VEHICLE FIRST AID KIT DIN 13164 IN TRAVEL BAG / BOX



- Designed to meet DIN 13164-2014 which details the requirements or the contents of a vehicle first aid kit. All products come with multilingual descriptions
- This kit is supplied in either a convenient travel bag or box
- Adhesive plaster tape. A 5 x 2.5. 1pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 1 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 4pc.
- Finger plaster. 120 x 20mm. 4pc.
- Finger plaster. 7.2cm x 1.9cm. 4pc.
- Finger plaster. 25 x 72mm. 8pc.
- First aid dressings bandages, sterile. Compress 6 x 8cm. 1pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 3 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 1 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 1pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 3 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 2pc.
- Instant cold compress. Min.200cm2. 1pc.
- First aid blanket. 160cm x 210cm 12 um. 1pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 2 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 2 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 2pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 2pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m2. 5pc.
- Disposable gloves PVC. 4's L-AQL1.5. 1 Set of 4pcs. DIN EN 455-1.
- Brochure

CM1828 (with Bag) CM1829 (with Box)

GERMAN COMBINATION VEHICLE FIRST AID KIT DIN 13164



- Designed to meet DIN 13164-2014 which details the requirements or the contents of a vehicle first aid kit. All products come with multilingual descriptions
- Kit is also supplied with foldaway hazard warning triangle and high viz vest
- This kit is supplied in a black , slimline combination kit bag.
- Adhesive plaster tape. A 5 x 2.5. 1pc. DIN13019-A 5x2.5.
- Adhesive plaster bandages. E 10 x 6cm, 8's/zip PP bag. 1 set of 8pcs. DIN13019-E 10x6.
- Finger plaster. PVC "X" figure 4.5cm x 5.1cm. 4pc.
- Finger plaster. 120 x 20mm. 4pc.
- Finger plaster. 7.2cm x 1.9cm. 4pc.
- Finger plaster. 25 x 72mm. 8pc.
- First aid dressings bandages, sterile. Compress 6 x 8 cm. 1pc. DIN13151-K.
- First aid dressings bandages, sterile. Compress 8 x 10cm. 3 roll. DIN13151-M.
- First aid dressings bandages, sterile. Compress 10 x 12cm. 1 roll. DIN13151-G.
- Sterile compress (burn dressings). 60 x 80cm, 1's/bag. 1pc. DIN13152-A.
- Sterile wound dressings (compress). 100mm x 100mm 2's/bag. 3 bag of 2pcs. DIN58953-2.
- Eye pad. 55mm x 75mm 1.5g. 2pc.
- Instant cold compress. Min.200cm2. 1pc.
- First aid blanket. 160cm x 210cm 12 um. 1pc.
- Gauze conforming elastic bandages. 6cm x 400cm. 2 roll. DIN61634 FB6.
- Gauze conforming elastic bandages. 8cm x 400cm. 2 roll. DIN61634 FB8.
- Triangular bandages. 96 x 96 x 136cm. 2pc. DIN13168-D.
- Scissor. Metal 190mm. 1pc. DIN58279-B190.
- Garbage plastic bag. 300 x 400mm 45um. 2pc.
- Fleece. Non-woven 20cm x 30cm min. 15g/m2. 5pc.
- Disposable gloves PVC. 4's L-AQL1.5. 1 Set of 4pcs. DIN EN 455-1.
- Brochure

CM1830

BURNS KITS

FIRST AID KIT FOR BURNS



- 1 x Sterile burn dressing 5cm x 15cm
- 1 x Sterile burn dressing 10cm x 10cm
- 1 x Sterile burn dressing 20cm x 20cm
- 3 x Sachets pain relieving gel 3.5gm
- 1 x Bottle pain relieving gel 59ml
- 2 x Conforming bandages 5cm x 4m
- 6 x Safety pins
- 2 x Pairs disposable vinyl gloves

CM0320 (Kit) CM0315 (Refill Pack)

BURN CARE KIT

NOTE:

* A burn dressing cools the burn injury without any pre-cooling with water or any other medium.
The dressing does not dry out within one hour of application



- G1 x Sterile burn dressing 10cm x 10cm*
- 3 x Sachets pain relieving gel 3.5gm
- 1 x Bottle pain relieving gel 59ml
- 4 x Alcohol free wipes
- 2 x Low adherent dressing 5cm x 5cm
- 2 x Low adherent adhesive dressing
- 1 x Conforming bandage 5cm x 4m
- 1 x Microporous tape 2.5cm x 5m

CM0311

BURNFREE PERSONAL KIT



- 1 x Burns dressing 5cm x 15cm (CM0331)
- 1 x Burns dressing 10cm x 10cm (CM0332)
- 1 x Gel bottle 59ml (CM0340)
- 3 x 3.5gmd gel sachets
- 1 x Burnfree personal box

CM0321

BURNFREE MULTI-PURPOSE KIT



- 1 x Gel bottle 118ml (CM0341)
- 3 x Burns dressing 5cm x 15cm (CM0331)
- 3 x Burns dressing 10cm x 10cm (CM0332)
- 2 x Burns dressing 20cm x 20cm (CM0333)
- 1 x Box of 20 x 3.5gm gel sachets (CM0342)
- 3 x Conforming bandages
- 1 x Burnfree multi-purpose box

CM0322

BURNFREE EMERGENCY KIT



- 1 x Gel bottle 118ml (CM0341)
- 2 x Burns dressing 5cm x 15cm (CM0331)
- 2 x Burns dressing 10cm x 10cm (CM0332)
- 1 x Box of 20 x 3.5gm gel sachets (CM0242)
- 3 x Conforming bandages
- 1 x Emergency burns box

CM0323

BURNFREE HYDROGEL 3.5GMS/59ML/118ML



- Pain relieving gel
- BurnFree gel is designed to be viscous enough to remain on the burn wound and not run off (like cheaper alternatives)
- Simultaneously draws the heat out and up into the gel

CM0340 (59ml) CM0341 (118ml) CM0342 (3.5gms)

BURNFREE DRESSING



- All BurnFree dressings are designed for first aid use on all types of burn injuries
- The dressings are constructed of a special soft, open cell foam and are elastic enough to allow possible swelling or the need to flex joints
- BurnFree dressings are non-adherent and the inert foam will not shed threads, strands or fibres that could get embedded in the wound
- The pliable foam holds 50 times its weight in gel, meaning the gel will always stay in contact with the burn

CM0330 (5 x 5cm) CM0331 (5 x 15cm) CM0332 (10 x 10cm)

CM0333 (20 x 20cm) CM0334 (30 x 30cm)

BURNFREE TRAUMA BLANKET



- BurnFree blankets are for emergency and industrial use
- During transport to the medical facility the blanket will soothe the victim
- Reduces physiological and psychological trauma
- Made up of pure virgin wool which holds up to 14 times its weight in gel to prolong trauma relief during transport

CM0327 (244 x 152cm) CM0328 (183 x 152cm)

HYDROGEL BURNS DRESSINGS 10 X 10CM



- Gel soaked burn dressings
- Helps prevent contamination
- Suitable for treating superficial and partial thickness burns

CM0351

HYDROGEL BURNS DRESSINGS 20 X 20CM



- Gel soaked burn dressings
- Helps prevent contamination
- Suitable for treating superficial and partial thickness burns

CM0353

EYEWASH

EYEWASH FIRST AID KIT



- 2 x 500ml sterile eyewash bottles
- 8 x 20ml sterile eyewash pods
- 2 x boxed eyepad dressings
- Eyewash kit can be wall mounted or be carried to any incident

CM0721

EYEWASH PODS



- 20ml Solution
- Sterile sodium chloride 0.9% w/v Ph. Eur
- Packed in 25's (25 x 20ml)
- For irrigation only

CM0705

EYEWASH BOTTLE



- 500ml bottle
- Sodium chloride BP 0.9%w/v.
- For irrigation only

CM0710

EYEWASH STATION WATER ADDITIVE



- An 8 Fl oz (236ml) bottle of water preservative for use with the portable self-contained eye/face wash stations
- It preserves from 15-76 litres of water and comes free when purchasing a CM1764 eye/face wash station

CM1768

EYEWASH STAND SINGLE / DOUBLE



- Drill points for securing to the wall
- Supplied with clip-on clear cover
- For use with 500ml Eyewash Bottle (CM0710)

(1) CM1009 (2) CM0701 (3) CM1010 (4) CM0702

WALL MOUNTABLE EYEWASH STATION



- 2 x 500ml eye wash solution
- 2 x eye bandages
- Clear plastic carry case
- Wall mountable bracket

CM0700

EYEWASH POD STATION



- 10 x 20ml pods
- 2 x No 16 eye pad dressings
- Mirror

CM0715

EYEWASH STATION



- 2 x 500ml solution bottles
- 2 x No16 eye bandages
- Mirror

CM0720

SELF CONTAINED EYEWASH STATION



- Easy to transport and ideal for use where a continuous supply of water is not available
- Wide fill opening enables quick inspection, cleaning and filling
- For use as a wall-mounted or table top unit
- Provided with one bottle of water preservative
- Station should be cleaned and refilled every 120 days, when using the water preservative

CM1764

CEDERROTH EYE WASH STATION



- The world's smallest eye emergency department
- Hygienic door
- Buffered liquid increases the chance of saving your eyes
- Plaster dispenser and extra compartment
- An eyewash instruction is included

CM0726

CEDERROTH 500ML BOTTLE / BOTTLE BRACKET



- Cederroth eyewash is buffered, which means that parallel to dilution and rinsing the eyewash also has a neutralising effect on alkalis and acids
- The eye cup is also designed to keep the eye open and maximise the flow ensuring the rinsing is efficient
- The wall bracket for the 500ml Cederroth eyewash opens the bottle automatically when the bottle is rotated and released from the eyewash stand
- Can be used singularly or in a bank of several units.

(1) CM0727 (2) CM0728

CEDERROTH FIRST AID STATION



- 2 x 4 in 1 Bloodstoppers
- 3 x 4 in 1 Mini Bloodstoppers
- 2 x Burn gel dressings
- 1 x Eye and wound cleansing spray 150ml
- 1 x Salvequick plaster dispenser including 45 waterproof and 40 fabric
- 1 x Salvequick wound cleansers
- 1 x Protection kit
- 1 x Dirt plate
- 1 x Instructions
- 1 x Key
- Dimensions: Width 20cm Height 56cm Depth 12cm

CM0548

First Aid ESSENTIALS

Dressings

Our standard first aid dressings include an absorbent dressing pad with a low adherent film fully stitched on to a high quality, high stretch polyamide conforming bandage for excellent wound sealing and bandaging. Sterile.

HSE, HSM, HSL, ambulance dressings, 1, 2, 3, 4, Trauma Dressing

Plasters

Our range of plasters are manufactured from the highest quality materials and adhesives to ensure the best protection and adhesion, but whilst being completely Latex-Free and Hypo-Allergenic.

Low Adherent Dressings

A highly absorbent pad with low adherent film, supplied sterile in its own individual peel pouch. 5 x 5, 7.5 x 7.5 and 10 x 10cms.

Low Adherent Adhesive Dressings

A highly absorbent, low adherent pad with a high stretch adhesive film which is Latex Free and Hypo-allergenic. This practical dressings act like a big plaster and are ideal for handling a range of minor wounds. Supplied in their own individual peel pouch. Sterile.

Skin Closure Strips

Quick and convenient alternative to stitches, preventing minor wounds from reopening and bleeding. Supplied in peel pouch. Sterile. Two sizes.

Gauze Swabs

Available sterile in peel pouch or non-sterile in packs of 100.

Tapes

Our range of quality tapes are ideal for dealing with a range of uses for securing dressings and bandages.

First Aid Boxes

We have a range of different styles of boxes in a variety of colours and sizes which are ideal for a range of working environments.








Wipes







Approved for use in HSE complaint first aid kits or for general applications, our Alcohol free wipes come in individual satchets and are supplied in a carton of 100 wipes.

ASSORTED BLUE DETECTABLE PLASTERS



CM0500

120 Plasters Contents						
 8	 6	 48	 16	 16	 6	 20
60 x 45mm	72 x 50mm	72 x 19mm	38 x 38mm	38 x 19mm	74 x 38mm	72 x 22mm

100 Plasters Contents					
 8	 4	 24	 40	 20	 4
60 x 45mm	72 x 50mm	72 x 22mm	72 x 19mm	38 x 19mm	74 x 38mm








- High stretch material
- Low allergy latex free
- Electromagnetic foil patch for excellent detection
- Featuring carton and storage tray (120 version)
- Each plaster is individually sealed to keep it sterile
- Ideal for the food industries
- Available in boxes of 120 or 100 (sold separately)







CM0500 (120) CM0507 (100)

ASSORTED FABRIC PLASTERS



CM0515

120 Plasters Contents						
 8	 6	 48	 16	 16	 6	 20
60 x 45mm	72 x 50mm	72 x 19mm	38 x 38mm	38 x 19mm	74 x 38mm	72 x 22mm

100 Plasters Contents					
 8	 4	 24	 40	 20	 4
60 x 45mm	72 x 50mm	72 x 22mm	72 x 19mm	38 x 19mm	74 x 38mm








- Strong and durable fabric
- Low allergy, high adhesion
- Ideal for building, construction and heavy industries
- Featuring carton and storage tray (120 version)
- Each plaster is individually sealed to keep it sterile
- Available in boxes of 120 or 100 (sold separately)







CM0515 (120) CM0522 (100)

ASSORTED WATERPROOF PLASTERS



CM0530

120 Plasters Contents						
 8	 6	 48	 16	 16	 6	 20
60 x 45mm	72 x 50mm	72 x 19mm	38 x 38mm	38 x 19mm	74 x 38mm	72 x 22mm

100 Plasters Contents					
 8	 4	 24	 40	 20	 4
60 x 45mm	72 x 50mm	72 x 22mm	72 x 19mm	38 x 19mm	74 x 38mm

- High stretch material
- Low allergy latex free
- Featuring carton and storage tray (120 version)
- Each plaster is individually sealed to keep it sterile
- Available in boxes of 120 or 100 (sold separately)

CM0530 (120) CM0537 (100)

FINGERTIP PLASTERS



- Fingertip (or Butterfly) plasters are designed to fold over the top of fingers and wrap around the sides to give maximum protection
- Supplied in a box of 50 plasters
- Size: 60 x 40mm

CM0501 (Blue Detectable)

CM0516 (Fabric)

CM0531 (Waterproof)

KNUCKLE PLASTERS



- Knuckle plasters are designed to give maximum protection for cuts and grazes on the back of your hand
- Supplied in a box of 50 plasters
- Size 74 x 38mm

CM0502 (Blue Detectable)

CM0517 (Fabric)

CM0532 (Waterproof)

LARGE PATCH PLASTERS 72 X 50MM



- Large Patch plasters give protection to a wide range of minor cuts and injuries
- Supplied in a box of 50 plasters
- Size 72 x 50mm

CM0503 (Blue Detectable)

CM0518 (Fabric)

CM0533 (Waterproof)

MEDIUM STRIP PLASTERS 72 X 19MM



- Strip plasters are the most used plasters offering protection to a wide range of smaller injuries
- Supplied in a box of 100 plasters
- Size: 72 x 19mm

CM0504 (Blue Detectable)

CM0519 (Fabric)

CM0534 (Waterproof)

SQUARE PLASTERS 38MM X 38MM



- Square plasters give protection to a wide range of minor injuries
- Supplied in a box of 100 plasters
- Size: 38 x 38mm

CM0505 (Blue Detectable)

CM0520 (Fabric)

CM0535 (Waterproof)

SENIOR STRIP PLASTERS 72MM X 22MM



- Strip plasters are the most used plasters offering protection to a wide range of smaller injuries
- Supplied in a box of 100 plasters
- Size: 72 x 22mm

CM0506 (Blue Detectable)

CM0521 (Fabric)

CM0536 (Waterproof)

**WASHPROOF PLASTERS
REFILL PACK
6 X 45**



CM0542

**FABRIC PLASTERS
REFILL PACK
6 X 40**



CM0543

**BLUE DETECTABLE
PLASTERS REFILL PACK
6 X 35**



CM0544

**SALVEQUICK DISPENSER
40 FABRIC
/ 45 WASHPROOF**



CM0540

**SALVEQUICK
PLASTER DISPENSER
70 BLUE**



CM0541

**WATERPROOF
SPOT PLASTERS
100 X 2MM**



CM0539

**ASSORTED
WATERPROOF
PLASTERS**



72 x 19mm - 6pce
38 x 38mm - 5pce
38 x 19mm - 4pce
72 x 22mm - 5pce

CM0538

**EYEPAD
NO 16
BOXED**



CM0496

**BLISTER
PLASTERS
PACK OF 2**



CM0444

PREPARATION RAZOR



BEESWIFT MEDICAL



CM1729

PACK OF 10 SCISSORS TUFFCUT 6 INCH / 7 INCH



BEESWIFT MEDICAL



CM0465 (6") CM0466 (7")

PACK OF 10 SCISSORS BLUNT 4 INCH / 5 INCH



BEESWIFT MEDICAL



CM0463 (4") CM0464 (5")

SAFETY PINS 6 / 12



CM0469 (6) CM0470 (12)

CALICO TRIANGULAR BANDAGE PACK OF 10



BEESWIFT MEDICAL



CM0405

30GMS NON WOVEN TRIANGULAR BANDAGE PACK OF 10



BEESWIFT MEDICAL



CM0404

GUIDANCE NOTE



BEESWIFT MEDICAL



CM1172

FOIL BLANKET



BEESWIFT MEDICAL




CM0491

PACK OF 10 TWEEZERS PLASTIC / STAINLESS STEEL



BEESWIFT MEDICAL



CM0467 (1) CM0468 (2)

UNIVERSAL TONGUE DEPRESSOR



CM0969

SPORTS TRIGGER SPRAY BOTTLE 500ML



CM1709

NITRILE GLOVES PACKED IN MINI GRIP BAG



CM1720

SURGICAL MASK



- For use in all medical, hospital and working environments
- Dual non woven inner and outer layers, complete with non woven filter for combined three layered construction
- Earloop fastenings
- 50 masks to a pack, 40 packs to a carton, MOQ : 1 Carton(2000 face masks)
- Class 1 Medical Device, meeting the essential requirements of the MDD
- Tested and complaint to BS EN 14683 : 2019, Type IIR
- Filtration > 98%, with added fluid resistance
- Individually packed for added protection

CM1785 CM1785CT

PROTECTIVE FACE SHIELD



- One size fits all
- Soft foam inner padding ensures high wearing comfort even when worn for longer periods
- Minimal Risk
- Not suitable for protection against mechanical hazards, such as flying particles with higher energy
- Tested in conjunction with EN166:
- Optical Class:1
- Protection against droplets and splashes of liquids (3)
- Resistance to fogging (N)
- Self assembly required to add foam headband to visor

CMRXFS01

NITRILE GLOVES 6 PAIRS IN CARTON



- Compact carton allows them to fit in virtually any size of first aid bag or box
- Ideal for anyone with a Type 1 allergy
- High resistance to a wide range of chemicals, especially to hydrocarbons, oils and fats
- Commonly used in hospitals, the nursing sector, medical practitioners in surgeries and the dental sector

CM1721

ALCOHOL FREE WIPES PACK OF 100



- Individually wrapped
- Ideal for cleaning area around cuts and grazes prior to dressing
- Consists of 0.5% Cetrimide and 0.2% Chlorhexidine Gluconate
- Meets the HSE First Aid regulations for use in a first aid kit
- Wipe size: 20cm x 10cm for a large surface area

CM0800

STERILE SALINE WIPES PACK OF 100



- Individually sterile wrapped
- Ideal for cleaning areas around cuts and grazes prior to dressing
- Impregnated with a 0.9% sodium chloride solution for gentle wound cleansing
- Safe for use on broken skin
- Safe to use on children
- Meets the requirements for first aid kits conforming to BS8599-1 and BS8599-2

CM0805

ALCOHOL FREE WIPES PACK OF 10



- Individually wrapped
- Ideal for cleaning area around cuts and grazes prior to dressing
- Consists of 0.5% Cetrimide and 0.2% Chlorhexidine Gluconate
- Meets the HSE First Aid regulations for use in a first aid kit
- 20cm x 10cm for a large surface area
- Supplied in grip seal bag

CM0801

CLINELL ANTI-BACTERIAL HAND WIPES



clinell

- Clean and disinfect in one easy step
- They work in 10 seconds, killing at least 99.999% of germs
- Great to keep close-by in your bag, car, home or office
- Dermatologically tested, containing aloe vera and moisturisers to help maintain healthy skin

CM1903

CLINELL UNIVERSAL WIPES PACK OF 200



clinell

- Patented antimicrobial formula they can be used as a skin friendly, disinfectant and detergent wipe - replacing the need for multiple wipes and surface cleaners
- Proven to kill at least 99.999% of germs
- This revolutionary formula contains a mix of different biocides
- Each biocide has a different mechanism of action

CM1902 (200)

CM1907 (100)

PRE-INJECTION WIPES



- Reduce bacteria preceding injections
- Individually wrapped wipes
- Impregnated with Isopropyl alcohol
- Bactericidal alcohol will kill 90% of bacteria on skin surface
- Ideal for pre-operative skin cleansing and preparing the skin prior to injections
- 70% Isopropyl alcohol

CM1718

DISINFECTANT SURFACE WIPES



- Compliant to EN1276 and EN13727 Pseudomonas aeruginosa, Staphylococcus aureus, MRSA, VRE, E.coli
- EN14476 Norovirus, HIV, Hepatitis C, MERS Coronavirus, Influenza A H1N1
- EN1650/EN13624 Candida albicans
- Fast contact times from 15 seconds
- Wipes are non-smearing

CM0817

HSE FIRST AID DRESSINGS PACK OF 10



- For all your bandage needs
- High stretch, lightweight bandage for holding dressings in place
- Nylon/viscose, fray resistant construction
- Individually wrapped for cleanliness
- Packaged in sterile flow wrap outers
- Available in three sizes (sold separately)
 - 1/ Eyepad
 - 2/ Medium
 - 3/ Large

CM0401 (Eyepad) CM0402 (Medium) CM0403 (Large)

TRAUMA DRESSING MEDIUM/LARGE



- Easy, ideal treatment of severe wounds
- Highly absorbent dressing pad absorbs 10 times its own weight
- Hook and loop-style fastening making it easy and convenient to secure in place
- Better absorption than ambulance dressings
- Dressings are sterile and individually packaged
- Available in two sizes (sold separately)
 - Medium 10cm x 18cms
 - Large 15cm x 18cms

CM0497 (Medium) CM0498 (Large)

AMBULANCE DRESSING NO 1/2/3/4 PACK OF 10



- Heavy duty dressings for professionals
- Individually wrapped and sterile
- For treatment of severe wounds with heavy blood loss
- Features a thicker wound pad than standard dressings
- Designed for burns, gunshot wounds and shrapnel wounds
- Available in different sizes
 - No 1 pad size 12.5cm x 10cms
 - No 2 pad size 17.5cm x 20cms
 - No 3 pad size 28cm x 18cms
 - No 4 pad size 33cm x 20cms

CM0445 (No 1) CM0446 (No 2) CM0447 (No 3) CM0448 (No 4)

SKIN CLOSURE STRIP PACK OF 3



- Reduces scarring when compared to staples or sutures
- Enhances patient comfort with less chance of infection
- Fast application
- Reduces likelihood of skin irritation
- 3 x 7.5cm wound closure strip supplied as five strips in each peel pouch, supplied in a pack of 3 peel pouches
- Available in two sizes (sold separately)
 - No 1 pad size 0.3cm x 7.5cm
 - No 2 pad size 0.6cm x 7.5cm

CM0442 (No 1) CM0443 (No 2)

DRESSING STRIP FABRIC PACK OF 10



- Durable textile plaster
- Extra flexible and breathable
- Strong adhesion
- Protect and cushions the wound
- Ideal for joints
- Can be cut to size as required
- Available in three sizes (sold separately)
 - 1/ 4cm x 1M
 - 2/ 6cm x 1M
 - 3/ 7.5cm x 1M

CM0436 (1) CM0437 (2) CM0438 (3)

DRESSING STRIP WASHPROOF PACK OF 10



- Durable waterproof plaster
- Extra flexible and breathable
- Strong adhesion
- Protect and cushions the wound
- Ideal for joints
- Can be cut to size as required
- Available in three sizes (sold separately)
 - 1/ 4cm x 1M
 - 2/ 6cm x 1M
 - 3/ 7.5cm x 1M

CM0439 (1) CM0440 (2) CM0441 (3)

FABRIC STRAPPING



- Traditional strong heavyweight stretch fabric
- Thick fabric cushions and protects
- Secures dressings and bandages
- Helps prevent and support strain injuries
- Secure and durable cushioned stretch tape
- Available in three sizes (sold separately)
 - 1/ 2.5cm x 4.5M
 - 2/ 5cm x 4.5M
 - 3/ 7.5cm x 4.5M

CM0433 (1) CM0434 (2) CM0435 (3)

LOW ADHERENT DRESSING BOX OF 25



- Helps draw exudates away from the wound
- The film surface of this dressing helps prevent the pad from sticking to the wound surface and minimises trauma upon removal
- Use dressing retention sheets or microporous tape to hold the dressing in place
- Low Adherent Absorbent Dressings are suitable for abrasions, superficial cuts and lightly exuding wounds
- Suitable for burns treatment
- Available in three sizes (sold separately)
 - 1/ 5cm x 5cm 2/ 7.5cm x 7.5cm 3/ 10cm x 10cm

CM0415 (1) CM0416 (2) CM0417 (3)

ADHESIVE WOUND DRESSING BOX OF 25



- These hypoallergenic adhesive dressings are highly absorbent
- The non-adherent film prevents reduces trauma when removed
- Sticks to awkward places
- Very comfortable
- Large low adherent pad
- Hypoallergenic and breathable
- Available in three sizes (sold separately)
 - 1/ 7cm x 6cm 2/ 8.6cm x 6cm 3/ 10cm x 8cm

CM0418 (1) CM0419 (2) CM0420 (3)

CONFORMING BANDAGE PACK OF 10



- For all your bandage needs
- High stretch, lightweight bandage for holding dressings in place
- Nylon/viscose, fray resistant construction
- Individually wrapped for cleanliness
- Available in four sizes (sold separately)
 - 1/ 5cm x 4.5M
 - 2/ 7.5cm x 4.5M
 - 3/ 10cm x 4.5M
 - 4/ 15cm x 4.5M

CM0406 (1) CM0407 (2) CM0408 (3) CM1171 (4)

NO. 7 SMALL DRESSING



- Sterile
- Low adherent pad
- Fast edged conforming dressing

CM1178

CREPE BANDAGE PACK OF 10



- Synthetic bandages
- Woven elasticated bandage
- Ideal for giving light support to sprains and strains
- Can also be used for dressing retention
- Available in three sizes (sold separately)
 - 1/ 5cm x 4.5M
 - 2/ 7.5cm x 4.5M
 - 3/ 10cm x 4.5M

CM0409 (1) CM0410 (2) CM0411 (3)

ELASTIC ADHESIVE BANDAGE PACK OF 10



- Support you can trust
- Quality porous adhesive for secure fixation
- Can be applied directly to the skin
- Smooth bevelled core for comfortable handling
- Individually wrapped for cleanliness
- Available in three sizes (sold separately)
 - 1/ 5cm x 4.5M
 - 2/ 7.5cm x 4.5M
 - 3/ 10cm x 4.5M

CM0412 (1) CM0413 (2) CM0414 (3)

BLUE DETECTABLE TAPE 2.5CMS X 5M



- Waterproof adhesive tape
- A must for catering environments
- Ideal for securing dressings in catering environments where blue products are mandatory

CM0428

ZINC OXIDE TAPE



- Premium quality zinc oxide tape
- Rigid support with high tensile strength
- Ideal for treating joint and ligament injuries
- Hypo-allergenic adhesive
- 100% latex free adhesive formulation
- Available in three sizes (sold separately)
 - 1/ 1.25cm x 10M
 - 2/ 5cm x 10M
 - 3/ 2.5cm x 10M

CM0426 (1) CM0427 (2) CM0549 (3)

MICROPOROUS TAPE



- Ideal for dressing retention on non-flexing areas
- Special adhesive holds dressings firmly in place yet provides minimal trauma for the casualty upon removal
- Quality tape, allows skin to breathe
- White, non-woven paper tape for dressing fixation
- Easy to tear by hand, 100% viscose
- Available in different sizes (sold separately)

CM0421 (1.25cm x 5M) CM0422 (2.5cm x 5M)

CM0423 (1.25cm x 10M) CM0424 (2.5cm x 10M)

CM0425 (5cm x 10M)

PLASTIC PERFORATED TAPE BOX OF 12



- Ideal for securing dressings and bandages
- Perforated to provide easy and precise bi-directional tear
- Porous, breathable and translucent
- Excellent adhesion and easy to remove qualities
- Non-sterile and latex free
- Available in two sizes (sold separately)
 - 1/ 1.25cm x 10M
 - 2/ 2.5cm x 10M

CM0429 (1) CM0430 (2)

DRESSING RETENTION SHEET



- Self adhesive dressing retention
- Suitable dressing retention on wide areas
- Ideal for use with low adherent dressings
- Can be cut to size and shape required
- Stretches to conform well to body and moving parts
- Produced using non-woven fabric
- Available in two sizes (sold separately)
 - 1/ 5cm x 10M
 - 2/ 10cm x 10M

CM0431 (1) CM0432 (2)

TUBULAR BANDAGE SIZE 1M



- Relieves discomfort during rest and activity
- Washable cotton/elastic bandages for support of injured limbs
- Available to fit different limb sizes (A - G)
A/ 10cm - 12cm B/ 13cm - 16cm C/ 16cm - 20cm
D/ 20cm - 24cm E/ 24cm - 28cm F/ 28cm - 36cm
G/ 36cm - 46cm

CM0580 (A) CM0581 (B) CM0582 (C) CM0583 (D)

CM0584 (E) CM0585 (F) CM0586 (G)

TUBULAR BANDAGE SIZE 10M



BLUE DOT

- Washable cotton/elastic bandages for support of injured limbs
- 10m bandages are not pre-cut, choose the size needed for your injury
- Available to fit different limb sizes (A - G)
A/ 10cm - 12cm B/ 13cm - 16cm C/ 16cm - 20cm
D/ 20cm - 24cm E/ 24cm - 28cm F/ 28cm - 36cm
G/ 36cm - 46cm

CM0587 (A) CM0588 (B) CM0589 (C) CM0590 (D)

CM0591 (E) CM0592 (F) CM0593 (G)

GAUZE SWABS PACK OF 100 NON STERILE



- Cost effective way for wound treatment
- Cushions and protects wounds
- Allows blood and fluids to pass through and be absorbed
- Prevents dryness in an open wound
- Highly absorbent cotton gauze swabs have balanced combination of softness and abrasive texture
- Available in a pack of 100, non sterile
- Available in two sizes (sold separately)
1/ 5cm x 5cm
2/ 7.5cm x 7.5cm

CM0450 (1) CM0454 (2)

STERILE GAUZE SWABS PACK OF 5



- Cost effective way for wound treatment
- Cushions and protects wounds
- Allows blood and fluids to pass through and be absorbed
- Prevents dryness in an open wound
- Highly absorbent cotton gauze swabs have balanced combination of softness and abrasive texture
- Available in three sizes (sold separately)
1/ 5cm x 5cm 2/ 7.5cm x 7.5cm 3/ 10cm x 10cm

CM0451 (1) CM0453 (2) CM1174 (3)


FINGERSTALL BLUE



- A blue tie-on fingerstall
- Protects injured fingers
- Holds dressings in place
- Helps keep dressings dry
- Secure tie-on system
- Blue colour makes for easy identification when used in catering and kitchens

CM0459 (Medium) CM0460 (Large)

FINGERCOT



- Waterproof finger length protection
- Apply over plasters or dressings
- Pre-rolled ready to use
- Made from latex material

CM0362 (Medium) CM0363 (Large)

FINGER DRESSINGS PACK OF 10



- Easy to apply, no pin required
- Low adherent sterile dressing pad on elastic bandage
- Provides excellent protection and cushioning for the wound
- Held in place with an adhesive strip that is attached to one side of the dressing
- Available in two sizes
1/ 5cm x 5cm
2/ 3.5cm x 3.5cm

CM0352 (1) CM0449 (2)

FINGERBOB



- Tubular finger bandages
- Pre-rolled, elasticated finger bandages
- For holding dressings in place and protecting wounds on fingers
- Blue Fingerbobs are ideal for food handling environments
- Available in pack of 10

BLUE

WHITE

CM0458

CM0457

MEDICAL BAGS, CASES & CABINETS

We have a diverse range of hard and soft cases, bags and specialised kit bags to enable you to make standard or bespoke kits to your own specifications.

SMALL BUM BAG



- Small Bumbag 22 x 14 x 6cm
- Highly portable with quick release clip and adjustable strap
- Zip closure

CM1100

BUM BAG WITH POCKETS



- Deep central pocket and extra outside pocket
- Highly portable with quick release clip and adjustable strap
- Zip closure, adjustable strap

CM1101

HEAVY DUTY FIRST AID BAG



- 8 internal compartments to organise the content
- Reflective strips
- Adjustable nylon shoulder strap

CM1102

MULTI-PURPOSE FIRST AID BAG



- Five internal compartments and transparent zip pocket inside lid
- Carry handle with removable shoulder strap
- Green nylon waterproof material

CM1103

GREEN POUCH WITH INSIDE POCKET



- Internal pocket and zip closure
- Ideal for personal, travel and smaller workplace first aid kits
- Green nylon waterproof material

CM1104 (Small)

CM1105 (Medium)

CM1106 (Large)

MED ECLIPSE BSI FIRST AID BAG ONLY



- Heavy duty double zip with padlock loops
- Zipped compartment areas inside
- Dimensions: 24.5cm x 15.5cm x 10cm

CM1111

LARGE FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1110

MEDIUM FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1109

SMALL FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1108

HANDY FEVA FIRST AID BAG



- Zipped closure
- Inner webbed section for safe storage and wrist carrying loop
- Ideal for personal kits at home or in the car

CM1107

METAL FIRST AID CABINET SINGLE DOOR



- Safe and secure storage for first aid contents
- Includes lockable storage compartments
- Flexible storage option with multiple compartments
- Sturdy design
- Supplied empty

CM1120 60 x 13 x 50cm

METAL FIRST AID CABINET DOUBLE DOORS



- Safe and secure storage for first aid contents
- Includes lockable storage compartments
- Flexible storage option with multiple compartments
- Sturdy design
- Supplied empty

CM1121 46 x 30 x 14cm

PARAMEDIC RUCKSACK



- With strong, adjustable shoulder straps, and quick release buckle
- Large pocket at the front
- Includes several colour coded internal pouches

CM1116

AED DEFIBRILLATOR BACKPACK



- Manufactured from durable Cordura
- Fully lined, with internal pocket
- Complete with zippered Prep kit pouch on front of backpack

CM1117

TRAUMA BAG



- Removable internal dividers
- Yellow reflective strip
- Detachable shoulder strap
- Carry handles
- 4 External zipped pockets
- Material: oxford fabric 600d
- Dimensions: 44cm x 25cm x 28cm

CM1115

RESPONDERS BAG



- Ideal for keeping first aid supplies on one person
- Excellent portability
- Easy to organise the contents

CM1712

GREEN ECLIPSE 300 SERIES BAG



- Reinforced carry handle with loops
- Popper fastener belt loop
- Dimensions: 16cm x 8cm x 8cm

CM1177

CUTEEZE QUICK RELEASE POUCH



- To contain a minimum of a CAT tourniquet and 6" Emergency Blanket
- It is designed to easily attach to a belt of climbing harness
- "Pull cord" release feature means it can be operated using one hand

CM0069

SITE SAFETY/FIRST AID COMBINATION BAG



BEESWIFT
MEDICA



CM1925

TOUCHLINE SPORTS FIRST AID BAG



BEESWIFT
MEDICA



CM1017

TRAUMA BAG



BEESWIFT
MEDICA



CM1194

LARGE ALUMINIUM FIRST AID CASE



BEESWIFT
MEDICA



- Ideal for 1 person kits, PSV and travel kits
- Green, with black clip fasteners
- Dimensions: 34.5 x 23 x 17cm

CM1016

FIRST AID KIT WALL BRACKET



BEESWIFT
MEDICA



- Sturdy plastic
- Wall mountable
- Holds a first aid kit for easy access

CM0400

SECURITY TAGS FOR FIRST AID KITS



BEESWIFT
MEDICA



- Indicates the kit has not been previously opened or tampered with
- Can be used as tags on fire extinguishers

CM1011

GREEN ECLIPSE BOX



BEESWIFT
MEDICA



- Ideal for HSE 1-10, 1-20, small Traders, small BSI, PSV and other travel kits

CM1018 no partition 275 x 275 x 100mm

CM1019 no partition 340 x 340 x 100mm

CM1006 3 partitions 275 x 275 x 100mm

CM1000 6 partitions 340 x 340 x 100mm

CLEAR ECLIPSE BOX



BEESWIFT
MEDICA



- Ideal for eyewash and body fluid spill kits

CM1002 no partition 275 x 275 x 100mm

CM1005 no partition 340 x 340 x 100mm

CM1004 3 partitions 275 x 275 x 100mm

BLUE ECLIPSE BOX



BEESWIFT
MEDICA



- Ideal for small kitchen and catering kits

CM1001 no partition 275 x 275 x 100mm

CM1007 no partition 340 x 340 x 100mm

CM1020 3 partitions 275 x 275 x 100mm

CM1021 6 partitions 340 x 340 x 100mm

RED ECLIPSE BOX 3 PARTIONS



- Size 275 x 275 x 100mm
- One large and two other compartments
- Ideal for burns kits

CM1003

EMPTY BOX WITH HANDLE AND WALL BRACKET



- Transparent cover plates, movable dividers in the bottom and upper part

CM1022 270 x 187 x 114mm

CM1023 428 x 304 x 146mm

CM1026 385 x 272 x 138mm

CM1028 321 x 218 x 122mm (First Aid Box)

PRIESTFIELD FIRST AID BOX GREEN



- Standard first aid case ideal for 1 person kits, PSV and travel kits

CM1012 225 x 170 x 60mm

CM1013 260 x 170 x 80mm

CM1014 355 x 275 x 90mm

EMPTY FIRST AID BOX WITH WALL BRACKET



- Dimension 250 x 170 x 90mm
- Handle, transparent cover plates, movable

CM1025

ABS GREEN FIRST AID BOX 270 X 190 X 120MM



- Comes complete with wall mounting bracket
- Internal compartments with perspex cover
- Ideal for warehouse and building sites etc

CM1027

FAST CHECK CABINET



- Wall fixing and carry handle
- Can hold accident or first aid book
- Security loop for security seal

CM1029

DEFIBRILLATORS & RESUSCITATION KITS

Resuscitation Equipment

We have a range of resuscitation equipment to help deliver CPR and safely maintain a barrier between the casualty and the rescuer, minimising the risk of cross contamination and infection during mouth to mouth resuscitation.

NF1200 IPAD Defibrillator

Designed as a basic model for minimally trained operators, available in an automatic and semi automatic version and is designed so it cannot be operated incorrectly which makes it ideal for public areas where emergencies might require operation by someone untrained in defibrillator use.

CARDIAC SCIENCE G5 Defibrillator

A complete AED solution that gives confidence to both novices and trained emergency professionals to act in the event of a sudden cardiac arrest. This defibrillator has been tested to military standards.

First time users can successfully perform each critical step of a rescue with intuitive pad design, real time instruction and feedback via voice and text prompts.

Defibrillators and other resuscitation equipment are becoming essential parts of all first aid requirements as increased training and an increase in the general understanding that the availability of defibrillators in the workplace make a real difference to saving lives.

ZOLL AED PLUS

When sudden cardiac arrest occurs, the fact is that only half of the victims will need a shock. But all will require cardiopulmonary resuscitation (CPR).

You need an automated external defibrillator (AED) that helps you all the time. The ZOLL AED Plus can actually see when you are doing CPR and help you do it well.

The AED Plus features Real CPR Help, a unique CPR feedback tool that is able to monitor CPR quality and provide real-time feedback for depth and rate of chest compressions.

Audio and visual prompts help you to rescue with a confidence and clarity unmatched by any other AED.

LIFELINE AED

The original AED, solid, reliable with over 375,000 units sold worldwide. Easy to use, simple instructions, ideal for use by both trained and untrained operators.



SP1 DEFIBRILLATOR



- Operational status indicator for battery and pad life, daily self checks
- Device will analyse the patient and deliver shock automatically if required (automatic version)
- Simple switch from adult to child mode
- Dual adult/child Electrode Pads
- Clear visual and verbal guidance
- Ambient noise detector
- CPR detection and metronome
- Large internal memory with simple data access
- Less than 6 seconds from completion of CPR to shock delivery
- Simple data access with SD card download
- Disposable battery pack

CM1231 SEMI-AUTOMATED

CM1232 FULLY-AUTOMATED

SCHILLER FRED PA-1 AUTOMATIC DEFIBRILLATOR



- The FRED PA-1 AED starts up immediately when you lift the device cover
- The electrode pads are pre-connected which allows faster application of the electrodes to the patient's chest
- The Children's pads can be stored at the back of the device, minimising the delay in switching to the correct pads
- The device recognises which pads are attached automatically and adjusts shock energy accordingly
- Through a combination of clear audio instructions and simple illustrations, the user is walked through the life-saving process
- There is a repeat button for the audio instructions should users miss a step

CM1250

Accessories

CM1252 (Replacement Pads)

CM1253 (Battery Pack)

MEDIANA A15 HEART ON SEMI-AUTOMATED DEFIBRILLATOR



- The unit is supplied with a protective outer cover, which when opened by the easy sliding switch, automatically turns on
- The defibrillator pads are already connected and ready to use
- LED indicator lights flash with the corresponding voice prompts
- Visual icons clarify the necessary actions.
- The adult/paediatric mode switch allows the correct setting without changing the pads
- The battery is disposable, LiMnO₂ Non-rechargeable, with 2 years shelf life, and 5 years standby life.

- 1 Mediana HeartOn AED A15
- 1 Instruction Manual
- 1 SD Card
- 1 Set Adult/Paediatric Defibrillation Pads
- 1 Soft Carry Case

CM0970

CARDIAC SCIENCE G5 AED DEFIBRILLATOR



- Supplied with one set of adult electrode pads, battery and software + exclusive extras
- Resistance against dust and moisture
- LED indication that the defibrillator is fully functional
- Non-polarised adult pads helps save time in emergencies
- Can be used on young patients with the infant/child pads (sold separately)
- Available with CPR Device, provides real-time CPR feedback for correct compression rate and depth

Fully Automatic

CM1200 CM1201 (with CPR Device)

Semi Automatic

CM1202 CM1203 (with CPR Device)

CM1208 (Training Unit with CPR Device)


HEARTSINE SAMARITAN PAD 360P FULLY AUTOMATIC DEFIBRILLATOR



- Analyses heart and delivers shock to patient automatically if needed
 - Highly portable
 - Escalating shock energy
 - Easy-to-understand visual and voice prompts
 - Pad Pak: integrated battery and electrode single-use cartridge with one expiration date
 - Stores 90 mins of rescue data
- Dimensions
 W: 18.4 cm
 H: 20 cm
 D: 4.8 cm
 Weight: 1.1 kg

CM0977

ZOLL AED PLUS DEFIBRILLATOR



- Easy to place one piece electrode providing more time to focus on rescue
- Fixed escalating energy (120J, 150J, 200J)
- Metronome for CPR compression rate
- CPR help technology provides real time feedback on depth and rate of compressions
- Configurable automatic self tests from 1 to 7 days
- 50 mins of ECG and Rescue data
- Powered by 10 lithium batteries
- Carry case included
- 5-year warranty (plus 2 years if registered with Zoll)

Fully Automated

CM0968

Semi Automated

CM0966

LIFELINE AED FULLY AUTOMATIC DEFIBRILLATOR



- It features clear voice instructions to help with the entire process from how to position the pads to when to perform CPR between shocks.
- The standard Lifeline Defibrillator Battery (approx. 5 years) is capable of performing 125 defibrillator shocks or 8 hours of continuous operation
- One of the easiest AED's for use by untrained operators
- 8-year manufacturer's warranty including free software upgrades in line with resuscitation guidelines
- Tested to military standards, robust and durable
- Complete daily, weekly and monthly self-tests
- Clear voice instructions, including CPR coaching to further simplify the rescue for responders

Fully Automated

CM1931

Semi Automated

CM1930

DEFIBRILLATOR WALL HANGER

- Universal wall hanger
- Suitable for all defibrillators
- Comes complete with all details required in case of an emergency
- Internal Locations only
- Ideal for office, warehouse or factory locations
- Can be own branded on 10 units or above

CM1223



DEFIBRILLATOR STAINLESS STEEL CABINET



- Protected with an outdoor yellow powder coat
- Salt spray tested for 10k hours
- Internal permanently illuminated LED light
- Thermostatically controlled heating in new 'plug and play' self-contained electrics unit
- Breather drain to prevent condensation
- Internal hook to hang/accommodate any defibrillator
- Comes as standard with a viewing window
- Cabinet dimensions are 500x400x250mm
- This item is shipped directly from the manufacturer, please allow 7 days for delivery

CM1211 (with keypad lock and electrics)

CM1212 (no keypad lock or electrics)

DEFIBRILLATOR MILD STEEL CABINET



- Protected with an outdoor yellow powder coat
- Salt spray tested for 10k hours
- Internal LED magnetic light activates in darkness on motion sensor
- Thermostatically controlled heater
- Internal hook to accommodate any defibrillator without carry case
- Viewing window
- Cabinet dimensions are: 400 x 400 x 200
- This item is shipped directly from the manufacturer, please allow 7 days for delivery.

CM1215 (with keypad lock and electrics)

CM1216 (no keypad lock or electrics)

DEFIBRILLATOR MILD STEEL CABINET INTERNAL



- Professional defibrillator cabinet for indoor use
- Made from powder coated steel with large Perspex viewing window
- Includes strobe light and alarm that can be set to activate on door opening -this is used to alert people that the cabinet has been opened for security purposes or to raise the alarm that a defibrillator is required
- External dimensions are 450 x 450 x 200mm
- This item is shipped directly from the manufacturer, please allow 7 days for delivery.

CM1217 (White)

CM1218 (Yellow)

INDOOR DEFIBRILLATOR CABINET



- Provides safe and visible storage for AEDs
- Clear door allows the visual inspection of the AED
- Incorporated shelf allows for storage of additional items
- Available with either a key lock or thumb lock
- Provided with a spare key

CM1224 (with key lock)

CM1225 (with thumb lock)

DEFIBRILLATOR POLYCARBONATE CABINET



- Highly impact resistant polycarbonate outdoor cabinet
- Fire retardant to UL94 VO (will not support fire)
- UV stabilised; will not be affected by sunlight
- Double skin clamshell design with full IP66 rating
- Thermostatically controlled heater
- Motion sensor LED light
- Lightweight construction, only 10kg
- Fully recyclable material
- Cabinet dimensions 465x435x240mm
- 10 Year limited guarantee
- Made in the UK

CM1235 c/w Lock Heater Light

CM1237 Unlocked Heater Light

DEFIBSAFE 2 EXTERNAL CABINET



- Tough Polyethylene body
- Polycarbonate Door
- Metal hinges with security fixings
- Double Skin Construction
- Low Energy – Low Voltage
- 3 Bolt fixing to wall
- Protection against the elements
 - › IP66 rated against dust and water ingress
 - › Thermostatically controlled heater prevents freezing
 - › Air circulation fan prevents condensation
 - › Safety cut out
- LED Lighting
- Unique location code
- Stainless steel mechanical lock (CM1238 version)

CM1238 With Lock

CM1239 No Lock

INDOOR ALARMED DEFIBRILLATOR CABINET



- AED safety cabinet
- Magnetic Closing for easy access
- White powder coated
- Audio alarm to raise awareness of emergency and call for assistance in noisy environments
- Acrylic Window for easy viewing and visual inspection
- Suitable for all defibrillators
- Power supply 3X AA Batteries

Dimensions:

- Width - 370mm/14.6 inches
- Height - 370mm/14.6 inches
- Depth - 170mm/6.7 inches
- Weight - 4kg/9lbs

CM1243

AIVIA 200 DEFIBRILLATOR CABINET WITH HEATING AND ALARM

The Aivia 200 AED Cabinet Seal Protected with Audible Alarm & Heating could be exactly what you're looking for, providing the perfect indoor or outdoor solution for protecting your lifesaving AED

- Perfect indoor or outdoor solution to protecting and storing your defibrillator
- Designed with two sections providing amazing shock resistance properties
- Combines a Polycarbonate cover with an ABS chassis as 2 distinct parts
- Internal heating to keep your defibrillator at optimum performance temperature
- Defibrillator also protected by coated seals and LEDs installed for day/night lighting
- 105db audible alarm triggered once the cabinet is opened in an emergency
- IP rating 44
- Ideal with all AED (automated external defibrillator) models
- Dimensions : H = 423 mm, L = 388 mm, P = 201 mm, Weight = 3.5 kg

CM1219



NF 1200 BATTERY



CM0485



**G5 DEFIBRILLATOR
REPLACEMENT
BATTERY**



CM1206



HS1 BATTERY



CM1230

**SP1 DISPOSABLE
BATTERY**



CM1228

**G3 AED
BATTERY**



CM1222

**MEDIANA A15
BATTERY PACK**



CM0971

**PROCELL CR123A
LITHIUM BATTERY
PACK OF 10**



CM0975

**ELECTRODE PADS
ADULT (1 PAIR)**



CM0486



**ELECTRODE PADS CHILD
(1 PAIR)**



CM0487



**G5 DEFIBRILLATOR
PADS ADULT**



CM1204

**G5 DEFIBRILLATOR
PADS CHILD**



CM1205

**G3 AED
PADS (1 PAIR)**



CM1221

**HEARTSINE
ADULT PAD PACK**



CM1260

**HS1 ADULT
PADS (1 PAIR)**



CM1229

**MEDIANA A15
PAEDIATRIC
PADS**



CM0972

**ADULT DEFIBRILLATOR
PAD SET
(DDP-100)**



CM1737

**G5 STORAGE
BRACKET**



- Suitable for storing the Cardiac Science Powerheart G5 defibrillators
- Helps identify the correct storage location

CM1207

**AED DEFIBRILLATOR
WALL BRACKET**



- Increases visibility of the defibrillator unit
- Keeps the AED easily accessible
- Ideal for our full range of AED units

CM1210

NEAREST AUTOMATED DEFIB SIGN



BEESSWIFT MEDICAL



- Complies with BS 5499 Part 1, Part 4, Part 5 and The Health & Safety (Safety Signs & Signals) Regulations 1996

CM1326

NEAREST AUTOMATED DEFIB SIGN



BEESSWIFT MEDICAL



- Complies with BS 5499 Part 1, Part 4, Part 5 and The Health & Safety (Safety Signs & Signals) Regulations 1996

CM1327

AED AUTOMATED EXT DEFIB SIGN



BEESSWIFT MEDICAL



- Complies with BS 5499 Part 1, Part 4, Part 5 and The Health & Safety (Safety Signs & Signals) Regulations 1996

CM1328

AED RESCUE READY/PREP KIT



BEESSWIFT MEDICAL



- P1 x CPR Facemask
- 2 x Sterile Saline Wipes
- 1 x Pack of 5 x 5 cm Sterile Gauze Swabs
- 1 x pair tuffcut scissors
- 1 x prep razor
- 1 x biohazard bag
- 1 x pair nitrile disposable gloves
- 1 x Foil blanket
- Supplied with either a deluxe bag or a standard bag
- Bag can be own branded with customer logo (min order 50 kits)

CM1113 (Deluxe Bag)

POCKET FACE MASK



BEESSWIFT MEDICAL



CM0471

FACESHIELD



CM0472

RESUSCIADE



CM0473

RESUSCIADE IN POUCH



BEESWIFT
MEDICAL



CM0474

VENTAID



CM0475

SET OF GUEDAL AIRWAYS



BEESWIFT
MEDICAL



CM0476

SPORTS FIRST AID

Actually designed with the sportsman in mind, our range of three kits are full of product developed to treat injuries received in a wide range of sporting events and teams from the individual to the school team, to the large multi participant event.

Click Medical provides a wide range of sports related first aid products to deal with bruises, bumps, cuts and minor injuries that occur on the sporting field.

Hot and Cold Therapy

We have a wide range of instant ice packs of varying sizes, reusable hot and cold packs, an instant heat pack and freeze sprays to deal with bumps and bruises giving instant and long term relief for these sporting injuries.

We also supply a range of other products to help with dealing with sports field injuries including:

Blister Plasters – for protection of feet and hands and protect against abrasion

Wound Wash – for quick cleansing of the wound

Spray Plasters and Bandages – create a barrier to prevent further injury and infection to the wound area.

TEAM FIRST AID KIT IN SPORTS BAG



- 1 x Guidance leaflet
- 10 x Alcohol free cleansing wipes
- 1 x Wound wash spray 70ml
- 1 x Cotton wool roll 15gm
- 1 x Crepe bandage 5cm x 4.5m
- 1 x Crepe bandage 7.5cm s 4.5m
- 5 x Eyewash pods 20ml
- 1 x Foil blanket
- 2 x Blister plasters
- 1 x Hand gel 50ml
- 1 x Petroleum jelly
- 20 x Waterproof plasters
- 1 x Resuscitation face shield
- 1 x Tuffcut scissors
- 2 x Self-seal waste bags
- 1 x Sport instant ice pack
- 1 x Freeze spray 150ml
- 1 x Resusciate
- 1 x Spray bottle 250ml
- 2 x Sterile dressing medium
- 2 x Sterile dressing large
- 1 x Sterile dressing XL
- 2 x Sterile eye pad
- 2 x Sterile low adherent dressing 5cm x 5cm
- 1 x Sterile low adherent dressing 10cm x 10cm
- 2 x Sterile low adherent adhesive dressing 8cm x 6cm
- 2 x Sterile low adherent adhesive dressing 10cm x 8cm
- 1 x Sterile skin closure strip 3mm x 75, pack of 3, 5 strips to a sheet (15 strips)
- 1 x Sterile Cut-Eeze wound seal dressing
- 1 x Sterile Cut-Eeze wound seal dressing (round)
- 2 x Triangular bandages
- 6 x Safety pins
- 4 x Pairs disposable vinyl gloves
- 1 x Zinc oxide tape 2.5cm x 5m
- 1 x Microporous tape 2.5cm x 5m
- 1 x Touchline bag
- Refill pack for kit sold separately (CM0063)

CM0062 (Kit) CM0063 (Refil Pack)

ADVANCED TEAM SPORTS KIT IN LARGE BAG



- 1 x Guidance leaflet
- 10 x Alcohol free cleansing wipes
- 1 x Wound wash spray 70ml
- 1 x Fabric dressing strip 60mm x 1m
- 1 x Cotton wool roll 15gm
- 1 x Crepe bandage 5cm x 4.5m
- 1 x Crepe bandage 7.5cm s 4.5m
- 1 x Crepe bandage 10cm x 4.5m
- 1 x Crepe bandage 15cm x 4.5m
- 2 x Conforming bandages 7.5cm x 4.5m
- 1 x Eyewash bottle 500ml
- 5 x Eyewash pods 20ml
- 2 x Foil blankets
- 4 x Blister plasters
- 1 x Hand gel 50ml
- 1 x Petroleum jelly
- 20 x Waterproof plasters
- 20 x Fabric plasters
- 1 x Resuscitation face shield
- 1 x Tuffcut scissors
- 2 x Self-seal waste bags
- 2 x Sport instant ice packs
- 1 x Freeze spray 150ml
- 1 x Resusciate
- 1 x Spray bottle 250ml
- 3 x Sterile dressing medium
- 3 x Sterile dressing large
- 2 x Sterile dressing XL
- 2 x Sterile eye pad
- 3 x Sterile low adherent dressing 5cm x 5cm
- 2 x Sterile low adherent dressing 10cm x 10cm
- 3 x Sterile low adherent adhesive dressing 8cm x 6cm
- 3 x Sterile low adherent adhesive dressing 10cm x 8cm
- 1 x Sterile skin closure strip 3mm x 75, pack of 3, 5 strips to a sheet (15 strips)
- 2 x Sterile Cut-Eeze wound seal dressing
- 2 x Sterile Cut-Eeze wound seal dressing (round)
- 4 x Triangular bandages
- 6 x Safety pins
- 8 x Disposable vinyl gloves
- 1 x Zinc oxide tape 2.5cm x 5m
- 1 x Zinc oxide tape 1.25cm x 5m
- 1 x Zinc oxide tape 5.0cm x 5m
- 1 x Microporous tape 2.5cm x 5m
- 1 x Touchline bag large
- Refill pack for kit sold separately (CM0066)

CM0065 (Kit) CM0066 (Refil Pack)

PERSONAL SPORTS FIRST AID KIT



- 10 x Alcohol Free Cleansing Wipes
- 1 x Wound Wash Spray 70ml
- 1 x Cotton Wool Roll 15gm
- 1 x Crepe Bandage 5cm x 4.5m
- 1 x Crepe Bandage 7.5cm s 4.5m
- 2 x Eyewash Pods 20ml
- 1 x Foil Blanket
- 2 x Blister Plasters
- 1 x Petroleum Jelly
- 20 x Plasters Washproof
- 1 x Resuscitation Face Shield
- 1 x Scissors -Tuff Cut
- 1 x Self-Seal Waste Bags
- 1 x Sport Instant Ice Pack
- 1 x Freeze Spray 150ml
- 1 x Resusciate 1
- 1 x Spray Bottle 500ml
- 1 x Sterile Dressing Medium
- 1 x Sterile Dressing Large
- 1 x Sterile Eye Pad
- 1 x Sterile X large Dressing
- 1 x Sterile Low adherent Dressing 5 x 5cm
- 1 x Sterile Low adherent Dressing 10 x 10cm
- 1 x Sterile Low Adherent Adhesive Dressing 8 x 6cm
- 1 x Sterile Low Adherent Adhesive Dressing 10 x 8cm
- 1 x Sterile Skin Closure Strip 3mm x 75, pack of 3, 5 strips to a sheet (15 strips)
- 1 x Sterile 'Cut-eeze' wound seal dressing
- 1 x Sterile 'Cut-eeze' wound seal dressing(round)
- 1 x Triangular Bandage
- 6 x Safety Pins
- 2 x Vinyl Gloves
- 1 x Zinc Oxide Tape 2.5cm x 5m
- 1 x Microporous Tape 2.5cm x 5m
- 1 x Guidance leaflet
- 1 x Bumbag

CM0060 (Kit) CM0061 (Refill Pack)

FOOTBALL FIRST AID KIT



- Ideal for football teams as well as general sports first aid applications
- Contains all of the items needed to treat a minor injury on the playing field
- Includes bandages, sterile wound dressings, sterile eyewash & water spray bottles
- 1 x Guidance leaflet
- 1 x Touchline Bag (Large)
- 5 x Gauze swabs
- 1 x Eyepad dressing
- 1 x Medium HSE dressing
- 1 x Large HSE dressing
- 2 x Non-woven triangular bandage
- 1 x Conforming bandage 7.5cmx4.5m
- 3 x Crepe bandage assorted
- 1 x Elastic adhesive bandage
- 3 x Low adherent dressing assorted
- 1 x Microporous tape
- 2 x Zinc oxide tape
- 1 x Instant ice pack
- 1 x Faceshield
- 1 x Scissors
- 12 x Safety pins
- 1 x Foil blanket
- 2 x Disposable gloves
- 10 x Sterile saline wipes
- 1 x Trigger spray bottle
- 2 x Self-seal waste bags
- 20 x Assorted plasters
- 2 x Eyewash pods

CM0067 (Kit) CM0068 (Refill Pack)

TREATMENT SPRAYS

1



2



3



4



Freeze Spray Skin Coolant - CM0377 / CM0378

A convenient spray which provides an instant cooling effect. Can help reduce the sensation of burns, sprains, cramp and inflammation. Suitable for sports, industrial and domestic applications.

Wound Cleanser Skin Disinfectant - CM0379

An alcohol based skin and wound cleanser for use prior to: Dressing injured or broken skin with minor cuts and grazes, conducting simple medical procedures such as injections, wound repair being performed on skin, conducting podiatry procedures on feet and conducting non medical procedures such as tattooing.

Spray Plaster - CM0380

Click Medical Spray Plaster forms a transparent, breathable and flexible film to protect the wound and promote natural healing. It is particularly useful for awkward places such as elbows and knees. Provides an invisible over skin coating which will protect all day or until washed off with soap and water.

(1) CM0377 (150ml) (2) CM0378 (400ml)

(3) CM0379 (70ml) (4) CM0380 (32.5ml)

INSTANT ICE PACK KOOL KIDS



KOOL
PAK

- Ideal for treating soft tissue injuries on children
- Extremely popular in schools
- Compact size is ideal for keeping in a hand bag or first aid kit
- Quickly relieves pain and swelling
- Ideal for soothing headaches
- Pack can remain cold for around 20 mins at room temperature
- Single use and easily disposable

CM0372

RESUABLE HOT AND COLD PACK



KOOL
PAK

- Ideal for use by therapists and medical professionals on patients
- Perfect for use on larger body areas
- Oversized pack moulds to the problem area
- Remains flexible when cold or hot
- Pack can remain cold for up to 2 hours at room temperature
- Reusable

CM0490

INSTANT COLD PACK RETAIL



RAPID RELIEF AID



- Activates instantly and provides up to 20 minutes of cold therapy, helping to begin the healing process faster
 - Delivers approximately 1°C / 34°F of cold therapy when activated at room temperature
 - FTP™ (fold-to-pop) technology, allowing the user to activate the cold pack simply by folding it in half
 - Apply to bruises and swelling, muscle spasms and pain, headaches and minor injuries
- Available in 4 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm

RA35246 (1) RA35259 (2)

INSTANT COLD PACK WITH GENTLE TOUCH™ TECHNOLOGY



RAPID RELIEF AID



- Reduces swelling with immediate cold therapy without ice
 - Features a soft touch material that can be placed directly against the skin
 - Offers fast relief from pain and swelling caused by injury and inflammation
 - Delivers approximately 2°C / 36°F of cold therapy when activated at room temperature
 - FTP™ (fold-to-pop) technology, allowing the user to activate the cold pack simply by folding it in half
 - Apply to bruises and swelling, muscle spasms and pain, headaches and minor injuries
- Available in 2 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm

RA35346 (1) RA35359 (2)

SINGLE BAG - INSTANT COLD PACK WITH SELF-ADHERING WRAP



RAPID RELIEF AID



- The patented technology delivers direct-to-skin cold therapy to reduce swelling and discomfort after an injury
 - The built-in Self-Adhering Wrap applies an appropriate amount of compression directly, and comfortably, to the injured area
 - Delivers approximately 2°C/36°F of cold therapy when activated at room temperature
 - Gentle Touch technology delivers direct-to-skin cold therapy
 - FTP™ (fold-to-pop) technology, allowing the user to activate the cold pack simply by folding it in half
 - Apply to bruises and swelling, muscle spasms and pain, headaches and minor injuries
 - Built-in compression wrap
- Available in 2 sizes:
1/ 5" x 9" / 13cm - 23cm
2/ 5" x 9" / 13cm - 23cm Retail Box

RA35759 (1) RA11357 (2)

INSTANT WARM PACK WITH GENTLE TOUCH™ TECHNOLOGY - SINGLE BAG



RAPID RELIEF AID



- Delivers soothing warmth directly to the skin for therapeutic healing
 - Patented gel technology turns from liquid to a contouring gel when activated, allowing for the product to contour to each affected body part
 - Tested to retain heat much longer compared to other traditional instant warm packs
 - Delivers approximately 44°C/111°F of warm therapy when activated at room temperature
 - Gentle Touch™ technology, which means this product can be applied directly to the skin
 - FTP™ (fold-to-pop) technology, allowing the user to activate the warm pack simply by folding it in half
 - Apply to pain associated with arthritis, to relax sore muscles and improves the flexibility of tendons and ligaments
 - Direct-to-skin application with Gentle Touch™ technology
- Available in 2 sizes:
1/ 4" x 6" / 10cm - 15cm
2/ 5" x 9" / 13cm - 23cm

RA44346 (1) RA44359 (2)

INSTANT HOT PACK



RAPID RELIEF

- Instant Hot Pack delivers soothing heat right away to help promote therapeutic healing where needed
- Magnesium sulfate technology is a longstanding hot pack solution in the medical marketplace
- Delivers approximately 49°C/120°F of hot therapy when activated at room temperature
- FTP™ (fold-to-pop) technology, allowing the user to activate the hot pack simply by folding it in half
- Apply to sore and stiff joints, muscle aches and pain, muscle tension and cramps
- Available in 2 sizes:
 - 1/ 4" x 6" / 10cm - 15cm
 - 2/ 5" x 9" / 13cm - 23cm

RA43246 (1) RA43259 (2)

REUSABLE COLD & HOT GEL COMPRESS WITH CONTOUR-GEL - RETAIL BAG



RAPID RELIEF

- Contour-Gel molds to the body even when frozen, and is aesthetically recognized by patients as one of the industry standards for relieving pain from bumps and bruises
- It is freezeable, microwaveable and non-toxic
- Delivers approximately 2°C/28°F of cold therapy when stored in freezer and 43.5°C/110°F of hot therapy when microwaved

Cold Therapy

- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain

Hot Therapy

- Apply to sore and stiff joints, muscle aches and pain, muscle tension and cramps

- Available in 3 sizes:
 - 1/ 4" x 6" / 10cm - 15cm
 - 2/ 5" x 9" / 13cm - 23cm
 - 3/ 9" x 11" / 23cm - 28cm

RA12246 (1) RA12259 (2) RA12290 (3)

DELUXE COLD & HOT GEL COMPRESS WITH CONTOUR-GEL



RAPID RELIEF

- Quickly delivers comforting cold or hot therapy, and can be reused for either, as needed
- The high-end compress material is soft and effective, with a quality feel
- The Deluxe version is also filled with extra gel, to give it added weight, natural compression and extended dwell times
- Delivers approximately 2°C/28°F of cold therapy when stored in freezer and 43.5°C/110°F of hot therapy when microwaved

Cold Therapy

- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain

Hot Therapy

- Apply to sore and stiff joints, muscle aches and pain, muscle tension and cramps

- Available in 4 sizes:
 - 1/ 6" x 5" / 15cm - 13cm
 - 2/ 6" x 10" / 15cm - 25cm
 - 3/ 6.75" x 8.5" / 17cm - 22cm
 - 4/ 11" x 10" / 28cm - 25cm

RA401 (1) RA402 (2) RA403 (3) RA404 (4)

PREMIUM REUSABLE COLD COMPRESS



RAPID RELIEF

- Delivers quick cold therapy to reduce swelling and provide comfort after an injury
- Manufactured with premium fabric and form-fitting gel that remains flexible when frozen, this product is designed to be applied directly to the skin and provide comforting relief
- Delivers approximately 3°C/37°F of cold therapy when stored in freezer
- Contour-Gel technology allows the compress to contour to the body area being treated, yet remain flexible even when frozen
- Direct-to-skin application
- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain

- Available in 2 sizes:
 - 1/ 5" x 11" / 13cm - 28cm
 - 2/ 8" x 12" / 20cm - 30cm

RA11251 (1) RA11270 (2)

UNIVERSAL REUSABLE HOT/COLD COMPRESS WRAP



RAPID RELIEF

- A convenient, non-medicinal and economical way to treat pain relief
- Provides comforting cold or hot therapy in an effective reusable system
- Our Form-Fit non-toxic gel™ technology prevents gel from sagging; holds it shape and spreads evenly when gel is heated
- Self-adhering wrap compresses the area and holds the gel pack in place to target immediate relief
- Flexible when frozen, safe for microwaveable use
- Ideal for smaller body area such as: knee, ankle, elbow, wrist, hand, fingers, foot and toes
- Includes extra strap: Deluxe wrap with hook & loop closures and an added strap to fit larger areas
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimension: 5" x 10" / 13cm - 25cm

RA11250

REUSABLE HOT/COLD GEL COMPRESS, DIRECT-TO-SKIN



RAPID RELIEF

- Non-woven material is soft and comfortable directly against the skin, and the size is ideal for most common injuries to smaller joints and targeted body areas, both hot or cold
- Non-toxic gel
- Flexible when frozen, safe for microwaveable use
- Ideal for targeted pain relief for areas such as face, arm, ankle, elbow, leg
- Direct-to-Skin: No need to wrap in a towel before use
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimension: 6" x 19" / 15cm - 23cm

RA11369

DELUXE REUSABLE HOT/COLD COMPRESS WRAP



RAPID RELIEF

- A convenient, non-medicinal and economical way to treat pain relief
- Provides comforting cold or hot therapy in an effective reusable system
- Our Form-Fit non-toxic gel™ technology prevents gel from sagging; holds it shape and spreads evenly when gel is heated
- Self-adhering wrap compresses the area and holds the gel pack in place to target immediate relief
- Flexible when frozen, safe for microwaveable use
- Ideal to treat larger areas such as: back, shoulder, neck, abdominal area, lower back
- Includes extra strap: Deluxe wrap with hook & loop closures and an added strap to fit larger areas
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimension: 9" x 13" / 23cm - 33cm

RA11290

ICE BAG



RAPID RELIEF

- Designed to aid and comfort at home ailments such as headaches and fever
- Made from a premium soft and comfortable material, the ice bag is an economical and ideal way to treat inflammation, swelling, bruising and minor injuries
- Variety of applications; can be used on any body part
- Easy to open; extra large opening wide enough to take whole ice cubes
- No leakage or mess from melted ice cubes
- Reduces inflammation, muscle spasms and pain
- Reduces swelling or bruising from minor injuries
- Helps alleviate headache and migraine pain
- Dimension: 11" / 28cm

RA95530

NATURAL THERAPEUTIC OAT BAG WITH GEL PACK, SQUARE



RAPID RELIEF

- The patented Natural Therapeutic Oat Bag delivers the deep, penetrating moist heat that radiates from all-natural oats in a large, square format
- The versatile square bag has multiple application areas on the body, including the abdomen, back, leg and shoulder
- Features a pocket for the included cold gel pack to increase the intensity of the cold temperature therapy
- Ideal for abdomen, back, thigh, arm and menstrual cramps
- 100% natural oats can be used hot or cold
- Built-in pocket for included freezable gel pack for increased effectiveness and temperature span
- Square shape for versatility and broad application
- Direct-to-Skin, cosy material
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimensions:
9" x 10.5" / 23cm - 27cm Oat Bag
7" x 8" / 18cm - 21cm Gel Pack

RA11278

PREMIUM FOOT PAIN COLD PACK WITH BUILT-IN COMPRESSION STRAP



RAPID RELIEF

- Contour-Gel™ technology allows the compress to mold to multiple areas of the foot and remains flexible when frozen
- Manufactured with premium fabric, it is easy to use, and includes a built-in strap to hold the pack in place and add compression
- Flexible even when frozen
- Direct-to-skin application
- Provides relief from pain and swelling associated with various foot conditions and injuries, such as sprains, tears, achilles pain and more
- Dimension: 6" x 9" / 15cm - 23cm

RA11954

NATURAL THERAPEUTIC OAT BAG WITH GEL PACK, LONG



RAPID RELIEF

- The patented Natural Therapeutic Oat Bag delivers the deep, penetrating moist heat that radiates from all-natural oats in a long, rectangular wrap format
- The extended shape is ideal for the neck, head, lower back and more
- Features a pocket for the included cold gel pack to increase the intensity of the cold temperature therapy
- Ideal for neck, shoulders and back pain
- 100% natural oats can be used hot or cold
- Built-in pocket for included freezable gel pack for increased effectiveness and temperature span
- Long, rectangular shape for concentrated application to specific areas
- Direct-to-Skin, cosy material
- Cold Therapy - see RA12246
- Hot Therapy - see RA12246
- Dimensions:
5.5" x 19" / 14cm - 48cm Oat Bag
4" x 16.5" / 10cm - 42cm Gel Pack

RA11240

PREMIUM REUSABLE COLD SLIPPERS



RAPID RELIEF

- Delivers cold therapy to reduce swelling and relieve foot pain and discomfort. Contour-Gel™ technology allows the compress to mold to the foot, yet remain flexible even when frozen
- Flexible even when frozen
- Direct-to-skin application
- Bi-lingual packaging (English and French)
- Cold Therapy Relief:
 - Provides relief from pain and swelling due to pregnancy, over exertion, post-surgery care and side effects from medication
 - Relieves soreness associated with long days on feet or uncomfortable footwear
 - Relieves discomfort associated with poor circulation
 - Relief from various foot and toe conditions such as gout, breaks or sprains
- Dimension: 5" x 12" / 13cm - 30cm

RA11550

HEALTH & SAFETY ROOM ITEMS

KITCHEN HYGIENE POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1300

ELECTRIC SHOCK TREATMENT GUIDE POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1301

WORKPLACE FIRST AID POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1302

FIRST AID FOR EYES POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1303

DEFIBRILLATOR AED GUIDANCE POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1304

COSHH POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1305

SAFE MANUAL HANDLING POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1306

TRIPS AND FALLS POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1307

FIRE SAFETY POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1308

HEALTH AND SAFETY AT WORK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1309

PERSONAL PROTECTIVE EQUIPMENT POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1310

NOISE AT WORK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1311

FIRST AID FOR BURNS POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1312

WORK AT HEIGHT POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1313

ASBESTOS AT WORK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1314

WASH YOUR HANDS POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1315

FOOD ALLERGIES & ANAPHYLACTIC SHOCK POSTER



- Durable laminated construction with full colour illustrations
- Size 59 x 42cm (A2 Paper size)

Compiled by qualified health and safety practitioners

CM1329

NEAR MISS RECORD BOOK



- Prevent future incidents from occurring
- Space to record a total of 53 incidents
- Enables compliance with Data Protection Act 1998

CM1338

HEALTH & SAFETY LAW POSTER / ACCIDENT BOOK / FIRE SAFETY LOG BOOK



Health & Safety Law Poster

- Rigid PVC
- 420mm x 594mm
- Packed singularly

Accident Book

- To record all fire procedures
- Essential part of health & safety work policies

Fire Safety Log Book

- To record all employee accidents
- Essential part of health & safety work policies

(1) BSSHSE01 (2) CM1324 (3) CM1325

COUCH STEP SINGLE TIER



- Stable and anti-tripping system
- Steel frame with rubber steps
- Single - 20 x 40.5cm

CM1763

GAS LIFT SADDLE STOOL



- Heavy duty five spoke chrome base with durable plastic castors
- Moulded and cushioned PVC saddle stool
- Gas lift height adjustment offering smooth ascent and descent

CM1127

STAINLESS STEEL PEDAL BIN



- Ideal for use in hospitals, kitchens/canteens, nursing homes, surgeries and emergency services
- Size: 40 x 26 x 25cm, 12 litre capacity

CM1762

TWO TIER STAINLESS STEEL MEDICAL TROLLEY



- Wheels with twin lock
- Tray surfaces of stainless steel, polished finish
- Height 90cms, width 60cms, depth 40cms

CM1716

FIRST AID ROOM COUCH



This item is shipped directly from the manufacturer, please allow 7 days for delivery

- Epoxy coated square steel frame
- Tilting head section
- Built in couch roll dispenser
- High quality padded vinyl upholstery
- Other colours available on request, surcharge will apply

CM1122

- Fire retardant
- Epoxy coated square steel frame
- Tilting head section
- Built in couch roll dispenser
- High quality padded vinyl upholstery
- Dimensions: 183cm (Length) x 60cm (Width) x 77cm (Height)
- Max weight is 160kg

CM1122FR



REST ROOM COUCH ADJUSTABLE HEADROOM



This item is shipped directly from the manufacturer, please allow 7 days for delivery

- Epoxy coated square steel frame
- Tilting head section
- Built in couch roll dispenser
- High quality padded vinyl upholstery
- Other colours available on request, surcharge will apply

CM1123



POLYESTER FILLED PILOW



- High quality polyester filled pillow

CM1700

HYPAGUARD CELLULAR BLANKET



- Provides warmth and comfort to patients
- For general use
- Washable

CM1701

LIGHTWEIGHT TRANSIT WHEELCHAIR



- Ideal for general use on flat surface
- Lightweight wheelchair with puncture proof hard tyres
- Padded vinyl seat and half folding back canvas
- Quick release foot and arm rests
- Folds to 32cm width

CM1126

LIGHTWEIGHT TWO FOLD STRETCHER



- Cost effective casualty movement for minor accidents
- Lightweight folding stretchers manufactured from high-grade aluminium for maximum strength
- PVC coated, polyester bed is anti-bacterial, stain, chemical and crack resistant
- Rubber handles offer excellent grip
- Includes carry bag

CM1124

THREE CURTAIN PRIVACY SCREEN



- Powder coated steel construction
- Sturdy frame made from a powder coated tubular steel
- Wipe down non-laundry panel curtain, making it a hygienic option for use in hospitals and care homes
- 2 smooth running non-marking castors, making the frame incredibly sturdy
- Can be folded away, with the interlocking legs providing further stability when standing freely
- Quick and easy to assemble
- Length: 55 inches/139.7cm
- Height: 66.5 inches/168.9cm and panel height: 47 inches/119.4cm

CM1711

1 LTR AUTOMATIC DISPENSER C/W STAND



- Stand
- Adjustable free standing dispenser stand
 - Black powder coated finish
 - Steel construction
 - Strong base
 - Adjustable height
 - Drip tray
 - Dispenser clips on to stand
- Dispenser
- 1 litre automatic dispenser .
 - Automated touch-free dispenser
 - Easy to install and use
 - 1L refillable bottle
 - 1,000 dispenses per 1L bottle
 - Secure lockable cover with window design Low power indicator
 - 4 x C Batteries required (not supplied)

D15



HAND SANITISER



- Instant Hand Sanitiser with moisturisers and Vitamin D
- Gentle enough for everyday use
- Recommended for repeated use
- Kills 99.9% of germs
- 75% Active Alcohol content
- Kind to your skin
- No sticky residue
- Easy-to-use pump action bottle
- Fast drying

CM7037 (236ml) CM7038 (500ml)

A photograph of a fire in a hallway. The fire is large and bright orange and yellow, consuming a structure on the left. In the background, a hallway with a tiled floor leads to a closed door. A red fire extinguisher is mounted on the wall to the left of the door. A green exit sign is visible on the wall to the right of the door. The ceiling has a grid pattern.

EMERGENCY EVACUATION

All our evacuation equipment and kits are there to use at a moment's notice to aid in the event of a first aid emergency or evacuation.

For safe evacuation in the event of an emergency, if you have anybody with mobility impairments you need to be able evacuate the building safely.

We offer a full range of evacuation chairs to negotiate stairs to assist in an emergency and training in order to operate a chair competently.

EV-7000 EVACUATION CHAIR



SAFETY CHAIR

- Single person operation up to 200kg (441lbs)
- Easy to open, ready to operate in seconds
- Provides a rapid solution for safe emergency upstairs and downstairs evacuation
- Simple to operate
- Lightweight construction
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7000

EV-2000 EVACUATION CHAIR



SAFETY CHAIR

- Single person operation up to 159kg (350lbs)
- Easy to open, ready to operate in seconds
- Provides a rapid solution for safe emergency upstairs and downstairs evacuation
- Simple to operate
- Lightweight construction
- Minimal moving and handling required
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7002

EV-4000 EVACUATION CHAIR



SAFETY CHAIR

- Single person operation up to 200kg (441lbs)
- Easy to open, ready to operate in seconds
- Provides a rapid solution for safe emergency upstairs and downstairs evacuation
- Simple to operate
- Lightweight construction
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7004

EV-5000 EVACUATION CHAIR



SAFETY CHAIR

- Simple to operate
- Single person operation in descent
- Easy to open, ready to operate in seconds
- Robust and compact in size
- Lightweight construction
- Provides a rapid solution for safe emergency evacuation
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Wall mountable
- Low maintenance

CM7005

EV-8000 EVACUATION CHAIR



SAFETY CHAIR

- Weight carrying capacity up to 227kg (500lbs)
- Easy to open, ready to operate in seconds
- Simple to operate
- Single person operation up to 200kg (441lbs)
- Lightweight construction
- Provides a rapid solution for safe emergency evacuation
- Minimal moving and handling required
- Allows small operators to transport passengers larger than their size
- Foldable for easy storage
- Fire retardant material
- Wall mountable
- Low maintenance

CM7006

EVACUATION CHAIR STAND



SAFETY CHAIR

- A self-standing support suitable for mounting the safety chair
- Avoids the need for wall mounting brackets

CM7001

EVACUATION SAFETY MAT



SAFETY CHAIR

- Dual inner foam provides protection and comfort for patient
- Maximum carrying weight 300kg
- 2 Safety belts and foot pocket to hold the patient safely and securely in place
- Tough slippery coated underside to assist transfer over floor surfaces and stairs
- Complete with storage pouch which can be wall mounted for rapid deployment (fixings not included)
- Dimensions (L x W x D) - 1900 x 600 x 40mm
- Manufactured in the UK

CM7003

EVAC+CHAIR 1-700H EVACUATION CHAIR



- Telescopic extendable handle
- Stainless steel frame construction
- Adjustable brake
- Quick and easy to open
- Compact storage
- Detachable seat and backrest
- Adjustable patient straps
- Wall securing brackets
- Made in the UK
- Payload capacity 159kg

- Height 1140mm (folded)
- Width 400mm (folded)
- Depth 360mm (folded)
- Weight 14.5kg

CM1132



EVAC+CHAIR 1-200 CARRY LITE CHAIR



EVAC+CHAIR

- The chair unfolds in one swift movement for immediate use
- Lightweight aluminium construction
- Quick & easy to use
- Lifting handles for effective grip
- Large wheels for stability over rough terrain
- Unique locking system
- Includes patient restraints
- Made in the UK
- Payload capacity 200kg
- Height 770mm (folded)
- Width 435mm (folded)
- Depth 270mm (folded)
- Weight 6.0kg (unladen)

CM1128

EVAC+CHAIR 1-300H-MK4 EVACUATION CHAIR



EVAC+CHAIR

- Lightweight
- One person operation
- Easy to use
- No heavy lifting required
- Includes patient restraints
- Made in the UK
- Payload capacity 182kg
- Height 1050mm (folded)
- Width 520mm (folded)
- Depth 200mm (folded)
- Weight 9.5kg

CM1129

EVAC+CHAIR 1-500 EVACUATION CHAIR



EVAC+CHAIR

- Bariatric capability
- Increased payload capacity 500lbs/227kg
- Large rear wheels fitted as standard for prolonged use
- Easy to use- one/two person operation
- Fold away grip handles
- Foot Rest/Restraint Strap
- Extension strap
- Enhanced patient restraints
- User guide
- Made in the UK
- Payload Capacity 227k
- Height 1150mm (folded)
- Width 520mm (folded)
- Depth 220mm (folded)
- Weight 13Kg (unladen)

CM1130

EVAC+CHAIR 1-600H EVACUATION CHAIR



EVAC+CHAIR

- Retractable rear and front grab handles
- Suitable for 2 to 4 operators to carry
- Easy to use
- Lightweight
- Two additional handles
- Patient restraints
- Made in the UK
- Payload capacity 182kg
- Height 1030mm (folded)
- Width 600mm (folded)
- Depth 270mm (folded)
- Weight 11kg (unladen)

CM1131

10 PERSON EVACUATION KIT



CM1798

- Emergency holdall
- Wind up torch
- Safety light stick x 5
- Wind up radio
- Compact megaphone
- Emergency phone charger
- Hi-visibility vest
- Hazard barrier tape
- Foil blankets x 10
- Notebook with pencil
- Transparent A4 grip seal bag
- Transparent grip seal bag – large
- Sterile burn dressing x 2
- First aid kit, comprising of:
 - 1 x Guidance note
 - 4 x Non woven triangular bandages
 - 2 x Large sterile dressing (180 x 180mm)
 - 6 x Medium sterile dressing (120 x 120mm)
 - 2 x Sterile eye pad dressing
 - 20 x Assorted sterile waterproof plasters
 - 6 x Alcohol free cleansing wipes
 - 1 x Pair of disposable vinyl gloves
 - 6 x Safety pins

FIRE HORN ALARM STATION



- Our Fire Horn Station can be portable or fixed with a wall hanger
- No need for batteries, electricity or external power
- Use as a temporary fire alarm or as a stand-alone fire alarm option

CM1760

SAFETY WHISTLE



- CE EN394 ISO12402 approved
- Capable to produce 100+ decibel sound
- Non-corrosive and buoyant in seawater

CM1738

HANDHELD COMPACT MEGAPHONE



- Folding handle and wrist strap for ultimate portability
- Voice or siren switch
- Sliding volume control

CM1754

120 DECIBEL AIR HORN



- On site alarm system
- Back-up alarm system for any company
- Primary alarm system for smaller companies
- Emergency signalling system for workers on manufacturing floors
- Confined space alarm system
- Personal protection

All of our gas horns are designed, manufactured and tested in the UK and guarantee to be loud enough, at 120Db, to be heard over working environments, machinery and other industrial noise.

CM1759

EMERGENCY BLANKET



- Protection from cold, wind and rain
- Effective aid in the prevention and treatment of hypothermia
- Seals with self-adhesive strip, re-opens to allow access

CM1735

RED/WHITE BARRIER TAPE



- Non-adhesive economy tape designed for marking out-of-bound and hazardous areas.
- Length: 500m

CM1753

100 PERSON EVACUATION KIT



- Emergency holdall
- Incident controller armband
- Compact megaphone 8 watt with batteries
- Wind-up LED torch
- 100 x Emergency foil blanket
- 10 x Safety whistle
- 2 x Hand sanitizer 60ML
- 10 x Safety light stick
- 1 x Hazard barrier tape 100M x 7.5cm

First response first aid kit, comprising:

- 1 x Microporous tape 2.5cm x 10m
- 1 x HSE guidance leaflet
- 4 x Sterile eye pad bandages
- 6 x Clinical waste bags
- 2 x Pair medium latex gloves
- 1 x First aid scissors
- 1 x Tuff cut paramedic scissors

- 10 x Alcohol-free wipes
- 3 x Large standard dressings
- 8 x Medium sterile dressings
- 5 x Sterile eye wash 20ml
- 1 x Foil blanket
- 20 x Stretch fabric plasters
- 20 x Washproof plasters
- 2 x Burn gel sachet
- 2 x Resuscitation face shield
- 6 x Triangular bandages
- 1 x Eye wash bottle 500ml
- 1 x Bag of safety pins
- 1 x Instant ice pack
- 1 x Shoulder carry bag

CM1758

SILVERLINE LED WIND UP TORCH 15 LUMENS



- Handy wind-up torch for foolproof lighting in all kinds of general and emergency situation
- Durable polypropylene body with soft-grip rubber pads and rubber on/off thumb switch for comfortable operation
- Features 2 x brightness options with use of either 1 or 3 bright LEDs, depending on individual requirements
- 60 seconds winding produces up to 10 minutes effective torch light
- Sturdy winding arm with soft rubber grip
- No batteries required
- Length 140mm

CM1756

CYALUME 12 HOUR 6" LIGHT



- 12 hours of 360 degree illumination per stick
- Guaranteed 4 year shelf life, no maintenance necessary
- Individually foiled for easy, safe storage
- Nontoxic, non-flammable and waterproof

- Red - danger
- Orange - cautionary
- Green - safe

CM0825 (Red) CM0826 (Green) CM0827 (Orange) CHEMLIGHT

CM0828 (Red) CM0829 (Green) CM0830 (Orange) SNAPLIGHT

AIR FOR LIFE

PERSONAL EVACUATION KITS



- The AirForLife Evacuation Kits are designed to enable the evacuation from fire or other emergency situations including, high rise living and commercial buildings, tunnels, mining, rail or anywhere escape, or rescue might be a risk
- The kits include:
 - Patented AirForLife emergency escape device
 - Universal Goggles - designed to improve visibility and protect the eyes from smoke and debris
 - Cyalume Lightstick - to help light up the evacuation path, or signal to potential rescuers
 - Cooling Towel - simply dampen and the unique towel formulation, retains water and can be used to keep head, neck and arms cool
 - Holster - the unique AirForLife holster is designed to quickly throw over your shoulder and hold the AirForLife cylinder close to your side, keeping your hands free



CM1991 (1 Person) CM1992 (2 Person)



CM1990

CM1995

HOLSTER

ESCAPE DEVICE

OXYGEN FIRST RESPONSE KIT



- AirForLife is a patented emergency escape device that provides the user with a self-contained oxygen supply (22 litres)
- It gives the user a valuable oxygen supply in a situation where their oxygen supply has been significantly reduced or has become contaminated, for example during a fire, gas leak or terrorist attack
- The AirForLife device enables the user to breathe for a more prolonged period of around 10 - 12 minutes, giving them time to escape or to be rescued and reducing any potential respiratory damage or failure, thus reducing the loss of life
- This product is for anybody who works or lives in a confined area, where access to the outside world in the event of an emergency may not be a quick process, for example, workers/residents who work/live in high rise blocks or staff or commuters working/traveling underground
- AirForLife would also benefit those less able or unable to evacuate themselves from an emergency situation

CM1989

PRO2 OXYGEN

PRO2



- High-purity, breathable oxygen to aid in the recovery
- Revitalizes during periods of physical or mental lethargy
- Stimulates the body at times when peak performance is required
- The canister comes with a blue inhaler cup-adaptor for the user to place around the mouth, press down and inhale
- Specially designed to store a much larger volume of oxygen
- Delivers up to three times the quantity of similar container volume products
- PRO2 contains 20 litres of oxygen in a 650 ml canister

CM2000

PRO2 OXYGEN AND MASK

PRO2



- Holds more than 3 x more oxygen than can be contained in a similar pressure canister
- Canister is filled with 22 litres of high purity (99.5 %) oxygen and comes equipped with a high concentration, comfortable and lightweight oxygen mask and tubing designed for optimal flow, giving a more efficient and pleasurable experience
- Mask is designed to reduce environmental impact and the can's aluminium construction is lightweight and more durable for outside use
- Contains an adsorbent specially designed to store a much larger volume of oxygen than could be otherwise stored using compression alone
- Delivers up to three times the quantity of similar container volume products
- Owing to the new technology, the can may still feel full when all of the oxygen has been used
- Contains 22 litres of oxygen in a 750ml aluminium can (Dimensions: diameter 66 mm, height 218 mm).

CM2002 (2 Canisters) CM2003 (1 Canister)

PRO2 OXYGEN REFILLS X 2

PRO2



- PRO2 Oxygen is an unrivalled product which holds more than 3 x more oxygen than can be contained in a similar pressure canister
- The ALL NEW PRO2 canisters are filled with 22 litres each of high purity (99.5 %) oxygen
- What makes the PRO2 brand special is that it contains an adsorbent which is specially designed to store a much larger volume of oxygen than could be otherwise stored using compression alone
- For this reason the device contains and delivers up to three times the quantity of similar container volume products, offering by far and away the best value breathing oxygen on the market
- Owing to the new technology, the can may still feel full when all of the oxygen has been used
- Contains 22 litres of oxygen in a 750ml aluminium can (Dimensions: diameter 66 mm, height 218 mm).

CM2004

HEALTH & WELLBEING

100ML AFTER SUN

Care PLUS



- For hands, face and body use at least twice a day after exposure to the sun
- Read the instructions carefully before using this product
- Refreshing
- Calming and restorative effect
- Suitable for sensitive skin
- Including children
- Hydrating care effect
- Helps rough or scaly skin
- Soothing effect (Canadian Willow Herb)
- Cardiospermum halicacabum
- Echium oil
- Elements of the sunflower
- Allantoin
- Panthenol and Bisabolol
- Anti-oxidant (vitamin E)

CM1707

CALCIUM GLUCONATE GEL 40G



- The National Poisons Information Service (NPIS) advise that for responsive patients, immediate decontamination is the priority for individuals exposed to hydrofluoric acid.
- Even relatively low strength hydrofluoric acid is toxic and has the potential to cause serious tissue damage and death when contaminated individuals are not treated swiftly
- High performance calcium gluconate gel
- Combines with and neutralises the fluoride ion present in HF acid. This helps to prevent pain and tissue damage caused by HF acid whilst a patient is in transit to hospital
- Easy to use cream, available as a 40g tube
- Some examples where Hydrofluoric acids may be encountered are industrial chemistry, mining, refining, glass finishing, silicon chip manufacturing, and sanitation

CM1708

SUN CREAM SACHET



- Provide UVA and UVB sun protection
- The quick drying, non-greasy formula offers medium sun protection
- Perfect travel essential for days out, sporting events, festivals, golf days and school trips
- Suitable for all skin types, including sensitive skin
- Ideal solution for travel packs and vending machines
- Sachet size 60 x 80mm
- Liquid fill 4g
- Factor 25 SPF & UVA 8.8

CM1771 (Factor 25 SPF)

CM1772 (Factor 50 SPF)

100ML DEET SPRAY 40%

Care PLUS



- Care Plus® Anti-Insect DEET spray 40% is the strongest insect-repellent product for the skin
- Suitable for tropical destinations (malaria, dengue and yellow fever risks) and European regions
- The active substance DEET is effective against biting or stinging insects and against ticks
- DEET is most effective against (malaria) mosquitoes and horseflies, effective against ticks, and reasonably effective against large horseflies, gnats and midges
- Deet products must be applied to the uncovered skin

CM1752

60ML CITRIDOLIOL SPRAY

Care PLUS



- Based on natural lemon eucalyptus extracts
- This is the only natural ingredient currently available as an insect repellent and with proven effectiveness in scientific laboratory and field studies
- Natural offers up to 6 hours of protection against mosquitoes, ticks and midges
- Care Plus Natural can be used by people with sensitive skin and by children aged three months and older
- Duration: up to 6 hours
- Strong natural insect repellent based on Citridiolol: natural lemon-eucalyptus extracts
- Effective against mosquitoes, ticks and midges
- Suitable for children aged three months and older
- Suitable for sensitive skin
- Suitable for all destinations
- Offers up to six hours protection
- Does not damage plastics

CM1705

100ML SUN PROTECTION SPF50 OUTDOOR AND SEA

Care PLUS



- Recommended for children or adults with a very sensitive skin
- Soothes the skin because of the ingredient Shea Butter
- The cream also soothes the skin with natural ingredients such as:
- Canadian Willow Herb
- Cardiospermum halicacabum
- Echium oil, elements of the sunflower
- Allantoin
- Bisabolol
- Panthenol
- Protects against most jelly fish stings, corals and sea anemones
- Water-resistant
- Panthenol nourishes and soothes the skin
- Suitable for children
- Contains the anti-oxidant vitamin E
- Contains no preservatives

CM1706

REUSABLE PREMIUM COOL & WARM GEL BREAST PADS



RAPID AID

- Temperature: Delivers approximately 42°C/108°F of warm therapy when heated in a microwave, and approximately 1.5°C/34°F of cool relief when stored in the freezer. Temperature adjustable based on user's preference
- Contour-Gel technology allows the pad to gently contour to the body area being treated and remain flexible when frozen
- Can be placed directly against the skin without the need for a wrap or towel, and can even be placed inside the bra
- Direct-to-skin application with Gentle Touch™ technology

Warm Therapy Relief:

- Relieve engorgement, plugged ducts, mastitis or to encourage let-down
- Use with breast pump to encourage let-down and reduce the time spent pumping
- Blocked ducts and mastitis

Cold Therapy Relief:

- Relieve pain and swelling due to engorgement
- Help alleviate blocked ducts and mastitis pain

- Dimension: 5" x 16" / 13cm - 41cm

RA1137

INFANT HEEL WARMER



RAPID AID

- Immediately upon activation, this product provides consistent temperature and contours to the baby's heel to increase blood flow, making it easier to find the infant's veins
- Temperature: Delivers approximately 39.5°C/103°F heat when activated at room temperature
- Adhesive strip that holds the product in place
- FTP™ (fold-to-pop) technology, allowing the user to activate the heel warmer simply by folding it in half
- Compact packaging allows them to be taken anywhere, for use at any time
- Direct-to-skin application

Instant Cold Therapy Relief:

- The heel warmer is designed to increase an infant's blood flow, so caregivers can get an accurate heel stick the first time

- Dimension: 3.75" x 5.5" / 9.5cm - 14cm

RA94235

INSTANT WARM PERINEAL COMPRESS



RAPID AID

- Quickly delivers soothing warmth, helping to encourage relaxation of tissues and increased blood circulation in the perineal area prior to childbirth, providing maximum patient comfort with minimal nursing intervention
- Temperature: Delivers approximately 45.6°C/114°F of warm therapy when activated at room temperature
- Extra absorbent compress comes with an adhesive strip to keep it firmly in place
- Longer front-to-back area provides greater coverage and protection from leakage
- FTP™ (fold-to-pop) technology, allowing activation of the cold compress simply by folding it in half
- Direct-to-skin application

Instant Warm Therapy Relief:

- Encourage relaxation of tissues prior to childbirth
- Start the healing process after childbirth and vasectomy procedures (usually 72 hours after the use of cold therapy)
- Muscle tension and menstrual cramps

- Dimension: 5" x 16" / 13cm - 41cm

RA94640

INSTANT COLD PERINEAL COMPRESS



RAPID AID

- Delivers cold therapy to ease pain and reduce swelling of the perineal area, providing maximum patient comfort with minimal nursing intervention
- Temperature: Delivers approximately 4.4°C/40°F of cold therapy when activated at room temperature
- Extra absorbent with an adhesive strip to keep it firmly in place
- Longer front-to-back area provides greater coverage and protection from leakage
- FTP™ (fold-to-pop) technology, allowing activation of the cold compress simply by folding it in half
- Tri-lingual packaging (English, Spanish and French)
- Direct-to-skin application

Instant Cold Therapy Relief:

- Pain and inflammation of the perineal area after childbirth and/or vasectomy procedures

- Dimension: 5" x 15" / 13cm - 38cm

RA95640

BLOOD PRESSURE MONITOR



- The ideal home use monitor
- One button control with latest 3rd generation fully automatic measurement technology
- Unique A&D latex-free and metal-free SlimFit Cuff (22-32cm)
- Irregular Heart Beat (IHB) indicator
- World Health Organisation (WHO) Blood pressure classification indicator for easy and clear understanding of Blood Pressure readings
- 30 reading memory function for recording trending
- Average memory reading function
- Clinically validated to the world recognised European Hypertension Society (ESH) 2010 protocol
- Pack contains free batteries
- 5 year warranty for complete peace of mind (based on normal home usage)

CM1722

SP300 FINGER PULSE OXIMETER DE/228

- SpO2%, PR and Pleth waveforms are displayed on screen
- The display can be easily rotated to display in 4 directions
- Simple and convenient operation OLED display
- Extremely compact weighing only 50g including batteries
- Low power consumption, two AAA batteries can be continuously operated for 20 hours
- Adjustable background brightness
- Range: 30-235 BPM
- Accuracy: +/- 2 BP<
- Latex free



CM0967

STANDARD DUAL HEAD STETHOSCOPE



CM1942

DIGITAL THERMOMETER



- Water resistant sensor, it is robust and reliable
- 60 second reading, measurement time will vary by individual and method used
- For Oral, Underarm or Rectal use
- Beeps when measurement complete
- Last temperature reading memory
- Water-resistant sensor
- Auto power off
- °C / °F conversion

CM1727

GLASS TOP PERSONAL DIGITAL SCALE



- Lightweight, compact design
- Durable and stylish glass plate scale
- Select between Kg/lb
- 180Kg/400lb capacity
- SENSE ON technology step on automatic activation to start weighing auto off 4 to 6 seconds after use
- Measures from 0.1Kg to 180Kg
- Increments 0.1Kg/0.2lb
- Drawing on A&D's industry leading measuring accuracy
- Uses 1 x CR2032 Button Cell battery
- 5 year warranty

CM1725

SAVLON ANTISEPTIC CREAM 30G



- Gently soothes and helps prevent infection
- Aids the natural healing of cuts and grazes as well as insect bites and stings, blisters and minor sunburn
- Ideal application prior to the use of plasters or dressings

CM1400



- AOE eye test chart
- Glare reducing surfaces allow the chart to be highly illuminated without reflection
- Washable, wipe-clean surfaces
- 6 metres viewing distance

CM1941

VOOM WORX SMART HYDRATION



- When mixed and diluted with water provides rapid hydration
- Includes a unique formula of electrolytes to replace essential salts lost in perspiration
- A cognition mix to help boost memory, attention and alertness
- B Vitamins to aid your body's normal energy-yielding metabolism and help reduce tiredness and fatigue
- It uses natural colourings and flavour, has zero sugar and low calories
- Provides a mental & physical boost
- Rapid hydration
- A Nut-free ingredient supply chain can't be guaranteed
- Gluten free, vegan, vegetarian
- Scientifically proven and regulated by the European Food Safety Authority, Voom Worx contributes to:
 - The reduction of tiredness and fatigue
 - The maintenance of normal vision
 - Normal energy yielding metabolism
 - The normal functioning of the nervous system
 - Normal psychological function
 - The normal function of the immune system
 - Improvement of cognitive function, concentration and processing conflicting information

(Orange & Passion Fruit flavour)

(Lemon & Lime flavour)

VM2006 (Pouch)

VM2005 (Pouch)

CM2008 (Sachets)

CM2007 (Sachets)

CM2010 (Refills)

CM2009 (Refills)



100 sachet dispenser



10g (500ml) servings pouch



100ml Refills

PARTNER BRANDS

IN PARTNERSHIP WITH
BEESSWIFT[®]



3M

Ansell

BEKINA
BOOTS

bollé
SAFETY

CENTURION[®]

DUNLOP
PROTECTIVE HARDWARE

DUPONT
Tyvek

ergodyne
WORK GEAR

GOJO

Honeywell

KASK

LEDLENSER

MOLDEX

MSA
The Safety Company

PHC
PACIFIC HANDY CUTTER[®]

PureFlo

Purell

U-Power
Don't worry... be happy!

uvex

VITAL
ID

CONTENTS

3M

Respiratory	5 - 10
Powered & Supplied Air	10 - 12
Hearing Protection	12 - 16
Head Protection	16
Fall Protection	16 - 17

Ansell

Mechanical Gloves	18 - 19
Mechanical Sleeves	19
Arc Flash Gloves	20
Electrical Gloves	20
Disposable Gloves	21
Chemical / Food Gloves	22
Chemical Gauntlets	23 - 24
Body Protection	25

Bekina

Wellingtons	26 - 29
-------------	---------

Bolle

Safety Spectacles	31 - 34
Safety Goggles	36
Go Green	37
Accessories	38
ProBlu	39

Centurion

Head Protection	42 - 44
Visors	45
Bump Caps	46
Hearing Protection	47
Accessories	48
Powered Air	49

Dunlop

Food Wellingtons	50 - 51
Construction Wellingtons	52 - 56
Agriculture Wellingtons	57 - 59
Chest Waders	59

Dupont

Disposable Tyvek	61 - 62
Disposable Tychem	63
Disposable Proshield	64

Ergodyne

Knee Pads	66
Wrist Support	66
Back Support	66 - 67
Lanyards	67 - 68
Holdes	69
Cooling	70 - 71
Thermal	71 - 72
Gloves	72 - 73
Hats	73

Pureflo

Powered Air Inc:	76 - 77
Industrial	78
Welding	78
Healthcare	78
Bump Cap	80
Hard Hat	80
High Heat	80

GOJO/Purell

Foam Hand Wash	81 - 83
Sanitiser	84
Hand & Surface Sanitiser	85
Tough Soils	86
Hand Medic	87

Honeywell

Visors	89
Safety Spectacles	90
Respiratory	91
Hearing Protection	92 - 93
Fall Protection	94
Gloves	95

KASK

Head Protection	97
Visors	97
Neck Shields	97
Head Lamps	97
Ear Protection	97

Ledlenser

Torches	98
Head Lamps	99

Moldex

Respiratory	100 - 105
Hearing Protection	106 - 108
Safety Spectacles	109

MSA

Head Protection	111 - 112
Visors	112
Fall Protection	113 - 114
Gas Detection	115
Respiratory Protection	116

PHC / Klever

Safety Cutters	117 - 121
Accessories	122

U-Power

Safety Footwear	123
Green Footwear	124 - 125
Next Gen Polymers	126
Gore - Tex	127

UVEX

Protecting Planet	128
Sustainable Range	129
Footwear	130
i-range planet	131
Safety Spectacles	131 - 132
Safety Goggles	132
Accessories	132
Gloves	133 - 134
Respiratory	135

Vital ID

Emergency ID	136 - 137
--------------	-----------



3M Personal Safety Solutions.

3M safety solutions work as hard as you do. From the most basic to the most specialised of needs, get the protection you and your workers need with 3M PPE.

3M Respiratory

– Disposable and Reusable



3M™ Particulate Respirator, FFP2, Unvalved, 8810

- ▶ Traditional cup-shaped, unvalved disposable respirator
- ▶ Colour-coded headbands offer easy protection level identification – colour coded blue: FFP2 (APF = 10)
- ▶ Durable, collapse resistant inner shell
- ▶ Designed to work well with 3M™ eyewear and hearing protection products
- ▶ Assigned protection factor: 10



Maximum usage level: up to 10 x WEL

Product code: 3M8810

3M™ Particulate Respirator, FFP2, Valved, 8822

- ▶ Traditional cup-shaped disposable respirator
- ▶ The 3M™ Cool Flow™ Valve reduces heat build-up inside the respirator – even in hot and humid conditions
- ▶ Durable, collapse resistant inner shell
- ▶ Headbands are colour-coded for quick and easy identification, yellow for FFP1, blue for FFP2 and red for FFP3



Maximum usage level: up to 10 x WEL

Product code: 3M8822 / 3M8822SP

3M™ Speciality Particulate Respirator, FFP2, Valved, 9922

- ▶ Protects against fine dust, oil or water-based mists
- ▶ Offers relief from nuisance levels of organic vapours (nuisance odours)
- ▶ The 3M™ Cool Flow™ Valve reduces heat build-up inside the respirator – even in hot and humid conditions
- ▶ Comfortable, lightweight off-the-face design
- ▶ Good fit over a wide range of face sizes provided by convex shape, nose clip and twin-strap design



Maximum usage level: up to 10 x WEL for particulates and nuisance level organic vapour and ozone (below WEL)

Product code: 3M9922

3M™ Aura™ Particulate Respirator, FFP2, Unvalved, 9320+

- ▶ High performance filter material: 3M™ Advanced Electret filter material helps wearers to breathe easily through the respirator for more comfortable protection
- ▶ Unique 3-panel design accommodates greater facial movement during speech
- ▶ Embossed top panel reduces fogging of eyewear
- ▶ Sculpted nose panel improves compatibility with eyewear
- ▶ Innovative chin tab for ease of fitting and adjustment of the respirator on the face



Maximum usage level: up to 10 x WEL

Product code: 3M9320PLUS / 3M9320BULK

3M™ Aura™ Particulate Respirator, FFP2, Valved, 9322+

- ▶ Original 3-panel design allows for greater facial movement
- ▶ Low resistance filter technology helps you breathe more easily
- ▶ Sculpted upper panel conforms to the nose and contours of the face for an effective seal
- ▶ 3M™ Cool Flow™ Valve helps reduce heat build-up in hot and humid conditions
- ▶ Easy to store away with flat-fold design and individual wrapping



Maximum usage level: up to 10 x WEL

Product code: 3M9322PLUS / 3M9322BULK

3M™ Aura™ Particulate Respirator, FFP2, Valved, 9322+ Gen 3

- ▶ Original 3-panel, flat-fold design fits a wide range of face shapes and sizes
- ▶ The 3M™ Cool Flow™ Comfort Valve allows a greater percentage of warm, exhaled air to escape, helping to increase your comfort
- ▶ 3M™ Advanced Electret filter material helps you breathe easier
- ▶ Braided headbands are colour-coded (blue for FFP2) for quick and easy identification



Maximum usage level: up to 10 x WEL

Product code: 3M9322PLUSGEN3

3M Respiratory

– Disposable and Reusable



3M™ Particulate Respirator, FFP3, Valved, 8833



- ▶ Disposable FFP3 respirator offering reliable, effective protection against higher levels of fine dust, mists and metal fume
- ▶ The cup shape, twin strap design, nose foam and nose clip ensure comfortable wear over a range of face sizes
- ▶ 3M™ Advanced Electret filter material helps wearers to breathe easily through the respirator for more comfortable protection
- ▶ The super-soft, cushioned inner lining helps workers stay comfortable

Maximum usage level: up to 10 x WEL

Product code: 3M8833SP

3M™ Aura™ Particulate Respirator, FFP3, Valved, 9332+ Gen 3



- ▶ Original 3-panel, flat-fold design fits a wide range of face shapes and sizes
- ▶ The 3M™ Cool Flow™ Comfort Valve allows a greater percentage of warm, exhaled air to escape, helping to increase your comfort
- ▶ 3M™ Advanced Electret filter material helps you breathe easier
- ▶ Braided headbands are colour-coded (red for FFP3) for quick and easy identification

Maximum usage level: up to 20 x WEL

Product code: 3M9332PLUSGEN3

3M™ Reusable Half Face Mask, 6000 Series



- ▶ Twin-filter design for even distribution of weight and minimal obstruction to field of vision
- ▶ 3M™ bayonet connection offers a flexible system for connection to a wide range of 3M™ gas, vapour and particulate filters
- ▶ Can be used with 3M™ Supplied Air Systems for your increased convenience and flexibility
- ▶ Low-profile design minimises interference with field of view

Product code: 3M6100S (small), 3M6200M (medium), 3M6300L (large)

3M™ Aura™ Particulate Respirator, FFP3, Valved, 9332+



- ▶ Original 3-panel design allows for greater facial movement
- ▶ 3M™ Cool Flow™ Valve helps reduce heat build-up in hot and humid conditions
- ▶ Embossed top panel helps reduce eyewear fogging
- ▶ Colour-coded headbands for easy identification; red for FFP3 (APF 20)
- ▶ Chin tab designed for ease of positioning and adjustment

Maximum usage level: up to 20 x WEL

Product code: 3M93332PLUS / 3M9332BULK

3M™ Reusable Half Face Mask, Quick Latch, 6500 Series



- ▶ Ideal for intermittent use
- ▶ Proprietary quick latch design allows the respirator to be removed and re-fitted quickly and easily, without disturbing other items of PPE
- ▶ Comfortable in tough environments – the textured silicone facepiece not only conforms to the shape of your face, but also helps to minimise slippage in hot workplaces
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to a wide range of 3M™ gas, vapour and particulate filters

Product code: 6501QL (small), 6502QL (medium), 6503QL (large)

3M™ Reusable Full Face Mask 6000 Series



- ▶ Offers lightweight protection and ease of use
- ▶ Wide-view visor provides excellent visibility and high speed, medium energy (B) impact protection
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to a wide range of 3M™ gas, vapour and particulate filters
- ▶ Can be combined with the 3M™ Supplied Air Regulator S-200+

Product code: 3M6700S (small), 3M6800S (medium), 3M6900S (large), 3M6885VC (lens cover)

3M Respiratory

– Disposable and Reusable



3M™ Reusable Half Face Mask, 7500 Series

- ▶ Extremely pliable, soft silicone facepiece offers exceptionally high levels of user comfort and a good fit over a broad range of face shapes and sizes
- ▶ The 3M™ Cool Flow™ Valve reduces heat build-up inside the respirator – even in hot and humid conditions
- ▶ Built to last: durable construction and a wide range of spare parts
- ▶ 3M™ bayonet connection offers a flexible system for connection to a wide range of 3M™ gas, vapour and particulate filters
- ▶ Adjustable head harness enables the user to obtain a balanced, secure fit. Drop-down feature for easy removal during breaks



Product code: 7501 (small), 7502 (medium), 7503 (large)

3M™ Secure Click™ Half Mask Reusable Respirator, HF-800 Series

- ▶ Greater breathability and comfort provided by the world's first quad flow cartridge system
- ▶ Push button to seal check helps bolster confidence that the respirator is properly sealed to the face
- ▶ Confidence that filters and cartridges are installed properly provided by all new 3M™ Secure Click™ connection
- ▶ Low profile half mask design offers a wide field of view and compatibility with certain shields



Product code: 3MHF801 (small), 3MHF802 (medium), 3MHF803 (large)

3M™ Maintenance Free Gas Vapour and Particulate Respirator 4000+ Series

- ▶ An enhanced valve assembly helps to reduce exhalation breathing resistance for improved breathing comfort
- ▶ Integrated cartridge and filters mean it's ready to use and maintenance free
- ▶ Centrally-positioned exhalation valve helps reduce heat and moisture build-up in hot and humid conditions



Accessories

3M 400 Over-spray Guard
3M 105 Face Seal Cleaner

Product codes:

3M4251+

FFA1P2 R D protects against organic vapours, with a boiling point greater than 65 °C, up to 10 x WEL or 1000 ppm (whichever is lower); 10 x WEL for particulates.

3M4255+

FFA2P3 R D protects against organic vapours with a boiling point greater than 65 °C, up to 10 x WEL or 5000 ppm (whichever is lower); 20 x WEL for particulates.

3M4277+

FFABE1P3 R D provides protection against organic vapours with a boiling point greater than 65 °C, inorganic vapours, and acid gases up to 10 x WEL or 1000 ppm (whichever is lower); 20 x WEL for particulates.

3M4279+

FFABEK1P3 R D provides protection against organic vapours with a boiling point greater than 65 °C, inorganic and acid gases and ammonia up to 10 x WEL or 1000 ppm (whichever is lower); 20 x WEL for particulates.

3M Filters



3M™ Particulate Filters, P2 R, 2125

- ▶ Protect against fine dusts and oil/water based mists
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks
- ▶ Flexible enough to fit comfortably under certain visors
- ▶ Lightweight with low breathing resistance
- ▶ Twist and click for a quick and easy fit



Maximum use concentration: 10 x WEL

Product code: 3M2125

3M™ Particulate Filters, P3 R, 2135

- ▶ P3 protection against high level fine dusts and oil or water based mists
- ▶ Use with 3M reusable masks in 6000, 6500 and 7500 series
- ▶ 3M™ bayonet connection offers a flexible system for connection to 3M half and full face masks
- ▶ No natural rubber latex components
- ▶ Compatible with 3M eyewear and hearing protection



Maximum use concentration: 20 x WEL with half face mask, 40 x WEL with full face mask

Product code: 3M2135

3M™ Particulate Filters, P3 R, 2138

- ▶ Protect against fine dusts and oil/water based mists
- ▶ Offer relief from nuisance level organic vapours and acid gases (below WEL)
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks
- ▶ Small enough to fit comfortably under certain shields
- ▶ Lightweight with low breathing resistance
- ▶ Twist and click for a quick and easy fit



Maximum use concentration: 20 x WEL with half face mask, 40 x WEL with full face mask

Product code: 3M2138

3M™ Particulate Filters, P3 R, 6035

- ▶ Provide protection against solid and liquid particles
- ▶ The filter media is encapsulated in a robust plastic case that allows the filters to wipe clean
- ▶ Clever design allows for easy fit check – simply squeeze the filters to create a seal
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks



Maximum usage level: 20 x WEL with half face mask, 40 x WEL with full face mask

Product code: 3M6035

3M™ Particulate Filters, P3 R, 6038

- ▶ Provide protection against solid and liquid particles and hydrogen fluoride
- ▶ Offer relief from nuisance level organic vapours and acid gases (below WEL)
- ▶ The filter media is encapsulated in a robust plastic case that allows the filters to wipe clean
- ▶ Clever design allows for easy fit check – simply squeeze the filters to create a seal
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks



Maximum usage level: 20 x WEL with half face mask, 40 x WEL with full face mask

Product code: 3M6038

3M™ Fit Test Kit, Qualitative, Bitter, FT-30

- ▶ Qualitative fit test kit including hood, collar, 2 nebulisers, bitter tasting sensitivity solution, bitter tasting fit test solution and laminated user instructions
- ▶ FT-30 uses a test solution of denatonium benzoate to produce a very bitter tasting spray
- ▶ Spare hoods, nebulisers and solutions are also available
- ▶ 3M™ recommends users are face-fit tested before using a respirator and repeated regularly as part of their occupational respiratory protection program.



Product code: 3MFT30

3M Filters



3M™ Particulate Filters, P2 R, 5925

- ▶ Protect against airborne particles including fine dust and water/oil based mists
- ▶ Suitable for use with all 3M half and full face masks when combined a 3M™ Retainer 501 and either a 3M™ Gas and Vapour Filter 6000 Series or a 3M™ Filter Platform 603



Maximum use concentration: 10 x WEL

Product code: 3M5925

3M™ Particulate Filters, P3 R, 5935

- ▶ Protect against airborne particles including fine dust and water/oil based mists
- ▶ Suitable for use with all 3M half and full face masks when combined a 3M™ Retainer 501 and either a 3M™ Gas and Vapour Filter 6000 Series or a 3M™ Filter Platform 603
- ▶ Help you work safely in hazardous environments



Maximum use concentration: 20 x WEL (half face mask), 40 x WEL (full face mask)

Product code: 3M5935

3M™ Filter Retainer, 501

- ▶ Allows a 3M™ Particulate Filter 5000 Series to be combined with a 3M™ Gas and Vapour Filter 6000 Series to offer protection against airborne particles
- ▶ Can be used with 3M™ Filters 5000 Series to add particulate protection to the gas and vapour filters
- ▶ Easy to snap into position over the filter



Product code: 501

3M™ Secure Click™ Particulate Filter, P3 R, D3135

- ▶ Quick, simple connection – simply align the connections and push until you hear a click
- ▶ Use with 3M™ Secure Click™ Reusable Respirators
- ▶ Protects against particulates (fine dusts and mists)



Maximum use concentration: 20 x WEL (half face mask)

Product code: 3MD3135

3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1B1E1K1P3 R, with Dual Flow, D8094

- ▶ New dual flow cartridges and filters allow for easier breathing
- ▶ Quick, simple connection – simply align the connections and push until you hear a click
- ▶ Use with 3M™ Secure Click™ Reusable Respirators
- ▶ Protects against combination organic vapours (b.pt. >65°C), inorganic and acid gases, ammonia particulates and formaldehyde



Maximum use concentration: 10 x WEL for organic, inorganic vapours and acid gas, and 20 x WEL for particulates (half face mask)

Product code: 3MD8094

3M™ Secure Click™ Gas, Vapour and Particulate Filter, A2P3 R, with Dual Flow, D8095

- ▶ New dual flow cartridges and filters allow for easier breathing
- ▶ Quick, simple connection – simply align the connections and push until you hear a click
- ▶ Use with 3M™ Secure Click™ Reusable Respirators
- ▶ Protects against organic vapours (b.pt. >65°C) and particulates



Maximum use concentration: 10 x WEL for organic vapours, and 20 WEL for particulates (half face mask)

Product code: 3MD8095

3M Filters



3M™ A1 Gas and Vapour Filters 6051



- ▶ Protect against organic gas and vapours with boiling points above 65°C
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks
- ▶ Lightweight with low breathing resistance
- ▶ Twist and click for a quick and easy fit
- ▶ Can be used in combination with 3M™ Particulate Filters 5000 Series

Maximum use concentration: 10 x WEL or 1000ppm (half face mask), 20 x WEL or 1000ppm (full face mask)

Product code: 3M6051

3M™ Gas and Vapour Filters, ABE1, 6057



- ▶ Protect against organic gas and vapours with boiling points above 65°C, inorganic gas and vapours and acid gases
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks
- ▶ Designed to optimise your field of vision
- ▶ Lightweight with low breathing resistance
- ▶ Twist and click for a quick and easy fit
- ▶ Can be used in combination with 3M™ Particulate Filters 5000 Series

Maximum use concentration: 10 x WEL or 1000ppm (half face mask), 20 x WEL or 1000ppm (full face mask)

Product code: 3M6057

3M™ Gas and Vapour Filters, A2, 6055



- ▶ Protect against organic gas and vapours with boiling points above 65°C
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks
- ▶ Lightweight with low breathing resistance
- ▶ Twist and click for a quick and easy fit
- ▶ Can be used in combination with 3M™ Particulate Filters 5000 Series

Maximum use concentration: 10 x WEL or 5000ppm (half face mask), 20 x WEL or 5000ppm (full face mask)

Product code: 3M6055

3M™ Gas and Vapour Filters, ABEK1, 6059



- ▶ Protect against organic gas and vapours with boiling points above 65°C, inorganic gas and vapours and acid gases and ammonia
- ▶ 3M™ Bayonet Connection offers a flexible system for connection to 3M half and full face masks
- ▶ Designed to optimise your field of vision
- ▶ Lightweight with low breathing resistance
- ▶ Can be used in combination with 3M™ Particulate Filters 5000 Series

Maximum use concentration: 10 x WEL or 1000ppm (half face mask), 20 x WEL or 1000ppm (full face mask)

Product code: 3M6059

WEL = Workplace Exposure Limit

3M Powered and Supplied Air



3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-315UK+



- ▶ Simple starter kit with all the component parts to get you up and running – simply add the headtop required
- ▶ The 2 selectable flow rate options – 185l/mn and 205l/mn – offer more comfort to the user
- ▶ Highly efficient filter captures hazardous dust, mist and fume plus options for nuisance level gases and vapours
- ▶ Intelligent lithium ion battery quickly charges, has no memory effect and incorporates useful charge indicator

Product code: 3MTR315EPLUS

3M™ Versaflo™ Filter, Particulate, Nuisance Level, Acid Gas, TR-3822E



- ▶ Particulate P and nuisance level acid gas (including hydrogen fluoride) filter for 3M™ Versaflo™ Powered Air Respirator TR-300+
- ▶ CE approved to EN 12941
- ▶ For use with 3M™ TR-300+ Powered Air Respirator

Product code: 3MTR3822E

3M Powered and Supplied Air



3M™ Versaflo™ Pre-filter, TR-3600

- ▶ Pre-filter designed for use with 3M™ Versaflo™ Powered Air Respirator TR-300+
- ▶ Captures large particles that would otherwise clog the filter
- ▶ Can help to extend the filter life of your powered air respirator



Product code: 3MTR3600

3M™ Versaflo™ Battery, High Capacity, TR-332

- ▶ High capacity, lightweight lithium ion battery pack
- ▶ Charges quickly and has no memory effect
- ▶ Estimated 8-12 hours operating life when used with new filter and fully charged battery
- ▶ Incorporates useful charge indicator



Product code: 3MTR332

3M™ Versaflo™ Single Station Battery Charger, UK, TR-341UK

- ▶ Charges in under four hours
- ▶ Designed for use with 3M™ TR-332 high capacity battery
- ▶ Charges one battery at a time
- ▶ Store fully-charged batteries on charger, ready for immediate use
- ▶ CE approved



Product code: 3MTR341UK

3M™ Versaflo™ Breathing Tube, Self-adjusting, BT-30

- ▶ Length-adjusting breathing tube
- ▶ Compatible with all 3M™ Versaflo™ Headtops and Air Delivery Units
- ▶ Connects the air source to the headtop for reliable, unrestricted clean airflow
- ▶ Features quick release swivel for one handed connection and release
- ▶ A disposable cover is available for cleaning and decontamination operations
- ▶ Additional sleeve is available for increased service life and protection from flying sparks



Product code: 3MBT30

3M™ Versaflo™ S-Series Head Cover, S-133S

- ▶ Entry-level, general-purpose head cover for powered and supplied air respiratory protection
- ▶ Integrated head suspension provides head and face coverage
- ▶ Provides face and eye protection from liquid splash and low energy flying particles and dust (Grade F)
- ▶ No assembly required; ready to use out of the box
- ▶ Weighs 100g
- ▶ Rated to EN 166:2:F:3, EN 14594 3A and EN 12941 TH3



Product code: 3MS133S (S/M) 3MS133L (M/L)

3M™ Versaflo™ S-Series Hood with double shroud, S-657

- ▶ Provides head, hair, neck and shoulder coverage
- ▶ Protects eyes and face from liquid splash and low energy flying particles and dust (Grade F)
- ▶ Double shroud design allows the inner shroud to be tucked into a shirt or coverall so excess air can be channelled over the body
- ▶ Reusable premium inner head suspension can be a cost-effective solution for high disposal rate environments
- ▶ CE approved with EN 12941 TH3, EN 166:2:F:3 and EN 14594 3A ratings



Product code: 3MS657

3M Powered and Supplied Air



3M™ Versaflo™ Faceshield with Comfort Faceseal M-200 Series

- ▶ Lightweight, compact and well-balanced faceshield with a comfortable faceseal for dusts, spraying and chemical processing
- ▶ Highly versatile – integrated protection from a range of respiratory, face, bumpcap, eye and hearing hazards
- ▶ Increased control and comfort with the deflector which allows users to direct the airflow inside the headtop
- ▶ Coated polycarbonate visor provides added chemical and scratch resistance



Product code: 3MM206

3M™ Versaflo™ helmet with comfort faceseal, M-300 Series

- ▶ Highly versatile, integrated protection from a range of respiratory, head (EN 397), eye and face (EN 166 medium energy impact), and hearing hazards
- ▶ Lightweight, compact and well-balanced helmet
- ▶ Fully-adjustable suspension that includes textile harness for correct fit and weight distribution
- ▶ Deflector allows users to direct the airflow inside the headtop for increased control and comfort



Product code: 3MM306 (general purpose), 3MM307 (fit purpose)

3M Hearing Protection



3M™ PELTOR™ Earmuffs, 28 dB, Orange, Helmet Mounted, H31P3AF

- ▶ Reduces noise levels up to 28 dB
- ▶ Slimline hearing protection, ideal for use in forestry, sawmills and industry applications
- ▶ Earmuff cup has a recess at the top making it a more comfortable fit with safety helmets
- ▶ Wide, comfortable sealing rings are filled with a unique combination of fluid and foam, providing optimum sealing and ideal comfort even during long periods of use
- ▶ Earcup pivot points tilt for optimum comfort and efficiency
- ▶ SNR 28dB



Product code: 3MH31P3AF

3M™ E-A-R™ Classic™ Earplugs

- ▶ Reduces noise levels up to 28 dB (uncorded) and 29 dB (corded)
- ▶ Soft energy absorbing foam provides a low equilibrium pressure making it one of 3M's most comfortable earplugs
- ▶ Moisture resistant making them less likely to swell through moisture absorption
- ▶ Proprietary slow recovery polymer foam helps achieve good acoustic properties




Attenuation

Uncorded: SNR=28dB, H=30dB, M=24dB, L=22dB
Corded: SNR=29dB, H=30dB, M=26dB, L=23dB

Product code: 3MPP01002 (pillow pack), 3MCC01000 (corded), 3MPD01001 (One Touch refill bottle), 3MPD01009 (One Touch refill bag)

3M™ E-A-R™ E-A-Rsoft™ FX Earplugs

- ▶ Reduces noise levels up to 29 dB
- ▶ Tapered design provides a good fit on a wide range of ear canal sizes
- ▶ Features super soft slow recovery PU foam providing a reliable seal
- ▶ Dependable hearing protection comfortable enough for extended periods of wear




Attenuation

SNR=29dB, H=39dB, M=35dB, L=34dB

Product code: 3MES01020, 3MES01021 (corded)

3M™ E-A-R™ Push-Ins Earplugs

- ▶ Reduces noise levels up to 38 dB
- ▶ Unique 3M™ E-A-Rform™ tip shaped and sized to fit comfortably in most ears
- ▶ Flexible stem makes them easy and hygienic to use as you don't need to touch the foam tip
- ▶ Recognisable yellow and blue stems for easy identification
- ▶ Available with or without cord



Attenuation

SNR=38dB, H=37dB, M=36dB, L=34dB

Product code: 3MEX01021 (uncorded), 3MEX01020 (corded)

3M Hearing Protection



3M™ Earplugs, 1100

- ▶ Reduces noise levels up to 37 dB
- ▶ Tapered design provides a good fit on a wide range of ear canal sizes
- ▶ Soft hypoallergenic foam softens with body temperature once inserted for comfortable extended wear
- ▶ Compatible with the 3M™ E-A-Rfit™ Dual-Ear Validation System




Attenuation

SNR=37dB, H=37dB. M=34dB, L=31dB

Product code: 3M1100 (uncorded), 3M1110 (corded), 3M1100R (dispenser refill pack)

3M™ E-A-R™ Express™ Earplugs

- ▶ Reduces noise levels up to 28 dB
- ▶ Unique pod design shaped to help provide an effective seal
- ▶ Patented 3M™ E-A-R™ foam tips compress easily for smooth insertion and slow expansion for secure fit
- ▶ Semi flexible stem helps easy insertion and removal
- ▶ No roll down required thus keeping the earplugs hygienically clean during fitting




Attenuation

SNR = 28dB, H = 30dB, M = 24dB, L = 22dB

Product code: 3MEX01002 (uncorded), 3MEX01001 (corded)

3M™ E-A-R™ Ultrafit™ X Earplugs

- ▶ A unique one size earplugs which fits most ear canals comfortably and provides a high level of attenuation
- ▶ Reusable plug is comfortable, hygienic and economical as it can be washed
- ▶ Triple-flange design preformed to fit the ear




Attenuation

SNR=35dB, H=35dB. M=32dB, L=30dB

Product code: 3MUF01014

3M™ E-A-R™ E-A-Rsoft™ Yellow Neons™ Earplugs

- ▶ Reduces noise levels up to 36 dB
- ▶ Brightly-coloured, neon-yellow earplugs are easy to identify in compliance checks
- ▶ Soft foam helps provide low pressure inside the ear canal
- ▶ Tapered design provides a good fit on a wide range of ear canal sizes
- ▶ Compatible with the 3M™ E-A-Rfit™ Dual-Ear Validation System



Attenuation

SNR=36dB, H=34dB. M=34dB, L=31dB

Product code: 3MES01001 (uncorded), 3MES01005N (corded), 3MPD01002 (One Touch refill bottle), 3MPD01010 (One Touch refill bag)

3M™ One Touch™ Pro Earplug Dispenser

- ▶ Accurately dispenses one earplug at a time
- ▶ Dispenses earplug directly into hand
- ▶ Durable ABS plastic for tough environments
- ▶ Free-standing or wall-mounted, could be positioned inside or outside
- ▶ Shields earplugs from sun, wind and rain, when dispensing earplugs outside
- ▶ Easy to know when to refill – the level monitor is front and centre, ensuring you won't run short
- ▶ Refill in an instant – refilling the dispenser is simple and takes just moments to complete



Product code: EAR1TPD

3M™ E-A-R™ Ultrafit™ Earplugs

- ▶ Reduces noise levels up to 32 dB
- ▶ Patented tri-flange design in pre-moulded material makes them a fit for most ear canals
- ▶ Firm, long stem for easy insertion and removal
- ▶ Made from soft and durable material
- ▶ Separate cord which can be removed and reinserted for optional uncorded or corded wear
- ▶ Compatible with the 3M™ E-A-Rfit™ Dual-Ear Validation System



Attenuation

SNR=32dB, H=33dB. M=28dB, L=25dB

Product code: 3MUF01015

3M Hearing Protection



3M™ E-A-R™ Tracer™ Earplugs

- ▶ Reduces noise levels up to 20 dB
- ▶ Patented tri-flange design in pre-moulded material makes them a fit for most ear canals
- ▶ Firm, long stem for easy insertion and removal
- ▶ Made from soft and durable material
- ▶ Separate cord which can be removed and reinserted for optional uncorded or corded wear
- ▶ Compatible with the 3M™ E-A-Rfit™ Dual-Ear Validation System



Attenuation

SNR=20dB, H=25dB, M=17dB, L=10dB

Product code: 3MTR01100 (storage case), 3MTR01001

3M™ PELTOR™ Optime™ I Ear Defenders

- ▶ Reduces noise levels up to 27 dB
- ▶ Low-profile design combines easily with other safety equipment
- ▶ Sealing rings filled with a unique combination of liquid and foam
- ▶ Large space inside the cups helps minimise heat and moisture build-up
- ▶ Soft, wide, cushions help reduce pressure around the ears



Attenuation

Headband: SNR=27dB, H=32dB, M=25dB, L=15dB
Neckband: SNR=26dB, H=30dB, M=24dB, L=15dB
Folding: SNR=28dB, H=32dB, M=25dB, L=16dB
Attachment: SNR=26dB, H=32dB, M=23dB, L=15dB

Product code: H510A (headband), H510B (neckband), HY51 (hygiene kit), h510f-404-gu (folding headband), H510P3E-405-U (helmet attachment)

3M™ PELTOR™ Optime™ III Ear Defenders

- ▶ Reduces noise levels up to 35 dB
- ▶ Double casing technology minimises resonance effect
- ▶ Large space inside the cups helps minimise heat and moisture build-up
- ▶ Soft, wide, foam cushions help reduce pressure around the ears
- ▶ Available in headband, neckband, helmet attached and hi-viz green models



Attenuation

Headband: SNR=35dB, H=40dB, M=32dB, L=23dB
Neckband: SNR=35dB, H=40dB, M=32dB, L=23dB
Attachment: SNR=35dB, H=40dB, M=32dB, L=22dB

Product code: H540A (headband), H540B (neckband), H540P3E-413-SV (helmet attachment), HY54 (hygiene kit)

3M™ E-A-Rcaps™ Banded Earplugs

- ▶ Reduces noise levels up to 23 dB
- ▶ One of the lightest banded hearing protectors on the market
- ▶ Flexible and durable band that can be washed and reused multiple times
- ▶ Soft foam pod shaped caps to block the ear canal
- ▶ Ideal for intermittent wear, the band can be easily stored around the neck when not in use



Attenuation

SNR=20dB, H=25dB, M=17dB, L=10dB

Product code: 3MEC01000S

3MES01300 (replacement pods)

3M™ PELTOR™ Optime™ II Ear Defenders

- ▶ Reduces noise levels up to 31 dB
- ▶ Cushions and inserts available as replacement hygiene kits
- ▶ Use in loud, demanding environments with substantial industrial noise such as airports, construction sites and during agricultural work
- ▶ Soft, wide, cushions help reduce pressure around the ears



Attenuation

Headband: SNR=31dB, H=34dB, M=29dB, L=20dB
Neckband: SNR=31dB, H=34dB, M=29dB, L=20dB
Folding: SNR=31dB, H=34dB, M=28dB, L=20dB
Attachment: SNR=31dB, H=34dB, M=28dB, L=19dB

Product code: H520A (headband), H520B (neckband), H520F-409-GQ (folding), H520P3E-410-GQ (helmet attachment), HY52 (hygiene kit)

3M™ PELTOR™ XI Ear Defenders

- ▶ Reduces noise levels up to 27 dB
- ▶ Wide flat headband is electrically insulated making the earmuffs electrically resistant or 'dielectric'
- ▶ Colour-coding makes it easy to identify the level of protection being worn
- ▶ Slim cups offer improved compatibility with other safety equipment



Attenuation

Headband: SNR=27dB, H=32dB, M=24dB, L=16dB
Attachment: SNR=26dB, H=30dB, M=23dB, L=15dB

Product code: X1A (headband),

X1P3 (helmet attachment), HYX1 (hygiene kit)

3M Hearing Protection



3M™ PELTOR™ X2 Ear Defenders

- ▶ Reduces noise levels up to 31 dB
- ▶ Wide flat headband is electrically insulated making the earmuffs electrically resistant or 'dielectric'
- ▶ Colour-coding makes it easy to identify the level of protection being worn
- ▶ Slim cups offer improved compatibility with other safety equipment
- ▶ Wide soft ear cushions help workers stay comfortable



Attenuation

Headband: SNR=31dB, H=34dB, M=29dB, L=20dB
Attachment: SNR=30dB, H=33dB, M=26dB, L=19dB

Product code: X2A (headband), X2P3 (helmet attachment)
HXY2 (hygiene kit)

3M™ PELTOR™ X3 Ear Defenders

- ▶ Reduces noise levels up to 33 dB
- ▶ Wide flat headband is electrically insulated, making the earmuffs electrically resistant or 'dielectric'
- ▶ Colour-coding makes it easy to identify the level of protection being worn
- ▶ Newly designed spacer improves performance without adding any excess bulk or weight
- ▶ Wide soft ear cushions help workers stay comfortable



Attenuation

Headband: SNR=33dB, H=35dB, M=30dB, L=25dB
Attachment: SNR=32dB, H=34dB, M=30dB, L=24dB

Product code: X3A (headband), X3P3 (helmet attachment),
HXY3 (hygiene kit)

3M™ PELTOR™ X4 Earmuffs

- ▶ Reduces noise levels up to 33 dB
- ▶ Wide flat headband is electrically insulated making the earmuffs electrically resistant or 'dielectric'
- ▶ Colour-coding makes it easy to identify the level of protection being worn
- ▶ Innovative sealing ring and new ear cushion technology provides excellent protection against low frequencies in a streamlined design
- ▶ Wide soft ear cushions help workers stay comfortable



Attenuation

Headband: SNR=33dB, H=35dB, M=30dB, L=22dB
Attachment: SNR=32dB, H=36dB, M=30dB, L=21dB

Product code: X4A (headband), X4P3 (helmet attachment),
XXY4 (hygiene kit)

3M™ PELTOR™ X5 Ear Defenders

- ▶ Reduces noise levels up to 37 dB
- ▶ Wide flat headband is electrically insulated making the earmuffs electrically resistant or 'dielectric'
- ▶ Large cups are still lightweight
- ▶ Specially formulated foam in the earcups and cushions with an innovative spacer and cup design makes the 3M™ PELTOR™ X Series X5 the highest attenuating earmuff on the market




Attenuation

Headband: SNR=37dB, H=37dB, M=35dB, L=27dB
Attachment: SNR=36dB, H=36dB, M=34dB, L=25dB

Product code: X5A (headband), X5P3 (helmet attachment),
HXY5 (hygiene kit)

3M™ PELTOR™ WS™ ALERT™ X Headsets

- ▶ Attenuating hearing protector comes in two models: headband or a safety helmet attachment
- ▶ Bluetooth® technology for connection to an external Bluetooth® device allows for hands-free talking and streaming
- ▶ Noise-cancelling boom microphone for clear speech transmission in noisy environments
- ▶ Level-dependent function for ambient listening to help promote auditory situational awareness



Attenuation

Headband: SNR=30dB
Attachment: SNR=30dB

Product code: 3MMRX21A4WS6 (headband),
3MMRX21P3E4WS6 (helmet attachment)

3M™ PELTOR™ WorkTunes™ Pro AM/FM Radio Headset

- ▶ Protect your hearing from harmful noise while enjoying FM or AM-Radio
- ▶ Built-in antenna prevents snagging on equipment
- ▶ Store up to 5 of your favourite stations
- ▶ 3.5 mm stereo audio input plug allows you to connect to separate devices
- ▶ Auto power-off saves battery life
- ▶ Low-battery indicator tells you in advance when replacements are needed
- ▶ To reduce the corrosion caused by sweat the electronics are located in the outer part of the cup



Attenuation

SNR = 32dB

Product code: HRXS221A

3M Hearing and Head Protection



3M™ PELTOR™ Electronic Earplug, EEP-100



- ▶ Wireless earplugs for protection against loud noises
- ▶ Designed to help improve situational awareness and communication
- ▶ Comes with a compact storage box for USB charging, offering 16 hours operating time
- ▶ Intuitive one-button operation
- ▶ Replaceable ear tips to ensure comfort and adjust the level of protection
- ▶ Available in two versions, one for industrial use and one for shooting and forestry use
- ▶ Attenuation up to 38 dB

Product code: 3MEEP100

3M™ First Base™ 3 Bump Cap, Classic, Standard Peak



- ▶ Protects wearer from light contact with stationary objects
- ▶ Provides industrial bump protection to EN 812:A1
- ▶ Lightweight micro-fibre fabric reduces humidity and permits air circulation
- ▶ Side-mesh ventilation enhances breathability
- ▶ Flexible shell design fits a wide range of head sizes
- ▶ Also available in reduced and micro peak
- ▶ Available in a range of colours
- ▶ Optional custom logo embroidery

Product code: HC24BL (black), HC24NB (blue), HC24GY (grey)

3M™ First Base™ 3 Bump Cap, High Visibility



- ▶ Protects wearer from light contact with stationary objects
- ▶ High visibility
- ▶ Provides industrial bump protection to EN 812:A1
- ▶ Patented shell design provides enhanced coverage for a wide range of head sizes

Product code: HC23HO, HC23HORP (orange hi-vis), HC23HYRP (yellow hi-vis)

Part number: 1161615, 1161616, 1161617

3M™ SecureFit™ X5000 Safety Helmet



- ▶ Suspension system incorporates exclusive patented 3M™ Pressure Diffusion Technology
- ▶ Works with a variety of 3M™ faceshields, earmuffs, and other accessories
- ▶ Meets ANSI Z89.1
- ▶ Climbing helmet-inspired design

Product code: 3MX5001VCE, 3MX5001VECE

3M Fall Protection



3M™ DBI-SALA® ExoFit™ XE100 Comfort Safety Harness



- ▶ Cross chest buckle assembly for central front fall arrest attachment point – optimised position on body
- ▶ Revolving torso adjusters (patented) for quick and easy harness fit and adjustment
- ▶ Comfort padding with added air channels and Scotchlite reflective material. Shoulder pads have yoke design to reduce uncomfortable chaffing to the neck
- ▶ Integrated pSRL tunnel lets you quickly and easily connect and disconnect personal SRLs
- ▶ Suspension trauma relief straps with low-profile design included
- ▶ Steel hardware

Product code: 3M1112720, 3M1112721, 3M1112722

Part number: 1112720 (size 1), 1112721 (size 2), 1112722 (size 3)

3M™ DBI-SALA® Nano-Lok™ Personal Self Retracting Lifeline, Single-leg, Web, 1.8m



- ▶ Extremely compact and lightweight single-leg personal self-retracting lifeline designed for working at height
- ▶ Lightweight speed connect system reduces connect and disconnect time by up to 60%
- ▶ Also available in lengths up to 2.8m

Product code: 3M3101208

Part number: 3101208

3M Fall Protection



3M™ PROTECTA® E200 Standard Vest Style Fall Arrest Harness, Black

- ▶ Stain and water resistant webbing keeps the harness cleaner and dryer
- ▶ Conveniently placed front D-ring helps you stay balanced and centred
- ▶ Auto-resetting lanyard keeper provides easy parking and release of snap hooks or carabiners
- ▶ Impact indicators make it simple to inspect the harness for damage and help ensure it's safe to use



Product code: 3M1161615, 3M1161616, 3M1161617

Part number: 1161615, 1161616, 1161617

3M™ Protecta® Work Positioning Trigger Lanyard, Adjustable to 2.00 m

- ▶ Use a 3M™ Protecta® Work Positioning Lanyard where the worker can utilise a structure or fixed ladder for partial support and stability, leaving both hands free to complete a task
- ▶ Length adjuster allows you to easily adjust the lanyard to your needs
- ▶ Sewn terminations with heat shrink tube protection provide greater durability in high wear areas
- ▶ 10.5mm rope diameter
- ▶ Length: adjustable to 2.00m



Product code: 3M1200314

Part number: 1200314

3M™ Protecta® Screw Gate Carabiner Steel, 104mm

- ▶ Manual Locking; ideal for occasional opening during the working week
- ▶ CE Certified to EN 362
- ▶ Durable and lightweight
- ▶ Corrosion resistant



Product code: 3MAJ501

Part number: AJ501

3M™ Protecta® Shock Absorbing Lanyard, 140 kg Capacity, Elastic Webbing, Twin Leg, 2.00 m

- ▶ Use with a 3M fall arrest harness as part of a complete fall protection system
- ▶ 140kg max. rated weight capacity – higher than standard fall arrest lanyards
- ▶ Elasticated webbing reduces lanyard length when not under tension reducing the risk of trip and snagging hazards
- ▶ Small, compact shock absorber pack means less bulk for the user to carry
- ▶ Fully covered identification labels for long-term identification and inspection
- ▶ CE certified to EN 355 standard
- ▶ Size: 2.0 m



Product code: 3M1260327

Part number: 1260327

3M™ DBI-SALA® Suspension Trauma Safety Straps

- ▶ Suspension trauma safety strap can be used in the event of a fall allowing a user to stand, relieving pressure on the arteries and veins around the top of the legs
- ▶ Attaches to almost any harness
- ▶ Fast and easy installation
- ▶ Extremely compact and lightweight design
- ▶ Simple and fast zipper style deployment
- ▶ Continuous loop design



Product code: 3M9501403

Part number: 9501403

3M™ Protecta® Fixed Anchorage Plate

- ▶ Stainless steel for corrosion protection
- ▶ Certified to EN 795 Class A
- ▶ Can be fixed with an industry standard 12 mm bolt
- ▶ 3M™ Protecta® Anchorage plate, 3.5 mm thick for use with a 12mm fixing, supplied without fixings



Product code: 3MAM210

Part number: AM210

Each day, millions of professionals rely on Ansell to make their workplace a safer environment by mitigating the hazards they face with innovative safety solutions they can trust. Whether it is protection from lacerations or abrasions caused by cut hazards, burns from energised components, or exposure to hazardous chemicals, Ansell provides the necessary PPE to protect workers from the inherent dangers present on the job site. What's more, we have adopted sustainable manufacturing practices in our factories, which enable us to reduce our overall carbon footprint and better protect our environment, as evident with our recent EcoVadis Silver Medal award in recognition of our sustainability initiatives worldwide.



INDUSTRY ICON LEGEND

- Aerospace
- Agriculture & viticulture
- Automotive
- Automotive Aftermarket

- Building & construction
- Chemical
- Defence
- Electronics
- Fire & rescue
- First responder
- Food processing & services

- Glass
- Industry
- Janitorial services
- Law enforcement
- Logistics & warehousing
- Machinery & equipment
- Maintenance

- Metal fabrication
- Mining
- Oil processing & refining
- Pharmaceutical & life sciences
- Public utilities
- Recycling
- Transport

MECHANICAL | MULTI-PURPOSE

HyFlex® 11-800/ 801



Industrial gloves with 30% greater breathability, providing all-day comfort and protection

Product Code: AN11-800N / 801

Industries:



EN 388:2016



3131A



HyFlex® 11-801
Alternative Colour

HyFlex® 11-842



Sustainable multi-purpose glove liners, delivering enhanced breathability and improved hand movement

Product Code: AN11-842

Industries:



EN 388:2016



4131A

EN 407



X1XXXX



HyFlex® 11-840



Durable industrial nitrile coated gloves, offering 2x more grip and up to 20% greater abrasion protection

Product Code: AN11-840

Industries:



EN 388:2016



4131A

EN 407



X1XXXX



HyFlex® 11-849



Durable, comfortable industrial nitrile coated gloves with fully dipped nitrile coating, for 360° coverage

Product Code: AN11-849

Industries:



EN 388:2016



4121A

EN 407



X1XXXX



HyFlex® 11-819 ESD



Durable, touchscreen-compatible gloves that guard against electrostatic discharge

Product Code: AN11-819

Industries:



EN 388:2016



4121A

EN 16350



HyFlex® 11-561



The thinnest, lightest EN ISO Cut C industrial gloves, offering 100% greater durability

Product Code: AN11-561

Industries:



EN 388:2016



4X42C




HyFlex® 11-754/ 755/ 757



Light-duty PU coated industrial gloves featuring INTERCEPT™ Cut Resistance Technology, offering wearers advanced, EN ISO D,E,F cut resistance

Product Code: AN11-754N / AN11-755N / AN11-757N

Industries:



HyFlex® 11-541/ 542



Versatile nitrile Cut Level D/F resistant gloves for truly demanding applications

Product Code: AN11-541 / AN11-542

Industries:




HyFlex® 74-500



Cut Level F knitted ambidextrous industrial gloves, ideal for food handling applications

Product Code: AN74-500

Industries:



HyFlex® 11-250



Black arm protection sleeves that combine Cut Level B protection with unrivaled comfort

Product Code: AN11-250N/W

Industries:



Sizes:

Narrow and Wide

Length:

HyFlex® 11-250: 12" (30 cm), 16" (40 cm)

HyFlex® 11-251: 12" (30 cm), 16" (40 cm), 18" (45 cm)

HyFlex® 11-251



Black protective sleeves with practical thumb slot, combining Cut Level B protection with peerless comfort

Product Code: AN11-251N/W

EN 388:2016



HyFlex® 11-280



Cut-resistant Level D sleeves that deliver superior protection and advanced comfort

Product Code: AN11-280N/W

Industries:



Sizes:

Narrow and Wide

Length:

12" (30 cm), 16" (40 cm), 18" (45 cm)

HyFlex® 11-281



Protective arm sleeves with thumb slot, combining Cut Level D protection with unmatched comfort

Product Code: AN11-281N/W

EN 388:2016



ACTIVARMR 80-813



Comfortable flame-resistant gloves, offering advanced arc flash and cut protection

Product Code: AN80-813N

Industries:



ACTIVARMR Electrical Insulating Gloves Class 0 - RIG014Y/011Y



Durable, form-fitting electrical safety gloves, protecting workers in flexible comfort

Product Code: ANRIG014Y / 011Y

Industries:



Length:

RIG014Y: 14" (36 cm)

RIG011Y: 11" (28 cm)

ACTIVARMR ActivArmr Electrical Protection Class 00 - RIG0014Y



Durable, form-fitting electrical safety gloves, protecting workers for varied applications

Product Code: ANRIG0014Y

Industries:



Length: 14" (36 cm)

ACTIVARMR 96-002



Goatskin leather protectors, for enhanced low-voltage glove life and improved hand safety

Product Code: AN96-002

Industries:



ACTIVARMR Electrical Insulating Gloves Class 1 - RIG114Y



Electrical protection gloves that deliver assured, comfortable protection

Product Code: ANRIG114Y

Industries:



Length: 14" (36 cm)

ACTIVARMR 96-003



Goatskin leather protectors, for extended high-voltage glove life and enhanced hand safety

Product Code: AN96-003

Industries:



DISPOSABLE | STANDARD CUFF

TouchNTuff® 92-600



An unparalleled combination of chemical splash protection, comfort and durability

Powdered version: **TouchNTuff® 92-500**

Product Code: AN92-600

Industries:




TouchNTuff® 92-670



Robust protection for food processing and heavy-duty jobs

Product Code: AN92-670

Industries:



MICR⊕FLEX® 92-134



Offers tactility and comfortable protection across numerous applications

Product Code: AN92-134

Industries:




MICR⊕FLEX® MidKnight™ Touch 93-732



Provides excellent dexterity along with enhanced comfort fit and feel

Product Code: AN93-732

Industries:



DISPOSABLE | EXTENDED CUFF

TouchNTuff® 92-605



Long cuff version of the world's leading disposable glove for chemical splash protection, offering an unparalleled combination of chemical splash protection, comfort and durability

Product Code: AN92-605

Industries:




TouchNTuff® 92-665



Robust, extended cuff protection for food processing and heavy-duty jobs

Product Code: AN92-665

Industries:




MICR⊕FLEX® 93-260/ 360



Chemical-resistant disposable gloves that offer tough chemical protection and unparalleled comfort

Product Code: AN93-260 / AN93-360

Industries:




MICR⊕FLEX® NeoTouch™ 25-201



Easy-to-don neoprene glove offering exceptional grip in wet and dry environments

Product Code: AN25-201

Industries:



AlphaTec® 37-300



All day comfort at exceptional value with protection against light acids, greases, oils and liquids

Product Code: AN37-300

AlphaTec® 37-310



Thin, yet durable, food processing gloves, offering light chemical protection

Product Code: AN37-310N

AlphaTec® 37-320



Engineered fit to allow optimum balance of fit and flexibility both on its own or as an over glove

Product Code: AN37-320

Industries:



EN 388:2016



2001X

EN ISO 374-1:2016

Type B



JKT

EN ISO 374-5:2016



VIRUS



ISO 18889

EN 421



AlphaTec® Solvex® 37-675



Thin, versatile chemical-resistant gloves that deliver comfortable hand protection

Product Code: AN37-675

Industries:



EN 388:2016



4101X

EN ISO 374-1:2016

Type A



JKLOPT

EN ISO 374-5:2016



VIRUS



ISO 18889



AlphaTec® 62-401



An excellent glove providing maximum comfort, with a natural rubber coating on a 100% cotton liner

Product Code: AN62-401

Industries:



EN 388:2016



3131B

EN ISO 374-1:2016

Type A



AKLMPT

EN ISO 374-5:2016



011



X2XXXX



X2XXXX



AlphaTec® 87-195



Ultralight, highly tactile food processing gloves, specially treated to reduce allergy risks

Product Code: AN87-195

Industries:



EN 388:2016



1010X

EN ISO 374-1:2016

Type B



KLT

EN ISO 374-5:2016



VIRUS



EN 421



AlphaTec® 87-108



Short Cuff
AlphaTec® 87-104

Good mechanical and chemical protection in heavy duty environments

Product Code: ILHW24 (87-108), ILMW17 (87-104)

Industries:



Length:

AlphaTec® 87-108: 24" (61 cm)
AlphaTec® 87-104: 17" (43 cm)



AlphaTec® 58-008




Extended full arm coverage for increased chemical protection

Product Code: AN58-008

Industries:



Length: 25.2" (64 cm)



AlphaTec® Solvex® 37-185




Elbow-length chemical gloves, delivering durable hand and arm protection

Product Code: AN37-185

Industries:



Length: 18" (45.7 cm)



AlphaTec® 23-201



Short Cuff Options

AlphaTec® 23-200

AlphaTec® 23-202

Comfortable, long sleeve PVC glove, with good dexterity and pliability even at low temperatures


Product Code: AN23-201 Product Code: AN23-202

Industries:



Length:

AlphaTec® 23-201: 24.4" (62 cm)
AlphaTec® 23-200/202: 11.8" (30 cm)



AlphaTec® 53-001



Chemical-resistant gloves with a unique multi-layer design, for broader protection

Product Code: AN53-001

Industries:




AlphaTec® 58-001 ESD



Chemical protective glove combining unique anti-static flocking layer, touchscreen capacity and a unique nitrile formulation

Product Code: AN58-001

Industries:




AlphaTec® 58-005



Nitrile chemical protective glove combining comfort, fit and ergonomics with advanced chemical protection

Product Code: AN58-005

Industries:




AlphaTec® 58-735



Cut-protective chemical-resistant gloves with high-visibility liner, for advanced protection

Product Code: AN58-735

Industries:



AlphaTec® 38-514



The thinnest butyl glove providing the best resistance to the most aggressive chemicals with dexterity and comfort

Product Code: AN38-514

Industries:



RINGERS® R074



PVC-coated short gauntlet-style impact gloves, offering waterproof chemical resistance

Product Code: ANR074

Industries:



RINGERS® R075



Waterproof PVC-coated long gauntlet-style impact gloves, for advanced chemical protection

Product Code: ANR075

Industries:



AlphaTec® 1500 Stitched - Model 138



Designed for workers involved in the stripping, clear up or handling of asbestos, general maintenance, construction and contract cleaning

Product Code: ANWH15138 (White), ANB15138 (Blue), ANOR15138 (Orange), ANRD15138 (Red)



Industries:



AlphaTec® 2000 STANDARD Bound - Model 111



Superior, breathable microporous laminate protective suit, perfected for industrial applications

Product Code: ANWH20111

Industries:



AlphaTec® 3000 Ultrasonically Welded - Model 111



Multi-layer barrier fabric provides effective protection against numerous chemicals

Product Code: ANYE30111 model 3000 model 111

Industries:



AlphaTec® Glove Connector



Providing an integrated chemical protection solution

Product Code: ANAC01P-0070-00

Industries:



➔ For more information, visit www.ansell.com or www.beeswift.co.uk

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. © 2023 Ansell Limited. All Rights Reserved.



BEKINA[®] 60 YEARS
BOOTS

***FOR DIRTY,
HEAVY AND
DANGEROUS
WORK***



Discover more at www.bekina-boots.com



BEKINA[®] 60 YEARS
BOOTS

RigliteX

SolidGrip

***ULTRALIGHT QUICKFIT
BOOT WITH
PULL-ON LOOPS***



rigliteX^{SS}

SOLIDGRIP

Color



rigliteX fur^{SS}

SOLIDGRIP

Color



Check the RigliteX SolidGrip at www.bekina-boots.com

BEKINA® 60 YEARS BOOTS



- 20°C
- 4°F

Color

- Yellow
- Green
- Blue
- Black
- White

steplite

EASYGRIP



- 40°C
- 40°F

Color

- Green
- Orange

stepliteX

THERMOPROTEC



- 30°C
- 22°F

Color

- Black
- Green

stepliteX

SOLIDGRIP



- 20°C
- 4°F

Color

- Brown
- Black

rigliteX fur

SOLIDGRIP



- 20°C
- 4°F

Color

- Brown
- Black

rigliteX

SOLIDGRIP



- 20°C
- 4°F

Color

- Blue

stepliteX

STORMGRIP

**ESPECIALLY DESIGNED
TO WITHSTAND
ALL YOUR CHALLENGES**



Discover more at www.bekina-boots.com



BEKINA® **60** YEARS BOOTS



NON-METALLIC

This non-metallic feature directly improves the safety and thermal insulation level in a way which makes our **StepliteX SolidGrip** and **StepliteX Thermoprotec** world class safety boots.

**THE ICING ON THE CAKE?
ITS COMPOSITE
PROTECTIVE TOECAP.**



stepliteX^{S5}

SOLIDGRIP

Color
● ●



stepliteX^{S4}

THERMOPROTEC

Color
● ●



Discover more at www.bekina-boots.com

WHEN YOU WORK
IN THE MOST
CHALLENGING
ENVIRONMENTS,
YOU NEED EYEWEAR
TECHNOLOGY THAT
LETS YOU PERFORM
AT YOUR BEST.

REPEL THE ELEMENTS



+

EXCLUSIVE COATING
AGAINST FOG AND SCRATCH
ON BOTH SIDES OF THE LENS

+

bolle 
SAFETY

PLATINUM
THE ULTIMATE PROTECTION AGAINST FOG & SCRATCH

RUSH+



PLATINUM

26 g

Frame: EN166 FT CE

- + Uninterrupted panoramic field of vision
- + Bi-material, flexible coloured temples
- + Non-slip adjustable nose bridge

VERSION	SKU	LENS MARKING
Clear	BORUSHPPSIPLUS	2C-1.2 EN166 FT KN CE +P
Bronze	BORUSHPTWIPLUS	5-2 EN166 FT KN CE +P
Smoke	BORUSHPPSFPLUS	5-3.1 EN166 FT KN CE +P

Eco-packaging available



SILIUM+



PLATINUM

21 g

Frame: EN166 FT CE

- + Adjustable non-slip nose bridge
- + Thin temples that adapt with other PPE
- + Panoramic field of view

VERSION	SKU	LENS MARKING
Clear	BOSILPPSIPLUS	2C-1.2 EN166 FT KN CE +P
Copper	BOLSILPCSPPLUS	5-1.4 EN166 FT KN CE +P
Smoke	BOSILPPSFPLUS	5-3.1 EN166 FT KN CE +P

CONTOUR



PLATINUM

21 g

Frame: EN166 FT CE

- + Thin tipgrip temples for better support
- + Flex 160° temples to reduce pressure points
- + Side protection

VERSION	SKU	LENS MARKING
Clear	BOCONTPSI	2C-1.2 EN166 FT KN CE +P
Copper	BOPSSCONT-C10	5-1.4 EN166 FT KN CE +P
Smoke	BOCONTPSF	5-2.5 EN166 FT KN CE +P
Polarized	BOCONTPOL	5-3.1 EN166 FT CE AS

TYPES OF COATINGS:

+P: PLATINUM (ULTIMATE ANTI-FOG & ANTI-SCRATCH COATING)

+PL: PLATINUM LITE (OPTIMIZED ANTI-FOG & ANTI-SCRATCH COATING)

AS: ANTI-SCRATCH COATING

IRI-S



27 g

Frame: EN166 FT CE

- + Ultra-modular and infinitely adaptable
- + 4 dioptries available from +1.5 to +3
- + FLEX shape memory nose bridge

VERSION	SKU	LENS MARKING
Reading area +1.5	BOIRIDPSI1-5	2C-1.2 1 FT CE
Reading area +2	BOIRIDPSI2	2C-1.2 1 FT CE
Reading area +2.5	BOIRIDPSI2-5	2C-1.2 1 FT CE
Reading area +3	BOIRIDPSI3	2C-1.2 1 FT CE

TRACKER



52 g

PLATINUM

Frame: EN166 FT CE - EN166 BT 3 4 CE

- + Vented frame with upper protection
- + Adjustable wide strap
- + Bi-material frame for extra comfort

VERSION	SKU	LENS MARKING
Clear	BOTRACPSI	2C-1.2 1 BT KN CE
Amber	BOTRACPSJ	5-1.4 1 BT KN CE
Smoke	BOTRACPSF	5-2.5 1 BT KN CE



COBRA



28 g

PLATINUM

Frame: EN166 FT CE - EN166 3 BT CE

- + Pivoting temples/adjustable strap
- + 1 product = 2 uses (spectacles or goggles)
- + Panoramic vision

VERSION	SKU	LENS MARKING
Clear	BOCOBPSI	2C-1.2 1 FT KN CE
Clear-Foam/Strap	BOCOBFPSI	2C-1.2 1 BT KN CE

Eco-packaging available

SILEX



†PLATINUM LITE **30 g**

Frame: EN166 FT CE

- + Flex 160° temples to reduce pressure points
- + No metal parts
- + Wide field of vision

VERSION	SKU	LENS MARKING
Clear	BOSILEXPSI	2C-1.2 1 FT CE †PL
Amber	BOSILEXPSJ	2C-1.2 1 FT CE †PL
Smoke	BOSILEXPSF	5-3.1 1 FT CE †PL

Eco-packaging available



SILIUM



†PLATINUM LITE **34 g**

Frame: EN166 FT CE

- + Thin Tipgrip temples for better support
- + Flex 160° temples to reduce pressure points
- + Wrap around frame

VERSION	SKU	LENS MARKING
Clear	BOSILPSI	2C-1.2 1 FT CE †PL
Smoke	BOSILPSF	5-3.1 1 FT CE †PL

RUSH



†PLATINUM LITE **25 g**

Frame: EN166 FT CE

- + Upper protection
- + Non-slip temples
- + Non-slip adjustable nose bridge

VERSION	SKU	LENS MARKING
Clear	BORUSHPSI	2C-1.2 1 FT CE †PL
Smoke	BORUSHPSF	5-3.1 1 FT CE †PL

SLAM



†PLATINUM LITE

24 g

Frame: EN166 FT CE

- + Wrap-around fit
- + All-round field of vision
- + Thin temples to fit with other PPE

VERSION	SKU	LENS MARKING
Clear	BOSLAPSI	2C-1.2 1 FT CE
Smoke	BOSLAPSF	5-3.1 1 FT CE

BANDIDO



†PLATINUM LITE

28 g

Frame: EN166 FT CE

- + Wrap-around frame
- + Reinforced bridge
- + Simple and effective

VERSION	SKU	LENS MARKING
Clear	BOBANCI	2C-1.2 1 FT CE

BL30



†PLATINUM LITE

27 g

Frame: EN166 FT CE

- + «Stop-in» hinge system
- + No metal parts
- + Other temple colors available

VERSION	SKU	LENS MARKING
Clear	BOPSSBL30053	2C-1.2 1 FT CE
Smoke	BOPSSBL30439	5-2.5 1 FT CE

Eco-packaging available

OVERLIGHT



†PLATINUM LITE

33 g

Frame: EN166 FT CE

- + Wrap-around frame for perfect protection
- + No metal parts
- + Fits over most prescription glasses

VERSION	SKU	LENS MARKING
Clear	BOOVLITLPSI	2C-1.2 1 FT CE

WITH
THE PPE EYEWEAR SPECIALISTS:
YOU'RE CLEAR TO SEE

CONTROL
LIFT
WORK
DRIVE
ACT

**PRESCRIPTION
PACK**



**YOUR
PRESCRIPTION
EYEWEAR
EASY AS
1,2,3**

1. Take the pack to your local optician
2. Choose your frame
3. Your optician will order them and tell you when they are ready*

- + All inclusive prescription service
- + Over 20 frame styles to choose from
- + Optimal comfort, protection and vision

VERSION	SKU
Prescription Pack	BORXPACK

*excludes eye test fee

TYPES OF COATINGS:

- PLATINUM (ULTIMATE ANTI-FOG & ANTI-SCRATCH COATING)
- PLATINUM LITE (OPTIMIZED ANTI-FOG & ANTI-SCRATCH COATING)



How do you provide absolute protection from splashes, droplets, dust and even gas while at the same time enjoying perfect vision? With protective goggles adapted to all types of industries, workers can fully focus on the job, relying on total safety and comfort even in the most extreme environments.

SUPERBLAST



PLATINUM LITE 113 g

Frame: EN166 3 4 9 BT CE - EN166 3 4 5 9 BT CE

- + Flexible and translucent frame for comfort
- + Intuitive goggle-visor assembly system
- + Indirect vented or sealed frame

VERSION	SKU	LENS MARKING
Vented	BOSUPBLAPSI	2C-1.2 EN166 3 4 9 BT CE
Sealed	BOSUPBLEPSI	2C-1.2 EN166 3 4 5 9 BT CE
Face guard	BOSUPBLV	-

Eco-packaging available

PILOT



PLATINUM 92 g

EN166 3 4 9 BT CE

- + Excellent field of vision
- + Bi-material frame for better comfort
- + Adjustable strap and rotative buckle

VERSION	SKU	LENS MARKING
Vented	BOPILOPSI	2C-1.2 EN166 3 4 9 BT CE

**WHY
WOULDN'T
YOU ?**



ECO- GO GREEN
OUR SUSTAINABLE PLAN
PACKAGING



0%
OF PLASTIC



100%
RECYCLABLE
PACKAGING



30%
LESS WASTE



**VEGETAL
BASED
INK**

AVAILABLE WITH

RUSH+

PLATINUM

EN166 FT CE

- + The top seller product
- + Bi-material, flexible coloured temples
- + Pack of 20 units

VERSION	SKU	LENS MARKING
Clear	■ BOPSSRUSP073	2C-1.2 1 FT KN CE
Copper	■ BOPSSRUSPC16	5-1.4 1 FT KN CE
Smoke	■ BOPSSRUSP450	5-3.1 1 FT KN CE



CLEANING



- + Optimal to facilitate safety equipment care
- + Cleaning solution adapted to all types of lenses
- + Alcohol and silicone free

VERSION	SKU	SIZE
Cleaning Station (Full)	█ BOPACD500	7.5 x 45 x 34.5 mm
500mL cleaning spray	█ BOPACS500	6.5 x 22.5 mm
200 dry tissues	█ BOPACMPCT	5 x 16 x 12 mm

WIPES



- + Pre-impregnated cleaning wipes
- + Water-based formula
- + Alcohol and silicone free

VERSION	SKU	SIZE
100 cleaning wipes	█ BOPACW100	5.8 x 12.5 x 20.5 mm
500 cleaning wipes	█ BOPACW500	10.5 x 27.5 x 22 mm

ACCESSORIES



- + Optimises care and maintenance
- + Robust material
- + Ergonomic design

VERSION	SKU	SIZE
Universal strap*	█ BOPSPUNISS01	630 mm
Case with belt clip	█ BOETUIB	190 x 80 x 75 mm
Microfiber Pouch	█ BOETUIFS	190 x 100 mm













*Universal strap fits the following models: RUSH+ & SILEX

PRO3LU

THE PERFECT BALANCE BETWEEN CLARITY & BLUE LIGHT FILTERING

- ✚ Fashionable frame designs
- ✚ Absorbs 100% of blue light up to 420 nm
- ✚ Embedded lens technology



VERSION	DESIGN	SKU	LENS MARKING
Barcelona	Women's frame 	BOPRBARC108	 CE AR
Chicago	Men's frame 	BOPRBCHIC204	 CE AR
Tokyo	Men's frame 	BOPRBTKY108	 CE AR
Toronto	Men's frame 	BOPRBTOR024	 CE AR
Wellington	Unisex frame 	BOPRBWELL108	 CE AR
Harper	Unisex frame 	BOPXFHARP208	2C-1.2  1 F CE AS



CENTURION[®]
WHEN CLARITY COUNTS



We've been giving workers the confidence to think clearly for over a hundred years – safeguarding the judgement and creativity that shape our world. Our integrated systems combine total head protection with total ease – so those who dare to think big can think big without distraction.



HELMET PROTECTION SYSTEMS

Our innovative head protection systems combine total safety with total ease – so wearers are free to focus on the task at hand.



CAP PROTECTION SYSTEMS

Our innovative bump cap range sets standards in form and function – deeply practical, supremely comfortable and stylishly designed.



RESPIRATORY PROTECTION SYSTEMS

Our advanced respiratory protection is designed to help workers thrive in the most challenging environments.



CE EN397 & EN50365

NEXUS CORE SAFETY HELMET

- Modern recreation styling with multi-standard protection
- Optimised 'micro' peak providing maximum upward visibility without compromising safety
- Approved to EN 397, LD, MM, 1000V a.c. (Non-Vented shell only), -40°C, EN 50365, ANSI/ISEA Z89.1, Class C (Vented), Class E (Non-Vented), LT, -40°C, AS/NZS 1801



Product Codes

- | | |
|------------------------------------|------------------------------------|
| <input type="checkbox"/> CNS16EWA | <input type="checkbox"/> CNS16EBA |
| <input type="checkbox"/> CNS516EKA | <input type="checkbox"/> CNS16EORA |

Stickers shown are an optional extra

NEXUS SECUREPLUS SAFETY HELMET

- Combines advanced industrial safety standards with modern recreational styling
- Micro peak for maximum upward visibility
- Twist2Fit wheel ratchet for improved security, nape protection and freedom of movement
- Dry-Tech sweatband for maximum comfort
- Secure Plus 4-point quick release chinstrap (S30LY) for added stability and comfort.



Product Code

- | | |
|-----------------------------------|--|
| <input type="checkbox"/> CNS16EWL | <input type="checkbox"/> CNS16EYL |
| <input type="checkbox"/> CNS16EBL | <input type="checkbox"/> CNS30LY(SecurePlus chinstrap) |

Other colours available on request

Stickers shown are an optional extra



Corporate badging service available

CE EN397 & EN50365

NEXUS HEIGHTMASTER SAFETY HELMET

- Provides improved impact and penetration protection when working at height
- Nexus Liner provides extra shock and penetration protection
- Adjustable EN 12492 chinstrap with side adjusters for improved hygiene wearer fit and comfort
- Innovative ventilation channels for increased airflow and coolness



Product Code

- | |
|-------------------------------------|
| <input type="checkbox"/> CNS16EWFMR |
|-------------------------------------|

Other colours available on request

Stickers shown are an optional extra



Corporate badging service available

CE EN 12492



REFLEX SAFETY HELMET

- A general purpose HDPE safety helmet with a unique rear flash in high visibility yellow or high visibility orange for added wearer security
- 6 point Nylon Textile cradle
- Brushed Nylon sweatband
- Ventilation as standard
- Approved to EN 397, EN 50365



Product Codes

 CNS12WHVOA	 CNS12WHVYA
 CNS12BHVOA	 CNS12BHVYA
 CNS12EHVOA	 CNS12WSA



SPECTRUM SAFETY HELMET WITH INTEGRATED EYE PROTECTION

- Specialised ABS safety helmet with integrated retractable over spectacles, eye protection is always available and wearers can still wear their own prescription eyewear
- Overspectacles provide Grade B medium energy impact protection to EN166, better than standalone spectacles
- Anti-scratch and anti-mist coating provides improved durability and visibility
- Largest front logo area of any industrial safety helmet
- Helmet approved to EN 397, EN 50365, Visor approved to EN 166



Product Codes

 CNS20WR	 CNS20BR
 CNS20RER	






VISION PLUS SAFETY HELMET WITH INTEGRATED VISOR

- Specialised ABS safety helmet with fully integrated retractable moulded Visor, eye protection is always available and spectacles can be worn underneath
- Visor achieves Grade A High Energy Impact Protection to EN 166
- Anti-scratch and anti-mist coating provides improved durability and visibility
- Helmet approved to EN 397, Visor approved to EN 166 & EN 170



Product Codes

 CNS10PLUSEWA	 CNS10PLUSEBLA
 CNS10PLUSEBA	



CONCEPT SECURE PLUS SAFETY HELMET

- Lightweight ABS helmet for wearer comfort and ideal prolonged use
- The SecurePlus provides advanced security with a quick release 4 point chinstrap and reduced peak for improved upward visibility
- Approved to EN 397 including 1000 a.c. option, EN 50365
- Also available vented nut without electrical resistance approval



Product codes

 CNS08WL	 CNS08LBL
 CNS08KL	 CNS08RL



CONCEPT VENTED SAFETY HELMET

- High safety with low weight. Reassuring strength with feel-good comfort
- High quality, strong ABS material
- Dry-Tech Sweatband for maximum comfort
- 6-Point Terylene Cradle
- Full and Reduced peak available
- Optional 4-point Secure Plus chinstrap (S30LY)




Product Codes

 CNS08CWR	 CNS08YRF
 CNS08CBRF	 CNS08CRRF
 CNS08CORF	 CNS08CGRF
 CNS08CKRF	CNS30LY(SecurePlus chinstrap)



Corporate badging
service available

 EN397 & EN50365

CONCEPT RATCHET SAFETY HELMET

- Light, strong and comfortable ABS helmet with Twist2Fit Ratchet
- The Concept is up to 20% lighter than most other helmets
- Approved to EN 397, EN 50365
- Other colours and models available to order
- Minimum order quantity carton of 20 per colour
- Available in reduced peak

*Dependent on model




Product Codes

 CNS08CWR	 CNS08CBL
 CNS08CYRL	



Corporate badging
service available

 EN397 & EN50365



1125 CLASSIC SAFETY HELMET

- General Purpose HDPE helmet
- Slip headband and Terylene Cradle
- Approved to EN 397



Product Codes

 CNS03WA	 CNS03YA
 CNS03BA	 CNS03OA

 EN397

CLASSIC HELMET MOUNTED SYSTEM

- Centurion's face protection range provides effective protection against a wide range of general workplace hazards
- Classic face protection system is compatible with all Centurion helmets
- Face screen is also suitable for use with the Centurion Classic Browguard as a headband mounted system
- Approved to EN 166



Product Codes

CNS590 (Polycarbonate Screen)

CNS54 (Carrier)



CLASSIC BROWGUARD HEADBAND MOUNTED SYSTEM

- Allows fitment of the Centurion Classic general purpose face screens and chin guard as a headband mounted system for when a safety helmet is not required.
- Classic Chin Guard screen is also compatible with the Classic face screen carrier for mounting to all Centurion helmets.
- Approved to EN 166



Product Codes

CNS89 (Browguard)

CNS910 (Polycarbonate Chinguard screen)

CNS91C (Chinguard)

CONTOUR X SCREEN

- Use the Contour X General Purpose Moulded Face Screen with the Contour Carrier for industrial impact helmet mounted face protection
- System suitable for industrial applications such as grinding due to grade B impact rating
- System designed to be re-used, ensuring it is more economical and environmentally sound than single use alternatives
- Easy fit moulded polycarbonate face screen
- Visor tested to EN 166, EN 170

Product Code

CNS800





Corporate badging service available



AIRPRO SECUREPLUS BASEBALL BUMP CAP

- Designed to provide the best in class for head retention and wearer comfort with an innovative Ratchet headband.
- Lower nape strap depth for optimum head retention
- Designed to provide maximum breathability for increased coolness
- Corporate badging via embroidery or transfer print
- Treated with Dupont Teflon fabric protector, enabling small spills and grime to be easily wiped away
- Approved to EN 812



Product Codes

■ CNS38BR ■ CNS38KR
■ CNS38HVYR

Other colours available on request



Corporate badging service available



COOLCAP

- Our fashion-led CoolCap bump cap combines high ventilation, high flexibility and reassuring protection against minor bumps and scrapes to the head.
- Design cap is fitted over an ABS liner to provide lightweight head protection
- Corporate badging via embroidery or transfer print



Product Codes

■ CNS28BL ■ CNS28NB



Corporate badging service available



AIRPRO CAP

- Our flagship AirPro bump cap has been designed for maximum breathability, maximum comfort and minimum weight, with approval to EN 812.
- Lower nape strap depth for optimum head retention
- One of the lightest Bump caps around at only 135g
- Designed to provide maximum breathability for increased coolness
- Corporate badging via embroidery or transfer print
- Treated with Dupont Teflon fabric protector, enabling small spills and grime to be easily wiped away



Product Codes

■ CNS38BLRP ■ CNS38HVO
■ CNS38HVY ■ CNS38NB
■ CNS38NBRP



HYGIENE BUMP CAP

- Our low impact lightweight Bump cap offers hygienic protection – ideal for use in the food industry when sterilisation is required.
- Available in six colours
- Features a PVC sweatband for comfort
- Replaceable, adjustable plastic cradle



Product Codes

■ CNS19B ■ CNS19G
■ CNS19OR ■ CNS19RE
■ CNS19W ■ CNS19Y



SANA HELMET MOUNTED EAR DEFENDERS

Introducing an exciting and innovative new range of SANA passive ear defenders

- They are the perfect system for total protection in high-decibel environments.
- Available in 3 colour coded protection levels for easy identification:
- The Green version offers a lower protection level with an SNR of 25dB.
- The Yellow version is our mid protection ear defender with an SNR of 30dB.
- A high level of hearing loss protection identified by the red ring, providing excellent protection of an SNR of 34dB.



Product Codes

CNSANA25

CNSANA30

CNSANA34



NEXUS HEIGHTMASTER EN 12492 4 POINT CHINSTRAP

- High quality replaceable Nexus 4-point chinstrap with easy side adjustment
- Provides approval to EN 12492 Working at Height (Mountaineering helmet standard) in conjunction with S30NL Nexus Heightmaster liner

Product Code CNS30NYN



EN 397 SECUREPLUS 4 POINT CHINSTRAP

- 4-point EN 397 Chinstrap providing additional wearer comfort and helmet stability

Product Codes CNS30LYN



CHINSTRAP

- 2-point strap with Chin Cup provides a secure fit
- Fits all Centurion safety helmets

Product Code CNS30EN



KALIS DRY COOLING ACCESSORIES

- Provides enhanced cooling comfort for the wearer as it is 100% dry and cools the head down to 15°C below ambient temperature
- Available in Helmet pad or Helmet sweatband

Product Code

Dry Cooling Helmet Pad CNS31DCHP

Dry Cooling Helmet Sweatband CNS31DCHS



SUN CAPE

- Protects against UV radiation with Ultra Violet Protection Factor UPF 50+, to keep the wearer dry, cool and comfortable
- Fits onto all Centurion safety helmets
- Available in High Visibility Yellow or Orange

Product Code

CNS51HVY

CNS51HVO

UNIVERSAL FLEECE HELMET LINER AND FROST CAPE

- A cold weather system designed to assist you during the Autumn through to the coldest Winter
- Fits all Centurion helmets
- Universal Fleece liner - fits neatly between the helmet shell and cradle to provide warmth during cold weather
- Bright Yellow or Orange Frost Cape - zips onto Centurion Universal Fleece Helmet Liner
- Face Warmer - fits onto high visibility Frost Cape

Product Codes

CNS50UFL

CNS50HVYFC

CNS50FW



HELMET AND BUMP CAP WINTER BEANIE

- Snug fitting Winter Beanie fits securely on the head under a helmet or bump cap providing warmth and comfort during winter months or in cold storage environments.

Product Code: CNS50HCB



VIZLITE DT HELMET STICKERS

- Designed specifically for Centurion safety helmets for improved wearer visibility and safety
- Absorbs UV light energy from either natural or artificial light to emit a glow in low light and dark conditions
- Phosphorescent material meets ISO 17398

Product Code: CN9020000 (S30VLS)

CONCEPTAIR HELMET AND FLIP UP VISOR KIT

- Complete respiratory protection system with head and face protection all in one box
- 180 litres of filtered air per minute
- Lightweight Li-ion batteries, with a typical 8 hour usage before recharge
- Complete with a P3 particulate filter and 5 pre-filters
- Approved to EN 12941 TH2P, Helmet approved to EN 397,
- Visor approved to EN 166 1B39



Product Code

CNR23CHFUVKIT (ConceptAir Helmet and Flip up Visor Kit)

CNR23000PLUS	Concept Air Power Unit	CNR23BLIUK	Concept Air Battery Pack
CNR23FUV	Concept Air Helmet Flip up Visor	CNR23PF-10	Classic Pre-filter
CNR23P3-5	Concept Air Particulate Filter (P3)	CNR23BCLI	Concept Air Battery Charger
CNR23HAHD	Concept Air Standard 850mm Hose		



CONCEPTAIR FLIP UP VISOR KIT P3

- Complete ready to use Respiratory Protection system with lightweight flip up Polycarbonate visor supplied in cardboard box
- 200 litre of filtered air per minute
- Lightweight Li-ion battery, with a typical 8 hour usage before recharge
- Complete with a P3 particulate filter and 5 pre-filters
- Approved to EN 12941 TH2P, visor approved to EN 166 1 B 3 9

Product Code

CNR23FUVNKIT-P3 (ConceptAir Flip up Visor Kit)

CNR23000PLUS	Concept Air Power Unit	CNR23BLIUK	Concept Air Battery Pack
CNR23FUV	Concept Air Helmet Flip up Visor	CNR23PF-10	Classic Pre-filter
CNR23P3-5	Concept Air Particulate Filter (P3)	CNR23BCLI	Concept Air Battery Charge
CNR23HAHD	Concept Air Standard 850mm Hose		

FOOD INDUSTRY

- Waterproof to give protection in wet conditions
- Oil resistant, SRA rated outsole for perfect grip
- Slip resistant to assure safe working conditions
- No steel components
- Non-safety

NS OB FO CI SRA

UK 3 - 11 // EU 36 - 46



PROTOMASTOR SAFETY WELLINGTON

- 100% waterproof
- Steel toe cap
- Oil resistant outsole
- Various chemical resistant
- PVC
- Resists minerals, animal and plant oils and fats, blood, disinfectants, fertilizer, various chemicals

SB E FO SRA

UK 3 - 13 // EU 36 - 48

DUNLOP
PROTECTIVE FOOTWEAR

WHITE WELLIE SHOE B370411



White

WG

PRICEMASTOR NON SAFETY WELLINGTON 380BV

- No steel components
- Resists low-concentration acids, bases, disinfectants and fertiliser
- Non safety
- 100% waterproof

NS

UK 3 - 12 // EU 36 - 47

White

BBW



White

171BV

PUROFORT® MULTI-GRIP SAFETY WELLINGTON



Green
CA61831



Blue
CA61631

S4 CI SRC

UK 3 - 13 // EU 36 - 48



White
CA61131

- 100% waterproof
- Steel toe cap protection
- Energy absorbing
- Anti-static, oil resistant and slip resistant
- Anti-Bac lining
- Designed for orthopaedic insole
- Purofort technology: light and durable

**PRICEMASTOR
NON SAFETY
WELLINGTON
380PP / 380VP**

- No steel components
- Non safety
- 100% waterproof

NS

UK 3 - 13 // EU 36 - 48



CONSTRUCTION and INFRASTRUCTURE



**WARWICK
FULL SAFETY
WELLINGTON
H812511**

- Acifort full safety
- PVC/Nitrile rubber
- Steel toe cap
- Midsole protection
- Oil resistant outsole
- 100% waterproof

SBP FO SRA

UK 6 - 12 // EU 39 - 47

Black

D8864

ACIFORT METGUARD FULL SAFETY WELLINGTON



- EN-certified metatarsal and ankle protection
- Dunlop's Acifort provides extra chemical protection from fuel and acids
- Specially formulated Acifort outlasts the competition
- SRC rated outsole designed for maximum grip on the toughest terrains
- Tread wear indicator to monitor outsole performance
- Dual-density mid layer absorbs impact energy with every step
- Steel toecap protection
- Steel midsole protection
- Energy absorbing sole



MZ2LE01

UK 6 - 13 // EU 39 - 48

SBP E FO SRC M AN

ACIFORT RIBBED FULL SAFETY WELLINGTON



- Acifort full safety
- Toecap protection
- Midsole protection
- Energy absorbent
- Oil resistant outsole
- 100% waterproof
- Ribbed to protect shinbone



A252931

UK 6 - 12 // EU 39 - 47

SBP A FO SRA

- Steel toe cap and midsole protection
- Energy absorbent
- Anti-static
- Oil resistant and SRC rated slip resistance
- 100% waterproof
- Cold insulating to -20 °C
- Rugged and cut resistant upper
- Lightweight and durable

UK 6 - 14 // EU 39 - 49



Black
C762041



PUROFORT+[®]
FULL SAFETY
WELLINGTON

S5 CI CR SRC



PUROFORT+[®]
FULL SAFETY
WELLINGTON

UK 6 - 14 // EU 39 - 49

S5 CI CR SRC



Yellow
C762241

PUROFORT[®] THERMO+ WELLINGTON

- Steel toe cap
- Midsole protection
- Energy absorbing sole
- Anti-static
- 100% waterproof
- Oil resistant outsole
- Slip resistant
- Cold insulating -50 °C

UK 5 - 13 // EU 38 - 48



Orange
C662343



S5 CI CR SRC

FIELDPRO FULL FULL SAFETY WELLINGTON



UK 4 - 13 // EU 37 - 48

- Trainer like fit
- Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage
- The trusted choice for construction and industry professionals
- Lightweight, flexible, and durable
- Cut and abrasion resistant
- SRC rated professional outsole designed for excellent grip at the jobsite
- Tread wear indicator to monitor outsole performance
- Steel toecap protection
- Steel midsole protection
- Energy absorbing sole
- 100% Waterproof
- Cold insulating, offering thermal insulation up to -20°C

Black
LJ2HD01

S5 CI CR SRC

FIELDPRO FULL FULL SAFETY WELLINGTON



UK 4 - 13 // EU 37 - 48

- Trainer like fit
- Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage
- The trusted choice for construction and industry professionals
- Lightweight, flexible, and durable
- Cut and abrasion resistant
- SRC rated professional outsole designed for excellent grip at the jobsite
- Tread wear indicator to monitor outsole performance
- Steel toecap protection
- Steel midsole protection
- Energy absorbing sole
- 100% Waterproof
- Cold insulating, offering thermal insulation up to -20°C

Yellow
LJ2JF01

S5 CI CR SRC



UK 6 - 13 // EU 39 - 48

PUROFORT® RUGGED FULL SAFETY RIGGER

S5 CI CR SRC

- 100% waterproof (no stitched seams)
- Keeping feet dry and warm
- Stays flexible and supple, with every step
- Anatomically designed foot bed
- Easy to maintain and clean, does not dry out and crack
- Cut resistant upper
- Outsole with optimal grip on uneven and wet surfaces
- Steel toecap and midsole
- Cold insulation down to -20°C

Black
C762043



UK 6 - 13 // EU 39 - 48

PUROFORT® RIGPRO FULL SAFETY RIGGER

S5 CI CR SRC

- Trainer like fit
- Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage Fur lining for additional warmth (LJ2HR48 only)
- Steel toecap and midsole
- Cut and abrasion resistant
- SRC rated outsole designed for excellent grip
- Tread wear indicator to monitor outsole performance
- Anti-static
- Oil resistant sole
- Cold insulating to -20°C
- Lightweight and comfortable

Fur Lined Unlined
Tan Tan
LJ2HR42 LJ2HR48

agriculture

- No steel components
- Resists low-concentration acids, bases, disinfectants and fertiliser

NS

UK 3 - 11 // EU 36 - 46



Green
FG60E33

PUROFORT® THERMO+ FULL SAFETY WELLINGTON

- Toecap protection
- Midsole protection
- Energy absorbing sole
- Anti-static
- 100% waterproof
- Oil resistant outsole
- Slip resistant
- Cold insulating

S5 CI CR SRC

UK 5 - 13 // EU 38 - 48

GREEN WELLIE SHOE B350611



Green
GG

PUROFORT® FIELDPRO NON SAFETY WELLINGTON

- Trainer like fit
- Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage
- The trusted choice for farm and industry professionals
- Lightweight, flexible, and durable
- Cold insulating, offering thermal insulation up to -20°C
- Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals

UK 4 - 13 // EU 37 - 48

04 FO CI SRC



Green
C662933



Green

EG62E33



PUROFORT® FIELDPRO FULL SAFETY WELLINGTON

S5 CI CR SRC

UK 4 - 13 // EU 37 - 48

- Trainer like fit
- Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage
- The trusted choice for farm and industry professionals
- Lightweight, flexible, and durable
- Cold insulating, offering thermal insulation up to -20°C
- Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals

- Toecap protection
- Steel midsole
- Oil resistant outsole
- Anti-static
- Energy absorbing sole
- Waterproof

UK 3 - 13 // EU 36 - 48

PROTOMASTER FULL SAFETY PVC WELLINGTON



Green

142VP



Black

142PP

(For Industry)



S5 SRA



ACIFORT® HEAVY DUTY GREEN WELLINGTON



Green

B440631



- Anti-slip
- Anti-static
- Energy Absorbing
- Resistance to minerals, animal and plant oils and fats, fertilizer, acids, disinfectants, various chemicals
- Waterproof

04 FO SRA

UK 6 - 13 // EU 39 - 48



ACIFORT[®] HEAVY DUTY WELLINGTON

S5 SRA

UK 6 - 12 // EU 39 - 47

- Strong abrasion resistant outsole for extra durability
- Easy cleaning and SRA+ rated slip resistant outsole
- Shock absorbing heel design
- Suitable for use under protective suits (A4422B1 only, EN 943-1 certified)
- Steel toe cap & midsole
- Nitrile and polymers enhanced PVC compound for basic chemical protection
- Reinforced ankle support



PVC CHEST WADER

**NON SAFETY
388VP**

- Practical, durable wading pants
- Ideal for a variety of uses in the agricultural sector
- 100% waterproof



UK 6 - 12 // EU 39 - 47



**FULL SAFETY
142VP.PT**

- Toecap protection
- Midsole protection
- Energy absorbing sole
- Anti-static
- Slip resistant
- 100% waterproof
- Resistant to mineral oils, animal, vegetable oils and fats, disinfectants and various chemicals



DUPONT CHEMICAL PROTECTIVE CLOTHING



Tyvek® garments are designed for an optimal balance of protection, durability and comfort.



Tyvek® 800 J

Breathable Type 3 garment for protection against water-based inorganic chemicals under pressure

- Hooded coverall
- Robust, yet lightweight
- Bright, over-taped seams aid wearer identification
- Thumb loops
- Elastication at wrists, ankles and face
- Tyvek® zipper
- Self-adhesive zipper and chin flap

Conforms to: Category III, Type 3-B, 4-B, 5-B, 6-B, EN 14126, EN 1073-2* Class 2, EN 1149-5

Available in sizes: S to 3XL

Product code:
White
TBSH800J



Tyvek® 500 Xpert

Setting a new standard of protection in the Type 5 and 6 category through greater protection and comfort

- Hooded coverall
- Stitched external seams
- Elasticated wrists, ankles and face
- Tyvek® zipper with long puller and flap
- Available in a more sustainable packaging option Eco Pack

Conforms to: Category III, Type 5-B, 6-B, EN 14126, EN 1073-2* Class 2, EN 1149-5

Available in sizes: S to 3XL

Also available in blue: S to 3XL

Product code:
White
TBSH
Blue
TBSHB



Tyvek® 200 EasySafe

Great breathability and optimised protection for less demanding applications

- Hooded coverall
- Stitched external yellow seams
- Elasticated wrists, ankles and face
- Zipper flap

Conforms to: Category III, Type 5, 6, EN 1073-2* Class 1, EN 1149-5

Available in sizes: S to 3XL

Product code:
White
DESCW



Tyvek® 600 Plus

Combines the performance of a Type 4 with the comfort of a nonwoven suit

- Hooded coverall
- Stitched and over-taped seams
- Hood shape and elastic around hood are designed for a tight fit around full face respirator
- Thumb loops
- Tunnelled elastication at wrists, ankles and face
- Elasticated waist
- Tyvek® zipper
- Self-adhesive zipper and chin flap

Conforms to: Category III, Type 4-B, 5-B, 6-B, EN 14126, EN 1073-2* Class 2, EN 1149-5

Available in sizes: S to 3XL

Also available version with socks:
M to 2XL

Product code:
White
TBSHCP
White,
with socks
TBS600SOCK



Tyvek® 500 HV

All-in-one solution: high-visibility (to the highest class), chemical, biological and antistatic protection in one coverall.

- Collared coverall
- Fluorescent orange with silver grey retroreflective bands
- Stitched external seams
- Elasticated wrists and ankles
- Tyvek® zipper and flap
- May replace your reusable high visibility clothing with added protection

Conforms to: Category III, Type 5-B, 6-B, EN 14126, EN 1073-2* Class 1, EN 1149-5, EN ISO 20471, RIS-3279-TOM Issue 1 (replaces GO/RT 3279 Issue 8)


Available in sizes: S to 3XL

Product code:
Orange
TBS500HV

*Does not protect against ionizing radiation

Specially designed for use with Tyvek® apparel, Tyvek® 500 accessories can help offer enhanced protection for body parts that are more exposed to hazardous substances, or protect processes from contamination.



Product code:
White 
TPL309W

Tyvek® 500 Labcoat with zipper and pockets

- Collared labcoat
- Zipper closure
- 2 pockets
- Elasticated cuffs (tunnelled)
- Stitched internal seams

Conforms to: Category III, Type PB [6-B]*

Available in sizes: S to 2XL




Tyvek® 500 Shoe cover with antislip


- Shoe cover
- Elasticated ankle
- Stitched internal seams
- Slip-retardant sole

Conforms to: Category III, Type PB [6-B]*

Available in sizes: 42-46

Product code:
White 
TOSSRW



Product code:
White 
TBHW

Tyvek® 500 Hood

- Hood with flange
- Elasticated face and neck
- Stitched internal seams

Conforms to: Category III, Type PB [6-B]*

Available in sizes: One size




Tyvek® 500 Sleeve


- 50 cm long sleeve
- Adjustable arm opening
- Stitched internal seams
- Upper-arm in blue-coloured thread for identification purposes

Conforms to: Category III, Type PB [6-B]*

Available in sizes: One size

Product code:
White 
TSLEEVEW



Product code:
White 
TOBSRW

Tyvek® 500 Boot cover with antislip

- Knee-length overboot
- Elasticated top and fixation ties
- Stitched internal seams
- Slip-retardant sole

Conforms to: Category III, Type PB [6-B]*

Available in sizes: One size

* Partial body protection

Tychem® garments for lightweight protection from chemical and biological hazards. Tychem® is an innovative fabric range comprising multiple barrier layers that help provide protection from chemicals (even those under pressure), biohazards and particulates.



Tychem® 6000 F

Trusted protection against a broad range of chemicals and biohazards

- Hooded coverall
- Stitched and over-taped seams
- Thumb loops
- Elastication at wrists, ankles, face and waist
- Self-adhesive double zipper flap and chin flap

Conforms to: Category III, Type 3-B, 4-B, 5-B, 6-B, EN 14126, EN 1073-2* Class 1, EN 1149-5

Available in sizes: S to 3XL

Product code:

Grey
TYFBS 



Tychem® 4000 S

A new comfortable alternative against a broad range of inorganic and organic chemicals

- Hooded coverall
- Stitched and over-taped seams
- Double cuff system for good glove compatibility
- Thumb loops
- Elastication at wrists, ankles, face and waist
- Double zip and double flaps permit limited re-use if not contaminated

Conforms to: Category III, Type 3-B, 4-B, 5-B, 6-B, EN 14126, EN 1073-2* Class 1, EN 1149-5**

Available in sizes: S to 3XL

Product code:

White
TY4000BS 



Tychem® 2000 C

Great breathability and optimised Comfortable, lightweight protection against biohazards and inorganic chemicals

- Hooded coverall
- Stitched and over-taped seams
- Thumb loops prevent sleeves from riding up
- Elastication at wrists, ankles, face and waist for an optimal fit
- Self-adhesive double zipper flap and chin flap for tight seal of suit to face-masks

Product code:

Yellow
TYCBS 

Conforms to: Category III, Type 3-B, 4-B, 5-B, 6-B, EN 14126, EN 1073-2* Class 1, EN 1149-5

Available in sizes: S to 3XL

* Does not protect against ionizing radiation.

** Please see instructions for use for details

ProShield® garments, based on SMS or microporous film technology, are designed for applications that require lower levels of protection. They help protect against non-hazardous dry particles and light liquid splash applications typically found in industrial situations.



ProShield® 60

Best in class microporous film, ideal choice for applications that are less demanding in terms of barrier, durability and comfort

- Hooded coverall
- Stitched internal seams
- Elasticated hood, waist, wrists and ankles
- 3-piece crotch area
- Zipper flap

Conforms to: Category III, Type 5, 6, EN 1073-2* Class 1, EN 1149-5

Available in sizes: S to 3XL

Product code:

White 
PRO60W



ProShield® 20

Based on SMS technology, a breathable lightweight coverall for entry-level Type 5, 6 protection

- Hooded coverall
- Stitched external seams
- Elasticated hood, waist, wrists, ankles
- Zipper flap

Conforms to: Category III, Type 5, 6, EN 1073-2* Class 1, EN 1149-5

Available in sizes: S to 3XL

Product code:

White 
PRO20W
Blue 
PRO20B



ProShield® 20 SFR

The solution to protect the user and flame-resistant workwear underneath

- Hooded coverall
- Stitched external seams, orange
- Limited flame spread garment (index 1)
- Non-halogenated flame-retardant non-woven fabric, free of substances of very high concern to be compliant with REACH regulations
- 3 piece hood
- Elasticated wrists, ankles, hood and waist

Conforms to: Category III, Type 5, 6, EN 1073-2* Class 1, EN 1149-5, EN ISO 14116**

Available in sizes: M to 3XL

Product code:

White 
PROFR

* Does not protect from ionizing radiation.

** EN ISO 14116:2008 requires a tensile strength of >150 N. This garment has a tensile strength of >30 N only.



DEMAND
THE SAFETY TO DO
GREAT THINGS



KNEE PADS - WIDE SOFT CAP



- Durable 600D polyester fabric cover
- 12mm NBR foam padding
- Slightly wider and longer for wraparound comfort
- Anti-odour treatment
- Buckle closure

EY230



AMBIDEXTROUS SINGLE STRAP WRIST SUPPORT



- Neoprene
- Ambidextrous
- Reversible hook and loop strap

EY670

AVAILABLE SIZES
S, M, L, XL



WEIGHT LIFTERS STYLE BACK SUPPORT BRACE



- Rigid foam composition
- Durable 900D foam laminated nylon body fabric
- Foam lumbar pad

EY1500

AVAILABLE SIZES
S, M, L, XL, 2XL



STANDARD ELASTIC BACK SUPPORT BRACE



- 9" premium all-elastic body for extra firm support
- Contoured high-cut front panel
- Non-conductive polypropylene stays
- Adjustable, detachable suspenders
- Rubber track webbing

EY1600

AVAILABLE SIZES
XS - 4XL



TOOL LANYARD SINGLE CARABINER



- Meets ANSI/ISEA 121-2018 - third party certified to a 10lb // 4.5kg maximum working capacity with a 2:1 safety factor
- Made with shock-absorbing tubular nylon webbing and lock stitching at both ends for added security
- Locking screwgate aluminium carabiner
- Captive eye design - better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate
- Cinch loop end - for tethering to captive holes on tools
- Lanyard dimensions - standard: 35-45in // 89-107cm, extended: 42-54in // 106-137cm

EY3100 (Single) EY3100BULK (BULK-100)



WRIST TOOL LANYARD



- Polyester webbing cuff secures to wrist
- Energy-absorbing ribbed pull cord
- Adjustable barrel lock for tool attachment
- Short length improves the drop clearance needed

EY3115

AVAILABLE SIZES
S/M 5" - 7" (13cm-18cm)
L/XL 7" - 8.5" (18cm-22cm)



PADDED BARCODE SCANNER HARNESS



- Quick, secure access - prevents drops, keeps barcode scanners close and ready
- Industrial grade - heavy-duty materials designed for harsh environments
- All-day comfort - airprene shoulder padding, plus curved webbing straps that form to worker's body
- Breakaway design - hook & loop closure allows harness to safely detach in emergencies
- Two loop attachments - connect to small captive holes built into cordless scanner for secure tethering to the lanyard

EY3138

AVAILABLE SIZES
S, L



ELASTIC HARD HAT LANYARD - CLAMP



- Comfortable high-stretch elastic material
- Easily attaches to hard hats and other headwear
- Quick connect clamp attaches securely to fabric

EY3155



CARPENTER AND LABOURER'S TOOL TETHERING KIT



- Tested & Approved - All products tested to the ANSI/ISEA121-2018 with the exception of model 3400
- Kit includes: One 3713 Elastic swivelling tool tail attachment, One 3700 Web tool tails attachment, Two 3755 Self-adhering tape trap, Two 3156 Coil tool lanyards, One 3108F(x) Tool lanyard, One 3118F(x) Tool lanyard, One 3400 Gloves grabber dual clip, Convenient carrying case for easy transportation

EY3183



GRABBER - DUAL CLIP MOUNT



- Clips to clothing, belts, tool belts, and D-rings
- Holds PPE, tools accessories, and other items
- Prevents dropped objects and foreign material
- Durable, ultra-resilient acetal copolymer
- Dielectric / non-conductive material

EY3400

AVAILABLE COLOURS
Black, Blue, Lime,
Orange, Red



GLOVE CLIP HOLDER -BELT CLIP



- Keeps gear close - holds face masks, gloves, mittens, keys, PPE, towels and more keeping them at the ready
- Strong gripping clip - easy to open and stays firmly closed on your gloves or other gear
- Durable - ultra-resilient acetal copolymer and thermoplastic polyurethane materials are non-conductive and temperature resistant
- Breakaway design - for safety around moving parts or other catch hazards
- Prevents dropped & lost objects
- Break strength - average breaking strength = 26lbs // 11.8kg

EY3405BL (Black) EY3405OR (Orange)



POWER TOOL TRAP™



- 1000D nylon with water-resistant backing
- Two hook and loop straps secure power tool battery for safe and easy tethering
- Nickel-plated cast iron D-ring
- Prevents battery from becoming a dropped object
- Fits most power tool batteries

EY3780

AVAILABLE SIZES
S, L



EVAPORATIVE COOLING TOWEL - PVA



- Instant cooling relief - hyper-evaporative PVA easily activates with water for up to 4 hours of cooling
- Comfortable - when wet, band remains soft and bulk-free for wearer around the neck
- Dimensions - 13in x 29.5in // 33cm x 75cm
- Machine washable - air dry until towel is stiff, re-wet to reactivate and soften

EY6602



EVAPORATIVE COOLING BAND TOWEL



- Instant cooling relief - hyper-evaporative PVA easily activates with water for up to 4 hours of cooling
- Stay-put design - unique pull-through slot secures band around neck for fuss-free all-day wear
- Comfortable - when wet, band remains soft and bulk-free for wear around the neck
- Sun protection - UPF 50+ protection from harmful UV rays
- Dimensions - 4in x 29.5in // 10.2cm x 74.9cm
- Machine washable - air dry until band is still, re-wet to reactivate and soften

EY6603



PREMIUM DRY EVAPORATIVE COOLING VEST



- Dry & Comfortable - patented dry technology keeps wearer completely dry and comfortable during the entire evaporative cooling process
- Long lasting effect - up to 3 days of cooling power
- Easy activation - fill vest with 13oz - 20oz // 400ml - 600ml of water
- Lightweight and durable - made of industrial grade nylon
- Ventilated comfort - mesh side panels provide additional ventilation
- Treated with an antimicrobial to prevent mold growth
- Wide variety of uses, reduces the effect of heat exhaustion and fights fatigue in outdoor heat

EY6685

AVAILABLE SIZES
M - 4XL



EVAPORATIVE COOLING BANDANA HEADBAND



- Cooling relief - polymer cooling technology quickly activates for up to 4 hours of relief from the heat
- Low-Profile - for no-bulk wear under hard hats
- Comfortable - 100% cotton bandana
- Tie Closure - adjustable for a snug, comfortable fit on a variety of head sizes
- Dimensions - 36.5in x 2in L // 92.7cm x 5.08cm H
- Hand wash and hang in open air until completely dry

EY6700BL (Black) EY6700B (Blue) EY6700Y (Yellow)



WINTER HARD HAT LINER



- 2-Layer thermal liner
- Water resistant outer shell - 100% polyester treated with PU coating making the shell water-resistant for all day comfort
- Lightweight - fits comfortably under a helmet or hard hat without feeling too bulky
- Elastic gathering at the forehead closes the gap between liner and forehead to keep the heat in and cold out
- Hook and loop straps
- Machine washable

EY6840



WINTER HARD HAT LINER SHOULDER LENGTH



- 2-Layer thermal liner - water-resistant shell with soft fleece lining for warm and comfortable protection against the elements
- Shoulder length - for complete head, neck and ear coverage
- Lightweight & low-profile - fits comfortably under hard hats or helmets
- Elastic rim - creates a snug fit while trapping heat and keeping cold out
- Hook & loop straps - chin strap plus 4 hook & loop hard hat straps keep liner securely in place
- Machine washable

EY6824BL (Black) EY6842Y (Yellow)



HAND WARMER PACKS - AIR ACTIVATED



- Long lasting heat - hand warmer packs keep hands free from chill for up to 12 hours
- Compact - small and low-profile to easily fit into gloves or jacket pockets
- Simple & instant activation - all-natural ingredients begin to heat up as soon as you open the pack (no batteries required)
- Great for use with thermal accessories - easily insert into built-in pockets in thermal accessories for added warmth
- Non-toxic - made with all-natural ingredients
- Includes 40 pairs of warmers - each box includes 40 individually sealed pairs of warmers

EY6990



INSOLE FOOT WARMERS - ADHESIVE BACK



- Long lasting heat - foot warming pads deliver up to 8 hours of warmth
- Stay-put adhesive - adhesive backing sticks easily and securely to socks
- Easy & instant activation - packs begin to heat up as soon as you open the pack (no batteries required)
- Flexibility - full foot warmer is flexible, not rigid, reducing discomfort
- Full foot coverage - covers the entire bottom of the foot for increased warmth and coverage
- Non-toxic - made with all-natural ingredients
- One size fits most

EY6995



PU COATED CUT-RESISTANT GLOVES - EN388



- Cut resistant - ANSI A4 cut protection and level 3 abrasion resistance for protection when working with sharp materials
- Flexible no-slip grip - PU coated palms provide strong but flexible grip for secure handling with enhanced dexterity on a variety of surfaces
- Superior feel & fit - 18-gauge seamless HPPE polyester knit with PU coating is soft, lightweight and flexible
- Touchscreen capable - easily swipe, tap and type on smart phones and tablets without removing gloves
- Machine washable

EY7044

AVAILABLE SIZES
S - 2XL



NITRILE COATED CUT-RESISTANT GLOVES - EN388



- Heat resistant - aramid fibre meets EN407 level 1 contact heat resistance for safety when working with high temperature materials
- Cut resistant - ANSI A7 cut protection and level 5 abrasion resistance for heavy-duty protection around extremely sharp materials
- High strength grip - durable sandy nitrile coated palms and thumbs for secure handling on rough surfaces
- Comfortable form fit - 13-gauge seamless aramid fibre knit with nitrile coating moves with you
- Touchscreen capable - easily swipe, tap and type on smartphones and tablets without removing gloves

EY7070

AVAILABLE SIZES
S - 2XL



HI-VIS RANGER SUN HAT



- Lightweight sun protection - 150D polyester hat with wide brim to shade face
- Breathable - 360-degree mesh venting for max airflow
- Enhanced visibility - made with ANSI 107-approved hi-vis fabric and 1" reflective tape to keep workers safe & seen
- Drawstring cord - for a secure fit
- Brim width - 2.5in // 6.5cm
- Machine washable

AVAILABLE SIZES

S/M 21" - 22" (53.3cm-57.1cm)

L/XL 22.5" - 24" (57.1cm-60.9cm)

2XL/3XL 24" - 25.5" (60.9cm-64.7cm)

EY89350R (HV Orange) EY8935 (Yellow)



LIGHTWEIGHT BUMP CAP HAT - LED LIGHTING



- Lightest weight bump cap does not compromise protection against bumps, scrapes, bruises and other minor head injuries
- Ultra-bright LED lights under brim emit 44 lumens for 11 hours of hands-free visibility in the dark (four CR2032 lithium-ion batteries included)
- Strategic 360° ventilation on insert, foam pad and hat for maximum airflow between the worker's head and the bump cap
- Removable bump cap insert - impact-resistant, high-density polyethylene shell with foam pad for durable protection

SIZING Short Brim (2in // 50mm)

EY8965SBBL (Black) EY8965SBN (Navy)



PureFlo[®]

All-In-One, Head-Mounted PAPRs



Next Generation
Respiratory Protection

No Belts. No Hoses. No Snags.



PURELITE

The PureLite is an entry level, battery-powered respirator providing protection for **respiratory, eye, face and hearing**, all in one, lightweight system. The head-mounted design provides optimum balance with **no trailing leads or waist-mounted power pack**. The full face shield provides **excellent all round vision and impact protection**. With **no face fit testing required**, this is the perfect solution for those with facial hair and/or prescription glasses.

KEY FEATURES

- System Classification TH2P (APF 20)
- High stability & quick release headband
- On-off switch easily operated with gloved hand
- Low-battery audible alarm
- 8-hour battery
- Low noise fan motor provides airflow rate of 210 l/m
- Very low running costs

INDUSTRIES

The PureLite is suitable for use in various environments, including:

- Woodworking
- Agriculture, horticulture and pest control
- Stone Masonry
- DIY & Building Maintenance
- Landscaping



PURELITE

Part Number	Description
PL03000-2	PureLite PAPP
PL03004-1	PureLite PAPP Value Pack

APPROVALS

Respiratory Protection: BS EN 12941, THP2

Eye/Face Protection: EN 166, Optical class 1B3 for high-speed particles, medium energy impact, liquid droplets and splashes.

Assigned Protection Factor (APF): 20

MAIN PARTS & ACCESSORIES

Part Number	Description	Qty
PL01170-1SP	Filter TH2P	Pair
PL01171-1SP	8hr Battery Pack	1
PL01172-14SP	Battery Charger	1
PL01182-2SP	Battery Charging Cradle	1
PL01185-2SP	Visor Overlays – Clear (10 pack)	1
PR01110SP	PUREWIPE Disposable Wipes	1

For a complete list of PureLite Parts & Accessories, please scan the QR code:



WHAT'S IN THE BOX?

- PureLite PAPP
- 1 x pair filters
- 1 x 8hr Battery Pack & Charger

The PureLite Value Pack includes:

- PureLite PAPP
- 2 x pair filters
- 10 x visor overlay protectors
- 1 x spare face seal
- 1 x 8hr Battery Pack & Charger



3000

The PureFlo 3000 PAPR is an all-in-one head mounted solution providing **respiratory, head, eye, face & hearing protection** in one system, ready to work out-of-the-box. With **no trailing hoses or belt-mounted unit**, the PureFlo 3000 is extremely versatile and ideal for use in tight spaces. As well as providing all-in-one protection, the PureFlo 3000 PAPR has **no requirement for face fit testing**, meaning that the unit can be worn with facial hair and/or spectacles.

KEY FEATURES

- Lightweight, industrial design (EN Approved)
- LED low battery and airflow indicators
- Quick change P3 HEPA filter with optional pre-filter
- Compact, fast-charging Lithium Ion battery
- Optional hearing protection and communications

INDUSTRIES

The PureFlo 3000 is suitable for use in various environments, including:

- Construction
- Welding
- Light Manufacturing
- Transport
- Utilities
- Agriculture & Farming
- Laboratories
- Pharmaceutical Manufacturing
- Healthcare



INDUSTRIAL

Part Number	Description
PF3000-H2SB11	3000 PAPR, Hard Hat (Black), Clear Visor, P3 Filter
PF3000-B2SB11	3000 PAPR, Bump Cap (Black), Clear Visor, P3 Filter

- Suitable for use across various applications, including construction, agriculture, and maintenance, repairs and operations (MRO)

APPROVALS: Respiratory Protection: EN 12941:1998+A2:2008 TH3P
Head Protection: EN 397:2012+A1:2012 (Hard Hat), EN 812 (Bump Cap)
Eye/Face Protection: EN 166:2002 1B3

ASSIGNED PROTECTION FACTOR (APF): 40



WELDING

Part Number	Description
PF3000-H2WD11	3000 PAPR, Hard Hat (Black), Welding Screen, P3 Filter (ADF Lens sold separately)
PF3000-B2WD11	3000 PAPR, Bump Cap (Black), Welding Screen, Pro Deluxe ADF Lens, P3 Filter

- Auto darkening, true colour welding lens
- Suitable for all Arc welding processes such as MIG, MAG, TIG, SMAW, Plasma Arc and Carbon Arc

APPROVALS: Respiratory Protection: EN 12941:1998+A2:2008 TH3P
Head Protection: EN 397:2012+A1:2012 (Hard Hat), EN 812 (Bump Cap)
Eye/Face Protection: EN 379:2003 + A1:2009 EN 175:1997, EN 175

ASSIGNED PROTECTION FACTOR (APF): 40



PHARMA & HEALTHCARE

Part Number	Description
PF3000-F3NA01	3000 PAPR, Reusable/Disposable Hood, P3 Filter

- Reusable/disposable hood to protect from chemicals, pathogens, and viruses
- Suitable for use in various pharmaceutical, healthcare, manufacturing, and laboratory environments

APPROVALS: Respiratory Protection: EN 12941:1998+A2:2008 TH3P

ASSIGNED PROTECTION FACTOR (APF): 40

MAIN PARTS & ACCESSORIES

Part Number	Description	Qty
PF3000-02001	P3 Filter (HEPA)	5
PF3000-04004	Odour Nuisance Pre-filter	50
PF3000-04005	Pre-filter	50
PF3000-04041	Ear Defenders – SNR 30	Pair
PF3000-04042	Ear Defenders – SNR 36	Pair

For a complete list of PureFlo 3000 Parts & Accessories, please scan the QR code:



WHAT'S IN THE BOX?

- 3000 PAPR with clear visor, welding screen or respiratory hood
- Visor Protectors (10) (Industrial Clear Visor)
- 2 x Li ion Batteries
- Battery Charger
- P3 Filter
- Set of Cleaning Plugs
- Protective Carry Bag



ESM+

The PureFlo ESM+ is an **intrinsically safe PAPR** approved for use in certain types of gas and dust environments where there are potentially explosive atmospheres. With **no hose or waist-mounted unit**, the ESM+ provides improved comfort and mobility for users. The ESM+ is designed for use in a wide range of **light to heavy-duty industries** and is available in two main variants with bump cap or hard hat, with the option for aluminised accessories to provide protection when working in **high-heat environments**.

KEY FEATURES

- No requirement for face fit testing and can be used safely with beards and/or prescription spectacles
- Lightweight integrated respiratory, head, eye, and face protection
- Proven low running costs with exceptional protection levels
- Includes 2 x 4-hour NiMH batteries providing 8 hour run time and smart chargers, plus optional 16 station smart multi-charger
- Options of P3, P3 nuisance odour, and ABE1P3 filters
- Airflow rate of 220 l/m on P3 filter & 205 l/m on a ABE1P3 filter
- Sealed motor housing for ease of maintenance, enhanced cleaning, and protection from contaminants.

INDUSTRIES

The PureFlo ESM+ is suitable for use in various environments, including:

- Pharmaceutical
- Construction
- Utilities
- Heavy engineering
- Metal fabrication
- Smelting & Metal Refining



ESM+ PF23 BUMP CAP

Part Number	Description
PF23ESMXEB6R	ESM+ PAPR, Bump Cap, Black Neck Cape, P3 Filter
PF23ESMXET6R	ESM+ PAPR, Bump Cap, Tychem Neck Cape, P3 Filter

APPROVALS: Respiratory Protection: EN 12941:1998+A2:2008 TH3P

Head Protection: EN 812

Eye/Face Protection: EN 166:2002 1B39

ASSIGNED PROTECTION FACTOR (APF): 40

ESM+ PF33 HARD HAT



Part Number	Description
PF33ESM4BL16R	ESM+ PAPR, Hard Hat (Black), Lifting Visor, Black PU Neck Cape, P3 Filter
PF33ESM4FL16R	ESM+ PAPR, Hard Hat (Black), Lifting Visor, Fire Retardant Face Seal, P3 Filter
PF33ESM2BL16R	ESM+ PAPR, Hard Hat (White), Lifting Visor, Black PU Neck Cape, P3 Filter
PF33ESM2FL16R	ESM+ PAPR, Hard Hat (White), Lifting Visor, Fire Retardant Face Seal, P3 Filter
PF33ESM1BL16R	ESM+ PAPR, Hard Hat (Yellow), Lifting Visor, Black PU Neck Cape, P3 Filter
PF33ESM1FL16R	ESM+ PAPR, Hard Hat (Yellow), Lifting Visor, Fire Retardant Face Seal, P3 Filter

APPROVALS: Respiratory Protection: EN 12941:1998+A2:2008 TH3P

Head Protection: EN 397:2012+A1:2012

Eye/Face Protection: EN 166:2002 1B39

ASSIGNED PROTECTION FACTOR (APF): 40



ESM+ PF33 HIGH HEAT

Part Number	Description
PF33ESM5SF20R	ESM+ PAPR, Aluminised Hard Hat & Neck Cape, Spark Shield Neck Cape, Gold External Visor (Shade 4/5) with visor bar, P3 Nuisance Odour Filter

APPROVALS: Respiratory Protection: EN 12941:1998+A2:2008 TH3P

Head Protection: EN 397:2012+A1:2012

Eye/Face Protection: EN 166:2002 1B39

ASSIGNED PROTECTION FACTOR (APF): 40

MAIN PARTS & ACCESSORIES

Part Number	Description	Qty
PR01020SPN	P3 Filter	10
PR01500SP	P3 Nuisance Odour Filter	10
PR01025SP	ABE1P3 Filter	8
PR01043SP	16 Battery Multi Charger	1

The PureFlo ESM+ is a modular system that can be configured to match your exact requirements. For a complete list of ESM+ Parts & Accessories, please scan the QR code or contact your Beeswift representative to discuss your needs.



WHAT'S IN THE BOX?

Depending on the ESM+ product selected, this will include:

- PAPR with bump cap or hard hat
- Neck cape or face seal
- Aluminised accessories (High Heat option only)
- 2 x individual battery chargers
- 2 x batteries
- P3 filter

Option to have a multi-charger rather than individual battery chargers with each PAPR

PURELL ES® Dispensers Elegant Design Meets Maintenance Ease

The PURELL® brand now extends to the hand soap category with breakthrough innovative PURELL brand HEALTHY SOAP™. The new PURELL ES hand hygiene systems are durable, reliable and provide the easiest way to see when refills need to be changed.



PURELL ES4 MANUAL

Durable and reliable manual dispensing systems.
Easy to maintain.

Product Codes

Soap Dispensers

GJ5030-01 - ES4 Soap Dispenser White
GJ5034-01 - ES4 Soap Dispenser Graphite

Sanitiser Dispensers

GJ5020-01 - ES4 Sanitiser Dispenser White
GJ5024-01 - ES4 Sanitiser Dispenser Graphite

PURELL ES6 TOUCH-FREE

Touch-free systems built for reliable performance and maintenance ease.

Product Codes

Soap Dispensers

GJ6430-01 - ES6 Soap Dispenser White
GJ6434-01 - ES6 Soap Dispenser Graphite

Sanitiser Dispensers

GJ6420-01 - ES6 Sanitiser Dispenser White
GJ6424-01 - ES6 Sanitiser Dispenser Graphite

PURELL ES8 TOUCH-FREE, ENERGY-ON-THE-REFILL

Touch-free innovation with energy-on-the-refill technology plus the ability to add communication modules.

Product Codes

Soap Dispensers

GJ7730-01 - ES8 Soap Dispenser White
GJ7734-01 - ES8 Soap Dispenser Graphite

Sanitiser Dispensers

GJ7720-01 - ES8 Sanitiser Dispenser White
GJ7724-01 - ES8 Sanitiser Dispenser Graphite



PURELL ES® Refills
Breakthrough Innovations In Hand Hygiene



Healthy skin is cleaner skin. PURELL® HEALTHY SOAP products with CLEAN RELEASE Technology set a new standard for soap performance. Specifically formulated to loosen dirt and germs, the formulations are gentle on skin and leave 3.4x fewer germs on skin.



PURELL HEALTHY SOAP
High Performance Foam
Hand Wash -
Unfragranced

Remarkably mild, self-preserved soap formulation which removes more than 99% of dirt and germs.

Product Codes

- GJ5085-02 - ES4 Refill
- GJ6485-02 - ES6 Refill
- GJ7785-02 - ES8 Refill

All refills 1200ml capacity



PURELL HEALTHY SOAP
High Performance Foam
Hand Wash

Remarkably mild, self-preserved soap formulation removes more than 99% of dirt.

Product Codes

- GJ5086-02 - ES4 Refill
- GJ6486-02 - ES6 Refill
- GJ7786-02 - ES8 Refill

All refills 1200ml capacity



PURELL HEALTHY SOAP
Mild Foam

Exceptionally mild, unfragranced foam hand soap.

Product Codes

- GJ5069-02 - ES4 Refill
- GJ6469-02 - ES6 Refill
- GJ7769-02 - ES8 Refill

All refills 1200ml capacity

PURELL Advanced Hygienic Hand Rub

A breakthrough formulation with exceptional antimicrobial efficacy. PURELL kills 99.99% of most common germs that may be harmful. Unfragranced and colourless. Passed food tainting test in accordance with EN 4120:2007

Product Codes

- GJ5062-02 – ES4 Refill
- GJ6462-02 – ES6 Refill
- GJ7762-02 – ES8 Refill

All refills 1200ml capacity





GOJO ADX-12™ & ADX-7™ Manual Soap Dispensers

The ADX-12 high capacity dispensers need less maintenance in high-traffic areas while the small footprint ADX-7 dispensers fit compact spaces.

The ADX™ dispenser is easy to service and built to last. Both dispensers are performance guaranteed and fitted with GOJO LOCK OR NOT Technology.

Product Codes

ADX-12

GJ8884-06 – Grey/White
GJ8888-06 – Chrome/Black

ADX-7

GJ8784-06 – Grey/White
GJ8788-06 – Chrome/Black



ADX-12
GJ8888-06



ADX-7
GJ8784-06

GOJO Mild Foam Hand Soap

Ecolabel-approved formulation mild enough for high frequency use and is both unfragranced and colourless.
EN 4120:2007



Product Codes

GJ8711-04 – 700ml Refill
GJ8811-03 – 1250ml Refill

GOJO Freshberry Foam Hand Soap

A spa-inspired foam hand wash with a pleasant botanical fragrance. Contains natural extracts and skin conditioners.



Product Codes

GJ8716-04 – 700ml Refill
GJ8816-03 – 1250ml Refill

GOJO Luxury Hair, Body & Hand Foam Wash

Spa-quality hair, body & hand foam wash with a cucumber scent.



Product Codes

GJ8713-04 – 700ml Refill
GJ8813-03 – 1250ml Refill

GOJO Antimicrobial Plus Foam Handwash

This quat free handwash is gentle on skin and formulated to be highly effective for the removal of oils, fats and soils.



Product Codes

GJ8748-04 – 700ml Refill
GJ8848-03 – 1250ml Refill



PURELL ADX-12™ & ADX-7™ Manual Sanitiser Dispensers



The ADX-12 high capacity dispensers need less maintenance in high-traffic areas while the small footprint ADX-7 dispensers fit compact spaces.

The ADX™ dispenser is easy to service and built to last. Both dispensers are performance guaranteed and fitted with GOJO LOCK OR NOT Technology.



ADX-12
GJ8828-06



ADX-7
GJ8720-06

Product Codes

ADX-12

GJ8820-06 – White
GJ8828-06 – Chrome/Black

ADX-7

GJ8720-06 –White
GJ8728-06 –Chrome/Black

PURELL Advanced Hygienic Hand Rub

A breakthrough formulation with exceptional antimicrobial efficacy. PURELL kills 99.99% of most common germs that may be harmful. Unfragranced and colourless. Passed food tainting test in accordance with EN 4120:2007



Product Codes

GJ8803-03 – 1200ml Refill
GJ8703-04 – 700ml Refill

PURELL Advanced Hygienic Hand Sanitising Foam

Contains skin conditioning agents that help to maintain skin health, skin moisture & improve overall skin feel. PURELL kills 99.99% of most common germs that may be harmful.



Product Codes

GJ8804-03 – 1200ml Refill
GJ8704-04 – 700ml Refill

PURELL Advanced Hygienic Hand Rub Bottles

A breakthrough formulation with exceptional antimicrobial efficacy.

Product Codes

GJ9268-12 – 500ml Pump Bottle
GJ9263-12 – 300ml Pump Bottle
GJ9661-24 – 100ml Flip Top Bottle
GJ9606-24 – 60ml Pump Bottle
GJ3901-99 – 30ml Flip Top Bottle
GJ9608-24 – PURELL PERSONAL™ Retractable Clip



PURELL® Hand & Surface Antimicrobial Wipes

Keep hands and surfaces germ-free with PURELL Hand & Surface Antimicrobial Wipes. They are effective against 99.99% of most common germs.

Tested in real-world medical settings under EN16615.

No-rinse required, suitable for use on food-contact surfaces.

For use on hands and non-porous surfaces.



Product Codes

- GJ92100-12 - 100 Count Canister
- GJ92200-06- 200 Count Canister
- GJ92270-06 - 270 Count Canister
- GJ92450-04 - 450 Count Bucket

PURELL Surface Sanitising Wipes

Disinfectant wipes for use on surfaces and materials in catering, kitchens and community premises.

Suitable for use on food contact surfaces and does not need rinsing after use.

Fast acting and fast drying with broad spectrum bactericidal, fungicidal and mycobactericidal activity.

Active against enveloped viruses (including H1N1, Coronavirus) and other selected viruses.

Biocidal product, PT2 and PT4, for professional use, ready to use.



Product Codes

- GJ95102-12 – Sanitising wipes
- GJ92200-06 – Antimicrobial wipes

PURELL Surface Sanitising Spray

Disinfectant spray for use on non-porous surfaces and materials in catering, kitchens and community premises.

Suitable for use on food contact surfaces and does not need rinsing after use. Fast acting and fast drying with broad spectrum bactericidal, fungicidal and mycobactericidal activity.

Active against enveloped viruses (including H1N1, Coronavirus) and other selected viruses.

Biocidal product, PT2 and PT4, for professional use, ready to use.



Product Codes

- GJ32675-06 – 750ml Bottle

GOJO Tough Soils Specialist Portfolio



GOJO® PRO™ TDX™ Dispenser

Enhanced sight window shaped to show refill inside.

Easy to load with one-hand push operation. Modern design with diamond-plate effect looks great in tough soils environments

GOJO SANITARY SEALED™ refills, portion controlled to reduce waste

Product Codes

GJ7200 – 2000ml Dispenser

GJ7500 – 5000ml Dispenser



GOJO Natural Scrub Hand Cleaner

GOJO Natural Scrub Hand Cleaner is Ecolabel certified and contains plant-based scrubbing particles. The formulation has been developed for use on grease, oil and tar.

Dermatologically tested.
Ecolabel certified.

Product Codes

GJ7335-04 – 2000ml Refill

GJ7635-02 – 5000ml Refill



GOJO Olive Scrub Hand Cleaner

GOJO Olive Scrub Hand Cleaner features an olive scent and plant-based scrubbing particles. Formulated for maximum cleaning power on a variety of soils including tar, paint and adhesive. Ideal for heavy manufacturing, workshops and garages.

Dermatologically tested.

Product Codes

GJ7332-04 – 2000ml Refill

GJ7632-02 – 5000ml Refill



GOJO SUPRO MAX™ Hand Cleaner

Fast and effective hand cleaner removes tough or sticky soils, such as ink, tar, oil and grease. Ideal for plant-wide use, body shops or wherever difficult soils are found. Non-drying formula. Contains crushed walnuts.

Product Codes

GJ7272-04 – 2000ml Refill

GJ7695-02 - 1 Gallon Pump Bottle



GJ7272-04



GJ7695-02

GOJO HAND MEDIC® Professional Skin Conditioner



GOJO HAND MEDIC® ADX-7™ Dispenser

The small footprint GOJO HAND MEDIC® ADX-7™ dispensers are easy to service and built to last. The dispenser is performance guaranteed and fitted with GOJO LOCK OR NOT Technology.

Product Codes

GJ8781-06 – Dispenser White

GJ8782-06 – Dispenser Chrome/Black



GOJO HAND MEDIC Professional Skin Conditioner

Designed to help maintain skin's moisture level.
Use before work, after hand washing and at night.
Absorbs quickly with no greasy after-feel.

Dermatologically tested, water based and unfragranced.
Food tainting test EN 4120: 2007 compliant.

Product Codes

GJ8745-04 – 685ml Refill

GJ8150-12 – 148ml Tube

GJ8142-12 – 60ml Bottle



A COMPLETE SOLUTION FOR A HEALTHIER WORKPLACE



HEAVY DUTY CLEANSING

Use the mildest, most effective hand cleaner to help maintain good skin health.



GENERAL CLEANSING

Handwashing is one of the best ways to remove germs, avoid getting sick, and prevent the spread of germs to others.



CONDITIONING

Conditioning skin improves how skin looks and feels & workers are more productive when their skin is in good condition.



SANITISING

PURELL® hand and surface sanitisers deal with germs wherever you are.

YOUR HEAD TO TOE PPE SOLUTIONS



Honeywell



Description

- Advanced ergonomic design with 2,784 possible positions
- Incredible adjustability
- Fully-adjustable ratchet headgear and headband
- Comfortable fit with goggles or respirators
- Easily replaceable visors available in different materials, tints and finishes

CODE	DESCRIPTION	FRAME MARKING	LENS MARKING
HW1011933	Bionic face shield with clear acetate visor	B-D 166 3 BT	FT 3
HW1011624	Bionic face shield with clear PC visor, Fogban & Antiscratch	B-D 166 3 BT	2C-1.2 B-D 1 BT 3 9
HW1011623	Bionic face shield with clear uncoated PC visor	B-D 166 3 BT	2C-1.2 B-D 1 BT 3 9

CLEARWAYS



Description

- Offers both strength and durability
- Lightweight, comfortable to wear all day
- Purchase the browguard and visor separately
- Replacement visors available in acetate or polycarbonate

CODE	DESCRIPTION	FRAME MARKING	LENS MARKING
HW1002341	CB20 Adjustable polyamide headgear and browguard	1 B 3	-
HW1002353	Clear polycarbonate screen (200 mm)	-	1 B 3

AVATAR™



Description

- Eight points of adjustability in a customizable style
- 9-base wrap-around lens provides peripheral vision and protection
- Soft, flexible nose pads prevent slipping
- Wire-core, fully adjustable, and flexible temples to fit almost any facial profile
- Patented, indirect venting system allows for airflow

CODE	DESCRIPTION	FRAME MARKING	LENS MARKING
HW1034831	Avatar™ Black, clear lens, Hydroshield anti-fog coating	HON 166 F	2C-1.2 HON 1 F KN
HW1034832	Avatar™ Black, grey lens, Hydroshield anti-fog coating	HON 166 F	5-3.1 HON 1 F KN
HW1034833	Avatar™ Black, amber lens, Hydroshield anti-fog coating	HON 166 F	2C-1.2 HON 1 F KN

MILLENNIA 2G



Description

- Ready to wear, no need to worry about any adjustments
- Softer, more flexible frame material for superior comfort
- The comfortable nose pads help prevent the eyewear from slipping off the nose
- Dielectric
- Panoramic viewing area

CODE	DESCRIPTION	FRAME MARKING	LENS MARKING
HW1032175	Millennia 2G black frame, clear lens, Hardcoat	HON 166 FT	2C-1.2 1 FT K
HW1032176	Millennia 2G black frame, grey lens, Hardcoat	HON 166 FT	2C-2.5/5-2.5 1 FT K
HW1032177	Millennia 2G black frame, HDL lens, Hardcoat	HON 166 FT	2C-1.2 1 FT K

HM500 HALF MASK KITS



Description

- Three convenient PSS kits
- A lightweight, durably soft half mask with easy operation features
- Easy cleaning and maintenance
- Good field of view.
- PPE compatible.

CODE	DESCRIPTION
HWHM50051PSS	All types of dust. Kit half-mask HM501 with 2 filters P3
HWHM50055PSS	Paints / sprays / varnishes. Kit half-mask HM501 with 2 filters A2P3
HWHM50059PSS	Handling of chemicals. Kit half-mask HM501 with 2 filters ABEK1P3
HW1035451PSS	Twin P3 filters - Pack of 2 filters
HW1035455PSS	Twin A2P3 filters - Pack of 2 filters
HW1035459PSS	Twin ABEK1P3 filters - Pack of 2 filters



AIRVISOR 2 MV



Description

- Supplied air respirator with loose-fitting visor
- Ultralight and easy to use
- Total inward leakage less than 0.05%.
- Low flow alarm and activated carbon filter.
- Spares and accessories are available

CODE	DESCRIPTION	NPF	APF
HW1013938	Airvisor 2 MV Paint Spraying kit complete with: acetate chemical resistant visor (EN166-2F), spraygun air hose with quick release connectors, one fabric face seal cassette, two disposable visor covers, fabric hood and neck cover, waistbelt complete (DAVW-1001), storage bag.	2000	40
HW1013939	Airvisor 2 MV Chemical kit complete with: acetate chemical resistant visor (EN 166-2F) one fabric face seal cassette, two disposable visor covers and neck cover, waistbelt complete (DAVW-1003), storage bag.	2000	40
HW1013980	Airvisor 2 MV Industrial kit complete with: polycarbonate visor (EN 166 39-B). One fabric face seal cassette, two disposable visor covers and neck cover, waistbelt complete (DAVW-1003), storage bag.	2000	40



VERISHIELD™ VS110 & VS120



Description

- Comfortably fits a wide range of head sizes
- Wide cup opening
- Memory foam ear cushions
- Lightweight cushioned headband
- Air Flow Control technology

CODE	DESCRIPTION	SNR
HL1035145-VS	VS110 VeriShield™ earmuff	27
HL1035105-VS	VS120 VeriShield™ earmuff	31

VERISHIELD™ VS130 & VS130HV



Description

- Comfortably fits a wide range of head sizes
- Wide cup opening
- Memory foam ear cushions
- Lightweight cushioned headband
- Air Flow Control technology
- High visibility option

CODE	DESCRIPTION	SNR
HL1035109-VS	VS130 VeriShield™ earmuff	35
HL1035111-VS	VS130HV VeriShield™ earmuff, high visibility	35

VERISHIELD™ VS140



Description

- Comfortably fits a wide range of head sizes
- Wide cup opening
- Memory foam ear cushions
- Lightweight cushioned headband

CODE	DESCRIPTION	SNR
HL1035101-VS	VS140 VeriShield™ earmuff without Air Flow Control	25

SYNC® STEREO



Description

- Lightweight earcup design
- Padded headband with reinforced fork slides
- Provide superior stereo sound quality
- Passive hearing protector
- Air Flow Control technology

CODE	DESCRIPTION	SNR
HL1030111	Sync® Stereo earmuff	31

MAX[®]



Description

- High SNR attenuation index and optimum comfort
- The world's most-used polyurethane foam earplug.
- Bell shape for maximum in-ear comfort.

CODE	DESCRIPTION	SNR
HL3301130	Max corded plug. Box of 100 pairs.	37

LASER[®] LITE



Description

- The foam expands to mould to the shape of virtually every ear
- Contoured T-shape for easy insertion and removal

CODE	DESCRIPTION	SNR
HL3301105	Laser Lite uncorded. Box of 200 pairs.	35
HL3301271	Howard Leight Laser Lite REFILL LS500	35
HL1013047	Howard Leight Laser Lite REFILL LS400	35

LASER[®] TRACK



Description

- The highest attenuation rate in its class
- Metal detectable for the food sector.
- The foam expands to fit virtually every ear
- Single use

CODE	DESCRIPTION	SNR
HL3301167	Laser Trak corded. Box of 100 pairs.	35

SMARTFIT DETECTABLE



Description

- Delivers superior comfort and a truly individual fit
- Metal detectable for the food sector
- Detectable earplugs for long-term comfort

CODE	DESCRIPTION	SNR
HL1012522	Smartfit Detectable, corded. Box of 50 pairs	30

H500 ARC FLASH HARNESS



Description

- Light-weight and ergonomic
- 100% dielectric hardware
- Tested to ASTM F887-20 with an electric arc energy of 40 cal/cm²
- Made from polyamide webbing, which provides greater durability and comfort
- Fall-impact indicators

CODE	DESCRIPTION	SIZE
HWFPXARCM-HSEU	H500 Arc Flash Harness with back D-ring and front webbing loops.	1
HWFPXARCM-HMEU	H500 Arc Flash Harness with back D-ring and front webbing loops.	2
HWFPXARCM-HLEU	H500 Arc Flash Harness with back D-ring and front webbing loops.	3

H500 IS1 HARNESS



Description

- Light-weight and ergonomic
- Increased freedom of movement
- Smart rebar hook/lanyard keepers and SRL web link
- Fall-impact indicators
- Comfortable around the legs, waist, back, and shoulders

CODE	DESCRIPTION	SIZE
HW1036090	H500 IS1 harness, Mating leg buckles, Auto clip chest buckles, Back D-ring	2
HW1036091	H500 IS1 harness, Mating leg buckles, Auto clip chest buckles, Back D-ring	3
HWFPXARCM-HLEU	H500 Arc Flash Harness with back D-ring and front webbing loops.	3

H500 ARC FLASH LANYARD



Description

- Designed to protect your workers from fall even after an electric arc energy of 40 cal/cm²
- Available as Twin and as Single
- Harness connection point made with electric-arc-resistant tape
- Hook with 65 mm opening
- Length: 1.8m
- Tested to 140Kg max. weight capacity

CODE	DESCRIPTION
HWFPLARCM-SEU	H500 Arc Flash Lanyard, Single leg
HWFPLARCM-TEU	H500 Arc Flash Lanyard, Double leg

TURBOLITE™ BLOCK



Description

- Compact & lightweight
- Twistlock Steel both webbing side and block side
- Low space clearance of 1.80 m
- Quick activating patent pending braking system
- Provides 2 m working capacity lifeline
- High-strength, impact-resistant nylon housing for maximum durability

CODE	DESCRIPTION
HW1018015	With two carabiners
HW1018013	With carabiner and scaffolding hook

CORESHIELD™ CUT LEVEL C



Description

- Retains performance even after 5 washing cycles for extended lifetime
- Thumb reinforcement for extra durability
- Certified standard 100 by OEKO-TEX®
- Touchscreen resistive and capacitive
- Silicone free

CODE	DESCRIPTION	EN388:2016
HW23-0513B	CoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A3/C	4X43C

CORESHIELD™ CUT LEVEL F



Description

- Retains performance even after 5 washing cycles for extended lifetime
- Thumb reinforcement for extra durability
- Certified standard 100 by OEKO-TEX®
- Touchscreen resistive and capacitive
- Silicone free

CODE	DESCRIPTION	EN388:2016
HW26-0513B	CoreShield, 13 gauge HPPE/alloy/basalt black liner, nitrile micro-foam, black coating, A6/F	4X44F

CORESHIELD™ CUT LEVEL E



Description

- Retains performance even after 5 washing cycles for extended lifetime
- Thumb reinforcement for extra durability
- Certified standard 100 by OEKO-TEX®
- Touchscreen resistive and capacitive
- Silicone free

CODE	DESCRIPTION	EN388:2016
HW25-0913B	CoreShield, 13 gauge HPPE/stainless steel black liner, smooth nitrile black coating, A5/E	4X42E

CORESHIELD™ DOUBLE



Description

- Thin, nitrile liquid repellent and 100% water- and oil-resistant base layer
- Retains performance even after 5 washing cycles for extended lifetime
- Touchscreen capability for resistive screen machines
- Silicone free
- Antimicrobial properties
- Certified standard 100 by OEKO-TEX®

CODE	DESCRIPTION	EN388:2016
HW24-9D38B	CoreShield Double 18G BB, Full coating	4X31D



ZENITH X

THE PERFORMANCE MULTIPLIER

Our passion for performance fueled our inspiration to design a helmet without compromise one that is exponentially better.



KASK

Performance is a beautiful thing.

Learn more



ZENITH X EN 397/EN 50365



- KAWHE00073-201 WHITE
- KAWHE00073-202 YELLOW
- KAWHE00073-203 ORANGE
- KAWHE00073-204 RED
- KAWHE00073-205 GREEN
- KAWHE00073-206 BRITISH GREEN
- KAWHE00073-208 BLUE
- KAWHE00073-209 ANTHRACITE
- KAWHE00073-210 BLACK
- KAWHE00073-214 PINK

ZENITH X AIR EN 397/EN 50365



- KAWHE00075-201 WHITE
- KAWHE00075-202 YELLOW
- KAWHE00075-203 ORANGE
- KAWHE00075-204 RED
- KAWHE00075-205 GREEN
- KAWHE00075-206 BRITISH GREEN
- KAWHE00075-208 BLUE
- KAWHE00075-209 ANTHRACITE
- KAWHE00075-210 BLACK
- KAWHE00075-214 PINK



KAWKI00002-500
KIT ZEN VISOR
CLEAR
adapters included



KAWVI00007-510
SMOKE
ADAPTERS NOT INCLUDED



KAWVI00007-520
SILVER MIRROR
ADAPTERS NOT INCLUDED



KAWAC00009
VISOR ADAPTERS



KAWKI00003-500
KIT FF ZEN VISOR
CLEAR
adapters included



KAWVI00008-510
FF VISOR SMOKE
ADAPTERS NOT INCLUDED



KAWAC00010
VISOR CARRIER



KAWAC00009
VISOR ADAPTERS



KAWAC00013-209
NECKSHADE
GRAY



KAWAC00025-221
NECKSHADE HI VIZ
YELLOW FLUO



KAWAC00025-222
NECKSHADE HI VIZ
ORANGE FLUO



KAWAC00030-209
NECK SHIELD RW
GRAY



KAWAC00031-221
NECK SHIELD RW
HI VIZ YELLOW FLUO



KAWAC00031-222
NECK SHIELD RW
HI VIZ ORANGE FLUO

HEAD LAMPS



KAWLA00001
KL-1



KAWLA00002
KL-2



KAWLA00003
KL-3



KAWAC00064
KL-1 HEAD LAMP
FRONT ATTACHMENT



KAWAC00065
KL-2 HEAD LAMP
FRONT ATTACHMENT



KAWAC00066
KL-3 HEAD LAMP
FRONT ATTACHMENT

EARMUFFS



KAWHP00004
SC1 - GREEN



KAWHP00005
SC2 - YELLOW



KAWHP00006
SC3 - ORANGE



#LightEngineeredBetter

P2R CORE LED TORCH



- 120/50/15 lm
- 65/45/15 m
- 0.5/1/5 hr
- 36g
- IP54

- Rechargeable pocket torch with handy pocket clip
- Focus for flood (near) or spot (distance) illumination
- Robust, yet lightweight aircraft-grade aluminium housing
- L-ion 10440 battery, pocket clip and USB charging cable (supplied)

Code: **LED502176**

P5R CORE LED TORCH



- 500/350/130/15 lm
- 250/180/110/40 m
- BOOST/1/3.5/25 hr
- 106g
- IP68

- Compact, rechargeable, flood/spot focusing and fuss-free contact charging
- IP68 supreme level of ingress protection from dust and water
- L-ion 14500 battery, wrist-strap and magnetic contact charging cable (supplied)

Code: **LED502178**

P7R WORK LED TORCH



- 1200/900/390/15 lm
- 240/180/115/15 m
- BOOST/2/3.25/60 hr
- 219g
- IP68

- Medium-bodied, high CRI, rechargeable torch with ingenious contact charging system
- Patented Advanced Focus System optics for flood (near) or spot (distance) illumination
- Rubber features and a lens shield provide further protection against impacts and chemicals
- IP68 supreme level of ingress protection from dust and water
- L-ion 21700 battery, belt-clip and contact charging cable (supplied)

Code: **LED502187**

P18R WORK LED TORCH



- 4500/2600/1000/30 lm
- 720/420/260/50 m
- BOOST/2.5/4.5/70 hr
- 669g
- IP54

- Mega powerful single beam rechargeable torch with a stunning light distance – 720 metres on boost
- Blink, Position, S.O.S., Strobe and Dimming feature light options
- Patented Advanced Focus System optics for flood (near) or spot (distance) illumination
- Protective rubber on the lamp head and end cap help protect against impact and offer increased grip; lens shield protects the lens from impact, dirt and chemical damage
- 3 x 18650 battery pack, wrist-strap, contact charging cable and mains plug with USB port (supplied)






Code: **LED502188**



#LightEngineeredBetter

H5R CORE LED HEADLAMP








-  500/300/15 lm
-  200/150/30 m
-  BOOST/2/50 hr
-  167g
-  IP67

- Rechargeable, focusable for flood/spot, dimming feature, transport lock and fuss-free contact charging
- IP67 exceptional protection against dust and water
- Direct light beam up or down within 160°
- Integrated lithium-polymer rechargeable battery pack and contact charging cable (supplied)

 Code: **LED502121**

H7R WORK LED HEADLAMP




-  1000/600/15 lm
-  250/200/25 m
-  BOOST/4/60 hr
-  282g
-  IP67

- Rechargeable, flood/spot focusing, dimming feature, transport lock and fuss-free contact charging
- IP67 exceptional protection against dust and water
- High CRI – better colour identification
- L-ion 21700 battery, helmet clips, lens cover and contact charging cable (supplied)

 Code: **LED502195**

H15R CORE LED HEADLAMP








-  2500/1000/20 lm
-  250/170/20 m
-  BOOST/5/80 hr
-  380g
-  IP67

- Rechargeable, flood/spot focusing, dimming feature, 3 x indicators, transport lock and fuss-free contact charging
- IP67 exceptional protection against dust and water
- Direct light beam up or down within 130°
- 2 x L-ion 21700 batteries and contact charging cable (supplied)

 Code: **LED502123**

iH5R LED HEADLAMP



-  400/20 lm
-  180/40 m
-  4/35 hr
-  98g
-  IP54

- Rechargeable headlamp that can also be used as a handheld torch
- Focus for flood (near) or spot (distance) illumination
- Will also work with standard AA battery (not supplied)
- L-ion 14500 battery, magnetic charging cable, helmet mounting kit (supplied)

 Code: **LED502025**

Moldex Fit Test Kit



It is a legal requirement that workers using tight fitting RPE as a control measure under Health and Safety Legislation must be Fit Tested.

Moldex Fit Test Kits allow employers to take charge of their own Fit Testing programme thereby reducing costs and enabling them to carry out Fit Testing whenever necessary [new employee, change of RPE etc].

Each Moldex kit is suitable for carrying out multiple tests and comes packaged in its own sturdy case.

Fit Testing Kit contains:

1 x Hood, 6 x 2.5ml Bitter sensitivity solution ampoules, 6 x 2.5ml Bitter test solution ampoules, 2 x nebulisers, 2 x crushing sleeves, 1 x Fit Test instruction [USB stick]

Product Codes

M0103 Fit test kit

M0503 Sensitivity solution [box of 6 ampoules]

M0504 Test solution [box of 6 ampoules]

Classic FFP1 NR D

FFP1



- ▶ High performance filter for reliable protection
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity [M2365 only]
- ▶ Fits securely without the need for a nose clip
- ▶ Loop strap for easy application and adjustment
- ▶ Pack of 20
- ▶ EN149:2001 + A1:2009

Product Codes

M2360 FFP1 NR D

M2365 FFP1 NR D valved

Smart FFP1 NR D

FFP1



- ▶ High performance filter for reliable protection
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity [M2385 only]
- ▶ Fits securely without the need for a nose clip
- ▶ Nose seal - for additional wearing comfort
- ▶ Clip fastening - mask can be hung around the neck when not in use
- ▶ Pack of 20
- ▶ EN149:2001 + A1:2009

Product Codes

M2380 FFP1 NR D

M2385 FFP1 NR D valved

Classic FFP2 NR D

FFP2



- ▶ High performance filter for reliable protection
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity [M2405 only]
- ▶ Fits securely without the need for a nose clip
- ▶ Loop strap for easy application and adjustment
- ▶ Pack of 20
- ▶ EN149:2001 + A1:2009

Product Codes

M2400 FFP2 NR D

M2405 FFP2 NR D valved

Smart FFP2 NR D

FFP2



- ▶ High performance filter for reliable protection
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity
- ▶ Fits securely without the need for a nose clip
- ▶ Nose seal - for additional wearing comfort
- ▶ Clip fastening - mask can be hung around the neck when not in use
- ▶ Pack of 20
- ▶ EN149:2001 + A1:2009

Product Codes

M2485 FFP2 NR D valved

Smart Special FFP2 NR D

FFP2

PLUS
activated
carbon
layer



- ▶ Activated layer of carbon offers relief from odours and nuisance levels of gases plus ozone 10 x WEL
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity
- ▶ Fits securely without the need for a nose clip
- ▶ Nose seal - for additional wearing comfort
- ▶ Clip fastening - mask can be hung around the neck when not in use
- ▶ Pack of 10
- ▶ EN149:2001 + A1:2009

Product Codes

M2445 FFP2 NR D + Ozone

AIR FFP2 NR D Sized masks

FFP2



TWO SIZES

airwave®
filter technology

- ▶ High performance filter for reliable protection
- ▶ Available in two sizes for optimal fit - ideal for fit testing
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity
- ▶ Nose seal - for additional wearing comfort
- ▶ Clip fastening - mask can be hung around the neck when not in use
- ▶ Pack of 10
- ▶ EN149:2001 + A1:2009

Product Codes

M3105 FFP2 NR D M/L

M3155 FFP2 NR D Small

Classic FFP3 NR D

FFP3



- ▶ High performance filter for reliable protection
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity
- ▶ Fits securely without the need for a nose clip
- ▶ Loop strap for easy application and adjustment
- ▶ Pack of 20
- ▶ EN149:2001 + A1:2009

Product Codes:

M2555 FFP3 NR D valved

Smart FFP3 NR D

FFP3



- ▶ High performance filter for reliable protection
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity [M2505 only]
- ▶ Fits securely without the need for a nose clip
- ▶ Nose seal - for additional wearing comfort
- ▶ Clip fastening - mask can be hung around the neck when not in use
- ▶ EN149:2001 + A1:2009

Product Codes

M2500 FFP3 NR D [Pack of 16]

M2505 FFP3 NR D valved [Pack of 10]

Smart Special FFP3 NR D

FFP3

PLUS
activated
carbon
layer



- ▶ Activated layer of carbon offers relief from odours and nuisance levels of gases and vapours
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity
- ▶ Fits securely without the need for a nose clip
- ▶ Nose seal - for additional wearing comfort
- ▶ Clip fastening - mask can be hung around the neck when not in use
- ▶ Pack of 10
- ▶ EN149:2001 + A1:2009

Product Codes

M2535 FFP3 NR D + gases < WEL

AIR FFP3 NR D Sized masks

FFP3

TWO SIZES



- ▶ High performance filter for reliable protection
- ▶ Available in two sizes for optimal fit - ideal for fit testing
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Ventex®-valve - reduces heat and humidity
- ▶ Nose seal - for additional wearing comfort
- ▶ Clip fastening - mask can be hung around the neck when not in use
- ▶ Pack of 10
- ▶ EN149:2001 + A1:2009

Product Codes

M3205 FFP3 NR D M/L

M3255 FFP3 NR D Small



Real Reusable FFP Masks

- ✓ Overall costs can be reduced
- ✓ Waste can be reduced
- ✓ High degree of wearer comfort due to comfortable breathing and soft face seals

Reusability ensures optimal price-performance ratio:
Benefit from our top masks at low overall costs!

Air Plus ProValve

- ▶ Reusable due to wipeable face seal and long life filter
- ▶ TPE full face seal - similar to a half mask
- ▶ AirWave® long life filter - low breathing resistance
- ▶ Clean and disinfect face seal between use [M9981]
- ▶ Use with FFPak storage case for prolonged mask life [M3994]
- ▶ ProValve minimises condensation droplets and humidity
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Pack of 5
- ▶ EN149:2001 + A1:2009

Product Codes

M3308 FFP2 R D valved	M3408 FFP3 R D valved
M3994 FFPak storage case	M9981 Disinfectant wipes

Air Seal

- ▶ Reusable due to wipeable face seal and long life filter
- ▶ Soft full face seal - secure and comfortable fit
- ▶ AirWave® long life filter - low breathing resistance
- ▶ Clean and disinfect face seal between use [M9981]
- ▶ Use with FFPak storage case for prolonged mask life [M3994]
- ▶ Ventex®-valve - reduces heat and humidity [M3705 only]
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Pack of 8
- ▶ EN149:2001 + A1:2009

Product Codes

M3700 FFP3 R D	M3705 FFP3 R D valved
M3994 FFPak storage case	M9981 Disinfectant wipes

Air Plus

- ▶ Reusable due to wipeable face seal and long life filter
- ▶ TPE full face seal - similar to a half mask
- ▶ AirWave® long life filter - low breathing resistance
- ▶ Clean and disinfect face seal between use [M9981]
- ▶ Use with FFPak storage case for prolonged mask life [M3994]
- ▶ Ventex®-valve - reduces heat and humidity
- ▶ ActivForm® - 3D fit for a secure seal
- ▶ DuraMesh® - robust mesh structure retains shape
- ▶ Pack of 5
- ▶ EN149:2001 + A1:2009

Product Codes

M3405 FFP3 R D valved	M9981 Disinfectant wipes
M3994 FFPak storage case	

FFP2

FFP3



airwave®
filter technology

Choose to reuse!

FFP3



airwave®
filter technology

Choose to reuse!

FFP3



airwave®
filter technology

Choose to reuse!

CompactMask



- ▶ Ultra compact low profile and comfortable
- ▶ Maintenance free and ready to use
- ▶ Push to test valve allows user to check mask fit
- ▶ Wide unobstructed field of vision
- ▶ Lightweight and durable
- ▶ TPE mask body - gentle on the skin
- ▶ FlexFit - automatically adjusts to different face shapes and sizes
- ▶ Low breathing resistance
- ▶ EN405:2001 + A1:2009

Product Codes

M5120 FFA1P2 R D
M5230 FFA2P3 R D
M5330 FFABE1P3 R D
M5430 FFABEK1P3 R D

Series 7000 Silicone



EASYLOCK®

- ▶ Reliable protection against gases, vapours and particles
- ▶ Made of soft Silicone which remains soft and stable even in extreme temperatures
- ▶ Use with EasyLock® filters, easy to install and combine. No adapters or clips needed
- ▶ Easy maintenance and cleaning
- ▶ Lightweight with excellent field of vision
- ▶ Mask body only – filters sold separately
- ▶ Storage tub available [M7995] to keep mask hygienic between use
- ▶ EN140:1998

Product Codes:

M7004 Mask Body Small
M7005 Mask Body Medium
M7006 Mask Body Large
M7995 Resealable storage tub

Series 7000 TPE



EASYLOCK®

- ▶ Reliable protection against gases, vapours and particles
- ▶ Made from soft TPE which is gentle on the skin
- ▶ Use with EasyLock® filters, easy to install and combine. No adapters or clips needed
- ▶ Easy maintenance and cleaning
- ▶ Lightweight with excellent field of vision
- ▶ Mask body only – filters sold separately
- ▶ Storage tub available [M7995] to keep mask hygienic between use
- ▶ EN140:1998

Product Codes

M7001 Mask Body Small
M7002 Mask Body Medium
M7003 Mask Body Large **M7995** Resealable storage

Series 7000 TPE Ready Packs



EASYLOCK®

- ▶ Reliable protection against gases, vapours and particles
- ▶ Mask body size medium plus one pair of filters
- ▶ Made from soft TPE which is gentle on the skin
- ▶ EasyLock® filters - easy to install and combine. No adapters or clips needed
- ▶ Easy maintenance and cleaning
- ▶ Lightweight with excellent field of vision
- ▶ Supplied in resealable container [excluding M7032]
- ▶ Available in a range of protection levels

Product Codes

M7032 Mask body [M] + 2 x P3 R D filters
M7122 Mask body [M] + 2 x A1P2 R D filters
M7232 Mask body [M] + 2 x A2P3 R D filters
M7432 Mask body [M] + 2 x ABEK1P3 R D filters

EasyLock® Filters for Moldex Series 7000 and 9000

EASYLOCK®

- ✓ No adapters
- ✓ Easy handling
- ✓ Simpler logistics - 30% less parts



- ▶ Revolutionary filter system that requires no additional clips or holders
- ▶ Particulate filters can either be connected to the gas filter or directly to the mask body
- ▶ AirWave® long-life particulate filter for extremely low breathing resistance, increased wearer comfort and high absorption capacity

Product Codes: Particulate Filters EN143:2000

M9010 P1 R D	10 pairs
M9020 P2 R D	10 pairs
M9022 P2 R D + ozone	6 pairs
M9030 P3 R D	6 pairs
M9032 P3 R D + ozone	6 pairs

Product Codes: Gas Filters EN14387:2004

M9100 A1	5 pairs
M9200 A2	4 pairs
M9300 ABE1	5 pairs
M9400 ABEK1	5 pairs
M9600 AX	4 pairs
M9800 ABEK2	4 pairs

Product Codes: Combined Filters

M9120 A1P1 R D	4 pairs
M9430 ABEK1P3 R D	3 pairs

Series 9000 Full Face Mask

EASYLOCK®



- ▶ Reliable protection against gases, vapours and particles
- ▶ Wide unobstructed field of vision
- ▶ Scratch resistant polycarbonate lens is easy to clean thanks to the hydrophobic coating
- ▶ Use with EasyLock® filters, easy to install and combine. No adapters or clips needed
- ▶ Easy maintenance and cleaning
- ▶ Lightweight with excellent field of vision
- ▶ Mask body available individually in three sizes: small [M9001], medium [M9002], large [M9003]
- ▶ Also available pre-assembled [size M] with ABEK1P3 R D filters. Supplied in aluminium packaging for extended shelf life [M9432]
- ▶ Storage tub available [M9995] to keep mask hygienic between use
- ▶ EN136:1998 CL2

Product Codes

M9001 Mask Body Small
M9002 Mask Body Medium
M9003 Mask Body Large

Product Codes

M9432 Mask body [M] + 2 x ABEK1P3 R D filters
M9995 Storage tub

Spark Plugs® PlugStation TouchFree

SNR
35
dB

- ▶ Touch-free, for maximum hygiene
- ▶ Distributes one pair of earplugs at a time
- ▶ Supplied with: 500 pairs of Spark Plugs® earplugs [SNR 35] and wall bracket [M7060]
- ▶ Refillable – saving 92% plastic waste
- ▶ Requires 4 x AA batteries, not included



Spark Plugs® PlugStation Antimicrobial 500

SNR
35
dB

- ▶ The turn handle with CuVerro® V copper surface kills more than 99.9% of bacteria left behind during use¹
- ▶ Refillable – saving 92% plastic waste
- ▶ Bracket available separately
- ▶ Contains 500 pairs of Spark Plugs® earplugs [SNR 35 dB]



Product Codes

M787001 PlugStation TouchFree 1 unit

Product Codes

M785002 PlugStation Antimicrobial 500 1 unit

Moldex PlugStations

- ▶ Dispenser puts hearing protection at the centre of the workforce
- ▶ Available with a range of earplugs - Moldex earplugs offer optimal combination of stability and softness
- ▶ Available in two sizes; small (250 pairs), large (500 pairs)
- ▶ Refillable – saving 92% plastic waste
- ▶ Bracket available separately [M7060 and M7061]



Product Codes: Small PlugStations

M7625 MelLows® SNR 22 dB 250 pairs
M7825 Spark Plugs® SNR 35 dB 250 pairs
M7725 Pura-Fit® SNR 36 dB 250 pairs

Product Codes: Mounting Brackets

M7060 Wall bracket incl fittings 1 unit
M7061 Magnetic wall bracket 1 unit

Product Codes: Large PlugStations

M7650 MelLows® SNR 22dB 500 pairs
M7850 Spark Plugs® SNR 35 dB 500 pairs
M7750 Pura-Fit® SNR 36 dB 500 pairs
M7859 Spark Plugs® Detect SNR 32 dB 500 pairs
M7450 Contours® SNR 35 dB 500 pairs
M7453 Contours® size small SNR 35 dB 500 pairs

PlugStation Refill

- ▶ Available with a range of earplugs - Earplugs offer optimal combination of stability and softness
- ▶ Contains 500 pairs
- ▶ PlugStations can be easily opened and refilled saving 92% plastic waste with every refill

Product Codes:

M7660 MelLows® SNR 22 dB 500 pairs
M7860 Spark Plugs® SNR 35 dB 500 pairs
M7760 Pura-Fit® SNR 36 dB 500 pairs
M7869 Spark Plugs® Detect SNR 32 dB 500 pairs
M7460 Contours® SNR 35 dB 500 pairs
M7463 Contours® size small SNR 35 dB 500 pairs



¹ Staphylococcus aureus, Enterobacter aerogenes, Methicillin-Resistant Staphylococcus aureus (MRSA), Escherichia coli O157:H7, and Pseudomonas aeruginosa.



MelLows® 22 dB



SNR
22
dB

- ▶ Protection against lower noise levels
- ▶ Communicate and hear warning signals
- ▶ Earplugs offer optimal combination of stability and softness
- ▶ Easy to roll and insert
- ▶ Earplugs maintain a secure sealed fit
- ▶ Box opens into a dispensing unit
- ▶ SNR 22 dB
- ▶ Pack of 200 pairs
- ▶ EN 352-2:2002

Product Codes:
M7600 SNR 22 dB



Spark Plugs® 35 dB



SNR
35
dB

- ▶ Earplugs offer optimal combination of stability and softness
- ▶ Easy to roll and insert
- ▶ Earplugs maintain a secure sealed fit
- ▶ Box opens into a dispensing unit
- ▶ Available corded and un-corded
- ▶ SNR 35 dB
- ▶ Pack of 200 pairs
- ▶ EN 352-2:2002

Product Codes:
M7800 SNR 35 dB
M7801 SNR 35 dB corded



Pura-Fit® 36 dB



SNR
36
dB

- ▶ Protection against higher noise levels
- ▶ Earplugs offer optimal combination of stability and softness
- ▶ Easy to roll and insert
- ▶ Earplugs maintain a secure sealed fit
- ▶ Box opens into a dispensing unit
- ▶ Available corded and un-corded
- ▶ SNR 36 dB
- ▶ Pack of 200 pairs
- ▶ EN 352-2:2002

Product Codes:
M6900 SNR 36 dB corded
M7700 SNR 36 dB



Contours® 35 dB

TWO SIZES



SNR
35
dB

- ▶ The size and shape of ear canals vary dramatically, for this reason Contours® are available in two sizes
- ▶ Earplugs adapt to the shape of the ear canal for the highest level of comfort
- ▶ Easy to roll and insert
- ▶ Earplugs maintain a secure sealed fit
- ▶ Box opens into a dispensing unit
- ▶ SNR 35 dB
- ▶ Pack of 200 pairs
- ▶ EN 352-2:2002

Product Codes:
M7400 SNR 35 dB standard
M7403 SNR 35 dB small

Hearing Protection

Reusable Earplugs, banded earplugs and earmuffs

MOLDEX



Twisters® 34 dB



SNR
34
dB

- ▶ **Twist and push to find your fit** - Multi-curved stem rotates for a custom fit
- ▶ Semi reusable - clean with mild soapy water
- ▶ Cord can be attached at any length
- ▶ Soft pods maintain a secure sealed fit
- ▶ Box opens into a dispensing unit
- ▶ SNR 34 dB
- ▶ Pack of 80 pairs
- ▶ EN 352-2:2002

Product Codes

M6441 SNR 34 dB



Rockets® 30 dB



SNR
30
dB

- ▶ Made from soft TPE which is gentle on the skin
- ▶ Solid handle for easy insertion and removal
- ▶ Can be washed and reused
- ▶ Packed in hygienic PocketPak® storage container
- ▶ Box opens into a dispensing unit
- ▶ Available corded and uncorded
- ▶ SNR 30 dB
- ▶ Pack of 50 pairs
- ▶ EN 352-2:2002

Product Codes

M6400 SNR 30 dB M6401 SNR 30 dB corded

Jazz-Band® 23 dB



SNR
23
dB

- ▶ Cost effective protection against intermittent noise
- ▶ Dual material technology reduces noise transmission
- ▶ Neck cord with safety release mechanism
- ▶ Comes with a spare pair of pods
- ▶ SNR 23 dB
- ▶ Pack of 8
- ▶ EN 352-2:2002

Product Codes:

M6700 SNR 23 dB M6825 Replacement pods

WaveBand® 1K 27 dB



SNR
27
dB

- ▶ Shape mimics the lower jaw, reducing contact with clothing and transmission noise to the ear
- ▶ Extremely lightweight with low band pressure
- ▶ Comes with a spare pair of pods
- ▶ SNR 27 dB
- ▶ Pack of 8
- ▶ EN 352-2:2002

Product Codes:

M6810 SNR 27 dB M6825 Replacement pods

M-Series Earmuffs



SNR
30
dB

SNR
34
dB


SNR
35
dB

- ▶ High quality and robust earmuff
- ▶ Low profile design with low contact pressure
- ▶ Lightweight and flexible
- ▶ Simple on-head size adjustment
- ▶ Soft ear cushions with extra wide ear space for increased fit and comfort
- ▶ Available in a range of protection levels
- ▶ EN352-1:2002

Product Codes:

M6110 SNR 30 dB M6120 SNR 34 dB
M6130 SNR 35 dB

Mask Glasses

A D  P T



Finally: safety glasses that fit with masks

As a manufacturer of respiratory products a repeated issue our customers face is the compatibility of glasses with respiratory masks! Therefore we have developed Adapt! With Moldex ADAPT, there is finally protective eyewear specifically designed to address this issue and fit with respiratory masks.

The unique lens design and the additional sealing lip that adapts to the face enable a significantly lower profile than conventional safety eyewear. This results in more space to fit a mask and the elimination of fogged up lenses due to combined fit.

ADAPT

- ▶ Fits perfectly with all types of face masks to offer full protection, comfort and the removal of fogged lenses
- ▶ Sealing lip and close-fitting lens with UV filter for maximum protection (EN170)
- ▶ Flexible nose sealing lip
- ▶ EN 166/EN 170
- ▶ Pack of 20



Adapt 2K

- High quality anti-fog and anti-scratch coating and rubberised side arms for a comfortable non slip fit
- Marking: 2C-1.2 MO 1 FT K N

Product Codes:

M1400 Adapt 2K


Adapt 1K

- Basic anti-fog and anti-scratch coating
- Marking: 2C-1.2 MO 1 FT

Product Codes:

M1410 Adapt 1K

How ADAPT works



MSA is the world's leading manufacturer of high-quality Safety Products and Gas Detection System Solutions, protecting people throughout the world for over a century. Especially in the area of Fall-, Head - and Respiratory Protection, as well as Portable Gas Detection MSA is providing the latest in innovative solutions. Please check the selected highlights on the following pages, product details and additional options are available on Beeswifts website.



MSA HEAD PROTECTION

MSA's world-leading head protection range - the V-Gard®, includes 12 different hard hat models - all super-comfortable and lightweight, suitable for many applications. All models are available at Beeswift and can be branded to your customer needs within the MSA LOGO EXPRESS® service.

Additional customisation options include MSA's badge holder, retroreflective stickers and up to 10 shell colours. V-Gard® also includes a wide range of tested and approved accessories to increase compliance.

Logo Express service includes high-quality, durable and weatherproof printed logos, ready for any weather condition. No matter how complex, all logo designs are possible with quick manufacturing from MSA.



HEAD PROTECTION

For the full range, please visit Beeswift.com

V-GARD® HELMET



- Most popular model worldwide
- Used across various industrial applications, providing an economic and versatile helmet choice
- Reliable, UV stabilised HDPE helmet shell
- Comfortable textile suspension, Push-Key slide adjustment
- EN 397 : -30°C, 440V AC, EN 50365 (1000V AC), Antistatic

MSAGV111W white

MSAGV121Y yellow

MSAGV141G green

MSAGV151B blue

V-GARD® 200 HELMET



- Short peak for increased upward vision
- Lightweight, available in non-vented and vented
- UV stabilised ABS, scratch resistant helmet shell
- Comfortable textile suspension, Push-Key slide adjustment or Fas-Trac® III wheel ratchet
- EN 397 : LD, -30°C, Antistatic (non-vented version: 440V AC, EN 50365 : 1000V AC)

MSAGV612W vented Fas-Trac III ratchet white

MSAGV611W vented Push-Key white

V-GARD® 500 HELMET



- Multi-purpose, Ideal design for attaching ear defenders and visors
- Provides lateral crush protection
- UV stabilised ABS, scratch resistant helmet shell with built-in rain gutter
- Comfortable textile suspension, Fas-Trac® III wheel ratchet
- EN 397 : LD, -30°C, Antistatic (non-vented version: 440V AC, EN 50365 : 1000V AC)

MSAGV412W vented white


V-GARD® 520 HELMET



- Non-vented peakless helmet for work at height or confined spaces
- Provides lateral crush protection
- UV stabilised ABS, scratch resistant helmet shell with built-in rain gutter
- Comfortable textile suspension, Fas-Trac® III wheel ratchet
- EN 397 : LD, -30°C, 440V AC, EN 50365 : 1000V AC, Antistatic

MSAGV912W white

V-GARD® 930 HELMET



- Balanced, low profile vented or unvented helmet with premium eye protection
- Integrated over-spectacles AF/AS fit over all corrective glasses
- Intelligent adjustment and innovative rubber seal ensures gap-free eye protection
- Grip area with rail system for quick and easy lens stowing, even with gloves
- EN 397 : LD, -30°C (non-vented version: MM, 440V AC, EN 50365 : 1000V AC) EN 166 : 1 B 2C-1,2 KN, Antistatic

MSAGVC1AW vented white no stickers

V-GARD® H1 HELMET



- Exceptional comfort and ease of use in a stylish low-profile hard hat design
- Available in 3 versions to protect users working at floor level and in working at height applications
- Fas-Trac® III pivot ratchet suspension for superior comfort, adjustability, and range of motion
- Patented "push-button" attachment of V-Gard H1 visor or spectacle
- Trivent: EN 12492; Novent: EN 397 -30°C, 440V, EN50365 (1000V); Bivent: EN 397 -30°C

MSA10194783 Trivent white

MSA10194791 Novent white

* Range of colours available on request

V-GARD® 950 CLASS 1 HELMET



- Balanced, lightweight and low-profile electrician helmet
- Integrated AF/AS visor protects against impact, chemical splash, UV radiation, molten metal splash, electrical arc 4kA
- Reliable one handed smooth movement, even –gloved
- 6-point Fas-Trac® III premium ratchet suspension; 4 pts chinstrap; optional arc flash ear flaps
- EN 397: MM, LD, -30°C, 440V AC, EN 50365: 1000V AC, EN 166: 2C-1,2 1 B 3 8-1-0 9 KN, GS-ET-29 class 1 (4kA), Anti-static

MSAGVF1A-80AW

MSAGVF1A-80AWGY
incl. grey stickers

MSAGVF1A-80AWRE
incl. red stickers

V-GARD® 950 CLASS 2 HELMET



- Balanced and lightweight electrician's helmet with fully integrated GS-ET-29 Class 2 (7kA) faceshield
- High light transmittance ensures good colour recognition
- Unique extended ear and neck flaps provide arc flash protection
- 6-point Fas-Trac® III premium ratchet suspension; 4 pts chinstrap
- EN 397: MM, LD, -30°C, 440V AC, EN 50365: 1000V AC, EN 166: 2C-1,2 1 B 3 8-2-0 9 KN, GS-ET-29 class 2 (7kA) Anti-static

MSAGVF1A-C0AAW

V-GARD® HELMET-MOUNTED HEARING PROTECTION



- Enhanced comfort and fit due to multiple adjustment points
- Highest attenuation for a cap mounted earmuff on the market
- Designed for optimal performance and approved with all V-Gard models
- MSA Visor frame can be simply clicked into the ear muffs
- EN 352-3, ANSI/CSA, Antistatic

MSA10190356 - 28 dB

MSA10190358 - 36 dB

MSA10190357 - 32 dB

INTEGRATED HEAD PROTECTION SOLUTIONS

- MSAs head-, eye-, face- and hearing-(HEFH) PPE have been developed and certified in combination to ensure high comfort and compliance
- Select from a wide range of helmets, suspensions, reflective stickers, badge holder, lamp brackets, neck protection, ear defenders, visors, chinstraps, winter liners, cooling pads and more to fit your specific needs
- V-Gard 2 point chinstraps: textile and elastic version
- Universal 4 point chinstrap offers ideal fit and stability
- V-Gard Liner Knit cap provides protection against cold and humidity, ear protection without obstructing vision

MSA9100001 - 2 pt textile

MSAGA90047 - universal 4 pt

MSAB0259378 - 2 pt elastic

MSA10118417 - winter liner

V-GARD® FACE PROTECTION



- V-Gard visor frame can be simply clicked on the helmet, works with or without ear defenders
- V-Gard visor range covers different applications and needs, contoured for a closer fit
- PC sheet visor for general use
- Moulded PC visor for superior optical quality and increased protection
- Propionate for chemical splash with higher impact resistance

MSA10121266 visor frame

MSA10115836 - 1 mm PC, 203mm H

MSA10115863 - 1 mm PC, 241mm H

MSA10115844 - 2.5 mm moulded PC, 235mm H

MSA10115851 - 2.5 mm Propionate, 235mm H



FALL PROTECTION

For the full range, please visit Beeswift.com

MSA has been in the business of safety at height since 1930. Today it is at the forefront in both the supply and the range of innovative fall protection products.



V-SERIES HARNESES

- Innovative features for all V-SERIES harnesses ensure superior comfort and flexibility
- Provide a close and comfortable fit thanks to the racing style bayonet buckle
- Athletic cut contours the harness to the body for increased upper torso mobility
- Pull-down adjustment allows the wearer to easily and quickly make adjustments to get the right fit
- 4 harness models, and 3 harness sizes ensure the ideal size for every worker
- Low-cost-of-ownership: ensured by the 10 years lifetime from the first date of harness use, easy inspection, high quality materials and exclusive features

V-FORM HARNESES

The basic harness model V-FORM includes:

- Racing-style buckle
- Athletic cut
- Pull-down adjustment
- Easy-to-inspect stitch patterns



MSA10205850

Back/Chest D-Ring, Qwik-Fit Leg Buckles, STD (for EU: M/L)

V-FORM+ HARNESES

Adding to the standard V-FORM with...

- Body conforming shoulder pads
- Coated webbing
- Dedicated attachment point for Personal Fall Limiters
- Additional lanyard keepers



MSA10206055

Back/Chest/Hip D-Ring, Should padding, With Waist Belt, Bayonet Buckles, STD (for EU: M/L)

V-FIT HARNESES

All the benefits of the V-FORM+ and...

- RaceFLEX™ Premium Buckle
- Premium Bayonet style buckles
- Superior shoulder and leg padding
- Horizontal leg straps



MSA10206534

Back/Chest D-Ring, Shoulder and Leg padding, STD (for EU: M/L)



V-TEC PERSONAL FALL LIMITER

- Lightweight and compact to reduce fatigue and increase comfort
- Quality materials with a unique construction to provide maximum robustness
- Low-cost-of-ownership: Clear casing allows for a visual inspection of internal components
- Various lengths and versions available for different applications



MSA63111-00SEU

1.8m, Webbing, Twin-Leg, Aluminium Scaffold Lightweight Hooks (End)

MSA63013-00TEU

3m, Webbing, Single-Leg, Aluminium Triple-Lock Carabiner (Top), Aluminium Scaffold Lightweight Hook (End)



V-TEC SELF RETRACTING LIFELINE

- Assured safety - spring radial energy absorbing technology requires zero calibration or adjustment
- Built to last - stainless steel/engineered plastics
- Durable - retraction dampening feature controls the cable speed to <3m/s
- Easy inspection and service



MSA63210-00AEU 10m, Galvanised Cable

CSE SOLUTION

- MSA confined space entry solutions make vertical descent easy and safe
- Enhanced certification to cover two persons: the operator and the worker entering or leaving the space
- Durability: Abrasion-resistant sheaths and coatings stand up to heavy use in the toughest environments
- Quick and easy set-up for 1 person in just 2 minutes, fits various manhole sizes thanks to the adjustable legs

LANYARDS



- Energy absorbing and restraint lanyards, available in web and kernmantel rope configurations and a variety of connectors
- Energy absorbing lanyards provide shock absorption and keep fall arrest forces below 6 kN
- Restraint lanyards are primarily used for work restriction and work positioning

MSA10185600

Restraint Lanyard, Webbing, 1.5m Fixed Length, Steel Screwgate Carabiners

MSA10185612

Energy Absorbing Lanyard, 1.5m, Webbing, Twin Leg, Steel Screwgate Carabiner, Steel Scaffold Hook

MSA10185615

Energy Absorbing Lanyard, 1.8m, Kernmantel Rope, Twin Leg, Steel Twist Lock Carabiner, Alu Scaffold Hook, Leading Edge

PERSONAL RESCUE DEVICE PRD

- A lightweight, unobtrusive personal rescue device integrated onto a full body harness
- In the event of a fall the device lowers the person gently to the ground in a controlled descent
- Dramatically reduces rescue time 20m descent height; up to 140kg worker capacity



MSA68202-00 PRD (RH2 Model) S - XL



MSA10116521 Tripod

Please check our website for the MSA Winch, Pulley, Rescuer and carabiners to complete the CSE Kit.

GAS DETECTION

For other configurations, please contact us

MSA is one of the global leaders for portable and fixed gas and flame detection with a wide range to meet the needs for specific applications. The Automated Test System GALAXY GX is available on request, with automatic bump and calibration testing capability.



ALTAIR 4XR MULTIGAS DETECTOR

- 4-gas detector which senses gas two times faster than the industry average with MSA's
- XCell® sensors Survives multiple 25 drops from 1.2m and
- can survive a 7.5m drop onto concrete
- Dust - and waterproof IP68 rating (2 meters for at least 1 hour)
- 4-year instrument & sensor warranty



MSA10211185 LEL

(Standard), O₂, CO, H₂S, with power supply, EU, UK EH40

ALTAIR 5X/5XIR/5X PID

- Monitors up to 6 gases simultaneously using XCell, advanced IR and PID sensor options
- Rugged rubber housing provides unsurpassed durability, including the ability to survive 3m drop
- Unique alarm features with MotionAlert & InstantAlert
- Full 3-year warranty on detector and most popular sensors



MSA10119600 LEL

(Pen), O₂, CO, H₂S, Monochrome

ALTAIR 2X GAS DETECTOR

- Fastest sensor response times with XCell® sensors for H₂S, CO, SO₂,
- NO₂, CL₂, NH₃
- Tough rubber casing survives multiple 7.5m drops onto concrete
- Agency-certified dust- and water-tight IP67 construction
- 3-year warranty on instrument & most sensors



MSA10153985 SO₂/H₂S-LC, GRAY

ALTAIR PRO SINGLE GAS DETECTOR

- Sensor versions: O₂, ClO₂, HCN or PH₃
- Rubberized armor housing and one-button operation for maximum durability and simplicity
- Automatically records the last 50 alarm/test events and gas readings in a periodic data log
- Easily replaceable batteries and sensors



MSA10074137 O₂

Low 19.50%, High 23.00%, Charcoal case

ALTAIR SINGLE GAS DETECTOR

- Disposable, maintenance free, sensor options: CO, H₂S, and O₂
- Automatically records the last 25 alarm/test events and can communicate data by connecting to MSA LINK
- Rubberized armor housing and one-button operation for maximum durability and simplicity



MSA10092522 CO

Low 25, High 100, Charcoal case

RESPIRATORY PROTECTION

Please contact us for ordering details

M1 SCBA



- Integrates all modern SCBA features into a compact, easy-to-operate device
- Innovative material composition for increased chemical resistance
- Easy to assemble, don and train. Upgradeable even in the field
- Reduced cost of ownership with a 10 year warranty

G1 FULL FACE MASK



- High comfort, low profile mask for less snagging and improved weight distribution
- Wide distortion-free field of vision
- Unique airflow prevents lens fogging and reduces breathing resistance
- Optional C1 communication headsets can be easily attached

S-CAP ESCAPE HOOD

- A highly visible, one-size fits all hood for simple and quick handling
- Safe protection of breathing, eyes and head
- High performance filter protects against smoke and gas from fires, especially carbon monoxide
- Low breathing resistance



MSA10064644 in carton

MINISCAPE ESCAPE DEVICE

- Using cutting-edge technology, this respirator provides 5 minutes of safety when the seconds count
- Reliable protection against numerous gases and vapors ABEK
- Quick and easy donning, compatible when wearing glasses and for users with facial hair
- Housed in a rugged carrying case, small enough to fit in a user's pocket or carried on the belt



MSA10038560

ADVANTAGE 3000 FULL FACE MASKS



- Designed for high comfort and low breathing resistance
- Panoramic lenses for a clear, undistorted view
- Hypoallergenic silicone body allows a comfortable, pressure free fit
- Upper straps make it easy to put the mask on or take it off

ADVANTAGE 400 HALF FACE MASKS



- Intuitive operation and exceptional comfort
- MSA patented single loop head harness
- Innovative drop-down option - ability to take off the mask without removing helmet or ear muffs
- MultiFlex nose cup provides enhanced comfort

THE FIRST **RECYCLED** PLASTIC SAFETY CUTTER



MADE IN THE USA

- Handle made from 95% recycled material
- Reduce plastic waste by reusing the handle and only replacing the blade head
- Additional interchangeable blade heads available
- Trusted performance, now eco-friendly
- Sustainable packaging



CORRUGATE/BOXES



FILM/STRETCH/SHRINK



PLASTIC BANDING



LIGHT-DUTY ZIP TIES



BAGGED GOODS

ECO-200XC-20EX

ECO-200XC-30EX

ECO-200XC-35EX

KLEVER®

A Brand Division of Safety Products Global

ECOXCCHANGE



KLEVER SAFETY CUTTERS

NSF FOOD ZONE

KLEVER KUTTER™ NSF

Stainless steel blade, FDA-compliant material infused with Kleen™ Antimicrobial



KCJ-1SSRX NSF Red

KCJ-1SSWX NSF White

KCJ-1SSFY NSF Green

KCJ-1SSBX NSF Blue

KCJ-1SSNX NSF Brown

KCJ-1SSYX NSF Yellow

KCJ-1SSMDX NSF Metal Detectable

KS SERIES

100% Stainless steel components and blade



KS-101SS-W Stainless Blade

REPLACEMENT BLADES

 HB-8820SS Stainless Steel

 HB-8820 Carbon Steel (not for NSF or food applications)

ANTIMICROBIAL

KLEEN™ KUTTER



KCJ-1XSS

KLEEN™ XCHANGE



Handle with Narrow, Dual-Opening Head (20)

KCJ-XC-20X



Handle with Wide, Single-Opening Head (30)

KCJ-XC-30X



Handle with Wide, Multipurpose Head (35)

KCJ-XC-35X

KLEVER
A BRAND DIVISION OF SAFETY PRODUCTS GLOBAL

KLEEN™ XCHANGE REPLACEMENT HEADS



Narrow: Dual-Opening Head (20)

KCJ-XH-20X



Wide: Single-Opening Head (30)

KCJ-XH-30X



Wide: Multipurpose Head (35)

KCJ-XH-35X

DISPOSABLE

KLEVER KUTTER



KCJ-1B Blue

KCJ-1Y Yellow

KCJ-1R Red

KCJ-1G Orange

KCJ-1K Black

KLEVER KUTTER PLS



PLS-100Y Yellow

PLS-100G Orange

PLS-100W White

KLEVER KONCEPT



KCJ-2B Blue

KCJ-2Y Yellow

KCJ-2R Red

KCJ-2G Orange

KLEVER EXCEL



Narrow: Dual-Opening Head (20)

KCJ-4-20B Blue

KCJ-4-20Y Yellow

KCJ-4-20R Red

KCJ-4-20G Orange



Wide: Single-Opening Head (30)

KCJ-4-30B Blue

KCJ-4-30Y Yellow

KCJ-4-30R Red

KCJ-4-30G Orange

KLEVER EXCEL PLS



PLS-400-30Y Yellow

PLS-400-30G Orange

PLS-400-30W White

KLEVER EXCEL PLS-MD



PLS-400-30MD Metal Detectable

PROUDLY MADE IN THE USA



KLEVER SAFETY CUTTERS

KEEP THE HANDLE, REPLACE THE HEAD!

KLEVER XCHANGE



Handle with Narrow, Dual-Opening Head (20)

KCJ-XC-20B Blue

KCJ-XC-20Y Yellow

KCJ-XC-20R Red

KCJ-XC-20G Orange

KCJ-XC-20Y-PT Yellow Plastic Tape Splitter



Handle with Wide, Single-Opening Head (30)

KCJ-XC-30B Blue

KCJ-XC-30Y Yellow

KCJ-XC-30R Red

KCJ-XC-30G Orange

KCJ-XC-30Y-PT Yellow Plastic Tape Splitter



Handle with Wide, Multipurpose Head (35)

KCJ-XC-35B Blue

KCJ-XC-35Y Yellow

KCJ-XC-35R Red

KCJ-XC-35G Orange

KCJ-XC-35Y-PT Yellow Plastic Tape Splitter



Handle with Kurve, All-Metal Head (40)

KCJ-XC-40B Blue

KCJ-XC-40Y Yellow

KCJ-XC-40R Red

KCJ-XC-40G Orange

KCJ-XC-40Y-PT Yellow Plastic Tape Splitter

KLEVER XCHANGE PLS



Handle with Narrow, Dual-Opening Head (20)

PLS-200XC-20Y Yellow

PLS-200XC-20G Orange

PLS-200XC-20W White



Handle with Wide, Single-Opening Head (30)

PLS-200XC-30Y Yellow

PLS-200XC-30G Orange

PLS-200XC-30W White



Handle with Wide, Multipurpose Head (35)

PLS-200XC-35Y Yellow

PLS-200XC-35G Orange

PLS-200XC-35W White



Handle with Kurve, All-Metal Head (40)

PLS-200XC-40Y Yellow

PLS-200XC-40G Orange

PLS-200XC-40W White

KLEVER XCHANGE REPLACEMENT HEADS



Narrow: Dual-Opening Head (20)

KCJ-XH-20



Wide: Single-Opening Head (30)

KCJ-XH-30



Wide: Multipurpose Head (35)

KCJ-XH-35



Kurve: All-Metal Head (40)

KCJ-XH-40



Narrow: Dual-Opening,
Titanium-Coated Head (20TN)

KCJ-XH-20TN



Wide: Single-Opening,
Titanium-Coated Head (30TN)

KCJ-XH-30TN

KLEVER HOLSTER

KCJ-HOL Black



KLEVER XCHANGE PLS-HD



Handle with Narrow, Dual-Opening Head (20)

PLS-300XC-20



Handle with Wide, Single-Opening Head (30)

PLS-300XC-30



Handle with Wide, Multipurpose Head (35)

PLS-300XC-35



Handle with Kurve, All-Metal Head (40)

PLS-300XC-40

KLEVER XCHANGE PLS-OM



Handle with Narrow, Dual-Opening Head (20)

PLS-302XC-20



Handle with Wide, Single-Opening Head (30)

PLS-302XC-30



Handle with Wide, Multipurpose Head (35)

PLS-302XC-35



Handle with Kurve, All-Metal Head (40)

PLS-302XC-40



Disposable Film Cutter

PHC
PACIFIC HANDY CUTTER™

- Enclosed blade eliminates loose blades from the workplace
 - The ideal choice for cutting shrink wrap, films, plastic bags, cryovac bags and more!
 - Long lasting stainless steel blade with heavy duty tape splitter
 - Attach to lanyard CL-36 for safe keeping
- ② NSF Certified - Safe for food preparation areas
Easy to clean and sanitise

Product Codes ① DFC-364 - Yellow ② DFC-364RN - Red



RSC-432 Disposable Safety Cutter

PHC
PACIFIC HANDY CUTTER™

- Disposable restaurant safety cutter
- Retractable safety guard
- Built in tape splitter
- Ambidextrous 3 button design
- Can be used with UKH-443 and CL-36

Product Code RSC-432



Code **S5-FC**
Replacement
film cutter

S5 Safety Cutter

PHC
PACIFIC HANDY CUTTER™

- From warehouse to shelf without changing tools
- 3 tools in 1: cutter, tape splitter, film cutter and SP splitter
- New integrated film cutter for improved productivity
- Blunt safety tip blade prevents puncture wounds and damaged merchandise
- Green: Right handed
- Red: Left handed

Product Codes **S-5R** - Green (Right) **S-5L** - Red (Left)



Code **S7FC**
Replacement
film cutter

Premium S7 Safety Cutter

PHC
PACIFIC HANDY CUTTER™

- Spring back self-retracting safety blade
- Guard protection mechanism
- Right or left handed, ergonomically designed handle
- Blade and guard move in tandem and cannot be over-riden
- Integrated film cutter for improved productivity and efficiency
- Quick and easy blade change
- Blunt safety tip, prevents puncture wounds

Product Code **S7**



S4 Safety Cutter

PHC
PACIFIC HANDY CUTTER™

- Reduces accidents and workers compensation costs
- Reduces damaged merchandise
- Increases productivity
- Green: Right handed
- Red: Left handed

Product Codes **S-4R** - Green (Right) **S-4L** - Red (Left)

QBAR-Smart Auto Retracting Safety Knife



- Auto Retracting Safety Blade
- Bladeless metal tape splitter
- Rugged aluminum body design
- Easy tool-free blade change
- Holds 5 additional blades

Product Code **QBAR**

QBS-20 Quickblade Springback



- Spring back blade
- Metal wheel turns to open handle for quick blade change
- No parts to lose
- Ergonomic safety handle
- Thermo plastic rubber grip
- High Visibility orange
- Can be used with UKH-326, SB-92 and SPS-92 page 275

Product Code **QBS-20**

Plastic Spring Back Safety Knife



- Spring back blade
- Ambidextrous 3 button design
- Universal right or left and top powercut
- Ergonomic body
- High visibility colour
- Can be used with UKH-430 and SP-017 page 275

Product Code **EZ-3**

Metal Spring Back Safety Knife



- Spring back blade
- Ambidextrous 3 button design
- Universal right or left and top powercut
- Ergonomic body
- High visibility colour
- Durable cast metal housing
- Can be used with UKH-423 and SP-017 page 275

Product Code **RZ-3**

Auto Loading Utility Knife



- Autoloading design
- One button blade change
- Ergonomic rubber grip
- Heavy-duty die cast body
- Holds and standard utility or hook blade
- No tools required to change blades
- Five blades included
- Can be used with UKH-326 and SP-017 page 275

Product Code **QBA-375**



Clip-On Lanyard

- With elastomeric coil-cord prevents product loss
- Works with: UKH-430 (RZ-3, EZ-3), UKH-443 (RSC-432) and a variety of other products

Product Code **CL-36**



Single-Notch Blade

- Single-notch safety point blade. 017 used in the S-4, S-5, S4S, and S-7 safety cutters, also fits RZ-3, EZ-3 and GSC-3 safety utility knives
- Box - 100

Product Code **SP-017**



Leather Holster

- With belt clip
- Contents not included

Product Code **UKH-326**



Standard Utility Blade

- 025, box - 100

Product Code **SB-92**



Nylon Belt Holster

- Velcro back
- Belt loop
- One pocket

Product Code **UKH-324**



Single Edge Blade

- Single edge standard notched .009 blade
- Used in HH-700 cutter
- Box - 100

Product Code **RB-009**



Nylon Holster

- Velcro back
- Belt loop
- Two pockets

Product Code **UKH-325**



Dura Tip Safety Cutter Blade

- 025 used in QuickBlade and other standard utility knives
- Box - 100

Product Code **SPS-92**



Auto-Retract Swivel Holster

- Auto-retracting swivel safety holster for S-4 and S-5 cutters
- Contents not included

Product Code **UKH-423**



Injector Blade

- Used in SH-701
- Box - 100

Product Code **INJ-010**



Swivel Safety Holster

- Plastic clip-on swivel safety holder for S-7

Product Code **UKH-545**



Blade Dispenser

- Bulk, 100 single-notch safety point blades
- 017 blades fit S-1, S-4, S-5, S-7, RZ-3 and EZ-3 cutters

Product Code **SPD-17**



Clip-on Swivel Holster

- Plastic clip-on swivel holster for RZ-3 and EZ-3 cutters

Product Code **UKH-430**



QBD-324 75 Blade Dispenser

- safely dispenses one SB-92 Standard Utility Blade at a time from a durable plastic case by easily pulling the yellow tab

Product Code **QBD-324**



Clip On Swivel Holster

- Plastic clip-on swivel holster for RSC-432 safety cutter

Product Code **UKH-443**



QBD-379 75 Blade Dispenser

- Suitable for the QBAR, QBS20 and QBA375 safety knives

Product Code **QBD-379**



LIGHTNESS AT YOUR FEET

Red Leve is the range of super light safety shoes featuring a new generation sole and an ultralight insole that greatly reduce the total weight of the shoe. Safety, on the other hand, is the same as always: Airtoe toe cap, non-slip, oil-resistant, abrasion-resistant and anti-static protection sole.



AIR TUNNEL LINING



SAFETY BREATHABLE TOE CAP



"NO METAL" PIERCE-RESISTANT MIDSOLE



ANATOMIC LAST MONDOPOINT 11



ANATOMICAL INSOLE WITH AN ANTIFATIGUE INSERT



MATT S3 SRC CI ESD UPRV20014

UPPER

High tenacity PUTEK® star, water-repellent, breathable and anti-abrasion scuff cap



SAFETY TOE CAP

AirToe Aluminium

PIERCE-RESISTANCE

Ultralight penetration-proof insole

FOOTBED

U-POWER original

SOLE

New generation PU sole

SIZE

from 2 to 13



THOMAS S3 SRC CI ESD UPRV20134

UPPER

Water repellent microfiber nubuk effect



SAFETY TOE CAP

AirToe Aluminium

PIERCE-RESISTANCE

Ultralight penetration-proof insole

FOOTBED

U-POWER original

SOLE

New generation PU sole

SIZE

from 2 to 13



PARKER S3 CI SRC ESD UPRV10024

UPPER

Water repellent microfiber nubuk effect



SAFETY TOE CAP

AirToe Aluminium

PIERCE-RESISTANCE

Ultralight penetration-proof insole

FOOTBED

U-POWER original

SOLE

New generation PU sole

SIZE

from 2 to 13



LOGAN S3 SRC CI ESD UPRV20104

UPPER

High tenacity PUTEK® star, water-repellent, breathable and anti-abrasion scuff cap



SAFETY TOE CAP

AirToe Aluminium

PIERCE-RESISTANCE

Ultralight penetration-proof insole

FOOTBED

U-POWER original

SOLE

New generation PU sole

SIZE

from 2 to 13





FIRST CERTIFIED CARBON NEUTRAL SAFETY SHOE RANGE

The products of the Red industry Green range have achieved zero net CO2 emissions through the use of materials with reduced environmental impact and the offsetting of the residual emissions by the purchase of carbon credits certified according to arrangements and methodologies recognised by the United Nations.



wingTex
AIR TUNNEL LINING

Airtoe
COMPOSITE
SAFETY BREATHABLE TOE CAP

Save & Flex plus
"NO METAL"
PIERCE-RESISTANT MIDSOLE

Natural CONFORT 11
ANATOMIC LAST MONDOPOINT 11

Wow2 Green
ANATOMICAL INSOLE WITH AN ANTIFATIGUE INSERT

ISLAND UK S3 CI SRC ESD UPR120334

UPPER
PUTEK® spider repet with a high percentage of recycled material
SAFETY TOE CAP
AirToe Composite
PIERCE-RESISTANCE
Save & Flex® PLUS GREEN
FOOTBED
WOW2 GREEN in PU di BASF
SOLE
100% renewably sourced PU from BASF
SIZE
from 2 to 13



PU Tek® SPIDER
REPET
HYPERTEX technology



* PU Tek Plus is exclusive to U- Group

PUTEK® PLUS TECHNOLOGY uses newly developed high resistance abrasion yarns, woven directly into the fabric, to obtain high-tenacity and high-performance abrasion resistant fabrics. These highly resistant and water-repellent fabrics allow the creation of ultra-light and ultra-breathable S3 products.

NIAGARAUK S3 CI SRC ESD UPR10324

UPPER
Soft microfibre with a high percentage of recycled material
SAFETY TOE CAP
AirToe Composite
PIERCE-RESISTANCE
Save & Flex® PLUS GREEN
FOOTBED
WOW2 GREEN in PU di BASF
SOLE
100% renewably sourced PU from BASF
SIZE
from 2 to 13



THE  INSOLE CONSISTS OF TWO ELEMENTS:
 - AN ARCH STRUCTURE 100% RENEWABLY SOURCED PU FOOTBED BY BASF, WITH SELF-MODELLING PROPERTIES.
 - AN INSERT MADE WITH A REVOLUTIONARY BASF COMPOUND THAT GUARANTEES ANTI-FATIGUE PROPERTIES.



PU/PU NEXT GENERATION POLYMER



90° DEGREE ANGLE BLOCK PROFILE TO INCREASE ADHESION

MULTILEVEL STABILISING CHANNELS TO IMPROVE ANTI SLIP FEATURES


PREFORMED HEEL HEIGHT 6MM MULTIPURPOSE

90° DEGREE ANGLE BLOCK PROFILE TO INCREASE ADHESION

SLIP RESISTANCE

		EUROPEAN STANDARDS	RED INDUSTRY	
SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	0,45	
		Heel CONTACT ANGLE 7°	0,32	
	SRB TEST FLOOR STEEL LUBRICANT GLYCERIN	Flat	0,18	0,44
		Heel CONTACT ANGLE 7°	0,13	0,21

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



CLIFF S2 SRC ESD UPRI20394

UPPER
Water resistant, breathable New Safety Dry with a high percentage of recycled material

SAFETY TOE CAP
AirToe Composite

PIERCE-RESISTANCE
Save & Flex® PLUS GREEN

FOOTBED
WOW2 GREEN in PU di BASF

SOLE
100% renewably sourced PU from BASF,

SIZE
from 2 to 13



LAND UK S3 CI SRC ESD UPRI10384

UPPER
PUTEK® spider repet with a high percentage of recycled material

SAFETY TOE CAP
AirToe Composite

PIERCE-RESISTANCE
Save & Flex® PLUS GREEN

FOOTBED
WOW2 GREEN in PU di BASF

SOLE
100% renewably sourced PU from BASF,

SIZE
from 2 to 13



EMBER UK S3 CI SRC ESD UPRI20384

UPPER
PUTEK® spider repet with a high percentage of recycled material

SAFETY TOE CAP
AirToe Composite

PIERCE-RESISTANCE
Save & Flex® PLUS GREEN

FOOTBED
WOW2 GREEN in PU di BASF

SOLE
100% renewably sourced PU from BASF,

SIZE
from 2 to 13



INFINERGY E-TPU FOAM SOLE MADE UP OF THOUSANDS OF TINY CELLS OF ENCLOSED AIR THAT DAMPEN SHOCK IMPACT AND RETURN THE ENERGY BACK ON EVERY STEP.

Infinergy
There was always the spirit



PU/PU NEXT GENERATION POLYMER



90° DEGREE ANGLE BLOCK PROFILE TO INCREASE ADHESION

MULTILEVEL STABILISING CHANNELS TO IMPROVE ANTI SLIP FEATURES

PREFORMED HEEL HEIGHT 6MM MULTIPURPOSE

90° DEGREE ANGLE BLOCK PROFILE TO INCREASE ADHESION

SLIP RESISTANCE

		EUROPEAN STANDARDS		RED 360
SRC (SRA+SRB)	SRA TEST FLOOR CERAMICS LUBRICANT WATER + DETERGENT	Flat	0,32	0,68
		Heel CONTACT ANGLE 7°	0,28	0,44
	SRB TEST FLOOR STEEL LUBRICANT GLYGERIN	Flat	0,18	0,24
		Heel CONTACT ANGLE 7°	0,13	0,15

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



JACOB S3 SRC CI ESD UPRS10134

UPPER

High abrasion resistant **PUTEK® star**, water resistant, breathable, heel shock shield

SAFETY TOE CAP

AirToe Aluminium

PIERCE-RESISTANCE

Save & Flex® PLUS

FOOTBED

WOW

SOLE

PU/PU + **Infinergy®**

SIZE

from 2 to 13



PU Tek STAR
HYPERTEXTtechnology

MARLIN S3 SRC CI ESD UPRS20134

UPPER

High abrasion resistant **PUTEK® star**, water resistant, breathable, heel shock shield

SAFETY TOE CAP

AirToe Aluminium

PIERCE-RESISTANCE

Save & Flex® PLUS

FOOTBED

WOW

SOLE

PU/PU + **Infinergy®**

SIZE

from 2 to 13



PU Tek STAR
HYPERTEXTtechnology





WATERPROOF IN COMBINATION WITH LONG-LASTING BREATHABILITY

The GORE-TEX membrane prevents water from entering the shoe and ensures that your feet remain dry and protected. It is ultra-thin, highly waterproof and breathable.

Gore-tex is permeable for water vapour allowing perspiration to escape unhindered, because the pores in the GORE-TEX membrane are 700 times larger than a water vapour molecule, allowing your feet to "breathe".

Due to the microscopic pores which are approximately 20,000 times smaller than a water droplet, the GORE-TEX membrane is completely waterproof.

This technology provides the ideal climate comfort for your feet in every season.



SAFETY BREATHABLE TOE CAP



"NO METAL" PIERCE-RESISTANT MIDSOLE



ANATOMIC FOOTBED



ANATOMIC LAST MONDOPOINT 11



DROP GTX S3 WR HRO HI CI SRC UPGO10054

UPPER

Full grain waterproof leather

LINING

GORE-TEX Performance Membrane

SAFETY TOE CAP

AirToe Composite

PIERCE-RESISTANCE

Save & Flex® PLUS

FOOTBED

WOW

SOLE

PU/VIBRAM

SIZE

from 2 to 12



HRO ≥ 300° C



SMASH GTX S3 WR CI SRC UPGO10084

UPPER

Pull-up waterproof leather

LINING

GORE-TEX Performance Membrane

SAFETY TOE CAP

AirToe Composite

PIERCE-RESISTANCE

Save & Flex® PLUS

FOOTBED

WOW

SOLE

PU/PU

SIZE

from 2 to 12




uvex's corporate mission of "protecting people" is more relevant than ever!

uvex's commitment to protecting people also includes responsibility with respect to society and the environment. As a family business, sustainability has been at the forefront of the company's thoughts and actions for well over a decade.

uvex has set itself ambitious goals in terms of the environment, the economy and society. In its manufacturing facilities, uvex is working hard to increase energy efficiency and doing everything it can to become carbon-neutral in the near future.

High quality standards for products are combined with the development of recycling concepts and the use of bio-based materials. The durability and long service life of uvex products helps to reduce waste and conserve resources.

UV2124001

protecting planet
by using recycled material //
by maximum reduction of pollutants

uvex xact-fit planet

Swedsafe, part of the uvex group, has a very small CO₂ footprint. 100% of the power used to produce the uvex xact-fit planet comes from renewable energy sources. Swedsafe is certified in accordance with the ISO 14001 environmental management standard.

Thumb grips
100%
recycled polypropylene

Production
0%
fossil fuels

protecting planet

uvex Bamboo TwinFlex® D xg planet

By using bamboo viscose, uvex is utilising a renewable raw material and recycled polyamide. The glove significantly exceeds REACH regulations and the skin compatibility has been dermatologically approved by the proDerm institute.



protecting planet
by using bio-based material //
by using recycled material //
by maximum reduction of pollutants



uvex Bamboo TwinFlex® D xg 60090
model: knitted cuff • standards: EN 388 (4X41D), EN 407 (X1XXXX) • material: bamboo viscose, HPPE, steel, polyamide, elastane • coating: Xtra-Grip aqua-polymer coating • suitable for: dry and damp/oily areas • sizes: 6-12

Health protection
REACH
regulations are exceeded

Sustainable materials
45%
Bamboo fibres | recycled polyamide

Skin compatibility
dermatologically approved
by the
proDerm
Institute



Scan to find out more

UV9143295



protecting planet

by using recycled material //
by using bio-based material



UV9143297



UV9143296

Headband (guard+)
72%
recycled waste yarn

uvex i-range planet

The uvex i-range is our new 3in1 safety eyewear range, for virtually any workplace hazard or environment.

The flexible application options contribute effectively to environmental protection.

Side arms
39%
bio-based material

Hooks/couplings
22%
recycled PET bottles

Polyethylene bag
70%
recycled material

Face seal
>35%
recycled granulate

uvex i-range planet • model: uvex supervision excellence • standards: EN 166, EN 170 • lens: PC, clear • colour: anthracite, turquoise
uvex i-lite planet 9143295 • frame: W 166 F CE • lens: UV400, 2C-1.2 W1 FKN CE • weight: 32 g
uvex i-guard planet 9143296 • frame: W 166 34 F CE • lens: UV400, 2C-1.2 W1 FKN CE • weight: 48 g
uvex i-guard+ planet 9143297 • frame: W 166 34 B CE • lens: UV400, 2C-1.2 W1 BKN CE • weight: 50 g

The sustainable uvex product system



UV9772042



protecting planet

by using recycled material //
by using bio-based material

Helmet shell
30%
bio-based material

Helmet strap
50%
recycled material

Product packaging
100%
recyclable

uvex pheos planet

The lightweight uvex pheos planet safety helmet in a sporty design offers maximum wearer comfort. All individual packaging is made of regranulated material. The user instructions are printed on 100% recycled paper.

uvex pheos planet • material: HDPE • standard: EN 397, -30°C, MM • sizes: 52-61 cm
uvex pheos planet B-WR 9772042 • model: with long brim
uvex pheos planet B-S-WR 9772043 • model: with short brim

uvex 1 G2 planet

From the upper to the sole, the new uvex 1 G2 planet offers both sustainability and performance. In accordance with DIN EN ISO 14021:2016, 30% of the shoe (in terms of weight) is made of recycled materials, without compromising on protective features or comfort.

Upper, insole, penetration resistance
100%
recycled material

TPR scuffcap
40%
recycled TPU

Protective features
0%
loss



protecting planet

by using bio-based material //
by using recycled material //
by maximum reduction of pollutants



UV68242

uvex 1 G2 planet shoe 68242
Standard: EN ISO 20345:2011 S1 P SRC/EN ISO 20345:2022 S1 PL FO SC SR • upper: fabric • lining material: distance mesh lining • width: 11 • sizes: 35-52

* The entire safety shoe is made without harmful substances according to the banned hazardous substances list.
** Bamboo TwinFlex® technology is a registered trademark of UVEX SAFETY Gloves GmbH & Co. KG.



uvex 1 G2 planet

- Extremely lightweight safety shoe made from recycled and sustainable materials without compromising its protective properties or comfort
- uvex x-dry knit planet textile upper material - 100% recycled polyester made from PET bottles
- TPU outer sole with up to 10% recycled PU waste from our production processes, is highly durable and offering outstanding shock absorption and excellent slip resistance
- Replaceable comfortable climatic insole is also made of 100% recycled PU foam and polyester
- New, uvex i-PUREnrj sole technology provides cushioning and energy return across the entire sole of the foot, helping reduce wearer fatigue
- The foam heel basket offers optimal stability and sure footedness



Sizes 3 to 6.5 have been produced using a women's last

UV68242

Type	Shoe
Standard	S1 P SRC, ESD rated
Upper	Textile
Toe cap	Metal-free
Mid sole	Metal-free
Size Range	3-16

uvex 1 G2

- Extremely lightweight safety shoe designed to minimise wearer fatigue
- New, uvex i-PUREnrj sole technology provides cushioning and energy return across the entire sole of the foot, helping reduce wearer fatigue
- uvex x-tended grip technology has been developed for those who walk on smooth or wet industrial floors delivering even greater abrasion and slip resistance. The result? Greater durability, safety, stability and less wear
- Virtually seam-free construction made from extremely breathable and water-repellent textile material
- Removable antistatic insole with a moisture transport system, additional shock absorption around the heel and forefoot and excellent support for the arch



Sizes 3 to 6.5 have been produced using a women's last

UV68342

Type	Shoe
Standard	S1 P SRC, ESD rated
Upper	Textile
Toe cap	Metal-free
Mid sole	Metal-free
Size Range	3-16

uvex 1

- Ultra low weight, versatile S3 safety shoe/boot
- Ergonomically designed outsole made from dual density polyurethane with excellent slip resistance
- x-tended support: medial and lateral heel support provides additional protection from ankle twisting, stabilises and guides the foot while providing impact protection
- Virtually seam-free construction made from high-tech microvelour material to eliminate pressure points
- Removable antistatic comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot



UV65162

Type	Shoe
Standard	S3 SRC, ESD rated
Upper	Microvelour
Toe cap	Metal-free
Mid sole	Metal-free
Size Range	3-16

UV65172

Type	Boot
Standard	S3 SRC, ESD rated
Upper	Microvelour
Toe cap	Metal-free
Mid sole	Metal-free
Size Range	3-16

uvex quatro pro

- Water-resistant black leather boot with puncture-resistant steel midsole and steel toecap
- Injection moulded scuff cap protects the leather prolonging product life
- High profile sole unit keeps feet and leather elevated out of standing water
- Heel counter supports the ankle for increased stability to protect against ankle twisting
- Durable, dual density PUR sole. SRC rated. Heat resistant to +120°C
- Pronounced heel offers extra support in arch area and offers extra grip when climbing ladders
- uvex climazone technology regulates the internal temperature, reducing moisture build-up, improving hygiene and comfort
- Bellows tongue design keeps debris out



UV84012

Type	Boot
Standard	S3 SRC
Upper	Leather
Toe cap	Steel
Mid sole	Steel
Size Range	5-14,5

uvex



uvex i-range planet

Made using recycled and bio-based materials without compromising safety:

- Side arms - 39% bio-based castor oil plant.
- The couplings and hooks - 22% recycled PET bottles
- The soft face seal on the guard version >35% recycled granulate from production waste.



	uvex i-lite planet UV9143295	uvex i-guard planet UV9143296	uvex i-guard+ planet UV9143297
Coating	uvex supravision excellence	Coating uvex supravision excellence	Coating uvex supravision excellence
Norm Lens	EN 166, EN 170 PC clear UV400 2C-1.2 W1 FKN CE	Norm Lens EN 166, EN 172 PC clear UV400 2C-1.2 W1 FKN CE	Norm Lens EN 166, EN 170 PC amber UV400 2C-1.2 W1 BKN CE

uvex i-works

Light, sporty design with panoramic lens for maximum comfort even when worn for long periods. The soft, duo-component arms adapt to the wearer to provide a comfortable, non-slip fit.



	UV9194171	UV9194270
Coating	uvex supravision excellence	Coating uvex supravision excellence
Norm Lens	EN 166, EN 170 PC clear UV400 2C-1.2 W1 BTKN CE	Norm Lens EN 166, EN 172 PC grey 23% UV400 5-2.5 W1 FTKN CE

uvex lens coatings

- uvex supravision excellence**
- Permanent anti-fog coating on the interior of the lens and a scratch-resistant hard coating on the exterior
 - Extremely scratch-resistant and chemical-resistant on the outside of the lens with non-stick, easy to clean technology
 - Long lasting anti-fog performance on the inside
 - Anti-fog performance will not diminish even after repeated cleaning

- uvex supravision extreme**
- Permanent anti-fog coating on the interior of the lens and a scratch-resistant coating on the exterior
 - Extremely scratch-resistant and chemical-resistant on the outside of the lens
 - Long lasting anti-fog performance on the inside
 - Easy to clean

uvex pheos cx2

The soft moulded X-tended eye shield and brow guard provides reliable protection against splash and particle ingress. The innovative X-Twist technology allows the uvex pheos cx2 to adapt to individual head widths providing a comfortable, non-slip fit.



	UV9198257	UV9198237
Coating	uvex supravision excellence	Coating uvex supravision excellence
Norm Lens	EN 166, EN 170 PC clear UV400 2C-1.2 W1 FTKN CE	Norm Lens EN 166, EN 172 PC grey 23% UV400 5-2.5 W1 FTKN CE

uvex sportstyle

Close-fitting, sporty design with an extremely low weight of just 23g for incredible comfort. The distinctive athletic shaping and the use of lightweight, high-tech materials means wearers will experience the highest levels of comfort, ultimate fit and an excellent field of vision.



	UV9193280	UV9493376
Coating	uvex supravision extreme	Coating uvex supravision extreme
Norm Lens	EN 166, EN 172 PC grey 23% UV400 5-2.5 W1 FTKN CE	Norm Lens EN 166, EN 170 PC clear UV400 2C-1.2 W1 FTKN CE





uvex pheos and pheos s

The frameless, duo-spherical lens gives excellent eye coverage for greater protection. The side arms combine hard and soft materials which grip the head for a non-slip comfortable fit. Available in two sizes, standard and small. The small is 8mm smaller making it ideal for narrower faces.



pheos	UV9192225
pheos s	UV9192720
Coating	uvex supravision excellence
Norm	EN 166, EN 170
Lens	PC clear UV400 2C-1.2 W1 FTKN CE

pheos	UV9192285
pheos s	UV9192786
Coating	uvex supravision excellence
Norm	EN 166, EN 172
Lens	PC grey 23% UV400 5-2.5 W1 FTKN CE

pheos	UV9192385
pheos s	UV9192788
Coating	uvex supravision excellence
Norm	EN 166, EN 170
Lens	PC amber UV400 2C-1.2 W1 FTKN CE

uvex ultrasonic

The innovative frame combines hard / soft materials creating soft effective seal around eyes. High levels of comfort, protection and hygiene. The anti-fog coating on the inside and scratch-resistant on the outside increases durability and safety.



	UV9302245
Coating	uvex supravision excellence
Norm	EN 166, EN 170
Lens	PC clear UV400 2C-1.2 W1 BKN CE

uvex ultravision

The uvex ultravision features a comfortable and ergonomic design and offers unrestricted side visibility. This flexible wide-vision goggle is also suitable for use as overspecs.



	UV9301105
Coating	uvex supravision excellence
Norm	EN 166, EN 170
Lens	PC clear UV400 2C-1.2 W1 BTKN CE

uvex lens cleaning station

This lens cleaning station can be wall mounted in convenient communal areas. It contains a lens cleaning solution and tissues to allow workers to clean their eyewear whenever required.



Lens cleaning station	
Code	UV9970007

Replacement Cleaning fluid	
Code	UV9972101

Replacement Cleaning tissues	
Code	UV9972101

uvex lens cleaning towelettes

Individually wrapped lens cleaning towelettes, 100 units per box. Suitable for all uvex safety spectacles. Not antistatic. Silicone-free.



Cleaning towelettes	
Code	UV9963000



Lens Cleaning

Did you know uvex lens coatings are permanent even after repeated cleaning?

Extending the life of your glasses through appropriate cleaning solutions not only increases wearer safety, it also means less plastic ends up in landfill and is an investment for your workforce.

uvex

The **ONLY** cut level D glove featuring **45%** recycled and sustainable fibres.



For more information go to uvex-safety.co.uk/bamboo-twinflex or via the QR code.



uvex Bamboo TwinFlex® D xg

Gram for gram, the uvex Bamboo TwinFlex® D xg has the highest environmentally conscious yarn content compared to its nearest high cut competitor.

The combination of high-tech, high-performance fibres together with natural, sustainable bamboo-viscose and recycled polyamide delivers an extremely comfortable glove with impressive levels of protection against abrasion and cut hazards.

UV60210	
Coating	"Xtra Grip" Aqua Polymer - foam
Liner	Bamboo-viscose, Elastane, HPPE, Polyamide, Steel
Standards	EN 388 (4 X 4 1 D)
Sizes	6-12



Carbon neutral production: manufactured in our own German facility**



Environmentally conscious: Weighing on avg. 47g (size 9), these gloves contain c. 21g of recycled polyamide and sustainable bamboo



Accelerator and solvent free: eliminates potential allergies



Plastic free packaging: for over 11 years



- 18 gauge cut level D liner:** thin, flexible, protective, breathable
- Bamboo content:** gives 6 x higher sweat absorption* in just 2.8 seconds
- All day comfort:** bamboo feels smooth and silky-soft against the skin
- XtraGrip foam coating:** highly effective grip in dry, damp, oily areas
- High abrasion resistance:** and reinforced thumb crotch for long service life, cost savings and less waste
- Awarded 3 dermatological approvals:** certified ProDerm Institute, OEKO-TEX Standard 100 and uvex pure standard
- Touchscreen compatible:** no need to remove the glove between tasks
- Heat resistant to 100°C contact heat:** great task versatility


*Compared to traditional man-made fibres

**Certified to ISO 14001 Environmental Management and ISO 50001 Energy Management system



uvex phynomic x-foam HV


- Unique safety glove with break sections
- Reduced tear resistance in the finger area with the integration of a seamless break section, which clearly reduces the risk of severe hand injuries when using hand-held power tools



UV60054
Coating Aqua-polymer foam
Liner HPPE, elastane
Standards EN 388 (3 1 X 1 X)
Sizes 6-10

uvex phynomic C5

- All-round Level C cut protection safety glove
- Very good mechanical abrasion resistance
- Very good grip in dry and slightly damp areas
- Outstanding tactile feel when assembling parts
- Sustainable: 45% bio-based HPPE (DSM Dyneema)
- Dermatologically approved
- OEKO-TEX® Standard 100
- Food Standard approved



UV60081
Coating Aqua-polymer foam
Liner Dyneema® Diamond-Technology, polyamide, elastane
Standards EN 388 (4 X 4 2 C)
Sizes 6-12

uvex unidur 6641


- PU cut protection safety glove with high-quality Special Cut Performance PE fibre
- Highly flexible with outstanding comfort
- Excellent abrasion resistance
- Good grip in dry and slightly damp areas
- Palm and fingertips with polyurethane coating



UV60210
Coating PU
Liner HPPE, elastane
Standards EN 388 (4 3 4 3 B)
Sizes 6-10

uvex unilite thermo

- Winter glove with dual-layer design
- Acrylic and new wool mix lining for extra warmth and comfort
- Good mechanical abrasion resistance with a polymer coating that is flexible at low temperatures
- Very good thermal insulation in direct contact with cold objects
- Food Standard approved



UV60593
Coating Cold-flexible polymer
Liner Acrylic and new wool mix (lining), polyamide and elastane (outer)
Standards EN 388 (3 1 3 1 X), EN 511 (0 1 0)
Sizes 7-11

HexArmor SharpsMaster II 9014

- Highest needlestick resistance available provided by the layering of SuperFabric® brand material
- Tested using actual 25 gauge needles against ANSI/ISEA 105 standard
- Highest level of cut resistance on enhanced areas
- Incredible dexterity and comfort



UV60981
Coating Wrinkle rubber latex
Liner Cotton blend
Standards EN 388 (4 X 4 4 F)
Sizes 6-10

uvex profastrong NF33

- Sensitive NBR chemical protection glove with flocked cotton
- Outstanding mechanical abrasion resistance
- Good grip in damp and wet areas thanks to the Grip structure in the palm
- Good resistance to many oils, grease, acids and alkalis
- Highly flexible



UV60122
Coating Nitrile rubber 0.38 mm
Liner Cotton flock
Standards EN 388 (4 1 0 1 X), EN ISO 374-1:2016/Type A (A J K L O T), EN ISO 374-5:2016 VIRUS
Sizes 7-10

Respiratory Protection



The uvex silv-Air c product family consists of classic folding and cup-shaped face masks designed to fit different face shapes. The headband lacing system and integrated sealing lips in all protection classes make it easy to fit these masks correctly – and to wear them comfortably for long periods.




uvex silv-Air c 3110
FFP1 flat fold with valve

Product Code:	UV8733100
APF:	4
Masks per box:	30



uvex silv-Air c 2100
FFP1 cup mask without valve

Product Code:	UV8732100
APF:	4
Masks per box:	20




uvex silv-Air c 2110
FFP1 cup mask with valve

Product Code:	UV8732110
APF:	4
Masks per box:	15




uvex silv-Air c 3210
FFP2 flat fold with valve

Product Code:	UV8733210
APF:	10
Masks per box:	15



uvex silv-Air c 2210
FFP2 cup mask with valve

Product Code:	UV8732210
APF:	10
Masks per box:	15



uvex silv-Air c 2220
FFP2 cup mask with carbon

Product Code:	UV8732220
APF:	10
Masks per box:	15



uvex silv-Air c 3310
FFP3 flat fold with valve

Product Code:	UV8733310
APF:	20
Masks per box:	15



uvex silv-Air c 2310
FFP3 cup mask with valve

Product Code:	UV8732310
APF:	20
Masks per box:	15



uvex silv-Air c 2312
FFP3 small cup mask with valve

Product Code:	UV8732312
APF:	20
Masks per box:	15



Worker Emergency ID Hard Hat ID - Global



Ideal for work sites that utilize workers from mixed nationalities or for use by companies that operate within multiple worldwide locations.

- Utilizes internationally recognized symbols
- Uses Orange 3M Scotchlite™ reflective material
- Shares main features of our WSID-01 & WSID-02
- Multi-language fitting instructions
- Non electrically conductive
- Water / weather resistant

Now available with FREE Emergency Worker ID Mobile App for Apple and Android smart phones

Product Code

 **WSID02G**

Dimensions

85mm x 20mm



Weather Proof



Non Conductive



Helmet Safe



Worker Emergency ID Hard Hat ID - Temporary stickers



A low-cost solution to assist site-foremen, supervisors and managers identify who is on site at a glance. These labels provide an ideal solution to identify for short-term workers, subcontractors or even visitors to a work site.

- Stores basic information
- Self-laminating design protects written info from wear
- Helmet safe adhesive
- Easily removed from helmet

Now available with FREE Emergency Worker ID Mobile App for Apple and Android smart phones

Dimensions

Sticker #1 - 76mm x 33mm **Sticker #2** - 23mm x 23mm

Each pack contains 25 x two piece sticker sets

Product Code

WSID03



Worker Emergency ID Universal Fit ID



A fully versatile Worker ID system that can be used in a number of different configurations.

- Unique "stretch ring" fitting system
- Fits to boots / shoes, belts, back-packs, climbing harnesses, key-rings etc.
- Water / weather resistant design
- Tough and durable, able to withstand hard use
- Supplied with key-ring hook for easy use

Now available with FREE Emergency Worker ID Mobile App for Apple and Android smart phones

Dimensions

60mm x 30mm x 10mm

Product Code

WSID05

Universal Fit System

Keyring

Boot

Belt

Zip Pull



Weather Proof Design

Harness



Worker Emergency ID Hard Hat ID - **Standard**



Stores workers medical info & emergency contacts for use in the event of an accident or medical emergency

- Fixes securely to the workers hard hat / clothing
- Secure tamper-proof seal (ensures data privacy)
- Highly Reflective (3M Scotchlite™ reflective material)
- Water / weather resistant
- Helmet safe 3M™ adhesive used
- Non electrically conductive
- Weighs less than 5 grams
- A low-cost back-up to supplement your existing on-site safety procedures

Product Code

WSID01

Dimensions

70mm x 15mm



Weather Proof



Non Conductive



Helmet Safe



Worker Emergency ID Hard Hat ID - **Data Window**



Stores workers medical info & emergency contacts for use in the event of an accident or medical emergency

- Shares all of the features of our standard Worker Emergency Hard Hat I.D but adds:
- Data / name window that permits the workers basic info to be seen **without** having to open the ID sleeve
- **Example** Displays the workers name and / or site safety induction date
- Stores up to 1.5 times information than our WSID01
- Non electrically conductive
- Weighs less than 10 grams

Product Code

WSID02

Dimensions

85mm x 20mm



Weather Proof



Non Conductive



Helmet Safe



**FLIP THIS
CATALOGUE
AROUND FOR**



**BEESSWIFT®
BRANDED PRODUCTS**